ANALISIS VITALITAS LUKA ANTEMORTEM DAN POSTMORTEM DENGAN EKSPRESI MikroRNA-149 YANG DILAKUKAN
SETELAH KEMATIAN PADA TIKUS GALUR WISTAR
Gusti Ngurah Bagus Prenama Wiguna, dr. I B Gd Surya Putra Pidada.,Sp.FM(K).,MH; dr. Idha Arfianti Wiraagni, M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Al Haris MS, Rohmah IN, Miranti IP. (2019) "Perbandingan Gambaran Histopatologi Kulit Leher Tikus Wistar Yang Digantung dengan Pembedaan Periode PostMortem", *Jurnal Kedokteran Diponegoro (Diponegoro Medical Journal)*, Feb;8(1):313-322. doi:10.14710/dmj.v8i1.23346.

Arfianti Wiraagni, I., Suhartini, Surya Putra, I. B. G., Widagdo, H., & Suriyanto, R. A. (2021) "Materi penunjang ilmu kedokteran forensik dan medikolegal jilid 1," *Gadjah Mada University Press*.

Bartel, D.P. (2004) "MicroRNAs: Genomics, biogenesis, mechanism, and function," Cell, 116, 281–297.

Bowden, L. G., Byrne, H. M., Maini, P. K., & Moulton, D. E. (2016). A morphoelastic model for dermal wound closure. *Biomechanics and Modeling in Mechanobiology, 15*(3), 663–681. https://doi.org/10.1007/s10237-015-0711-7

Carlsson J, Helenius G, Karlsson M, Lubovac Z, Andrén O, Olsson B, *et al*. (2010) "Validation of suitable endogenous control genes for expression studies of miRNA in prostate cancer tissues," *Cancer Genetics and Cytogenetics*, 202(2):71–5.

Cecchi R. (2010) "Estimating wound age: looking into the future," *Int J of Legal Med*, 124(6), 523-36.

Cockle, D. L., & Bell, L. S. (2015). Human decomposition and the reliability of a "universal" model for post mortem interval estimations. *Forensic Science International, 253,* 136.e1–136.e9. https://doi.org/10.1016/j.forsciint.2015.05.018

Dix, J., & Graham, M. (2000). *Time of death, decomposition, and identification: An atlas* (Forensic Pathology Atlases: Causes of Death Series). CRC Press. https://doi.org/10.4324/9780367806422

Fatriah SH, Sampurna B, Firmansyah A. (2017) "Analisis Medikolegal terhadap Kriteria Derajat Luka menurut Kitab Undang-Undang," *J Indon Med Assoc*, 67(11):514-521.

Gabbianelli, R. (2024). Impact of social stress on epigenetics: An updated narrative review. *Journal of Clinical Epigenetics, Volume*(10).

Ghasemi A, Fallah S, Ansari M. (2016) "MicroRNA-149 is epigenetically silenced tumor-suppressive microRNA, involved in cell proliferation and downregulation of AKT1 and cyclin D1 in human glioblastoma multiforme," Biochemistry and Cell Biology, 94(6):569–76.

UNIVERSITAS
GADJAH MADA
**ANALISIS VITALITAS LUKA ANTEMORTEM DAN POSTMORTEM DENGAN EKSPRESI MikroRNA-149 YANG DILAKUKAN
SETELAH KEMATIAN PADA TIKUS GALUR WISTAR**
Gusti Ngurah Bagus Prenama Wiguna, dr. I B Gd Surya Putra Pidada.,Sp.FM(K).,MH; dr. Idha Arfianti Wiraagni, M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Grasedieck S, Scholer N, Bommer M, *et al*. (2012) "Impact of serum storage conditions on microRNA stability," Leukemia, 26:2414–2416.

Henssge C, Madea B. (2004) "Estimation of the time since death in the early post-mortem period," *Forensic Sci Int*, 144(2-3), 167-175. doi:10.1016/j.forsciint.2004.04.051.

Herkutanto. (2005) "Peningkatan Kualitas Pembuatan Visum et Repertum (VeR) Kecederaan di Rumah Sakit melalui Pelatihan Dokter Unit Gawat Darurat (UGD)," JPMK, 8(3):163-169.

Herman, Timothy F. and Bordoni Bruni. (2023) "*Wound Classification*," *Tennese. Last Update 17 Agustus 2023.* Book Accesed https://www.ncbi.nlm.nih.gov/books/NBK554456/ on 20 January 2024.

Ibrahim, S. F., Ali, M. M., Basyouni, H., Rashed, L. A., Amer, E. A. E., & Abd El-Kareem, D. (2019) " Histological and miRNAs postmortem changes in incisional wound," *Egyptian Journal of Forensic Sciences*, *9*(1). https://doi.org/10.1186/s41935-019-0141-7.

Indratama, D., & Yenita, Y. (2019). Uji efektivitas antibiotik ekstrak daun belimbing wuluh (Averrhoa bilimbi L.) terhadap pertumbuhan Staphylococcus aureus secara in vitro. Jurnal Pandu Husada, 1(1), 61–65. https://doi.org/10.30596/jph.v1i1.3874

Jalali M, Zaborowska J, Jalali M. (2017) "The Polymerase Chain Reaction: PCR, qPCR, and RT-PCR," Basic Science Methods for Clinical Researchers, 1–18.

Jiang, W.-S., Huang, C.-L., Zhang, J., Xu, F., & Dai, X.-H. (2020). MicroRNA-149 inhibits the progression of lung adenocarcinoma through targeting RAP1B and inactivating Wnt/β-catenin pathway. *European Review for Medical and Pharmacological Sciences*, *24*(9), 4846–4854. https://doi.org/10.26355/eurrev_202005_21173

Kawulusan FR, Kalangi SJR, Kaseke MM. (2014) "Gambaran Reaksi Radang Luka Antemortem Yang Diperiksa 1 Jam Postmortem Pada Hewan Coba," *Jurnal e-Biomedik (eBM),* Mar, 2(1), doi: 10.35790/ebm.v2i1.9448.

Kakimoto, Y., Kamiguchi, H., Ochiai, E., Satoh, F., & Osawa, M. (2015). MicroRNA stability in postmortem FFPE tissues: Quantitative analysis using autoptic samples from acute myocardial infarction patients. *Plos One*, *10*(6). https://doi.org/10.1371/journal.pone.0129338

Knight B, Saukko P. (2016) "Knight's Forensic Pathology 4th ed," London: Arnold.

Kondo T, Ishida Y. (2010) "Molecular pathology of wound healing," Forensic Sci Int, 203(1-3), 93-8.

Kotlarek M, Kubiak A, Jażdżewski K, Wójcicka A. (2018) "MicroRNA analysis using the quantitative real-time PCR reaction," Vol. 1823, Methods in Molecular Biology, 69–85.

UNIVERSITAS
GADJAH MADA
**ANALISIS VITALITAS LUKA ANTEMORTEM DAN POSTMORTEM DENGAN EKSPRESI MikroRNA-149 YANG DILAKUKAN
SETELAH KEMATIAN PADA TIKUS GALUR WISTAR**
Gusti Ngurah Bagus Prenama Wiguna, dr. I B Gd Surya Putra Pidada.,Sp.FM(K).,MH; dr. Idha Arfianti Wiraagni, M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Leow JJ, Lingam P, Lim VW, Go KTS, Chiu MT, Teo LT. (2016) "A review of stab wound injuries at a tertiary trauma centre in Singapore: Are self-inflicted ones less severe?," *Singapore Medical Journal*, 57(1), 13–7.

Lang H, Zhao F, Zhang T, *et al*. (2017) "MicroRNA-149 contributes to scarless wound healing by attenuating inflammatory response," Mol Med Rep, 16, 2156-2162. https://doi.org/10.3892/mmr.2017.6796.

Lee, E. J., Jeong, M., Lee, H., Je, M.-A., Park, K., Lee, D. G., Xuan, X., Kim, S., Park, S., & Kim, J. (2024). MiR-122, miR-133a, and miR-206 as potential biomarkers for post-mortem interval estimation. *Genes and Genomics*, *46*(10), 1175–1182. https://doi.org/10.1007/s13258-024-01559-x

Li, P.; He, Q.; Luo, C.; Qian, L. (2015) "Differentially expressed miRNAs in acute wound healing of the skin, A pilot study," Medicine, 94, 458.

Liu R, Ge LZ, Zhang HD, et al. (2019) "Expressions of TGF-β1 and EIIIA-FN after Rat Skeletal Muscle Contusion and Wound Age Estimation," Fa Yi Xue Za Zhi, 35(2), 154-159, doi:10.12116/j.issn.1004-5619.2019.02.005.

Madea B, Doberentz E, Jackowski C. (2019) "Vital reactions - An updated overview," *Forensic Sci Int*, 305, 110029, doi:10.1016/j.forsciint.2019.110029.

Maeda H, Zhu BL, Ishikawa T, Michiue T. (2010) "Forensic molecular pathology of violent deaths," *Forensic Sci Int*, 203(1-3), 83-92, doi:10.1016/j.forsciint.2010.07.024.

Mądra, A., Frątczak, K., Grzywacz, A., & Matuszewski, S. (2015). Long-term study of pig carrion entomofauna. *Forensic Science International, 252,* 1–10. https://doi.org/10.1016/j.forsciint.2015.04.013

Nerchan, E., Mallo, J. F., & Mallo, N. T. S. (2015) "Pola Luka Pada Kematian Akibat Kekerasan Tajam Di Bagian Ilmu Kedokteran Forensik Dan Medikolegal Rsup Prof. Dr. R. D. Kandou Manado Periode 2013," E-CliniC, 3(2). https://doi.org/10.35790/ecl.v3i2.8383.

Neri, M., Fabbri, M., D'Errico, S., di Paolo, M., Frati, P., Gaudio, R. M., la Russa, R., Maiese, A., Marti, M., Pinchi, E., Turillazzi, E., & Fineschi, V. (2019) "Regulation of miRNAs as new tool for cutaneous vitality lesions demonstration in ligature marks in deaths by hanging," *Scientific Reports*, *9*(1). https://doi.org/10.1038/s41598-019-56682-7

Nolan T, Hands RE, Bustin SA. (2006) "Quantification of mRNA using real-time RT-PCR," Nature Protocols, 1(3), 1559–82.

Ozgok Kangal, M. K., & Regan, J. P. (2023). Wound healing. In *StatPearls*. StatPearls Publishing. https://www.ncbi.nlm.nih.gov/books/NBK574573/

UNIVERSITAS
GADJAH MADA
**ANALISIS VITALITAS LUKA ANTEMORTEM DAN POSTMORTEM DENGAN EKSPRESI MikroRNA-149 YANG DILAKUKAN
SETELAH KEMATIAN PADA TIKUS GALUR WISTAR**
Gusti Ngurah Bagus Prenama Wiguna, dr. I B Gd Surya Putra Pidada.,Sp.FM(K).,MH; dr. Idha Arfianti Wiraagni, M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pabinger S, Rödiger S, Kriegner A, Vierlinger K, Weinhäusel A. (2014) "A survey of tools for the analysis of quantitative PCR (qPCR) data," Biomolecular Detection and Quantification, 1(1), 23–33.

Palmieri, D., Capponi, S., Geroldi, A., Mura, M., Mandich, P., & Palombo, D. (2014). TNFα induces the expression of genes associated with endothelial dysfunction through p38MAPK-mediated down-regulation of miR-149. *Biochemical and biophysical research communications*, *443*(1), 246–251. https://doi.org/10.1016/j.bbrc.2013.11.092

Peyron PA, Colomb S, Becas D, *et al*. (2021) "Cytokines as new biomarkers of skin wound vitality," *Int J Legal Med*, 135(6), 2537-2545. doi:10.1007/s00414-021-02659-z

Pfaffl MW, Buschmann D, Mussack V, Kirchner B, Berisha B. (2019) "Nucleic acids | RNA identification and quantification via RT-qPCR," Encyclopedia of Analytical Science, 35–44.

Qin C, Lv Y, Zhao H, Yang B, Zhang P. (2019) "MicroRNA-149 suppresses inflammation in nucleus pulposus cells of intervertebral discs by regulating MyD88," Medical Science Monitor, 25, 4892–900.

Sampaio-Silva F, Magalhães T, Carvalho F, Dinis-Oliveira RJ, Silvestre R. (2013) "Profiling of RNA degradation for estimation of post mortem [corrected] interval [published correction appears in PLoS One," 2013 Jun 18;8(6):null, PLoS One, 8(2), e56507, doi:10.1371/journal.pone.0056507.

Schmidt U. (2022) "Sharp Force Trauma," *Vol. 4, Encyclopedia of Forensic Sciences Volume 1 4 Third Edition*, 511–521.

Shahrajabian MH, Sun W. (2024) "The Significance and Importance of dPCR, qPCR, and SYBR Green PCR Kit in the Detection of Numerous Diseases," Current Pharmaceutical Design, 30(3), 169–79.

Sheta AA, Suliman HS, Megahed HM. (2009) "Antemortem and postmortem estimation of skin wound age in rats," biochemical study, Bull Alex Fac Med, 45(1): 241-51.

Shrivastava, S., Sharma, S., Shrivastava, N., & Shukla, S. (2023) "Estimation of age of abrasion by gross examination at autopsy: A cross-sectional study," *Indian Journal of Forensic Medicine and Toxicology*, 17(3), 109-113. https://doi.org/10.37506/ijfmt.v17i3.19104.

Siddiqui MAM, Parvathi K, Khan MT, Reddy MN (2016) "Histopathological study of blunt force injuries in relation to time since death," *J Contemp Med Res*, 3(9), 2780–2783.

Solayman MHM, Langaee T, Patel A, El-Wakeel L, El-Hamamsy M, Badary O, *et al*. (2016) "Identification of Suitable Endogenous Normalizers for qRT-PCR Analysis of Plasma microRNA Expression in Essential Hypertension," Molecular Biotechnology, 58(3), 179–87.

UNIVERSITAS
GADJAH MADA
**ANALISIS VITALITAS LUKA ANTEMORTEM DAN POSTMORTEM DENGAN EKSPRESI MikroRNA-149 YANG DILAKUKAN
SETELAH KEMATIAN PADA TIKUS GALUR WISTAR**
Gusti Ngurah Bagus Prenama Wiguna, dr. I B Gd Surya Putra Pidada.,Sp.FM(K).,MH; dr. Idha Arfianti Wiraagni, M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Srivastava A, Luo L, Lohcharoenkal W, Meisgen F, Pasquali L, Pivarcsi A, *et al*. (2021) "Cross-talk between IFN-γ and TWEAK through mikroRNA-149 amplifies skin inflammation in psoriasis," *Journal of Allergy and Clinical Immunology*, 147(6), 2225–35, The pathology of wound. In: Saukko P, Knight B, Fourth ed. Knight's forensic pathology. 2016. CRC Press Tylor and Francis Group. Page. 133-165.

Turner, P. V., Brabb, T., Pekow, C., & Vasbiner, M. A. (2011) "Administration of substances to laboratory animals: Routes of administration and factors to consider," *Journal of the American Association for Laboratory Animal Science,* 50(5), 600-613, http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3106331/.

Vahidi, S., Bigdeli, M.-R., Shahsavarani, H., Ahmadloo, S., & Roghani, M. (2024). Neuroprotective Therapeutic Potential of microRNA-149-5p against Murine Ischemic Stroke. *Molecular Neurobiology*, *61*(11), 8886–8903. https://doi.org/10.1007/s12035-024-04159-8

Vos, T., Lim, S. S., Abbafati, C., *et al*. (2020) "Global burden of 369 diseases and injuries in 204 countries and territories," 1990–2019: A systematic analysis for the Global Burden of Disease Study 2019. The Lancet, 396(10258), 1204–1222. https://doi.org/10.1016/S0140-6736(20)30925-9.

Wallace, H. A., Basehore, B. M., & Zito, P. M. (2023). Wound healing phases. In *StatPearls*. StatPearls Publishing. https://www.ncbi.nlm.nih.gov/books/NBK557518/

Wang JL, Wang X, Yang D, Shi WJ (2016) "The expression of MicroRNA-155 in plasma and tissue is matched in human laryngeal squamous cell carcinoma, Yonsei Med J 57(2):298–305

Wang, T.; Feng, Y.; Sun, H.; Zhang, L.; Hao, L.; Shi, C.; Wang, J.; Li, R.; Ran, X.; Su, Y.; *et al*. (2012) "miR-21 regulates skin wound healing by targeting multiple aspects of the healing process," Am. J. Pathol, 181, 1911–1920.

Yu J, Peng H, Ruan Q, Fatima A, Getsios S, Lavker RM. (2010) "MicroRNA-205 promotes keratinocyte migration via the lipid phosphatase SHIP2," FASEB J, 24, 3950-3959.

Zhang, K., Cheng, M., Xu, J., Chen, L., Li, J., Li, Q., Xie, X., & Wang, Q. (2022) "MiR-711 and miR-183-3p as potential markers for vital reaction of burned skin, *Forensic Sciences Research*, *7*(3), 503–509. https://doi.org/10.1080/20961790.2020.1719454.

Zhu Z, Zhang L, Jiang T, Qian Y, Sun Y, Zhang Q. (2020) "MikroRNA-149 attenuates the proliferation and migration of TGF-51-induced airway smooth muscle cells by targeting TRPM7 and affecting downstream MAPK signal pathway," Acta Biochimica Polonica, 67(4), 553–60.

UNIVERSITAS
GADJAH MADA
**ANALISIS VITALITAS LUKA ANTEMORTEM DAN POSTMORTEM DENGAN EKSPRESI MikroRNA-149 YANG DILAKUKAN
SETELAH KEMATIAN PADA TIKUS GALUR WISTAR**
Gusti Ngurah Bagus Prenama Wiguna, dr. I B Gd Surya Putra Pidada.,Sp.FM(K).,MH; dr. Idha Arfianti Wiraagni, M.S
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zubakov D, Boersma AW, Choi Y, *et al*. (2010) "MicroRNA markers for forensic body fluid identification obtained from microarray screening and quantitative RT-PCR confirmation," *Int J Legal Med*, 124, 217–226.

Zhang Y, Tang W, Peng L, Tang J, Yuan Z. (2016) "Identification and validation of microRNAs as endogenous controls for quantitative polymerase chain reaction in plasma for stable coronary artery disease," *Cardiology Journal*, 23(6), 694–703.