UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aerts, O., Verhulst, L., dan Goossens, A. (2016). Ethylhexylglycerin: A low-risk, but highly relevant, sensitizer in 'hypo-allergenic' cosmetics. *Contact Dermatitis*, *74*(5), 281-288. https://doi.org/10.1111/cod.12546

Agustina, N. B., Febriyani, N. B. P., Astuti, P., Ersaputri, T., dan Arini, L. D. D. (2025). Optimalisasi pertumbuhan bakteri *Propionibacterium acnes* pada media Nutrien Agar. *Jurnal Mahasiswa Ilmu Kesehatan*, *3*(3), 1-8. https://doi.org/10.59841/jumkes.v3i3.2691

Ahmad, I., Hikmawan, B. D., Sulistiarini, R., dan Mun'im, A. (2023). *Peperomia pellucida* (L.) Kunth herbs: A comprehensive review on phytochemical, pharmacological, extraction engineering development, and economic promising perspectives. *Journal of Applied Pharmaceutical Science*, *13*(1), 1-9. https://doi.org/10.7324/JAPS.2023.130201

Ahsan, M. K., Herwin, dan Rusli. (2024). Antibacterial activity of ethanol extract of Sirih Cina leaves (*Peperomia pellucida*) using TLC-bioautography and agar diffusion methods. *Journal Microbiology Science*, *4*(1), 1-10. https://jurnal.farmasi.umi.ac.id/index.php/microbiologyscience/article/view/141

Al-Barghouthy, E. Y., Hamed, S., Mehyar, G. F., dan AlKhatib, H. S. (2025). Comparative evaluation of spreadability measurement methods for topical semisolid formulations: A scoping review. *Gels*, *11*(12), Article 1006. https://doi.org/10.3390/gels11121006

Allen, L. V., Jr. (2013). *Remington: The science and practice of pharmacy* (22nd ed.). Pharmaceutical Press.

Andrews, J. M. (2001). Determination of minimum inhibitory concentrations. *Journal of Antimicrobial Chemotherapy*, *48*(Suppl. S1), 5–16. https://doi.org/10.1093/jac/48.suppl_1.5

Arikumalasari, J., Dewantara, I. G. N. A., dan Wijayanti, N. P. A. D. (2013). Optimasi HPMC sebagai gelling agent dalam formula gel ekstrak kulit buah manggis (*Garcinia mangostana* L.). *Jurnal Farmasi Udayana*, *2*(2), 145-152.

Arrigoni-Blank, M. F., Antoniolli, A. R., Caetano, L. C., Campos, D. A., Blank, A. F., dan Alves, P. B. (2008). Influence of environmental factors on the essential oil composition of medicinal plants. *Journal of Essential Oil Research*, *20*(1), 1-6. https://doi.org/10.1080/10412905.2008.9700929

Aulton, M. E., dan Taylor, K. M. G. (2018). *Aulton's pharmaceutics: The design and manufacture of medicines* (5th ed.). Elsevier.

Aviany, H. B., dan Pujiyanto, S. (2020). Analisis efektivitas probiotik di dalam produk kecantikan sebagai antibakteri terhadap bakteri *Staphylococcus*. *Berkala Bioteknologi*, *3*(2), 85-92.

Baj, T., Sieniawska, E., Ludwiczuk, A., Skalicka-Woźniak, K., Widelski, J., dan Glowniak, K. (2018). Chemical composition and biological activity of essential oils-Influence of plant origin and environmental

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

factors. *Molecules*, *23*(9), Article 2353. https://doi.org/10.3390/molecules23092353

Bakkali, F., Averbeck, S., Averbeck, D., dan Idaomar, M. (2008). Biological effects of essential oils-A review. *Food and Chemical Toxicology*, *46*(2), 446-475. https://doi.org/10.1016/j.fct.2007.09.106

Balouiri, M., Sadiki, M., dan Ibnsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, *6*(2), 71-79. https://doi.org/10.1016/j.jpha.2015.11.005

Barnes, H. A. (2000). *A handbook of elementary rheology*. University of Wales, Institute of Non-Newtonian Fluid Mechanics.

Barnes, T. M., Mijaljica, D., Townley, J. P., Spada, F., dan Harrison, I. P. (2021). Vehicles for drug delivery and cosmetic moisturizers: Review and comparison. *Pharmaceutics*, *13*(12), Article 2012. https://doi.org/10.3390/pharmaceutics13122012

Baser, K. H. C., dan Buchbauer, G. (Eds.). (2010). *Handbook of essential oils: Science, technology, and applications*. CRC Press. https://doi.org/10.1201/9781420063165

Batubara, I., Mitsunaga, T., dan Ohashi, H. (2009). Screening antiacne potency of Indonesian medicinal plants: Antibacterial, lipase inhibition, and antioxidant activities. *Journal of Wood Science*, *55*(3), 230–235. https://doi.org/10.1007/s10086-008-1021-1

Bento, A. F., Marcon, R., Dutra, R. C., Claudino, R. F., Cola, M., Leite, D. F. P., dan Calixto, J. B. (2011). β-Caryophyllene inhibits dextran sulfate sodium-induced colitis in mice through CB2 receptor activation. *European Journal of Pharmacology*, *659*(1), 84-90. https://doi.org/10.1016/j.ejphar.2011.03.013

Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., dan Escaleira, L. A. (2018). Response surface methodology (RSM) and mixture design in optimization of analytical procedures. *Talanta*, *190*, 525-533. https://doi.org/10.1016/j.talanta.2018.07.078

Bhargava, S., Listopadzki, T., Diletti, S., Crane, J. K., Duquin, T. R., dan Boyle, K. K. (2020). Effect of blue light and photosensitizers on *Cutibacterium acnes* on shoulder periprosthetic joint infection isolates. *Journal of Bone and Joint Infection*, *5*(4), 187-197. https://doi.org/10.7150/jbji.46199

Bolton, S., dan Bon, C. (1997). *Pharmaceutical statistics: Practical and clinical applications* (4th ed.). Marcel Dekker.

Badan Pengawas Obat dan Makanan. (2018). Peraturan BPOM No. 17 Tahun 2018 tentang Pedoman Uji Stabilitas. BPOM RI.

Brazão, M. A. B., Maia, J. G. S., Monteiro, M. C., dan Brazão, F. V. (2014). Antibacterial activity of the *Piper aduncum* oil and *dillapiole*, its main constituent, against multidrug-resistant strains. *Boletín Latinoamericano y del Caribe de Plantas Medicinales y Aromáticas*, *13*(6), 517-526.

BSN. (2014). *SNI 8028-1:2014: Minyak atsiri Bagian 1: Cara uji*. Badan Standardisasi Nasional.

Budianor, B., Malahayati, S., dan Saputri, R. (2022). Formulasi dan uji stabilitas sediaan krim ekstrak bunga melati putih (*Jasminum sambac* L.) sebagai anti jerawat. *Journal of Pharmaceutical Care and Sciences*, *3*(1), 1-13.

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bunse, M., Daniels, R., Gründemann, C., Heilmann, J., Kammerer, D. R., Keusgen, M., Lindequist, U., Melzig, M. F., Morlock, G. E., Piacente, S., Pieri, V., Renneberg, H., dan Schröder, S. (2022). Essential oils as multicomponent mixtures and their potential for human health and well-being. *Frontiers in Pharmacology*, *13*, 1004180. https://doi.org/10.3389/fphar.2022.1004180

Carson, C. F., Hammer, K. A., dan Riley, T. V. (2006). *Melaleuca alternifolia* (tea tree) oil: A review of antimicrobial and other medicinal properties. *Clinical Microbiology Reviews*, *19*(1), 50–62. https://doi.org/10.1128/CMR.19.1.50-62.2006

Carter, J., Kelly, C., dan Jenkins, M. (2022). Processing optimization of PEDOT:PSS and PEDOT:PSS/Tween 80 films. *Polymer Journal, 55*, 1–8. https://doi.org/10.1038/s41428-022-00740-x

Chan, W. H. (2014). Cytotoxic effects of *dillapiole* on embryonic development of mouse blastocysts in vitro and in vivo. *International Journal of Molecular Sciences*, 15(6), 10751–10765. https://doi.org/10.3390/ijms150610751

Clinical and Laboratory Standards Institute (CLSI). (2018). *Methods for dilution antimicrobial susceptibility tests for bacteria that grow aerobically* (11th ed.). CLSI supplement M07. Wayne, PA: CLSI.

Cosmetic Ingredient Review. (2007). *Final report on the safety assessment of phenoxyethanol*. https://www.cir-safety.org/sites/default/files/phenoxy.pdf

Costa, S. P. M., da Silva, R. M. F., Gomes, T. C. B. L., Campos, A. F., Vilela, W. T., Sales, V. A. W., Schver, G. C. R. M., da Silva, K. E. R., dan de Souza, F. S. (2021). Obtainment of the spray-dried extracts of *Peperomia pellucida*, L. (H.B.K.) using different atomization temperatures: Physicochemical characterization and technological development for pharmaceutical applications. *DARU Journal of Pharmaceutical Sciences*, *29*, 147-158. https://doi.org/10.1007/s40199-021-00393-w

Crous, C., Pretorius, J., dan Petzer, A. (2024). Overview of popular cosmeceuticals in dermatology. *Skin Health and Disease*, *4*(2), Article e340. https://doi.org/10.1002/ski2.340

de Lira, P. N. B., da Silva, J. K. R., Andrade, E. H. A., Sousa, P. J. C., Silva, N. N. S., dan Maia, J. G. S. (2009). Essential oil composition of three *Peperomia* species from the Amazon, Brazil. *Journal of Essential Oil Research*, *21*(3), 427-430. https://doi.org/10.1080/10412905.2009.9700187

de Sousa, D. P., Damasceno, R. O. S., Amorati, R., Elshabrawy, H. A., de Castro, R. D., Bezerra, D. P., Nunes, V. R. V., Gomes, R. C., dan Lima, T. C. (2023). Essential oils: Chemistry and pharmacological activities. *Biomolecules*, *13*(7), Article 1144. https://doi.org/10.3390/biom13071144

de Souza Neto, A. V., Balla, D. Q., dan Candido, T. M. (2023). Effect of an emollient emulsion containing 15.0% of caprylic/capric triglyceride on the urocanic acid of the stratum corneum. *Life*, *13*(5), Article 1103. https://doi.org/10.3390/life13051103

Deepa, V., Gururaj, S. K., dan Paarakh, M. (2022). Formulation and evaluation of topical antimicrobial herbal cream. *World Journal of Biology Pharmacy and*

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Health Sciences, *12*(2), 156-167. https://doi.org/10.30574/wjbphs.2022.12.2.0196

Dewi, R., Anwar, E., dan KS, Y. (2014). Uji stabilitas fisik formula krim yang mengandung ekstrak kacang kedelai (*Glycine max*). *Pharmaceutical Sciences and Research*, *1*(3), 5-12.

Dewick, P. M. (2009). *Medicinal natural products: A biosynthetic approach* (3rd ed.). Wiley.

Dhifi, W., Bellili, S., Jazi, S., Bahloul, N., dan Mnif, W. (2016). Essential oils' chemical characterization and investigation of some biological activities: A review. *Medicines*, *3*(4), Article 25. https://doi.org/10.3390/medicines3040025

Direktorat Produksi dan Distribusi Kefarmasian. (2020). *Farmakope Indonesia* (Edisi VI). Kementerian Kesehatan Republik Indonesia.

Eccleston, G. M. (1997). Emulsions and creams. In M. E. Aulton (Ed.), *Pharmaceutics: The science of dosage form design* (2nd ed., pp. 241-264). Churchill Livingstone.

Eccleston, G. M. (2004). Functions of mixed emulsifiers and emulsion stabilizers in topical formulations. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *123-124*, 169-182. https://doi.org/10.1016/S0927-7757(96)03774-1

Effendy, I., dan Maibach, H. I. (1995). Surfactants and experimental irritant contact dermatitis. *Contact Dermatitis*, *33*(4), 217-225. https://doi.org/10.1111/j.1600-0536.1995.tb00470.x

Erkmen, O., dan Özkan, G. (2020). Essential oils: Extraction methods, biological activities, and uses. *Journal of Food and Health Science*, *6*(2), 58-72.

Ermawati, D. E., Martodihardjo, S., dan Sulaiman, T. S. (2017). Optimasi komposisi emulgator formula emulsi air dalam minyak jus buah stroberi (*Fragaria vesca* L.) dengan metode Simplex Lattice Design. *Journal of Pharmaceutical Science and Clinical Research*, *2*(2), 78-89.

European Commission. (2020). *CosIng database: Phenoxyethanol*. https://ec.europa.eu/growth/tools-databases/cosing/

Fadilah, A. A. (2021). Hubungan stres psikologis terhadap timbulnya akne vulgaris. *Jurnal Ilmiah Kesehatan Sandi Husada*, *10*(2), 390-395.

Fiume, M. M., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks, J. G., Jr., Shank, R. C., Slaga, T. J., Snyder, P. W., dan Andersen, F. A. (2022). Amended safety assessment of triglycerides as used in cosmetics. *International Journal of Toxicology*, *41*(5), 367-388. https://doi.org/10.1177/10915818221123790

Fluhr, J. W., Darlenski, R., dan Surber, C. (2008). Glycerol and the skin: Holistic approach to its origin and functions. *British Journal of Dermatology*, *159*(1), 23-34. https://doi.org/10.1111/j.1365-2133.2008.08643.x

Formularium Nasional. (2014). *Formularium nasional* (Edisi ke-2). Kementerian Kesehatan Republik Indonesia.

Gertsch, J., Leonti, M., Raduner, S., Racz, I., Chen, J.-Z., Xie, X.-Q., Altmann, K. H., Karsak, M., dan Zimmer, A. (2008). β-caryophyllene is a dietary

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

cannabinoid. *Proceedings of the National Academy of Sciences*, *105*(26), 9099-9104. https://doi.org/10.1073/pnas.0803601105

Golus, J., Sawicki, R., Widelski, J., dan Ginalska, G. (2016). The agar microdilution method—a new method for antimicrobial susceptibility testing for essential oils and plant extracts. *Journal of Applied Microbiology*, *121*(5), 1291–1299. https://doi.org/10.1111/jam.13253

Hafifah, F., Agustina, L., dan Latifah, N. (2025). Review formulasi dan evaluasi stabilitas fisik sediaan krim berbahan alam: Tinjauan berbasis berbagai metode uji (cycling, freeze-thaw, sentrifugasi). *Sains Medisina*, *3*(5), 320-328. https://doi.org/10.63004/snsmed.v3i5.738

Han, J. H., Kim, Y. S., Jung, S. H., Kwon, D. J., Park, Y., Bae, Y. S., dan Kim, S. D. (2021). Growth suppression of a gingivitis and skin pathogen *Cutibacterium (Propionibacterium) acnes* by medicinal plant extracts. *Antibiotics*, *10*(9), Article 1092. https://doi.org/10.3390/antibiotics10091092

Harborne, J. B. (1987). *Metode fitokimia*. ITB Press.

Hartati, S., Angelina, M., Dewiyanti, I., dan Meilawati, L. (2020). Isolation and characterization of compounds from hexane and ethyl acetate fractions of *Peperomia pellucida*. *Journal of Tropical Life Science*, *5*(3), 124-132. https://doi.org/10.11594/jtls.05.03.02

Hazarika, N., dan Archana, M. (2016). The psychosocial impact of acne vulgaris. *Indian Journal of Dermatology*, *61*(5), 515-520. https://doi.org/10.4103/0019-5154.190102

Herbig, M. E., Evers, D. H., Gorissen, S., dan Köllmer, M. (2023). Rational design of topical semi-solid dosage forms—How far are we? *Pharmaceutics*, *15*(7), Article 1822. https://doi.org/10.3390/pharmaceutics15071822

Heryatman, S. N. (2023). *Formulasi krim anti jerawat ekstrak etanol daun binahong (Anredera cordifolia (Ten.) Steenis) dengan kombinasi Cremophor A6 dan Cremophor A25 sebagai emulgator* [Skripsi sarjana, Universitas Gadjah Mada]. Repositori Universitas Gadjah Mada. https://etd.repository.ugm.ac.id/penelitian/detail/225947

Hidayat, I. R., Zuhrotun, A., dan Sopyan, I. (2021). Formulasi gel anti-jerawat ekstrak daun sirih cina (*Peperomia pellucida*). *Majalah Farmasetika*, *6*(1), 99-120.

ICH. (2003). *Q1A(R2): Stability testing of new drug substances and products* (2nd revision). International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use. https://database.ich.org/sites/default/files/Q1A%28R2%29%20Guideline.pdf

Inayah, Suwarmi, dan Bagiana, I. K. (2016). Optimasi Tween 80 dan Span 80 dalam sediaan krim ekstrak etanol daun iler (*Coleus atropurpureus* (L) Benth) dan aktivitas antibakteri *Staphylococcus aureus* ATCC 25923. *Jurnal Media Farmasi Indonesia*, *10*(2), 896-905.

International Organization for Standardization. (2019). *ISO 20776-1:2019: Susceptibility testing of infectious agents and evaluation of performance of antimicrobial susceptibility test devices*. ISO.

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Izquierdo, P., Esquena, J., Tadros, T. F., Dederen, J. C., Garcia, M. J., Azemar, N., dan Solans, C. (2005). Formation and stability of nano-emulsions prepared using the phase inversion temperature method. *Langmuir*, *21*(6), 2394-2400. https://doi.org/10.1021/la0478669

Esfahlan, A. J., Ostadrahimi, A., Tabibiazar, M., dan Amarowicz, R. (2019). A comparative review on the extraction, antioxidant content and antioxidant potential of different parts of walnut (*Juglans regia* L.) fruit and tree. *Molecules*, *24*(11), Article 2133. https://doi.org/10.3390/molecules24112133

Jiang, J., Wang, Z., Wang, C., Shi, L., Hou, J., dan Zhang, L. (2022). Model emulsions stabilized with nonionic surfactants: Structure and rheology across catastrophic phase inversion. *ACS Omega*, *7*(48), 44012-44020. https://doi.org/10.1021/acsomega.2c05388

Jirovetz, L., Buchbauer, G., Denkova, Z., Stoyanova, A., Murgov, I., Geissler, M., dan Schmidt, E. (2006). Antimicrobial activities of single aroma compounds. *Journal of Essential Oil Bearing Plants*, *9*(2), 180–189. https://doi.org/10.1177/1934578X1000500906

Kanlayavattanakul, M., dan Lourith, N. (2011). Therapeutic agents and herbs in topical application for acne treatment. *International Journal of Cosmetic Science*, *33*(4), 289–297. https://doi.org/10.1111/j.1468-2494.2011.00647.x

Kaspute, G., Ivaskiene, T., Ramanavicius, A., Ramanavicius, S., dan Prentice, U. (2025). Terpenes and essential oils in pharmaceutics: Applications as therapeutic agents and penetration enhancers with advanced delivery systems for improved stability and bioavailability. *Pharmaceutics*, *17*(6), Article 793. https://doi.org/10.3390/pharmaceutics17060793

Khan, A., Rahman, M., dan Islam, M. S. (2017). Chemical composition and antimicrobial activity of essential oil from *Peperomia pellucida*. *Journal of Applied Pharmaceutical Science*, *7*(3), 166-171. https://doi.org/10.7324/JAPS.2017.70325

Khan, M. R., dan Omoloso, A. D. (2002). Antibacterial activity of *Hygrophila stricta* and *Peperomia pellucida*. *Fitoterapia*, *73*(3), 251-254. https://doi.org/10.1016/S0367-326X(02)00067-0

Kosasih, S., Novalinda Ginting, C., Chiuman, L., dan Ehrich Lister, I. N. (2019). The effectiveness of *Peperomia pellucida* extract against acne bacteria. *American Scientific Research Journal for Engineering, Technology, and Sciences*, *59*(1), 149-153. https://asrjetsjournal.org/index.php/American_Scientific_Journal/article/view/5062

Koseki, J., Matsumoto, T., Matsubara, Y., Tsuchiya, K., Mizuhara, Y., Sekiguchi, K., Nishimura, H., Watanabe, J., Kaneko, A., Hattori, T., Maemura, K., dan Kase, Y. (2015). Inhibition of rat 5α-reductase activity and testosterone-induced sebum synthesis in hamster sebocytes by an extract of *Quercus acutissima* cortex. *Evidence-Based Complementary and Alternative Medicine*, *2015*, 853846. https://doi.org/10.1155/2015/853846

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kristiani, M., Pujiastuti, A., dan Hidayati, R. (2022). Pengaruh perbandingan Tween 80 dan Span 80 sebagai emulgator terhadap krim body scrub ekstrak daun kelor (*Moringa oleifera* Lamk.). *Cendekia Journal of Pharmacy*, *6*(2), 45-52.

Lachenmeier, D. W. (2008). Safety evaluation of topical applications of ethanol on the skin and inside the oral cavity. *Journal of Occupational Medicine and Toxicology*, *3*, Article 26. https://doi.org/10.1186/1745-6673-3-26

Lambers, H., Piessens, S., Bloem, A., Pronk, H., dan Finkel, P. (2006). Natural skin surface pH is on average below 5. *International Journal of Cosmetic Science*, *28*(5), 359-370. https://doi.org/10.1111/j.1467-2494.2006.00344.x

Langsrud, S., Steinhauer, K., Lüthje, S., Weber, K., Goroncy-Bermes, P., dan Holck, A. L. (2016). Ethylhexylglycerin impairs membrane integrity and enhances the lethal effect of phenoxyethanol. *PLoS ONE*, *11*(10), Article e0165228. https://doi.org/10.1371/journal.pone.0165228

Leyden, J., Bergfeld, W., Drake, L., Dunlap, F., Goldman, M. P., Gottlieb, A. B., Heffernan, M. P., Hickman, J. G., Hordinsky, M., Jarrett, M., Kang, S., Lucky, A., Peck, G., Phillips, T., Rapaport, M., Roberts, J., Savin, R., Sawaya, M. E., Shalita, A., Shavin, J., Shaw, J. C., Stein, L., Stewart, D., Strauss, J., Swinehart, J., Swinyer, L., Thiboutot, D., Washenik, K., Weinstein, G., Whiting, D., Pappas, F., Sanchez, M., Terranella, L., dan Waldstreicher, J. (2004). A systemic type I 5 alpha-reductase inhibitor is ineffective in the treatment of acne vulgaris. *Journal of the American Academy of Dermatology*, 50(3), 443–447. https://doi.org/10.1016/j.jaad.2003.07.021

Lind, T. K., Nilsson, E. J., Wyler, B., Scherer, D., Skansberger, T., Morin, M., Kocherbitov, V., dan Engblom, J. (2021). Effects of ethylene oxide chain length on crystallization of polysorbate 80 and its related compounds. *Journal of Colloid and Interface Science*, *592*, 468-484. https://doi.org/10.1016/j.jcis.2021.01.065

Lodén, M. (2003). Role of topical emollients and moisturizers in the treatment of dry skin barrier disorders. *American Journal of Clinical Dermatology*, *4*(11), 771-788. https://doi.org/10.2165/00128071-200304110-00005

Lv, G., Wang, F., Cai, W., dan Zhang, X. (2014). Characterization of the addition of lipophilic Span 80 to the hydrophilic Tween 80-stabilized emulsions. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, *447*, 8-13. https://doi.org/10.1016/j.colsurfa.2014.01.050

Majumder, P., Abraham, P., dan Sriram, V. (2011). Ethno-medicinal, phytochemical and pharmacological review of an amazing medicinal herb *Peperomia pellucida* (L.) HBK. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, *2*(4), 358-364.

Mancenido, M. V., Pastrello, M., Camerlingo, C. E. P., Silva, G. J., Agostinho, L. A., de Souza, T., Pinheiro, T. R., Silveira, M. A. B., Romero, E. C., dan Faria, A. M. (2019). Comparing D-optimal designs with common mixture experimental designs for logistic regression. *Chemometrics and Intelligent Laboratory Systems*, *187*, 11-18. https://doi.org/10.1016/j.chemolab.2019.02.003

Martínez, A., Manrique-Moreno, M., Klaiss-Luna, M. C., Stashenko, E., Zafra, G., dan Ortiz, C. (2021). Effect of essential oils on growth inhibition, biofilm

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

formation and membrane integrity of *Escherichia coli* and *Staphylococcus aureus*. *Antibiotics*, *10*(12), Article 1474. https://doi.org/10.3390/antibiotics10121474

Mayslich, C., Grange, P. A., dan Dupin, N. (2021). *Cutibacterium acnes* as an opportunistic pathogen: An update of its virulence-associated factors. *Microorganisms*, *9*(2), Article 303. https://doi.org/10.3390/microorganisms9020303

McClements, D. J. (2015). *Food emulsions: Principles, practices, and techniques* (3rd ed.). CRC Press.

Mitchell, P. (2024). Dose–response curves and the determination of IC_{50} and EC50 values. *Journal of Medicinal Chemistry*, *67*, 17931–17934. https://doi.org/10.1021/acs.jmedchem.4c02052

Miyazawa, T., Itaya, M., Burdeos, G. C., Nakagawa, K., dan Miyazawa, T. (2021). A critical review of the use of surfactant-coated nanoparticles in nanomedicine and food nanotechnology. *International Journal of Nanomedicine*, *16*, 3937-3999. https://doi.org/10.2147/IJN.S298606

Moghimi, R., Ghaderi, L., Rafati, H., Aliahmadi, A., dan McClements, D. J. (2016). Superior antibacterial activity of nanoemulsion of *Thymus daenensis* essential oil against *E. coli*. *Food Chemistry*, *194*, 410-415. https://doi.org/10.1016/j.foodchem.2015.07.139

Moghrovyan, A., dan Sahakyan, N. (2024). Antimicrobial activity and mechanisms of action of *Origanum vulgare* essential oil: Effects on membrane-associated properties. *AIMS Biophysics*, *11*(4), e027. https://doi.org/10.3934/biophy.2024027

Monteiro, M. (2014). Antibacterial activity of the *Piper aduncum* oil and dillapiole, its main constituent, against multidrug-resistant strains. *Boletin Latinoamericano y del Caribe de Plantas Medicinales y Aromaticas, 13*, 517–526.

Montgomery, D. C. (2017). *Design and analysis of experiments* (9th ed.). John Wiley dan Sons.

Moreira, M. F., Amaral, A., Paredes, B., Pinto, M., dan Almeida, I. (2025). Demystifying the power of essential oils: A review of their antibacterial properties and potential as natural food preservatives. *Frontiers in Microbiology*.

Motamedi, M., Chehade, A., Sanghera, R., dan Grewal, P. (2022). A clinician's guide to topical retinoids. *Journal of Cutaneous Medicine and Surgery*, *26*(1), 71-78. https://doi.org/10.1177/12034754211035091

Myers, R. H., Montgomery, D. C., dan Anderson-Cook, C. M. (2016). *Response surface methodology: Process and product optimization using designed experiments* (4th ed.). John Wiley dan Sons.

National Institute of Standards and Technology. (n.d.). *Simplex lattice designs*. https://www.itl.nist.gov/div898/handbook/pri/section5/pri542.htm

Ningbo Inno Pharmchem Co., Ltd. (n.d.). *The stability and compatibility of ethylhexylglycerin (CAS 70445-33-9) in cosmetic formulations*. https://www.nbinno.com/article/surfactants/the-stability-and-compatibility-of-ethylhexylglycerin-cas-70445-33-9-in-cosmetic-formulations-fj

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nurlaela, E., Sugihartini, N., dan Ikhsanudin, A. (2012). Optimasi komposisi Tween 80 dan Span 80 sebagai emulgator dalam repelan minyak atsiri daun sere (*Cymbopogon citratus* (DC) Stapf) terhadap nyamuk *Aedes aegypti* betina pada basis vanishing cream dengan metode Simplex Lattice Design. *Pharmaciana*, *2*(1), 41-54. https://doi.org/10.12928/pharmaciana.v2i1.652

Ogunmoye, A. O., Oladosu, I. A., Atewolara-Odule, O. C., Olubomehin, O. O., Onajobi, I. B., dan Tijani, S. (2018). Antimicrobial activities of essential oils from *Peperomia pellucida* leaf. *Journal of Chemical Society of Nigeria*, *43*(4), 45-52. https://doi.org/10.1002/jcsn.233

Okafo, S. E., Anie, C. O., Alalor, C. A., dan Nwankwo, L. U. (2023). Evaluation of physicochemical and antimicrobial properties of creams formulated using *Pterocarpus santalinoides* seeds methanol extract. *Journal of Applied Pharmaceutical Science*, *13*(5), 126-135. https://doi.org/10.7324/JAPS.2023.19934

Okoh, S. O., Iweriebor, B. C., Okoh, O. O., dan Okoh, A. I. (2017). Bioactive constituents, radical scavenging, and antibacterial properties of leaves and stem essential oils from *Peperomia pellucida*. *Pharmacognosy Magazine*, *13*(Suppl 3), S392-S400. https://doi.org/10.4103/pm.pm_106_17

Oliveira, R., dan Almeida, I. F. (2023). Patient-centric design of topical dermatological medicines. *Pharmaceuticals*, *16*(4), Article 617. https://doi.org/10.3390/ph16040617

Orabi, K. Y. (2025). Microbial biotransformation of the sesquiterpene carotol: Generation of hydroxylated metabolites with potential cytotoxic and target-specific binding activities. *Biomolecules*, *15*(12), 1651. https://doi.org/10.3390/biom15121651

Parise-Filho, R., Pastrello, M., Camerlingo, C. E. P., Silva, G. J., Agostinho, L. A., de Souza, T., Pinheiro, T. R., Silveira, M. A. B., Romero, E. C., dan Faria, A. M. (2011). The anti-inflammatory activity of *dillapiole* and some semisynthetic analogues. *Pharmaceutical Biology*, *49*(11), 1173-1179. https://doi.org/10.3109/13880209.2011.563315

Passerine, B. F. G., dan Breitkreitz, M. C. (2024). Important aspects of the design of experiments and data treatment in the analytical quality by design framework for chromatographic method development. *Molecules*, *29*(24), Article 6057. https://doi.org/10.3390/molecules29246057

Patzelt, A., dan Lademann, J. (2013). Drug delivery to hair follicles. Expert Opinion on Drug Delivery, 10(6), 787–797. https://doi.org/10.1517/17425247.2013.776038

Pavoni, L., Perinelli, D., Bonacucina, G., Cespi, M., dan Palmieri, G. (2020). An overview of micro- and nanoemulsions as vehicles for essential oils: Formulation, preparation and stability. *Nanomaterials*, *10*(1), Article 135. https://doi.org/10.3390/nano10010135

Potzernheim, M. C. L., Bizzo, H. R., Vieira, R. F., dan Carvalho, J. C. T. (2006). Chemical characterization of the essential oil of *Peperomia pellucida* (L.) Kunth. *Journal of Essential Oil Research*, *18*(6), 691-693. https://doi.org/10.1080/10412905.2006.9699227

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pratasik, M. C. M., Yamlean, P. V. Y., dan Wiyono, W. I. (2019). Formulasi dan uji stabilitas fisik sediaan krim ekstrak etanol daun sesewanua (*Clerodendron squamatum* Vahl.). *PHARMACON*, *8*(2), 261-268.

Pratiwi, A., dan Murtisiwi, L. (2025). Formulation and quality testing of cream of ethanol extract of purslane (*Portulaca oleracea* L.) herbs. In *Proceedings of the Cendekia International Conference on Health dan Technology (CICHT 2025)* (p. 421). Program Studi Farmasi, Sekolah Tinggi Ilmu Kesehatan Nasional.

Proksch, E. (2018). pH in nature, humans and skin. *Journal of Dermatology*, *45*(9), 1044-1052. https://doi.org/10.1111/1346-8138.14489

Purwanto, U.R.E., Solikhah, M., dan Munisih, S. (2021). Formulation and Physical Characterization of Essential Oil Bangle (Zingiber cassumunar Roxb.) Nanoemulsion Gel. *Journal of Science and Technology Research for Pharmacy,* 1:1-11.

Putrajaya, F., Hasanah, N., dan Kurlya, A. (2019). Daya hambat ekstrak etanol daun suruhan (*Peperomia pellucida* L.) terhadap pertumbuhan bakteri penyebab jerawat (*Propionibacterium acnes*) dengan metode sumur agar. *Edu Masda Journal*, *3*(2), 123-140.

Rahim, F., Yenti, R., Rahmi, M., dan Fernando, E. (2018). Isolasi dan identifikasi minyak atsiri rimpang rumput teki (*Cyperus rotundus* L.) dengan gas chromatography-mass spectrometry (GC-MS). *SCIENTIA Jurnal Farmasi dan Kesehatan*, *8*(2), 169-176. http://www.jurnalscientia.org/index.php/scientia

Rangila, R., Sidhu, A. K., Khichar, D., Singh, J., dan Chohan, J. S. (2024). A review on the formulation and evaluation of herbal anti-acne cream. *International Journal of Research in Pharmacy and Pharmaceutical Sciences*, *9*(3), 41-48.

Rassem, H. H., Nour, A. H., dan Yunus, R. M. (2016). Techniques for extraction of essential oils from plants: A review. *Australian Journal of Basic and Applied Sciences*, *10*(16), 117-127.

Reverchon, E., dan De Marco, I. (2006). Supercritical fluid extraction and fractionation of natural matter. *Journal of Supercritical Fluids*, *38*(2), 146-166. https://doi.org/10.1016/j.supflu.2006.03.020

Reynolds, R. V., Yeung, H., Cheng, C. E., Cook-Bolden, F., Desai, S. R., Druby, K. M., dan Barbieri, J. S. (2024). Guidelines of care for the management of acne vulgaris. *Journal of the American Academy of Dermatology*, *90*(5), 1006.e1-1006.e30. https://doi.org/10.1016/j.jaad.2023.12.017

Rowe, R. C., Sheskey, P. J., dan Quinn, M. E. (Eds.). (2009). *Handbook of pharmaceutical excipients* (6th ed.). Pharmaceutical Press.

Sachdeva, M., Tan, J., Lim, J., Kim, M., Nadeem, I., dan Bismil, R. (2021). The prevalence, risk factors, and psychosocial impacts of acne vulgaris in medical students: A literature review. *International Journal of Dermatology*, *60*(6), 792-798. https://doi.org/10.1111/ijd.15525

Sadeghi, M. B., Ramazani S. A., A., Taghikhani, V., & Ghotbi, C. (2012). Experimental investigation of rheological and morphological properties of water in crude oil emulsions stabilized by a lipophilic surfactant. *Journal of*

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dispersion Science and Technology, 34(1). https://doi.org/10.1080/01932691.2012.667297

Salima, T., dan Nurwaini, S. (2023). Optimasi komposisi emulgator Tween 80 dan Span 80 terhadap stabilitas fisik dan uji aktivitas antibakteri emulgel minyak atsiri rosemari (*Rosmarinus officinalis*) terhadap *Staphylococcus aureus*. *Usadha: Journal of Pharmacy*, *2*(2), 189-200. https://doi.org/10.23917/ujp.v2i2.146

Schramm, L. L. (2014). *Emulsions, foams, suspensions, and aerosols: Microscience and applications* (2nd ed.). Wiley-VCH.

Sharma, S., Verma, A., dan Teja, B. V. (2019). Evaluation of stability of emulsions by centrifugation method. *International Journal of Pharmaceutical Sciences Review and Research*, *58*(2), 150-155.

Sibero, H. T., Putra, I., dan Anggraini, D. I. (2019). Tatalaksana terkini acne vulgaris. *JK Unila (Jurnal Kedokteran Universitas Lampung)*, *3*(2), 313-320.

Sitohang, I. B. S., dan Wasitatmadja, S. M. (2019). *Ilmu penyakit kulit dan kelamin*. Fakultas Kedokteran Universitas Indonesia.

Soetjipto, H., Dewi, G. K., dan Kristijanto, A. I. (2021). Gulma suruh-suruhan (*Peperomia pellucida* L. Kunth) berpotensi menjadi minyak atsiri bernilai ekonomi. In *Minyak atsiri: Produksi dan aplikasinya untuk kesehatan* (p. 164). Departemen Kimia, Universitas Kristen Satya Wacana.

Suryani, S., Nafisah, A., dan Mana'an, S. (2017). Optimasi formula gel antioksidan ekstrak etanol buah bligo (*Benincasa hispida*) dengan metode Simplex Lattice Design. *Jurnal Farmasi Galenika*, *3*(2), 150-156.

Syamsuni, H. A. (2006). *Ilmu resep*. EGC.

Szczepanski, S., dan Tetard, D. (2021). State of the art in essential oil encapsulation and controlled release: The case of thymol, carvacrol, and eugenol. *Agronomy*, *11*(3), 530. https://doi.org/10.3390/agronomy11030530

Szymańska, E. (2012). Allantoin-Healing and anti-inflammatory properties. *Pediatria i Medycyna Rodzinna*, *8*(1), 73-77.

Tadros, T. F. (2013). Emulsion formation, stability, and rheology. In T. F. Tadros (Ed.), *Emulsion science and technology* (pp. 1-75). Wiley-VCH.

Teoh, L., Gnanasegaran, N., Adnan, A. F. M., dan Taha, R. M. (2021). Comparative antimicrobial and anticancer activity of chemical extracts from *in vitro* and *in vivo Peperomia pellucida*. *Journal of Applied Biology dan Biotechnology*, *9*(2), 115-123. https://doi.org/10.7324/JABB.2021.9221

Toledo, A. M. N., Silva, N. C. C., Sato, A. C. K., dan Picone, C. S. F. (2021). A comprehensive study of physical, antimicrobial and emulsifying properties of self-assembled chitosan/lecithin complexes produced in aqueous media. *Future Foods*, *4*, Article 100083. https://doi.org/10.1016/j.fufo.2021.100083

Tranggono, R. I., dan Latifah, F. (2007). *Buku pegangan ilmu pengetahuan kosmetik*. PT Gramedia Pustaka Utama.

Tuan, C. T., dan Men, T. T. (2024). *Peperomia pellucida* ingredients, antioxidant properties, and safe usage as food and herbal medicine. *Journal of Microbiology and Biotechnology*, *34*(11), 2321-2330. https://doi.org/10.4014/jmb.2406.06025

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Turek, C., dan Stintzing, F. C. (2013). Stability of essential oils: A review. *Comprehensive Reviews in Food Science and Food Safety*, *12*(1), 40-53. https://doi.org/10.1111/1541-4337.12006

Uhlířová, R., Šmejkal, K., dan Gregorovičová, M. (2023). *In vitro* activity of lavender and peppermint essential oils against *Cutibacterium acnes*. *Journal of Essential Oil Research*, *35*(3), 210–218.

Ulanowska, M., dan Olas, B. (2021). Biological properties and prospects for the application of eugenol—a review. *International Journal of Molecular Sciences*, *22*(7), 3671. https://doi.org/10.3390/ijms22073671

United States Pharmacopeial Convention. (2021). *United States Pharmacopeia 43-NF 38*. USP.

Usman, L. A., dan Ismaeel, R. O. (2020). Chemical composition of root essential oil of *Peperomia pellucida* (L.) Kunth. grown in Nigeria. *Journal of Essential Oil-Bearing Plants*, *23*(3), 628-632. https://doi.org/10.1080/0972060X.2020.1774234

Valarezo, E., Herrera-García, M., Astudillo-Dávila, P., Rosales-Demera, I., Jaramillo-Fierro, X., Cartuche, L., Meneses, M. A., dan Morocho, V. (2023). Study of the chemical composition and biological activity of the essential oil from congona (*Peperomia inaequalifolia* Ruiz and Pav.). *Plants*, *12*(7), Article 1504. https://doi.org/10.3390/plants12071504

Vasam, M., Korutla, S., dan Bohara, R. A. (2023). Acne vulgaris: A review of pathophysiology, treatment, and recent nanotechnology-based advances. *Biochemical and Biophysical Reports*, *36*, Article 101578. https://doi.org/10.1016/j.bbrep.2023.101578

Venkatesan, K., Asseri, K. A., Muralidharan, P., Sirag, N., Ahmed, R., Elfadil, H., Elodemi, M., Genena, S. E. R., Sivadasan, D., Velraj, M., Paulsamy, P., Vadivel, V., Prabahar, K., dan Krishnaraju, K. (2025). Wound-healing efficacy of *Daucus carota* bioactive compounds: Targeting oxidative stress, inflammation, and apoptosis. *Pharmaceuticals*, *18*(12), 1905. https://doi.org/10.3390/ph18121905

Verma, R. S., Padalia, R. C., Goswami, P., dan Chauhan, A. (2015). Essential oil composition of *Peperomia pellucida* (L.) Kunth from India. *Journal of Essential Oil Research*, *27*(2), 89–95. https://doi.org/10.1080/10412905.2014.982878

Wahyuddin, M., Dhuha, N. S., Leboe, D. W., Febriyanti, A. P., Tahar, N., Khaerani, Kurniati, A., dan Perdana, H. R. (2020). Formulasi dan uji stabilitas krim sari buah naga merah (*Hylocereus polyrhizus*) dengan menggunakan variasi emulgator. *Jurnal Farmasi FKIK*, *8*(1), 12-20.

Walsh, T. R., Efthimiou, J., dan Dréno, B. (2016). Systematic review of antibiotic resistance in acne: An emerging problem for dermatology. *The Lancet Infectious Diseases*, *16*(3), e23-e33. https://doi.org/10.1016/S1473-3099(15)00527-7

Wang, J., Sun, H., Yang, H., Yang, R., Zhu, X., Guo, S., Huang, Y., Xu, Y., Li, C., Tu, J., dan Sun, C. (2024). Dissecting the toxicological profile of polysorbate 80 (PS80): Comparative analysis of constituent variability and biological

UNIVERSITAS
GADJAH MADA
Formulasi Krim Antijerawat dari Minyak Atsiri Herba Sirih Cina (Peperomia pellucida (L.) Kunth.) dengan Kombinasi Tween 80 dan Span 80 sebagai Emulgator
Muhamad Tinton, Dr. apt. Indah Purwantini, M.Si.; Dr. apt. T. N. Saifullah Sulaiman, M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

impact using a zebrafish model. *European Journal of Pharmaceutical Sciences*, *198*, Article 106796. https://doi.org/10.1016/j.ejps.2024.106796

Wang, K. (2025). Aseptic technique and its application in microbial contamination control in laboratory environments. *Scientific Journal of Technology*, *7*(9), 90-98.

Wiegand, I., Hilpert, K., dan Hancock, R. E. W. (2008). Agar and broth dilution methods to determine the minimal inhibitory concentration (MIC) of antimicrobial substances. *Nature Protocols*, *3*(2), 163–175. https://doi.org/10.1038/nprot.2007.521

Wojciechowska, K., Kucharska, A. Z., dan Sozański, T. (2024). Plant phenolics in the prevention and therapy of acne: A comprehensive review. *Nutrients*, *16*(17), Article 2970. https://doi.org/10.3390/nu16172970

World Flora Online. (2025). *Peperomia pellucida* (L.) Kunth. http://www.worldfloraonline.org/taxon/wfo-0000477971

World Health Organization. (2009). WHO Technical Report Series No. 953: Stability testing of active pharmaceutical ingredients and finished pharmaceutical products. WHO.

Wulandari, F., Syaputri, F. N., dan Jannah, N. R. (2022). The effect of various concentrations of the addition of emulsifier Tween 80 and Span 80 on the stability of cream formulation ethanolic extract of basil leaves (*Ocimum americanum* L). *Lumbung Farmasi: Jurnal Ilmu Kefarmasian*, *3*(2), 78-85. https://doi.org/10.31764/lf.v3i2.8257

Xu, S., Li, N., Ning, M.-M., Zhou, C.-H., Yang, Q.-R., dan Wang, M.-W. (2006). Bioactive compounds from *Peperomia pellucida*. *Journal of Natural Products*, *69*(2), 247-250. https://doi.org/10.1021/np058026e

Yamamoto, S., Ohtomo, M., Komatsu, K., Takamatsu, T., dan Matsuoka, M. (1993). Stability of allantoin and identification of its degradation compounds. *Yakugaku Zasshi*, *113*(7), 515-524. https://doi.org/10.1248/yakushi1947.113.7_515

Yin, J., Hwang, I. H., dan Lee, M. W. (2019). Anti-acne vulgaris effect including skin barrier improvement and 5α-reductase inhibition by tellimagrandin I from *Carpinus tschonoskii*. *BMC Complementary and Alternative Medicine*, *19*(1), 322. https://doi.org/10.1186/s12906-019-2734-y

Zhu, C., Wei, B., Li, Y., dan Wang, C. (2025). Antibiotic resistance rates in *Cutibacterium acnes*: Systematic review and meta-analysis. *Frontiers in Microbiology*, *16*, Article 1565111. https://doi.org/10.3389/fmicb.2025.1565111