UNIVERSITAS
GADJAH MADA
Formulasi dan Analisis Performa Synthetic-Based Mud (SBM) Berbasis Minyak Nabati Terhidrogenasi Sebagai Drilling Fluid
Muhammad Aldo Kusuma Putra, Prof. Dr. Triyono, S.U.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdul-Wahab, S.A., Al-Dhamri, H., Ram, G., and Black, L., 2020, The use of oil-based mud cuttings as an alternative raw material to produce high sulfate-resistant oil well cement, *J. Clean. Prod.*, 269, 122207.

Abrams, A., 1977, MUD DESIGN TO MINIMIZE ROCK IMPAIRMENT DUE TO PARTICLE INVASION., *JPT, Journal of Petroleum Technology*, 29, 586–592.

Adewale, F.J., Lucky, A.P., Oluwabunmi, A.P., and Boluwaji, E.F., 2017, Selecting the Most Appropriate Model for Rheological Characterization of Synthetic Based Drilling Mud, *Int. J. Appl. Eng. Res*, *12*(18), 7614-7629..

Afifi, E.H., John Martin, J.J., Wang, Q., Li, X., Liu, X., Zhou, L., Li, R., Fu, D., Li, Q., Ye, J., and Cao, H., 2025, Fatty Acid and Lipid Metabolism in Oil Palm: From Biochemistry to Molecular Mechanisms, *Int. J. Mol. Sci.*, 26, 2531.

Agwu, O.E., Akpabio, J.U., Ekpenyong, M.E., Inyang, U.G., Asuquo, D.E., Eyoh, I.J., and Adeoye, O.S., 2021, A critical review of drilling mud rheological models, *J. Pet. Sci. Eng.*, 203, p.108659.

Ahluwalia, V.K. and Aggarwal, R., 2023, *Alicyclic Chemistry*, 2nd edn, Springer Nature, Switzerland.

Ahmed, A.W. and Kalkan, E., 2019, Drilling Fluids; Types, Formation Choice and Environmental Impact, *Int. J. Latest Technol. Eng. Manag. Appl. Sci*, *8*, 66-71.

Al-Yami, A.S., Vikrant, W., Abrar, A.S., and Hussain, A.B., 2018, Emulsifiers Used in Designing Emulsion Based Drilling Fluids, *Journal of Chemistry*, *7*, pp.00-00.

American Petroleum Institute, 2023, API Recommended Practice 13B-2 Recommended Practice for Field Testing Oil-Based Drilling Fluids,.

Antia, M., Ezejiofor, A.N., Obasi, C.N., and Orisakwe, O.E., 2022, Environmental and public health effects of spent drilling fluid: An updated systematic review, *Journal of Hazardous Materials Advances*, 7, 100120.

ASTM D86-23a, 2023, ASTM D86-23a: Test Method for Distillation of Petroleum Products and Liquid Fuels at Atmospheric Pressure,.

UNIVERSITAS
GADJAH MADA
Formulasi dan Analisis Performa Synthetic-Based Mud (SBM) Berbasis Minyak Nabati Terhidrogenasi Sebagai Drilling Fluid
Muhammad Aldo Kusuma Putra, Prof. Dr. Triyono, S.U.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ASTM D2887-24, 2024, ASTM D2887-24: Standard Test Method for Boiling Range Distribution of Petroleum Fractions by Gas Chromatography,.

Beaumont, E.A. and Foster, N.H., 1999, Exploring for Oil and Gas Traps, *Exploring for Oil and Gas Traps*, The American Association of Petroleum Geologists Tulsa, Oklahoma, USA.

Bethari, S.A., Rusli, H., and Amran, M.B., 2025, Development of Analytical Method for Determination of Palm-Based Hydrotreated Vegetable Oil (HVO) in Diesel Blends Using Gas Chromatography: Preliminary Study, *Scientific Contributions Oil and Gas*, 48(2), 181–191.

Borges, R.F.O., De Souza, R.S.V.A., Vargas, M.L.V., Scheid, C.M., Calçada, L.A., and Meleiro, L.A.C., 2022, Analysis of the stability of oil-based drilling muds by electrical stability measurements as a function of oil-water ratio, weighting material and lubricant concentrations, *J. Pet. Sci. Eng.*, 218, 110924.

Bourgoyne Jr., A.T., Chenevert, M.E., Milheim, K.K., and Young Jr., F.S., 1986, Applied Drilling Engineering, Society of Petroleum Engineers, Richardson.

Caenn, Ryen., Darley, H.C.H.., and Gray, G.Robert., 2017, Composition and properties of drilling and completion fluids, Gulf Professional Publishing.

Carrillo, J.C., van der Wiel, A., Danneels, D., Kral, O., and Boogaard, P.J., 2019, The selective determination of potentially carcinogenic polycyclic aromatic compounds in lubricant base oils by the DMSO extraction method IP346 and its correlation to mouse skin painting carcinogenicity assays, *Regulatory Toxicology and Pharmacology*, 106, 316–333.

Chen, X.Y., Gao, J.J., Lu, Y.Z., Meng, H., and Li, C.X., 2015, Acylation desulfurization of heavy cracking oil as a supplementary oil upgrading pathway, *Fuel Processing Technology*, 130, 7–11.

Cui, W., Yan, J., Yang, J., Wang, Y., and Wang, X., 2020, Effect of hydrocarbon structure on viscosity reduction of long chain viscoelastic surfactant, *J. Mol. Liq.*, 311, 113197.

d'Ambrosio, S., Mancarella, A., and Manelli, A., 2022, Utilization of Hydrotreated Vegetable Oil (HVO) in a Euro 6 Dual-Loop EGR Diesel Engine: Behavior as a Drop-In Fuel and Potentialities along Calibration Parameter Sweeps, *Energies (Basel).*, *15*(19), 7202.

UNIVERSITAS
GADJAH MADA
Formulasi dan Analisis Performa Synthetic-Based Mud (SBM) Berbasis Minyak Nabati Terhidrogenasi Sebagai Drilling Fluid
Muhammad Aldo Kusuma Putra, Prof. Dr. Triyono, S.U.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Douvartzides, S.L., Charisiou, N.D., Papageridis, K.N., and Goula, M.A., 2019, Green diesel: Biomass feedstocks, production technologies, catalytic research, fuel properties and performance in compression ignition internal combustion engines, *Energies (Basel).*, *12*(5), 809.

Fakoya, M.F. and Ahmed, R.M., 2018, A generalized model for apparent viscosity of oil-based muds, *J. Pet. Sci. Eng.*, 165, 777–785.

Gad, S.C., 2014, Diesel Fuel, in Wexler, P. (ed.) *Encyclopedia of Toxicology, 3rd edn* ,Academic Press, 115-118.

He, L., Su, S., Zhao, Y., and Long, J., 2023, Intrinsic relationship between viscosity, viscosity index, and molecular structure of isoalkanes, *J. Mol. Model.*, 29, 101.

Huang, Y., Zheng, W., Zhang, D., and Xi, Y., 2020, A modified Herschel–Bulkley model for rheological properties with temperature response characteristics of poly-sulfonated drilling fluid, *Energy Sources, Part A: Recovery, Utilization, and Environmental Effects*, 42, 1464–1475.

Inemugha, O., Chukwuma, F., Akaranta, O., and Uyigue, L., 2019, The Effect of pH and Salinity on the Rheological Properties of Drilling Mud Formulation from Natural Polymers, *International Journal of Engineering and Management Research*, 09, 126–134.

Islam, M.R. and Hossain, M.E., 2021, Drilling Engineering : Towards Achieving Total Sustainability, Elsevier.'

Ji, J., Wang, Y., Wang, D., Jiang, M., and Hou, J., 2025, Sample preparation techniques for the determination of some food contaminants (Polycyclic aromatic hydrocarbons, mineral oils and phthalates),. In, *Comprehensive Sampling and Sample Preparation*. Academic Press, pp. 474–529.

Jin, D., Zhou, X., Wu, P., Jiang, L., and Ge, H., 2015, Corrosion behavior of ASTM 1045 mild steel in palm biodiesel, *Renew. Energy*, 81, 457–463.

Macedo de Araujo Azeredo, F., Moll Hüther, C., Barbosa Werlang, J., and Panizio, R., 2025, Hydrotreated Vegetable Oil (HVO): A Review on Production, Properties, Environmental Impact, and Future Perspectives, *Green Energy and Technology*. 99–109.

Mahmoud, A., Gajbhiye, R., and Elkatatny, S., 2025, Enhanced performance of oil-based drilling fluids under HPHT conditions using an organophilic phyllosilicate, *Sci. Rep.*, *15*(1), 22447.

UNIVERSITAS
GADJAH MADA
Formulasi dan Analisis Performa Synthetic-Based Mud (SBM) Berbasis Minyak Nabati Terhidrogenasi Sebagai Drilling Fluid
Muhammad Aldo Kusuma Putra, Prof. Dr. Triyono, S.U.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mahmoud, H., Mohammed, A.A.A., Nasser, M.S., Hussein, I.A., and El-Naas, M.H., 2024, Green drilling fluid additives for a sustainable hole-cleaning performance: a comprehensive review, *Emergent Mater.*, 7(2), 387–402.

Mancini, A., Imperlini, E., Nigro, E., Montagnese, C., Daniele, A., Orrù, S., and Buono, P., 2015, Biological and nutritional properties of palm oil and palmitic acid: Effects on health, *Molecules*, 20(9), 17339–17361.

Masjuki, H.H. and Sapuan, S.M., 1995, Palm oil methyl esters as lubricant additive in a small diesel engine, *J. Am. Oil Chem. Soc.*, 72(5), 609–612.

Mofijura, M., Masjuki, H.H., Kalam, M.A., Shahabuddin, M., Hazrat, M.A., and Liaquat, A.M., 2012, Palm oil methyl ester and its emulsions effect on lubricant performance and engine components wear,. In, *Energy Procedia*., 14, 1748–1753.

Murtaza, M., Alarifi, S.A., Kamal, M.S., Onaizi, S.A., Al-Ajmi, M., and Mahmoud, M., 2021, Experimental Investigation of the Rheological Behavior of an Oil-Based Drilling Fluid with Rheology Modifier and Oil Wetter Additives, *Molecules,* 26(16), 4877.

Nasser, J., Jesil, A., Mohiuddin, T., Ruqeshi, M. Al, Devi, G., and Mohataram, S., 2013, Experimental Investigation of Drilling Fluid Performance as Nanoparticles, *World Journal of Nano Science and Engineering*, 3(3), 57–61.

Nicora, L.F., Pirovano, P., Blomberg, N., and Taugbøl, K., 2001, *High-density invert-emulsion system with very low solids content to drill ERD and HPHT wells* (SPE-65000-MS). Society of Petroleum Engineers.

Ofei, T.N., Lund, B., Saasen, A., and Sangesland, S., 2022, The Effect of Oil-Water Ratio on Rheological Properties and Sag Stability of Oil-Based Drilling Fluids, *Journal of Energy Resources Technology, Transactions of the ASME*, *144*(7), 073008.

Oseh, J.O., Mohd Norddin, M.N.A., Ismail, I., Ismail, A.R., Gbadamosi, A.O., Agi, A., and Ogiriki, S.O., 2019, Investigating almond seed oil as potential biodiesel-based drilling mud, *J. Pet. Sci. Eng.*, 181, 106201

Pedley, J.B., Naylor, R.D., and Kirby, S.P., 1986, *Thermochemical Data of Organic Compounds*, Springer Science & Business Media.

UNIVERSITAS
GADJAH MADA
Formulasi dan Analisis Performa Synthetic-Based Mud (SBM) Berbasis Minyak Nabati Terhidrogenasi Sebagai Drilling Fluid
Muhammad Aldo Kusuma Putra, Prof. Dr. Triyono, S.U.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Permen LHK No.6, 2021, Peraturan Menteri Lingkungan Hidup Dan Kehutanan Nomor 6 Tahun 2021 tentang Tata Cara Dan Persyaratan Pengelolaan Limbah Bahan Berbahaya Dan Beracun,.

Petchkaew, A., 2015, Implications of non-carcinogenic PAH-free extender oils in natural rubber based tire compounds, *Disertasi,* Universitas Twente, Enschede, Belanda

Power, D. and Zamora, M., 2003, Drilling fluid yield stress: measurement techniques for improved understanding of critical drilling fluid parameters. In AADE Technical Conference, Houston,.

Rafati, R., Smith, S.R., Sharifi Haddad, A., Novara, R., and Hamidi, H., 2018, Effect of nanoparticles on the modifications of drilling fluids properties: A review of recent advances, *J. Pet. Sci. Eng.*, 161, 61–76.

Rezaei, A., Nooripoor, V., and Shahbazi, K., 2020, Applicability of Fe3O4 nanoparticles for improving rheological and filtration properties of bentonite-water drilling fluids in the presence of sodium, calcium, and magnesium chlorides, *J. Pet. Explor. Prod. Technol.*, 10(6), 2453–2464.

Saldana, D.A., Starck, L., Mougin, P., Rousseau, B., Ferrando, N., and Creton, B., 2012, Prediction of Density and Viscosity of Biofuel Compounds Using Machine Learning Methods, *Energy and Fuels*, 26(4), 2416–2426.

Sani, W.B.W., Samo, K.B., Da, T.H., and Zulkifli, M.F.R., 2012, The study of palm oil methyl ester and its corrosiveness, *AIP Conf. Proc.*, 1440(1), 1156–1163.

Sargani, H., Tunio, A.H., and Hingoro, M.Z., 2021, Investigating the Impact of Oil Water Ratio on Rheological Properties of Biodiesel based Drilling Mud, *International Journal of Current Engineering and Technology*, 10, 87–95.

Speight, J.G., 2014, The Chemistry and Technology of Petroleum, Fifth Edition,.

Sulaimon, A.A., Adeyemi, B.J., and Rahimi, M., 2017, Performance enhancement of selected vegetable oil as base fluid for drilling HPHT formation, *J. Pet. Sci. Eng.*, 152, 49–59.

van Oort, E., 2003, On the physical and chemical stability of shales, *J. Pet. Sci. Eng.*, 38(3-4), 213–235.

UNIVERSITAS
GADJAH MADA
Formulasi dan Analisis Performa Synthetic-Based Mud (SBM) Berbasis Minyak Nabati Terhidrogenasi Sebagai Drilling Fluid
Muhammad Aldo Kusuma Putra, Prof. Dr. Triyono, S.U.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Veriansyah, B., Han, J.Y., Kim, S.K., Hong, S.A., Kim, Y.J., Lim, J.S., Shu, Y.W., Oh, S.G., and Kim, J., 2012, Production of renewable diesel by hydroprocessing of soybean oil: Effect of catalysts, *Fuel*, 94, 578–585.

Wang, X., Jia, T., Pan, L., Liu, Q., Fang, Y., Zou, J.J., and Zhang, X., 2021, Review on the Relationship Between Liquid Aerospace Fuel Composition and Their Physicochemical Properties, *Transactions of Tianjin University*, 27(2), 87–109.

Yang, S., Zhan, Q., Pan, Y., Wang, X., and Narimane, B., 2022, Research progress on low-temperature rheology of high-performance ocean deepwater drilling fluids: An overview, *J. Pet. Sci. Eng.*, 218, .