UNIVERSITAS
GADJAH MADA
**Evaluasi Strategi Context-Aware Large Language Model (LLM) untuk Pembuatan Kode Pengujian Otomatis
pada Framework Playwright**
Risma Saputri, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] J. Wang, Y. Huang, C. Chen, Z. Liu, S. Wang, dan Q. Wang, "Software Testing With Large Language Models: Survey, Landscape, and Vision," *IEEE Trans. Software Eng.*, vol. 50, no. 4, hlm. 911–936, Apr 2024, doi: 10.1109/TSE.2024.3368208.

[2] D. K. Vali, "Autonomous QA Agent: A Retrieval-Augmented Framework for Reliable Selenium Script Generation," 28 November 2025, *arXiv*: arXiv:2601.06034. doi: 10.48550/arXiv.2601.06034.

[3] H. Kirinuki, "Efficient Test Script Generation and Maintenance for Web Applications," 23 Maret 2023, *Osaka University*. doi: 10.18910/91985.

[4] S. Mallipeddi, M. Yaqoob, J. A. Khan, T. Mehmood, A. Mylonas, dan N. Pitropakis, "AutoQALLMs: Automating Web Application Testing Using Large Language Models (LLMs) and Selenium," *Computers*, vol. 14, no. 11, hlm. 501, Nov 2025, doi: 10.3390/computers14110501.

[5] A. Diop, F. Toure, dan M. Badri, "From Scenario to Code: Structured Prompting for LLM-Based Unit Test Generation," dalam *Proceedings of the 2025 7th World Symposium on Software Engineering*, Okayama Japan: ACM, Okt 2025, hlm. 1–8. doi: 10.1145/3779657.3779658.

[6] M. Ferreira, L. Viegas, J. P. Faria, dan B. Lima, "Acceptance Test Generation with Large Language Models: An Industrial Case Study," dalam *2025 IEEE/ACM International Conference on Automation of Software Test (AST)*, Ottawa, ON, Canada: IEEE, Apr 2025, hlm. 1–11. doi: 10.1109/AST66626.2025.00007.

[7] "What is the Model Context Protocol (MCP)?," Model Context Protocol. Diakses: 12 Mei 2026. [Daring]. Tersedia pada: https://modelcontextprotocol.io/docs/getting-started/intro

[8] A. Singh, A. Ehtesham, S. Kumar, dan T. T. Khoei, "A Survey of the Model Context Protocol (MCP): Standardizing Context to Enhance Large Language Models (LLMs)," 2 April 2025, *Computer Science and Mathematics*. doi: 10.20944/preprints202504.0245.v1.

UNIVERSITAS
GADJAH MADA
**Evaluasi Strategi Context-Aware Large Language Model (LLM) untuk Pembuatan Kode Pengujian Otomatis
pada Framework Playwright**
Risma Saputri, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[9] *microsoft/playwright-mcp*. (12 Mei 2026). TypeScript. Microsoft. Diakses: 12 Mei 2026. [Daring]. Tersedia pada: https://github.com/microsoft/playwright-mcp

[10] N. Acharya dan G. K. Gupta, "A Formal Security Framework for MCP-Based AI Agents: Threat Taxonomy, Verification Models, and Defense Mechanisms," 7 April 2026, *arXiv*: arXiv:2604.05969. doi: 10.48550/arXiv.2604.05969.

[11] B. Radosevich dan J. Halloran, "MCP Safety Audit: LLMs with the Model Context Protocol Allow Major Security Exploits," Apr 2025, doi: 10.48550/arXiv.2504.03767.

[12] B. B. Sudakara, "Leveraging MCP servers for context-aware playwright automation in cloud environments," Okt 2025, doi: 10.2139/ssrn.6155207.

[13] D. Zimmermann dan A. Koziolek, "GUI-Based Software Testing: An Automated Approach Using GPT-4 and Selenium WebDriver," dalam *2023 38th IEEE/ACM International Conference on Automated Software Engineering Workshops (ASEW)*, Luxembourg, Luxembourg: IEEE, Sep 2023, hlm. 171–174. doi: 10.1109/ASEW60602.2023.00028.

[14] S. Yu, C. Fang, Y. Ling, C. Wu, dan Z. Chen, "LLM for Test Script Generation and Migration: Challenges, Capabilities, and Opportunities," 24 September 2023, *arXiv*: arXiv:2309.13574. doi: 10.48550/arXiv.2309.13574.

[15] M. Schäfer, S. Nadi, A. Eghbali, dan F. Tip, "An Empirical Evaluation of Using Large Language Models for Automated Unit Test Generation," *IIEEE Trans. Software Eng.*, vol. 50, no. 1, hlm. 85–105, Jan 2024, doi: 10.1109/TSE.2023.3334955.

[16] Z. Liu *dkk.*, "Make LLM a Testing Expert: Bringing Human-like Interaction to Mobile GUI Testing via Functionality-aware Decisions," dalam *Proceedings of the IEEE/ACM 46th International Conference on Software Engineering*, Lisbon Portugal: ACM, Apr 2024, hlm. 1–13. doi: 10.1145/3597503.3639180.

[17] M. Leotta, H. Z. Yousaf, F. Ricca, dan B. Garcia, "AI-Generated Test Scripts for Web E2E Testing with ChatGPT and Copilot: A Preliminary Study," dalam *Proceedings of the 28th International Conference on Evaluation and*

UNIVERSITAS
GADJAH MADA
**Evaluasi Strategi Context-Aware Large Language Model (LLM) untuk Pembuatan Kode Pengujian Otomatis
pada Framework Playwright**
Risma Saputri, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Assessment in Software Engineering, Salerno Italy: ACM, Jun 2024, hlm. 339–344. doi: 10.1145/3661167.3661192.

[18] S. Wang, S. Wang, Y. Fan, X. Li, dan Y. Liu, "Leveraging Large Vision-Language Model for Better Automatic Web GUI Testing," dalam *2024 IEEE International Conference on Software Maintenance and Evolution (ICSME)*, Flagstaff, AZ, USA: IEEE, Okt 2024, hlm. 125–137. doi: 10.1109/ICSME58944.2024.00022.

[19] H. Naveed *dkk.*, "A Comprehensive Overview of Large Language Models," *ACM Trans. Intell. Syst. Technol.*, vol. 16, no. 5, hlm. 1–72, Okt 2025, doi: 10.1145/3744746.

[20] M. Shao, A. Basit, R. Karri, dan M. Shafique, "Survey of Different Large Language Model Architectures: Trends, Benchmarks, and Challenges," *IEEE Access*, vol. 12, hlm. 188664–188706, 2024, doi: 10.1109/ACCESS.2024.3482107.

[21] J. White *dkk.*, "A Prompt Pattern Catalog to Enhance Prompt Engineering with ChatGPT," 21 Februari 2023, *arXiv*: arXiv:2302.11382. doi: 10.48550/arXiv.2302.11382.

[22] B. Meskó, "Prompt Engineering as an Important Emerging Skill for Medical Professionals: Tutorial," *J Med Internet Res*, vol. 25, hlm. e50638, Okt 2023, doi: 10.2196/50638.

[23] S. Schulhoff *dkk.*, "The Prompt Report: A Systematic Survey of Prompt Engineering Techniques," Jun 2024, doi: 10.48550/arXiv.2406.06608.

[24] J. Jiang, F. Wang, J. Shen, S. Kim, dan S. Kim, "A Survey on Large Language Models for Code Generation," *ACM Trans. Softw. Eng. Methodol.*, vol. 35, no. 2, hlm. 1–72, Feb 2026, doi: 10.1145/3747588.

[25] J. Wang dan Y. Chen, "A Review on Code Generation with LLMs: Application and Evaluation," dalam *2023 IEEE International Conference on Medical Artificial Intelligence (MedAI)*, Beijing, China: IEEE, Nov 2023, hlm. 284–289. doi: 10.1109/MedAI59581.2023.00044.

[26] D. M. V. Deshpande, "Interdependency and Segregation associates between software Development and software testing life cycles.," vol. 5, no. 4.

UNIVERSITAS
GADJAH MADA
**Evaluasi Strategi Context-Aware Large Language Model (LLM) untuk Pembuatan Kode Pengujian Otomatis
pada Framework Playwright**
Risma Saputri, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[27] A. Faraji dan N. Pombo, "AI-Driven Software Test Automation: An AI4SE-Oriented Survey of Techniques, Tools, and Challenges," *IEEE Access*, vol. 13, hlm. 183296–183313, 2025, doi: 10.1109/ACCESS.2025.3623944.

[28] B. Sani dan S. Jan, "Empirical Analysis of Widely Used Website Automated Testing Tools," *EAI Endorsed Trans AI Robotics*, vol. 3, Okt 2024, doi: 10.4108/airo.7285.

[29] P. Pham, V. Nguyen, dan T. Nguyen, "A Review of AI-augmented End-to-End Test Automation Tools," dalam *Proceedings of the 37th IEEE/ACM International Conference on Automated Software Engineering*, Rochester MI USA: ACM, Okt 2022, hlm. 1–4. doi: 10.1145/3551349.3563240.

[30] *Software and systems engineering — Software testing — Part 1: General concepts*, ISO/IEC/IEEE 29119-1:2022, Geneva., 2022. [Daring]. Tersedia pada: https://www.iso.org/standard/81291.html

[31] N. C. Ramachandrappa, "Page Object Design Pattern for IOS UI Automation," *SSRG-IJCSE*, vol. 11, no. 8, hlm. 45–49, Agu 2024, doi: 10.14445/23488387/IJCSE-V11I8P106.

[32] M. Leotta, M. Biagiola, F. Ricca, M. Ceccato, dan P. Tonella, "A Family of Experiments to Assess the Impact of Page Object Pattern in Web Test Suite Development," dalam *2020 IEEE 13th International Conference on Software Testing, Validation and Verification (ICST)*, Porto, Portugal: IEEE, Okt 2020, hlm. 263–273. doi: 10.1109/ICST46399.2020.00035.

[33] M. Leotta, D. Clerissi, F. Ricca, dan C. Spadaro, "Improving Test Suites Maintainability with the Page Object Pattern: An Industrial Case Study," dalam *2013 IEEE Sixth International Conference on Software Testing, Verification and Validation Workshops*, Luxembourg, Luxembourg: IEEE, Mar 2013, hlm. 108–113. doi: 10.1109/ICSTW.2013.19.

[34] A. Tymoshchuk, "The Evolution of Test Automation: From Selenium to Playwright. A Comparison of Automation Tools: Selenium vs. Playwright vs. Cypress," vol. 54, no. 1.

UNIVERSITAS
GADJAH MADA
**Evaluasi Strategi Context-Aware Large Language Model (LLM) untuk Pembuatan Kode Pengujian Otomatis
pada Framework Playwright**
Risma Saputri, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[35] "Document Object Model (DOM) Level 3 Core Specification." Diakses: 29 Mei 2026. [Daring]. Tersedia pada: https://www.w3.org/TR/DOM-Level-3-Core/

[36] A. Rahmatulloh dan R. Gunawan, "Web Scraping with HTML DOM Method for Data Collection of Scientific Articles from Google Scholar," *Indonesian J. of Inf. Syst.*, vol. 2, no. 2, hlm. 95–104, Feb 2020, doi: 10.24002/ijis.v2i2.3029.

[37] A. Abodayeh, R. Hejazi, W. Najjar, L. Shihadeh, dan R. Latif, "Web Scraping for Data Analytics: A BeautifulSoup Implementation," dalam *2023 Sixth International Conference of Women in Data Science at Prince Sultan University (WiDS PSU)*, Riyadh, Saudi Arabia: IEEE, Mar 2023, hlm. 65–69. doi: 10.1109/WiDS-PSU57071.2023.00025.

[38] J. Pelzetter, "A Declarative Model for Web Accessibility Requirements and its Implementation," *Front. Comput. Sci.*, vol. 3, hlm. 605772, Mar 2021, doi: 10.3389/fcomp.2021.605772.

[39] J. Liu *dkk.*, "HARNESSING WEBPAGE UIS FOR TEXT-RICH VISUAL UNDERSTANDING," Okt 2024, doi: 10.48550/arXiv.2410.13824.

[40] R. N. Joseph, "Beyond LLM-based test automation: A Zero-Cost Self-Healing Approach Using DOM Accessibility Tree Extraction," 2026, *arXiv*. doi: 10.48550/ARXIV.2603.20358.

[41] P. P. Ray, "A Survey on Model Context Protocol: Architecture, State-of-the-art, Challenges and Future Directions," 18 April 2025. doi: 10.36227/techrxiv.174495492.22752319/v1.

[42] "Playwright MCP | Playwright." Diakses: 30 Mei 2026. [Daring]. Tersedia pada: https://playwright.dev/docs/getting-started-mcp

[43] P. Patel, "Playwright MCP Explained: Setup, Config & Real-World Examples," TestDino. Diakses: 30 Mei 2026. [Daring]. Tersedia pada: https://testdino.com/blog/playwright-mcp/

[44] Z. Sun *dkk.*, "Executing as You Generate: Hiding Execution Latency in LLM Code Generation," 1 April 2026, *arXiv*: arXiv:2604.00491. doi: 10.48550/arXiv.2604.00491.

UNIVERSITAS
GADJAH MADA
**Evaluasi Strategi Context-Aware Large Language Model (LLM) untuk Pembuatan Kode Pengujian Otomatis
pada Framework Playwright**
Risma Saputri, Divi Galih Prasetyo Putri, S.Kom., M.Kom., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[45] "Managing context in GitHub Copilot CLI," GitHub Docs. Diakses: 5 Juni 2026. [Daring]. Tersedia pada: https://docs-internal.github.com/en/copilot/concepts/agents/copilot-cli/context-management