UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium Oksida sebagai Kandidat Agen Kontras Magnetic Resonance Imanging (MRI) dengan Menggunakan Polietilen Glikol (PEG)
Ni Nyoman Dyah Satya Kinandani, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.; Dr. Sci. apt. Rohmad
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahab, A., Rohman, F., Iskandar, F., Haryanto, F., & Arif, I. (2016a). A simple straightforward thermal decomposition synthesis of PEG-covered Gd2O3 (Gd2O3@PEG) nanoparticles. *Advanced Powder Technology*, *27*(4), 1800–1805. https://doi.org/10.1016/J.APT.2016.06.012

Aljahdali, S., Azim, G., Zabani, W., Bafaraj, S., Alyami, J., & Abduljabbar, A. (2024). Effectiveness of radiology modalities in diagnosing and characterizing brain disorders. *Neurosciences*, *29*(1), 37. https://doi.org/10.17712/NSJ.2024.1.20230048

Álvarez-González, I., Espinosa-García, L., de Jesús Carrillo-Romo, F., García-Murillo, A., Morales-González, J. A., Madrigal-Santillán, E. O., & Madrigal-Bujaidar, E. (2025). Impact of gadolinium oxide based nanoparticles on genotoxic, cytotoxic and oxidative stress in human lymphocytes. *Toxicology in Vitro*, *109*, 106106. https://doi.org/10.1016/J.TIV.2025.106106

Bagheri, A., Fazli, M., & Bakhshaei, M. (2016). Surface properties and surface thickness of aqueous solutions of alcohols. *Journal of Molecular Liquids*, *224*, 442–451. https://doi.org/10.1016/J.MOLLIQ.2016.09.113

Barge, A., Cravotto, G., Gianolio, E., & Fedeli, F. (2006). How to determine free Gd and free ligand in solution of Gd chelates. A technical note. *Contrast media & molecular imaging*, *1*(5), 184–188. https://doi.org/10.1002/CMMI.110

Belleza, O. J. V., & Villaraza, A. J. L. (2014). Ion charge density governs selectivity in the formation of metal–Xylenol Orange (M–XO) complexes. *Inorganic Chemistry Communications*, *47*, 87–92. https://doi.org/10.1016/J.INOCHE.2014.07.024

Cai, D., Li, J., Bu, S., Yu, S., Jin, D., & Cheng, J. (2011). PEG-assisted hydrothermal synthesis and photocatalytic activity of Bi 2Fe4O9 crystallites. *Materials Research Society Symposium Proceedings*, *1292*(1), 143–148. https://doi.org/10.1557/OPL.2011.527/METRICS

Chanana, P., Uosef, A., Vaughn, N., Suarez-Villagran, M., Ghobrial, R. M., Kloc, M., & Wosik, J. (2022). The Effect of Magnetic Field Gradient and Gadolinium-Based MRI Contrast Agent Dotarem on Mouse Macrophages. *Cells 2022, Vol. 11, Page 757*, *11*(5), 757. https://doi.org/10.3390/CELLS11050757

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium Oksida sebagai Kandidat Agen Kontras Magnetic Resonance Imanging (MRI) dengan Menggunakan Polietilen Glikol (PEG)
Ni Nyoman Dyah Satya Kinandani, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.; Dr. Sci. apt. Rohmad
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

CHEBI:46793 - poly(ethylene glycol). (t.t.). Diambil 13 Oktober 2025, dari https://www.ebi.ac.uk/chebi/CHEBI:46793

Coimbra, S., Rocha, S., Sousa, N. R., Catarino, C., Belo, L., Bronze-da-Rocha, E., Valente, M. J., & Santos-Silva, A. (2024). Toxicity Mechanisms of Gadolinium and Gadolinium-Based Contrast Agents—A Review. *International Journal of Molecular Sciences*, *25*(7), 4071. https://doi.org/10.3390/IJMS25074071

Cruje, C., Dunmore-Buyze, P. J., Grolman, E., Holdsworth, D. W., Gillies, E. R., & Drangova, M. (2021). PEG-modified gadolinium nanoparticles as contrast agents for in vivo micro-CT. *Scientific Reports*, *11*(1), 1–11. https://doi.org/10.1038/S41598-021-95716-X;SUBJMETA

Dai, Y., Wu, C., Wang, S., Li, Q., Zhang, M., Li, J., & Xu, K. (2018). Comparative study on in vivo behavior of PEGylated gadolinium oxide nanoparticles and Magnevist as MRI contrast agent. *Nanomedicine: Nanotechnology, Biology and Medicine*, *14*(2), 547–555. https://doi.org/10.1016/J.NANO.2017.12.005

Davies, J., Siebenhandl-Wolff, P., Tranquart, F., Jones, P., & Evans, P. (2022). Gadolinium: pharmacokinetics and toxicity in humans and laboratory animals following contrast agent administration. *Archives of Toxicology*, *96*(2), 403–429. https://doi.org/10.1007/S00204-021-03189-8/TABLES/2

Dong, H., Chen, Y. C., & Feldmann, C. (2015). Polyol synthesis of nanoparticles: status and options regarding metals, oxides, chalcogenides, and non-metal elements. *Green Chemistry*, *17*(8), 4107–4132. https://doi.org/10.1039/C5GC00943J

Estelrich, J., Sánchez-Martín, M. J., & Busquets, M. A. (2015). Nanoparticles in magnetic resonance imaging: from simple to dual contrast agents. *International Journal of Nanomedicine*, *10*, 1727. https://doi.org/10.2147/IJN.S76501

Fauzia, R. P., Mahendra, A. N., Ishmayana, S., Anggraeni, A., Hardianto, A., & Bahti, H. H. (2024). Polyol synthesis of gadolinium nanoparticles: A preliminary study. Dalam *International Journal of Chemical and Biochemical Sciences (IJCBS)* (Vol. 25, Nomor 14). www.iscientific.org/Journal.html

Fievet, F., Ammar-Merah, S., Brayner, R., Chau, F., Giraud, M., Mammeri, F., Peron, J., Piquemal, J. Y., Sicard, L., & Viau, G. (2018). The polyol process: a unique method for easy access to metal nanoparticles with tailored sizes,

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium Oksida sebagai Kandidat Agen Kontras Magnetic Resonance Imanging (MRI) dengan Menggunakan Polietilen Glikol (PEG)
Ni Nyoman Dyah Satya Kinandani, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.; Dr. Sci. apt. Rohmad
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

shapes and compositions. *Chemical Society Reviews*, *47*(14), 5187–5233. https://doi.org/10.1039/C7CS00777A

Gayathri, T., Sundaram, N. M., & Kumar, R. A. (2015). Gadolinium oxide nanoparticles for Magnetic Resonance Imaging and cancer theranostics. *Journal of Bionanoscience*, *9*(6), 409–423. https://doi.org/10.1166/JBNS.2015.1325

Grover, V. P. B., Tognarelli, J. M., Crossey, M. M. E., Cox, I. J., Taylor-Robinson, S. D., & McPhail, M. J. W. (2015). Magnetic Resonance Imaging: Principles and Techniques: Lessons for Clinicians. *Journal of Clinical and Experimental Hepatology*, *5*(3), 246. https://doi.org/10.1016/J.JCEH.2015.08.001

Guleria, A., Pranjali, P., Meher, M. K., Chaturvedi, A., Chakraborti, S., Raj, R., Poluri, K. M., & Kumar, D. (2019a). Effect of Polyol Chain Length on Proton Relaxivity of Gadolinium Oxide Nanoparticles for Enhanced Magnetic Resonance Imaging Contrast. *The Journal of Physical Chemistry C*, *123*(29), 18061–18070. https://doi.org/10.1021/ACS.JPCC.9B04089

Hao, D., Ai, T., Goerner, F., Hu, X., Runge, V. M., & Tweedle, M. (2012). MRI contrast agents: basic chemistry and safety. *Journal of magnetic resonance imaging : JMRI*, *36*(5), 1060–1071. https://doi.org/10.1002/JMRI.23725

Hasegawa, M., Ohmagari, H., Tanaka, H., & Machida, K. (2022). Luminescence of lanthanide complexes: From fundamental to prospective approaches related to water- and molecular-stimuli. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, *50*, 100484. https://doi.org/10.1016/J.JPHOTOCHEMREV.2022.100484

Ibrahim, M. A., Hazhirkarzar, B., & Dublin, A. B. (2023a). Gadolinium Magnetic Resonance Imaging. *StatPearls*. https://www.ncbi.nlm.nih.gov/books/NBK482487/

Iyad, N., S.Ahmad, M., Alkhatib, S. G., & Hjouj, M. (2023). Gadolinium contrast agents- challenges and opportunities of a multidisciplinary approach: Literature review. *European Journal of Radiology Open*, *11*, 100503. https://doi.org/10.1016/J.EJRO.2023.100503

Jamnezhad, H., & Jafari, M. (2016). Structure of Gd2O3 nanoparticles at high temperature. *Journal of Magnetism and Magnetic Materials*, *408*, 164–167. https://doi.org/10.1016/J.JMMM.2016.02.041

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium Oksida sebagai Kandidat Agen Kontras Magnetic Resonance Imanging (MRI) dengan Menggunakan Polietilen Glikol (PEG)
Ni Nyoman Dyah Satya Kinandani, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.; Dr. Sci. apt. Rohmad
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kang, J. G., Min, B. K., & Sohn, Y. (2015). Synthesis and characterization of Gd(OH)3 and Gd2O3 nanorods. *Ceramics International*, *41*(1), 1243–1248. https://doi.org/10.1016/J.CERAMINT.2014.09.053

Khulbe, R., Kandpal, A., Prasad, J., Chandra, B., & Kandpal, N. D. (2023). Polyol Synthesis of Nanoparticles: A Decade of Advancements and Insights. *Asian Journal of Chemistry*, *35*(11), 2618–2630. https://doi.org/10.14233/AJCHEM.2023.30223

Langevin, D., Raspaud, E., Mariot, S., Knyazev, A., Stocco, A., Salonen, A., Luch, A., Haase, A., Trouiller, B., Relier, C., Lozano, O., Thomas, S., Salvati, A., & Dawson, K. (2018). Towards reproducible measurement of nanoparticle size using dynamic light scattering: Important controls and considerations. *NanoImpact*, *10*, 161–167. https://doi.org/10.1016/J.IMPACT.2018.04.002

Lv, J., Roy, S., Xie, M., Yang, X., & Guo, B. (2023). Contrast Agents of Magnetic Resonance Imaging and Future Perspective. *Nanomaterials*, *13*(13), 2003. https://doi.org/10.3390/NANO13132003

Maguire, C. M., Rösslein, M., Wick, P., & Prina-Mello, A. (2018). Characterisation of particles in solution – a perspective on light scattering and comparative technologies. *Science and Technology of Advanced Materials*, *19*(1), 732–745. https://doi.org/10.1080/14686996.2018.1517587

Mignani, S., Rodrigues, J., Tomas, H., Caminade, A. M., Laurent, R., Shi, X., & Majoral, J. P. (2018). Recent therapeutic applications of the theranostic principle with dendrimers in oncology. *Science China Materials*, *61*(11), 1367–1386. https://doi.org/10.1007/S40843-018-9244-5/METRICS

Minea, A. A., & Cherecheş, E. I. (2024). A comparative study on thermal behavior of PEG 400 and two oxide nanocolloids. *Thermal Science and Engineering Progress*, *55*, 102968. https://doi.org/10.1016/J.TSEP.2024.102968

Mogilireddy, V., Déchamps-Olivier, I., Alric, C., Laurent, G., Laurent, S., Vander Elst, L., Muller, R., Bazzi, R., Roux, S., Tillement, O., & Chuburu, F. (2015). Thermodynamic stability and kinetic inertness of a Gd-DTPA bisamide complex grafted onto gold nanoparticles. *Contrast media & molecular imaging*, *10*(3), 179–187. https://doi.org/10.1002/CMMI.1616

Mulugeta, E., Tegafaw, T., Liu, Y., Zhao, D., Chen, X., Baek, A., Kim, J., Chang, Y., & Lee, G. H. (2025). Current Status and Future Aspects of Gadolinium Oxide Nanoparticles as Positive Magnetic Resonance Imaging Contrast

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium Oksida sebagai Kandidat Agen Kontras Magnetic Resonance Imanging (MRI) dengan Menggunakan Polietilen Glikol (PEG)
Ni Nyoman Dyah Satya Kinandani, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.; Dr. Sci. apt. Rohmad
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Agents. *Nanomaterials*, *15*(17), 1340. https://doi.org/10.3390/NANO15171340

Nwe, K., Bernardo, M., Regino, C. A. S., Williams, M., & Brechbiel, M. W. (2010). Comparison of MRI properties between derivatized DTPA and DOTA gadolinium-dendrimer conjugates. *Bioorganic and Medicinal Chemistry*, *18*(16), 5925–5931. https://doi.org/10.1016/j.bmc.2010.06.086

Paul, S., Hmar, E. B. L., Pathak, H., & Sharma, H. K. (2022). An overview on nanocarriers. *Nanocarriers for Drug-Targeting Brain Tumors*, 145–204. https://doi.org/10.1016/B978-0-323-90773-6.00004-X

Port, M., Idée, J. M., Medina, C., Robic, C., Sabatou, M., & Corot, C. (2008). Efficiency, thermodynamic and kinetic stability of marketed gadolinium chelates and their possible clinical consequences: a critical review. *Biometals : an international journal on the role of metal ions in biology, biochemistry, and medicine*, *21*(4), 469–490. https://doi.org/10.1007/S10534-008-9135-X

Puspitasari, D., & Saryanti, D. (2024). Preparation and Characterization of Nano Collagen from Bone and Skin of Asian Swamp Eel (Monopterus albus) Potentially as Cosmetic Raw Material. Dalam *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage : Farmasi,Sekolah Tinggi Ilmu Kesehatan Nasional* (Nomor 2). http://jurnal.unpad.ac.id/ijpst/

Quevedo, A. C., Guggenheim, E., Briffa, S. M., Adams, J., Lofts, S., Kwak, M., Lee, T. G., Johnston, C., Wagner, S., Holbrook, T. R., Hachenberger, Y. U., Tentschert, J., Davidson, N., & Valsami-Jones, E. (2021). UV-Vis Spectroscopic Characterization of Nanomaterials in Aqueous Media. *Journal of Visualized Experiments (JoVE)*, (176), e61764. https://doi.org/10.3791/61764

Rahmani, A. A., Jia, Q., Bahti, H. H., Fauzia, R. P., & Wyantuti, S. (2025). Recent advances in lanthanide-based nanoparticle contrast agents for magnetic resonance imaging: Synthesis, characterization, and applications. *OpenNano*, *21*, 100226. https://doi.org/10.1016/J.ONANO.2024.100226

Riyahi-Alam, S., Haghgoo, S., Gorji, E., & Riyahi-Alam, N. (2015). Size Reproducibility of Gadolinium Oxide Based Nanomagnetic Particles for Cellular Magnetic Resonance Imaging: Effects of Functionalization, Chemisorption and Reaction Conditions. *Iranian Journal of Pharmaceutical Research : IJPR*, *14*(1), 3. https://pmc.ncbi.nlm.nih.gov/articles/PMC4277614/

UNIVERSITAS
GADJAH MADA
Sintesis dan Karakterisasi Nanopartikel Gadolinium Oksida sebagai Kandidat Agen Kontras Magnetic Resonance Imanging (MRI) dengan Menggunakan Polietilen Glikol (PEG)
Ni Nyoman Dyah Satya Kinandani, Dr. apt. Hilda Ismail, M.Si.; Herlan Setiawan, S.Si., M.Eng.; Dr. Sci. apt. Rohmad
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Selim, A. A., Al-Sunaidi, A., & Tabet, N. (2012). Effect of the surface texture and crystallinity of ZnO nanoparticles on their toxicity. *Materials Science and Engineering: C*, *32*(8), 2356–2360. https://doi.org/10.1016/J.MSEC.2012.07.007

Setiawan, H., Triyatna, F., Nurmanjaya, A., Subechi, M., Sarwono, D. A., Billah, A. A., & Rindiyantono, F. (2022). Synthesis and characterization of gadolinium nanoparticles using polyol method as a candidate for MRI Contrast Agent. *Journal of Physics: Conference Series*, *2193*(1). https://doi.org/10.1088/1742-6596/2193/1/012010

Shahid, I., Joseph, A., & Lancelot, E. (2022). Use of Real-Life Safety Data from International Pharmacovigilance Databases to Assess the Importance of Symptoms Associated with Gadolinium Exposure. *Investigative Radiology*, *57*(10), 664–673. https://doi.org/10.1097/RLI.0000000000000880

Tomaszewska, E., Soliwoda, K., Kadziola, K., Tkacz-Szczesna, B., Celichowski, G., Cichomski, M., Szmaja, W., & Grobelny, J. (2013). Detection Limits of DLS and UV-Vis Spectroscopy in Characterization of Polydisperse Nanoparticles Colloids. *Journal of Nanomaterials*, *2013*(1), 313081. https://doi.org/10.1155/2013/313081

Tuoriniemi, J., H Johnsson, A.-C. J., Perez Holmberg, J., Gustafsson, S., Gallego-Urrea, J. A., Olsson, E., C Pettersson, J. B., & Hassellöv, M. (2014). Intermethod comparison of the particle size distributions of colloidal silica nanoparticles. *Science and Technology of Advanced Materials*, *15*, 35009. https://doi.org/10.1088/1468-6996

Wang, M., Shen, J., Thomas, J. C., Mu, T., Liu, W., Wang, Y., Pan, J., Wang, Q., & Liu, K. (2021). Particle Size Measurement Using Dynamic Light Scattering at Ultra-Low Concentration Accounting for Particle Number Fluctuations. *Materials*, *14*(19), 5683. https://doi.org/10.3390/ma14195683

Zhu, Q. W., & Ou, M. G. (2014). The Function of PEG in the Synthesis of Nanomaterials. *Applied Mechanics and Materials*, *670–671*, 3–6. https://doi.org/10.4028/WWW.SCIENTIFIC.NET/AMM.670-671.3