UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCE

Allegro, G., Pastore, C., Valentini, G., & Filippetti, I. (2021). The Evolution of Phenolic Compounds in *Vitis vinifera* L. Red Berries during Ripening: Analysis and Role on Wine Sensory—A Review. Agronomy, 11(5), 999. https://doi.org/10.3390/agronomy11050999

Ansary, T., Hossain, M., Kamiya, K., Komine, M., & Ohtsuki, M. (2021). Inflammatory Molecules Associated with Ultraviolet Radiation-Mediated Skin Aging. International Journal of Molecular Sciences, 22(8), 3974. https://doi.org/10.3390/ijms22083974

Bogdan, C., Pop, A., Iurian, S. M., Benedec, D., & Moldovan, M. L. (2020). Research Advances in the Use of Bioactive Compounds from Vitis vinifera By-Products in Oral Care. Antioxidants, 9(6), 502. https://doi.org/10.3390/antiox9060502

Buitrago-Rincon, D. L., Sadtler, V., Mercado, R. A., Roques-Carmes, T., Benyahia, L., Durand, A., & Lemaitre, C. (2022). Effect Of Silica Nanoparticles in Xanthan Gum Solutions: Evolution of Viscosity Over Time. Nanomaterials, 12(11), 1-14. https://doi.org/10.3390/nano12111906.

Butkevičiūtė, A., Ramanauskienė, K., & Janulis, V. (2022). Formulation Of Gels And Emulgels With *Malus domestica* Borkh: Apple Extracts And Their Biopharmaceutical Evaluation In Vitro. Antioxidants, 11(2), 373. https://doi.org/10.3390/antiox11020373

Chambers, E. and Vukmanovic-Stejic, M. (2019). Skin Barrier Immunity and Aging. Immunology, 160(2), 116-125. https://doi.org/10.1111/imm.13152

Coria-Hernández, J., Meléndez-Pérez, R., Méndez-Albores, A., & Arjona-Román, J. L. (2021). Effect of Cryostructuring Treatment on Some Properties of Xanthan and Karaya Cryogels for Food Applications. Molecules (Basel, Switzerland), 26(9), 2788. https://doi.org/10.3390/molecules26092788

de Almeida Sousa Cruz, M. A., de Barros Elias, M., Calina, D., Sharifi-Rad, J., & Teodoro, A. J. (2024). Insights into grape-derived health benefits: a comprehensive overview. Food Production, Processing and Nutrition, 6(1). https://doi.org/10.1186/s43014-024-00267-z

De Spiegeleer, B., Wattyn, E., Slegers, G., Van der Meeren, P., Vlaminck, K., & Van Vooren, L. (2006). The Importance of the Cosolvent Propylene Glycol on the Antimicrobial Preservative Efficacy of a Pharmaceutical Formulation

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

by DOE-Ruggedness Testing. Pharmaceutical Development and Technology, 11(3), 275–284. https://doi.org/10.1080/10837450600767342

El-Masry, T., Al-Shaalan, N., Tousson, E., El-Morshedy, K., & Al-Ghadeer, A. (2017). P53 Expression in Response to Equigan Induced Testicular Injury and Oxidative Stress in Male Rat and The Possible Prophylactic Effect of Star Anise Extracts. Annual Research & Review in Biology, 14(1), 1-8. https://doi.org/10.9734/arrb/2017/34318

Esatbeyoglu, T., Ewald, P., Yasui, Y., Yokokawa, H., Wagner, A. E., Matsugo, S., Winterhalter, P., & Rimbach, G. (2015). Chemical Characterization, Free Radical Scavenging, and Cellular Antioxidant and Anti-Inflammatory Properties of a Stilbenoid-Rich Root Extract of Vitis vinifera. Oxidative Medicine and Cellular Longevity, 2016(1). https://doi.org/10.1155/2016/8591286

Exarhopoulos, S., Raphaelides, S. N., & Kontominas, M. G. (2018). Flow behavior studies of kefiran systems. Food Hydrocolloids, 79, 282–290. https://doi.org/10.1016/j.foodhyd.2017.12.030

Ferrero, C., Martino, M.N., & Zaritzky, N. (1994). Corn Starch-Xanthan Gum Interaction and Its Effect on the Stability During Storage of Frozen Gelatinized Suspension. Starch-starke, 46, 300-308.

Fisher, G., Quan, T., Purohit, T., Shao, Y., Cho, M., He, T., … & Voorhees, J. (2009). Collagen fragmentation promotes oxidative stress and elevates matrix metalloproteinase-1 in fibroblasts in aged human skin. American Journal of Pathology, 174(1), 101-114. https://doi.org/10.2353/ajpath.2009.080599

Giura, L., Urtasun, L., Ansorena, D., & Astiasarán, I. (2022). Effect of freezing on the rheological characteristics of protein enriched vegetable puree containing different hydrocolloids for dysphagia diets. LWT, 169, 114029. https://doi.org/10.1016/j.lwt.2022.114029

Glynn, K., Anderson, P., Fast, D., Koedam, J., Rebhun, J., & Velliquette, R. (2018). Gromwell (lithospermum erythrorhizon) root extract protects against glycation and related inflammatory and oxidative stress while offering uv absorption capability. Experimental Dermatology, 27(9), 1043-1047. https://doi.org/10.1111/exd.13706

Guo, J., Wang, C., Liu, C., & Wang, P. (2020). Effect of konjac glucomannan on gelatinization, retrogradation, and gelling properties of frozen wheat starch. Starch - Stärke, 73(1-2). https://doi.org/10.1002/star.202000025

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hrebień-Filisińska, A. M., & Bartkowiak, A. (2020). The Use of Sage Oil Macerates (Salvia officinalis L.) for Oxidative Stabilization of Cod Liver Oil in Bulk Oil Systems. International journal of food science, 2020, 4971203. https://doi.org/10.1155/2020/4971203

Jing, L., Ma, H., Fan, P., Gao, R., & Jia, Z. (2015). Antioxidant potential, total phenolic and total flavonoid contents of rhododendron anthopogonoides and its protective effect on hypoxia-induced injury in pc12 cells. BMC Complementary and Alternative Medicine, 15(1). https://doi.org/10.1186/s12906-015-0820-3

Katavic, S., Cehic, I., Zukic, N., Mirvic, M., Dizdar, M., Gutalj, A., Saric Medic, B., Jerković-Mujkić, A., Mahmutović-Dizdarević, I., & Mesic, A. (2023). In vitro assessment of the antioxidative, toxicological and antimicrobial properties of battery of parabens. Drug and Chemical Toxicology, 47(4), 463–472. https://doi.org/10.1080/01480545.2023.2222928

Kementerian Kesehatan Republik Indonesia. 2020. Farmakope Indonesia. 6th Edition. Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan Republik Indonesia. Farmakope Herbal Indonesia Edisi II. Jakarta: Kementerian Kesehatan RI; 2017.

Kementerian Kesehatan Republik Indonesia. Suplemen I Farmakope Herbal Indonesia Edisi II. Jakarta: Kementerian Kesehatan RI; 2022.

Lebang, J., Siampa, J., & Nurmiati, N. (2021). Study of wound healing activity and skin irritation of chili leaves (capsicum frutescens l.) gel in rats (rattus novergicus). Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (E-Journal), 7(1). https://doi.org/10.22487/j24428744.2021.v7.i1.15430

Lee, K. J., Oh, Y. C., Cho, W. K., & Ma, J. Y. (2015). Antioxidant and Anti-Inflammatory Activity Determination of One Hundred Kinds of Pure Chemical Compounds Using Offline and Online Screening HPLC Assay. Evidence-Based Complementary and Alternative Medicine, 2015, 1–13. https://doi.org/10.1155/2015/165457

Li, M., Hou, X., Li, Y., Li, K., Qiao, D., Jiang, F., Zhu, F., & Zhang, B. (2024). Konjac glucomannan and xanthan synergistic interaction gel: Underlying mechanism for improvement of gel mechanical properties induced by freeze-thaw treatment. Food Hydrocolloids, 146, 109276. https://doi.org/10.1016/j.foodhyd.2023.109276

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lutz, M., Jorquera, K., Cancino, B., Ruby, R., & Henriquez, C. (2011). Phenolics and Antioxidant Capacity of Table Grape (*Vitis vinifera* L.) Cultivars Grown in Chile. Journal of Food Science, 76(7), C1088-93. https://doi.org/10.1111/j.1750-3841.2011.02298.x

Maza, M., Ãlvarez, I., & Raso, J. (2019). Thermal and non-thermal physical methods for improving polyphenol extraction in red winemaking. Beverages, 5(3), 47. https://doi.org/10.3390/beverages5030047

Mei, J., Huang, T., Bai, C., & Fu, Z. (2020). Influences of chitosan on freeze–thaw stability of arenga pinnata starch. International Journal of Food Science &Amp; Technology, 56(2), 692-699. https://doi.org/10.1111/ijfs.14704

Mustofa, D., Sahari, F., Pramudani, S., Hidayah, A., Tsany, S., & Salasia, S. (2024). Combination of curcuminoid and collagen marine peptides for healing diabetic wounds infected by methicillin-resistant staphylococcus aureus. Veterinary World, 933-939. https://doi.org/10.14202/vetworld.2024.933-939

Muzolf-Panek, M., & Waśkiewicz, A. (2022). Relationship between Phenolic Compounds, Antioxidant Activity and Color Parameters of Red Table Grape Skins Using Linear Ordering Analysis. Applied Sciences, 12(12), 6146. https://doi.org/10.3390/app12126146

Naidoo, K. and Birch-Machin, M. (2017). Oxidative stress and ageing: the influence of environmental pollution, sunlight and diet on skin. Cosmetics, 4(1), 4. https://doi.org/10.3390/cosmetics4010004

Nassiri-Asl, M. and Hosseinzadeh, H. (2016). Review of the pharmacological effects of *Vitis vinifera*(grape) and its bioactive constituents: an update. Phytotherapy Research, 30(9), 1392-1403. https://doi.org/10.1002/ptr.5644

Neira-Ospina, E., Rojas, J., Santa-Gonzalez, G. A., & Garzón, M. a. G. (2024). Phenolic compounds in grapes (genus Vitis): A review of their antioxidant activity, antiproliferative capacity, and cytotoxic effect on colorectal cancer. Journal of Applied Pharmaceutical Science. https://doi.org/10.7324/japs.2024.169381

Oresajo, C., Pillai, S., Manco, M., Yatskayer, M., & McDaniel, D. (2012). Antioxidants and the skin: understanding formulation and efficacy. Dermatologic Therapy, 25(3), 252-259. https://doi.org/10.1111/j.1529-8019.2012.01505.x

Ortiz, C. P., Cardenas-Torres, R. E., Herrera, M., & Delgado, D. R. (2023). Thermodynamic Analysis of the Solubility of Propylparaben in

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Acetonitrile–Water Cosolvent Mixtures. Sustainability, 15(6), 4795. https://doi.org/10.3390/su15064795.

Park, H. J., Cho, D., Chung, H., & Lim, S. (2024). Enhanced gelling property and freeze–thaw stability of potato, tapioca and corn starches modified by mild heating in aqueous ethanol solution. Journal of the Science of Food and Agriculture, 104(12), 7228-7237. https://doi.org/10.1002/jsfa.13544

Payne, A., Mazzer, A., Clarkson, G., & Taylor, G. (2013). Antioxidant assays – consistent findings from frap and orac reveal a negative impact of organic cultivation on antioxidant potential in spinach but not watercress or rocket leaves. Food Science & Nutrition, 1(6), 439-444. https://doi.org/10.1002/fsn3.71

Pillai, K. (2017). In vitro antioxidant activity of ethanolic extract of leaves of cnidoscolus chayamansa Mc Vaugh (Euphorbiaceae). International Journal of Green Pharmacy, 11(1). https://doi.org/10.22377/ijgp.v11i01.883

Pires, C., Martins, N., Carvalho, A. M., Barros, L., & Ferreira, I. C. F. R. (2016). Phytopharmacologic preparations as predictors of plant bioactivity: A particular approach to Echinacea purpurea (L.) Moench antioxidant properties. Nutrition, 32(7–8), 834–839. https://doi.org/10.1016/j.nut.2016.01.005

Porfiryeva, N. N., Zlotver, I., Davidovich-Pinhas, M., & Sosnik, A. (2024). Mucus-mimicking mucin-based hydrogels by tandem chemical and physical crosslinking. Macromolecular Bioscience, 24(7). https://doi.org/10.1002/mabi.202400028

Prabhu, S., Molath, A., Choksi, H., Kumar, S., & Mehra, R. (2021). Classifications of polyphenols and their potential application in human health and diseases. International Journal of Physiology Nutrition and Physical Education, 6(1), 293-301. https://doi.org/10.22271/journalofsport.2021.v6.i1e.2236

Qin, F., Huang, J., Zhang, W., Zhang, M., Li, Z., Si, L., … & Wang, X. (2020). The paracrine effect of adipose-derived stem cells orchestrates competition between different damaged dermal fibroblasts to repair uvb-induced skin aging. Stem Cells International, 2020, 1-19. https://doi.org/10.1155/2020/8878370

Quan, T. and Fisher, G. (2015). Role of age-associated alterations of the dermal extracellular matrix microenvironment in human skin aging: a mini-review. Gerontology, 61(5), 427-434. https://doi.org/10.1159/000371708

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Quan, T., Shin, S., Qin, Z., & Fisher, G. (2009). Expression of ccn family of genes in human skin in vivo and alterations by solar-simulated ultraviolet irradiation. Journal of Cell Communication and Signaling, 3(1), 19-23. https://doi.org/10.1007/s12079-009-0044-8

Ranjha, M., Amjad, S., Ashraf, S., Khawar, L., Safdar, M., Jabbar, S., … & Murtaza, M. (2020). Extraction of polyphenols from apple and pomegranate peels employing different extraction techniques for the development of functional date bars. International Journal of Fruit Science, 20(sup3), S1201-S1221. https://doi.org/10.1080/15538362.2020.1782804

Rapaka, D., Bitra, V., Vishala, T., & Akula, A. (2019). *Vitis vinifera* acts as anti-alzheimer's agent by modulating biochemical parameters implicated in cognition and memory. Journal of Ayurveda and Integrative Medicine, 10(4), 241-247. https://doi.org/10.1016/j.jaim.2017.06.013

RASCHIP, I. E., DINU, M. V., FIFERE, N., DARIE-NITA, R., PAMFIL, D., POPIRDA, A., & LOGIGAN, C. (2020). THERMAL, MECHANICAL AND WATER SORPTION PROPERTIES OF XANTHAN-BASED COMPOSITE CRYOGELS. Cellulose Chemistry and Technology, 54(9–10), 915–924. https://doi.org/10.35812/cellulosechemtechnol.2020.54.88

Robayo-Amortegui, H., Quintero-Altare, A., Florez-Navas, C., Serna-Palacios, I., Súarez-Saavedra, A., Buitrago-Bernal, R., & Casallas-Barrera, J. O. (2024). Fluid dynamics of life: exploring the physiology and importance of water in the critical illness. Frontiers in medicine, 11, 1368502. https://doi.org/10.3389/fmed.2024.1368502

Rockenbach, I., Gonzaga, L., Rizelio, V., Gonçalves, A., Genovese, M., & Fett, R. (2011). Phenolic compounds and antioxidant activity of seed and skin extracts of red grape (*Vitis vinifera* and vitis labrusca) pomace from brazilian winemaking. Food Research International, 44(4), 897-901. https://doi.org/10.1016/j.foodres.2011.01.049

Rodrigues, M. Á. V., Bertolo, M. R. V., Marangon, C. A., Martins, V. da C. A., & Plepis, A. M. de G. (2020). Chitosan and gelatin materials incorporated with phenolic extracts of grape seed and jabuticaba peel: Rheological, physicochemical, antioxidant, antimicrobial and barrier properties. International Journal of Biological Macromolecules, 160, 769–779. https://doi.org/10.1016/j.ijbiomac.2020.05.240

Rohmani, S., & Kuncoro, M. A. A. (2019). Uji Stabilitas dan Aktivitas Gel andsanitizer Ekstrak Daun Kemangi. JPSCR : Journal of Pharmaceutical

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Science and Clinical Research, 4(1), 16. https://doi.org/10.20961/jpscr.v4i1.27212

Sai, K. L., Gajendragadkar, M. P., & Jadhav, A. B. (2023). A sytemic review on total phenolic content present in various drug substance. Sustainability, Agri, Food and Environmental Research-DISCONTINUED, 12(1). https://doi.org/10.7770/safer-v12n1-art2638

Santi, T. D., 1, Candra, A., Zakaria, R., Fakultas Kesehatan Masyarakat, Universitas Muhammadiyah Aceh, Aceh, Fakultas Kedokteran, Universitas Abulyatama, Aceh, & Magister Kesehatan Masyarakat, Pascasarjana Universitas Muhammadiyah Aceh, Aceh. (2022). SCREENING OF METABOLITE COMPOUNDS OF Chromolaena odorata LEAVES. In JUKEMA (Jurnal Kesehatan Masyarakat Aceh) (Vol. 8, Issue 2, pp. 90–93).

Setiawan, F., Nurdianti, L., & Sri, N. (2021). FORMULATION AND EFFECTIVITY OF THE ANTIOXIDANT GEL PREPARATION CONTAINING ZEAXANTHIN AS ANTI AGING. International Journal of Applied Pharmaceutics, 152–156. https://doi.org/10.22159/ijap.2021.v13s4.43846

Sharafan, M., Malinowska, M., Ekiert, H., Kwaśniak, B., Sikora, E., & Szopa, A. (2023). *Vitis vinifera* (vine grape) as a valuable cosmetic raw material. Pharmaceutics, 15(5), 1372. https://doi.org/10.3390/pharmaceutics15051372

Shiroodi, S. G., Rasco, B., & Lo, Y. M. (2015). Influence of xanthan–curdlan hydrogel complex on freeze-thaw stability and rheological properties of whey protein isolate gel over multiple freeze-thaw cycle. Journal of Food Science, 80(7). https://doi.org/10.1111/1750-3841.12915

Souza, E., Nascimento, T., Magalhães, C., Barreto, G., Leal, I., Anjos, J., … & Machado, B. (2022). Development and characterization of powdered antioxidant compounds made from shiraz (*Vitis vinifera* l.) grape peels and arrowroot (maranta arundinacea l.). The Scientific World Journal, 2022, 1-13. https://doi.org/10.1155/2022/7664321

Sudirman, S., Wardana, A., Herpandı, H., Widiastuti, I., Sarı, D., & Janna, M. (2024). Antioxidant activity of polyphenol compounds extracted from nypa fruticans wurmb. (nipa palm) fruit husk with different ethanol concentration. International Journal of Secondary Metabolite, 11(2), 355-363. https://doi.org/10.21448/ijsm.1360736

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tahir, K., Miskad, U., Djawad, K., Sartini, S., Khaerani, K., & Indrısarı, M. (2021). Evaluation of antioxidant activity of botto-botto leaf fraction (chromolaena odorata l.) using dpph and abts methods. Open Access Macedonian Journal of Medical Sciences, 9(A), 183-188. https://doi.org/10.3889/oamjms.2021.5982

Tsantila, E., Esslinger, N., Christou, M., Papageorgis, P., & Neophytou, C. (2024). Antioxidant and anticancer activity of *Vitis vinifera* extracts in breast cell lines. Life, 14(2), 228. https://doi.org/10.3390/life14020228

Tsuchida, K. and Kobayashi, M. (2020). Oxidative stress in human facial skin observed by ultraweak photon emission imaging and its correlation with biophysical properties of skin. Scientific Reports, 10(1). https://doi.org/10.1038/s41598-020-66723-1

Valacchi, G., Sticozzi, C., Belmonte, G., Cervellati, F., Demaude, J., Chen, N., … & Oresajo, C. (2015). Vitamin c compound mixtures prevent ozone-induced oxidative damage in human keratinocytes as initial assessment of pollution protection. Plos One, 10(8), e0131097. https://doi.org/10.1371/journal.pone.0131097

Vernon-Carter, E., Bello-Pérez, L. A., Lobato-Calleros, C., Hernández-Jaimes, C., Meráz, M., & Álvarez-Ramírez, J. (2015). Morphological, rheological and in vitro digestibility characteristics of gelatinized starch dispersion under repeated freeze-thaw cycles. Starch - Stärke, 68(1-2), 84-91. https://doi.org/10.1002/star.201500178

Waqas, M., Us-Saqib, N., Ur-Rashid, S., Shah, A., Akhtar, N., & Murtaza, G. (2013). Screening of various botanical extracts for antioxidant activity using dpph free radical method. African Journal of Traditional Complementary and Alternative Medicines, 10(6), 452. https://doi.org/10.4314/ajtcam.v10i6.9

Weidner, S., Rybarczyk, A., Karamać, M., Król-Grzymała, A., Mostek, A., Gręboszj., … & Amarowicz, R. (2013). Differences in the phenolic composition and antioxidant properties between vitis coignetiae and *Vitis vinifera* seeds extracts. Molecules, 18(3), 3410-3426. https://doi.org/10.3390/molecules18033410

Williams, P.D., Sadar, L.N., & Lo, Y.M. (2009). TEXTURE STABILITY OF HYDROGEL COMPLEX CONTAINING CURDLAN GUM OVER MULTIPLE FREEZE–THAW CYCLES. Journal of Food Processing and Preservation, 33, 126-139.

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Xu, X., Li, Y., Fang, S., Chen, J., Yuan, Y., Gan, J., … & Meng, Y. (2018). Effects of different acyl gellan gums on the rheological properties and colloidal stability of blueberry cloudy juice. Journal of Food Science, 83(5), 1215-1220. https://doi.org/10.1111/1750-3841.14135

Xue, H., Yang, B., Kristensen, D. D., & Chen, D. (2014). A freeze-stable formulation for DTwP and DTaP vaccines. Human Vaccines & Immunotherapeutics, 10(12), 3607–3610. https://doi.org/10.4161/21645515.2014.980195

Yadav, N., Sharma, S., Joys, J. S., & Kumar, S. (2020b). “Microwave Assisted Extraction of Bioactive Compounds: A Brief review.” Zenodo (CERN European Organization for Nuclear Research). https://doi.org/10.5281/zenodo.5665249

Yanchev, N., Petkova, N., Ivanov, I., & Delev, D. (2022). Total Polyphenolic Content and Antioxidant Activity of Different Extracts from Sideritis scardica: doi.org/10.26538/tjnpr/v6i7.12. Tropical Journal of Natural Product Research (TJNPR), 6(7), 1113-1118.

Yeo, J., & Shahidi, F. (2019). Critical Re-Evaluation of DPPH assay: Presence of Pigments Affects the Results. Journal of Agricultural and Food Chemistry, 67(26), 7526–7529. https://doi.org/10.1021/acs.jafc.9b02462

Yu, J., Li, D., Wang, L., & Wang, Y. (2023). Improving freeze-thaw stability and 3D printing performance of soy protein isolate emulsion gel inks by guar & xanthan gums. Food Hydrocolloids, 136, 108293. https://doi.org/10.1016/j.foodhyd.2022.108293

Zeghad, N., Ahmed, E., Belkhiri, A., Heyden, Y., & Demeyer, K. (2019). Antioxidant activity of *Vitis vinifera*, punica granatum, citrus aurantium and opuntia ficus indica fruits cultivated in algeria. Heliyon, 5(4), e01575. https://doi.org/10.1016/j.heliyon.2019.e01575

Zhang, A., Fang, Y., Wang, H., Li, H., & Zhang, Z. (2011). Free-radical scavenging properties and reducing power of grape cane extracts from 11 selected grape cultivars widely grown in china. Molecules, 16(12), 10104-10122. https://doi.org/10.3390/molecules161210104

Zhang, W., Chen, H., Wang, J., Wang, Y., Xing, L., & Zhang, H. (2013). Physicochemical properties of three starches derived from potato, chestnut, and yam as affected by freeze-thaw treatment. Starch - Stärke, 66(3-4), 353-360. https://doi.org/10.1002/star.201200270

UNIVERSITAS
GADJAH MADA
Free Radical Scavenging Assessment of Vitis vinifera Cultivars Red Globe and Autumn Royal and Physical Stability Evaluation of the Selected Extract Gel Preparation
Yana Amalia Apriliani, Purwanto, M.Sc., Ph.D., Apt.; Dr. Adhyatmika, M.Biotech., Apt.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zubia, C., Babaran, G. M., Reginio, Jr., F., Mopera, L., Israel, K. A., Navarro, B. R., Elegado, F., & Duque, S. M. (2025). Effect of Storage Conditions on the Phenolic Content and Antioxidant Properties of Freeze-Dried Bignay [Antidesma bunius (L.) Spreng.] Pomace Extract. Indonesian Food Science and Technology Journal, 9(1), 111–124. https://doi.org/10.22437/ifstj.v9i1.45374