

## REFERENCE

- Ablat, A., Halabi, M.F., Mohamad, J., Hasnan, M.H.H., Hazni, H., Teh, S., Shilpi, J.A., Mohamed, Z., and Awang, K., 2017. Antidiabetic effects of *Brucea javanica* seeds in type 2 diabetic rats. *BMC Complement Altern Med*, 17:94.
- Abdou, H.M. and Mohamed, N.A., 2016. *Centella asiatica* ameliorates diabetic complications and oxidative stress in streptozotocin-induced diabetes mellitus in male rats. *Int. J. Pharm. Sci. Rev. Res*, 36:61–70.
- American Diabetes Association, 2017. Standards of medical care in diabetes—2017 abridged for primary care providers. *Clin Diabetes*, 35:5-26.
- Benzie, I.F.F. and Tomlinson, B., 1998. Antioxidant power of angiotensin-converting enzyme inhibitors in vitro. *Br J Clin Pharmacol*, 45:168-169.
- Brown, N.J. and Vaughan, D.E., 1998. Angiotensin-converting enzyme inhibitors. *Circulation*, 97:1411-1420.
- Chawla, T., Sharma, D., and Singh, A., 2010. Role of the renin angiotensin system in diabetic nephropathy. *World J. Diabetes*, 1:141.
- Dellamea, B.S., Leitão, C.B., Friedman, R., and Canani, L.H., 2014. Nitric oxide system and diabetic nephropathy. *Diabetol Metab Syndr*, 6:17.
- Depkes RI, 2000. *Parameter standar umum ekstrak tumbuhan obat*, 1. Jakarta.
- Förstermann U. and Li H., 2011. Therapeutic effect of enhancing endothelial nitric oxide synthase (eNOS) expression and preventing eNOS uncoupling. *Br J Clin Pharmacol*, 164:213-223.
- Gohil, K.J., Patel, J.A., and Gajjar, A.K., 2010. Pharmacological review on *Centella asiatica*: a potential herbal cure-all. *Indian J Pharm Sci*, 72:546.
- Gross J.L., De Azevedo M.J., Silveiro S.P., Canani L.H., Caramori M.L., and Zelmanovitz T., 2005. Diabetic nephropathy: diagnosis, prevention, and treatment. *Diabetes care*, 28:164-176.

- Hansen, K., Nyman, U., Smitt, U.W., Adersen, A., Gudiksen, L., Rajasekharan, S., and Pushpangadan, P., 1995. In vitro screening of traditional medicines for anti-hypertensive effect based on inhibition of the angiotensin converting enzyme (ACE). *J Ethnopharmacol*, 48:43-51.
- Inzucchi, S.E., Bergenstal, R.M., Buse, J.B., Diamant, M., Ferrannini, E., Nauck, M., Peters. A.L., Tsapas, A., Wender, R., and Matthews, D.R., 2015. Management of hyperglycemia in type 2 diabetes, 2015: a patient-centered approach. Update to a position statement of the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetes Care*, 38:140–149
- James, P.A., Oparil, S., Carter, B.L., Cushman, W.C., Dennison-Himmelfarb, C., Handler, J., Lackland, D.T., LeFevre, M.L., MacKenzie, T.D., Ogedegbe, O., and Smith, S.C., 2014. 2014 evidence-based guideline for the management of high blood pressure in adults: report from the panel members appointed to the Eighth Joint National Committee (JNC 8). *JAMA*, 311:507-520.
- Kabir, A.U., Samad, M.B., D’Costa, N.M., Akhter, F., Ahmed, A., and Hannan, J.M.A., 2014. Anti-hyperglycemic activity of *Centella asiatica* is partly mediated by carbohydrase inhibition and glucose-fiber binding. *BMC Complement Altern Med*, 14:31.
- Kashihara, N., Haruna, Y., Kondeti, V.K., and Kanwar, Y.S., 2010. Oxidative stress in diabetic nephropathy. *Curr Med Chem*, 17:4256–4269.
- Kamble, S.M. and Patil, C.R., 2017. Asiatic acid ameliorates doxorubicin-induced cardiac and hepato-renal toxicities with nrf2 transcriptional factor activation in rats. *Cardiovasc Toxicol*, 16:1-11.
- Masiello, P., Broca, C., Gross, R., Roye, M., Manteghetti, M., Hillaire-Buys, D., Novelli, M., and Ribes, G., 1998. Experimental NIDDM: development of a new model in adult rats administered streptozotocin and nicotinamide. *Diabetes*, 47:224-229.
- Pacher, P., Beckman, J.S., and Liaudet, L., 2007. Nitric oxide and peroxynitrite in health and disease. *Physiol Rev*, 87:315–424.

Pakdeechote P., Bunbupha S., Kukongviriyapan U., Prachaney P., Khrisanapant W., and Kukongviriyapan V., 2014. Asiatic acid alleviates hemodynamic and metabolic alterations via restoring eNOS/iNOS expression, oxidative stress, and inflammation in diet-induced metabolic syndrome rats. *Nutrients*, 6:355-370.

Par Pharmaceutical, Inc, 2003. Capoten (captopril) tablets prescribing information. Spring Valley, New York. 1-14.

Parchwani D.N. and Upadhyah A.A., 2012. Diabetic nephropathy: progression and pathophysiology. *Int J Med Sci Public Health*, 1:59-70.

Powers, A.C., 2015. *Diabetes Mellitus: Diagnosis, Classification, and Pathophysiology*. In: Kasper, D. L., Fauci, A. S., Hauser, S. L., Longo, D. L., Jameson, J. L., & Loscalzo, J., *Harrison's Principles of Internal Medicine*, 19(2):2399-2407. McGraw-Hill Education, New York.

Farimani, A.R., Saidijam, M., Goodarzi, M.T., Azari, R.Y., Asadi, S., Zarei, S., and Shabab, N., 2015. Effect of resveratrol supplementation on the SNARE proteins expression in adipose tissue of streptozotocin-nicotinamide induced type 2 diabetic rats. *Ira J Med Sci*, 40:248–255.

Rio, D.C., 2014. Reverse transcription–polymerase chain reaction. *Cold Spring Harb Protoc*, 2014(11):1207-1216.

Supkamonseni, N., Thinkratok, A., Meksuriyen, D., and Srisawat, R., 2014. Hypolipidemic and hypoglycemic effects of *Centella asiatica* (L.) extract in vitro and in vivo. *Indian J Exp Biol*, 52:965-971.

Takahashi T. and Harris R.C., 2014. Role of endothelial nitric oxide synthase in diabetic nephropathy: lessons from diabetic eNOS knockout mice. *J Diabetes Res*, 2014:590541.

Webster, C. and Merry, A., 1997. The standard deviation and the standard error of the mean. *Anaesthesia*, 52:183.

WHO, 2016. *Global report on diabetes*. WHO, Geneva.



Wang, X., Lu, Q., Yu, D.S., Chen, Y.P., Shang, J., Zhang, L.Y., Sun, H.B., and Liu, J., 2015. Asiatic acid mitigates hyperglycemia and reduces islet fibrosis in Goto-Kakizaki rat, a spontaneous type 2 diabetic animal model. *Chin J Nat Med*, 13:529–534.

Zainol, M.K., Abd-Hamid, A., Yusof, S., and Muse, R., 2003. Antioxidative activity and total phenolic compounds of leaf, root and petiole of four accessions of *Centella asiatica* (L.) Urban. *Food Chem*, 81:575-581.