

DAFTAR PUSTAKA

- Abdulraheem, M. I., Chen, H., Li, L., Moshood, A. Y., Zhang, W., Xiong, Y., Zhang, Y., Taiwo, L. B., Farooque, A. A., & Hu, J. (2024). Recent Advances in Dielectric Properties-Based Soil Water Content Measurements. *Remote Sensing*, 16(8), 1328. <https://doi.org/10.3390/rs16081328>
- Anggi, A., & Muttaqin, A. (2017). Pembuatan Material Sensor Kelembaban Relatif Berbasis Film Polianilin-Selulosa Ampas Tebu. *Jurnal Fisika Unand*, 6(2), 107–112. <https://doi.org/10.25077/jfu.6.2.107-112.2017>
- Anugrah, R. A., Sika, R. R., Sunardi, & Marcell, T. (2024). An Automatic Watering System Based on an Arduino Microcontroller and Soil Moisture Sensors with Solar Panel Power Plant. *BIO Web of Conferences*, 144, 02003. <https://doi.org/10.1051/bioconf/202414402003>
- Baciu, I. H., Chindris, G., & Taut, M. A. (2024). Linearity Evaluation and Influence of the Reference Voltage for ADC Converter of Embedded Devices. *2024 IEEE 30th International Symposium for Design and Technology in Electronic Packaging (SIITME)*, 266–269. <https://doi.org/10.1109/SIITME63973.2024.10814820>
- Bavitra, Leo Anaris Sakti, Dimas Saputra, Zaki Ihwan, Baharudin, & Muhammad Abiyyu Alharits. (2025). Studi Komparasi Sensor Kelembaban Tanah Menggunakan ESP32. *JURAL Riset RUMPUN ILMU TEKNIK*, 4(1), 685–691. <https://doi.org/10.55606/jurritek.v4i1.5292>
- Bilsky, J. (2001). *Soil water status: Content and potential*.
- Bucci, G., Faccio, M., & Landi, C. (2000). New ADC with piecewise linear characteristic: Case study-implementation of a smart humidity sensor. *IEEE Transactions on Instrumentation and Measurement*, 49(6), 1154–1166. <https://doi.org/10.1109/19.893250>
- Bwambale, E., Abagale, F. K., & Anornu, G. K. (2023). Data-driven model predictive control for precision irrigation management. *Smart Agricultural Technology*, 3, 100074. <https://doi.org/10.1016/j.atech.2022.100074>
- Curtis, J. O., Weiss, C. A., & Everett, J. B. (1995). *Effect of Soil Composition on Complex Dielectric Properties*.
- De Swaef, T., Pieters, O., Appeltans, S., Borra-Serrano, I., Coudron, W., Couvreur, V., Garré, S., Lootens, P., Nicolaï, B., Pols, L., Saint Cast, C., Šalagovič, J., Van Haeverbeke, M., Stock, M., & Wyffels, F. (2022). On the pivotal role of water potential to model plant physiological processes. *In Silico Plants*, 4(1), diab038. <https://doi.org/10.1093/insilicoplants/diab038>
- Dwiyati, S. T., & Ariwahjoedi, B. (2006). *KARAKTERISASI MATERIAL SENSOR KELEMBAPAN BERBASIS POLIMER POLIMETIL METAKRILAT*.
- Elijah, O., Rahman, T. A., Orikumhi, I., Leow, C. Y., & Hindia, M. N. (2018). An Overview of Internet of Things (IoT) and Data Analytics in Agriculture: Benefits and Challenges. *IEEE Internet of Things Journal*, 5(5), 3758–3773. <https://doi.org/10.1109/JIOT.2018.2844296>
- Hassan, S. I., Alam, M. M., Illahi, U., Al Ghamdi, M. A., Almotiri, S. H., & Su'ud, M. M. (2021). A Systematic Review on Monitoring and Advanced Control Strategies

- in Smart Agriculture. *IEEE Access*, 9, 32517–32548. <https://doi.org/10.1109/ACCESS.2021.3057865>
- Hillel, D. (2013). *Introduction to Soil Physics*. Academic Press.
- Hillel, D., & Warrick, A. W. (2009). *Environmental soil physics* (Nachdr. der Ausg. 1998). AP, Acad. Press.
- Hurtalova, T., Matejka, F., Rožnovsky, J., & Markova, I. (2005). *Wind speed and aerodynamic conductance variation in air layer affected by spruce forest stand*. 35.
- Kester, W. (2009). *ADC Architectures II: Successive Approximation ADCs*.
- Khattab, A., Habib, S. E. D., Ismail, H., Zayan, S., Fahmy, Y., & Khairy, M. M. (2019). An IoT-based cognitive monitoring system for early plant disease forecast. *Computers and Electronics in Agriculture*, 166, 105028. <https://doi.org/10.1016/j.compag.2019.105028>
- Kisi, O. (2016). Modeling reference evapotranspiration using three different heuristic regression approaches. *Agricultural Water Management*, 169, 162–172. <https://doi.org/10.1016/j.agwat.2016.02.026>
- Lan, Y., Yu, L., Chen, G., Yang, S., & Chang, A. (2010). Construction and Characterization of NTC Thermistors at Low Temperature. *International Journal of Thermophysics*, 31(8–9), 1456–1465. <https://doi.org/10.1007/s10765-010-0790-0>
- Lesawengen, V. F., Jansen, F., & Manoppo, F. J. (2019). *MINIMALISASI KESALAHAN SURVEY TOPOGRAFI DALAM PEMETAAN DIGITAL DENGAN KOORDINAT GLOBAL MENGGUNAKAN AUTOCAD LAND DESKTOP DAN GEOGRAPHIC INFORMATION SYSTEM*.
- Loconsole, D., Elia, M., Conversa, G., De Lucia, B., Cristiano, G., & Elia, A. (2025). Soil Moisture Sensing Technologies: Principles, Applications, and Challenges in Agriculture. *Agronomy*, 15(12), 2788. <https://doi.org/10.3390/agronomy15122788>
- Mander, G., & Arora, M. (2014). Design of capacitive sensor for monitoring moisture content of soil and analysis of analog voltage with variability in moisture; 2014 Recent Advances in Engineering and Computational Sciences (RAECS), 1–5. <https://doi.org/10.1109/RAECS.2014.6799646>
- Marinov, M. B., Nikolov, N., Dimitrov, S., Todorov, T., Stoyanova, Y., & Nikolov, G. T. (2022). Linear Interval Approximation for Smart Sensors and IoT Devices. *Sensors*, 22(3), 949. <https://doi.org/10.3390/s22030949>
- Md. Yasin. (2022). *Humidity Measuring Device Using DHT22 Sensor*. <https://doi.org/10.13140/RG.2.2.23486.36167>
- Meijer, G. C. M., Guijie Wang, & Fruett, F. (2001). Temperature sensors and voltage references implemented in CMOS technology. *IEEE Sensors Journal*, 1(3), 225–234. <https://doi.org/10.1109/JSEN.2001.954835>
- Mohd Said, N. (2025). *DESIGN AND DEVELOPMENT OF AN AUTOMATIC WATERING PLANT USING ARDUINO UNO*. 3, 58–66.
- Moorberg, C., & Crouse, D. (2025). *Soils Laboratory Manual*.
- Muangprathub, J., Boonnam, N., Kajornkasirat, S., Lekbangpong, N., Wanichsombat, A., & Nillaor, P. (2019). IoT and agriculture data analysis for smart farm. *Computers and Electronics in Agriculture*, 156, 467–474. <https://doi.org/10.1016/j.compag.2018.12.011>

- Mukhlisin, M., & Saputra, A. (2013). Performance Evaluation of Volumetric Water Content and Relative Permittivity Models. *The Scientific World Journal*, 2013, 421762. <https://doi.org/10.1155/2013/421762>
- Muti, A. A., Ma'rifah, P. N., & Muaziyah, S. E. S. (2025). Penerapan sistem pemantauan cerdas kelembapan dan derajat keasaman tanah untuk optimalisasi produksi padi berkelanjutan. *Jurnal Pembelajaran Pemberdayaan Masyarakat (JP2M)*, 6(4), 1411–1422. <https://doi.org/10.33474/jp2m.v6i4.24275>
- Ogata, K. (2010). *Modern control engineering* (5 ed.). Prentice Hall.
- Okasha, A. M., Ibrahim, H. G., Elmetwalli, A. H., Khedher, K. M., Yaseen, Z. M., & Elsayed, S. (2021). Designing Low-Cost Capacitive-Based Soil Moisture Sensor and Smart Monitoring Unit Operated by Solar Cells for Greenhouse Irrigation Management. *Sensors (Basel, Switzerland)*, 21(16), 5387. <https://doi.org/10.3390/s21165387>
- Pertiwi, A., Kristianti, V. E., Jatnita, I., & Daryanto, A. (2021). SISTEM OTOMATISASI DRIP IRIGASI DAN MONITORING PERTUMBUHAN TANAMAN CABAI BERBASIS INTERNET OF THINGS. *Sebatik*, 25(2), 739–747. <https://doi.org/10.46984/sebatik.v25i2.1623>
- Rahmad, C. (2018). *Metode Numerik*.
- Rajesh, T., & Venubabu, P. (2019). *Control Systems*.
- Ray. (2017). *Internet of things for smart agriculture: Technologies, practices and future direction—Partha Pratim Ray*, 2017. <https://journals.sagepub.com/doi/full/10.3233/AIS-170440>
- Robinson, D. A., Cooper, J. D., & Gardner, C. M. K. (2002). Modelling the relative permittivity of soils using soil hygroscopic water content. *Journal of Hydrology*, 255(1–4), 39–49. [https://doi.org/10.1016/S0022-1694\(01\)00508-X](https://doi.org/10.1016/S0022-1694(01)00508-X)
- Severo, K. da R., Kaehler, J. W. M., Müller, C., Girardi, A. G., Chagas, N. B., & de Aguirre, P. C. C. (2025). A LUT-Based Calibration Approach of the ESP32 ADC for a Power Quality Analyzer. *2025 IEEE 16th Latin America Symposium on Circuits and Systems (LASCAS)*, 1, 1–5. <https://doi.org/10.1109/LASCAS64004.2025.10966286>
- Siswoyo, C. W. A., Kurniawan, D., Suasana, I. S., Aqham, A. A., & Siswanto, E. (2025). SISTEM IOT UNTUK MONITORING SUHU KELEMBAPAN UDARA KUMBUNG JAMUR TIRAM PATEAN. *Informatika: Jurnal Teknik Informatika Dan Multimedia*, 5(2), 105–115. <https://doi.org/10.51903/informatika.v5i2.1300>
- Sukowati, A. I., & Rahmah, L. M. (2026). *Density-Optimized Lookup Table with Piecewise Linear Interpolation for ESP32 ADC Precision Enhancement*.
- Surtono, A., Sari, D. V., & Warsito. (2015). *Sistem Pengukuran Suhu Tanah Menggunakan Sensor DS18B20 dan Perhitungan Resistivitas Tanah Menggunakan Metode Geolistrik Resistivitas Konfigurasi Wenner*.
- Tarigan, J., Bukit, M., & Yilu, S. N. (2023). RANCANG BANGUN SISTEM IRIGASI TETES OTOMATIS UNTUK BUDIDAYA TANAMAN TERONG UNGU (SOLANUM MELONGENA L.) BERBASIS INTERNET OF THINGS (IoT). *Jurnal Fisika : Fisika Sains Dan Aplikasinya*, 8(2), 30–39. <https://doi.org/10.35508/fisa.v8i2.12896>

- Topp, G. C., Davis, J. L., & Annan, A. P. (1980). Electromagnetic determination of soil water content: Measurements in coaxial transmission lines. *Water Resources Research*, 16(3), 574–582. <https://doi.org/10.1029/WR016i003p00574>
- Wahyudin, Y. (2017). *Sistem monitoring dan otomasi pengontrolan kelembaban media tanam (soil moisture) pada tanaman hidroponik berbasis web*. 6(3).
- Wilbrink, E. J. J. (2024). *Energy Recuperation between DC Motors using Dynamically Reconfigurable Switch Grid*.
- Yan, M., & Onabajo, M. (2024). An offset calibration scheme for on-chip thermal profiling with differential temperature sensors. *Analog Integrated Circuits and Signal Processing*, 120(1), 83–91. <https://doi.org/10.1007/s10470-024-02285-w>
- Zia, H., Harris, N. R., Merrett, G. V., Rivers, M., & Coles, N. (2013). The impact of agricultural activities on water quality: A case for collaborative catchment-scale management using integrated wireless sensor networks. *Computers and Electronics in Agriculture*, 96, 126–138. <https://doi.org/10.1016/j.compag.2013.05.001>