

DAFTAR PUSTAKA

- Ahmad, I., Fasihullah, Q., and Vaid, F.H.M., 2006, Effect of light intensity and wavelengths on photodegradation reactions of riboflavin in aqueous solution, *J. Photochem. Photobiol. B*, 82, 21–27.
- Ahmouda, K., Boudiaf, M., and Benhaoua, B., 2022, A novel study on the preferential attachment of chromophore and auxochrome groups in azo dye adsorption on different greenly synthesized magnetite nanoparticles: investigation of the influence of the mediating plant extract's acidity, *Nanoscale Adv.*, 4, 3250–3271.
- Ajmal, A., Majeed, I., Malik, R.N., Idriss, H., and Nadeem, M.A., 2014, Principles and mechanisms of photocatalytic dye degradation on TiO₂ based photocatalysts: A comparative overview, *RSC Adv.*, 4, 37003–37026.
- Alqarni, L.S., Alghamdi, M.D., Alhussain, H., Elamin, N.Y., Taha, K.K., and Modwi, A., 2024, S-scheme MgO–TiO₂@g-C₃N₄ nanostructures as efficient photocatalyst for alizarin red S photodegradation, *J. Mater. Sci.: Mater. Electron.*, 35, 239.
- Armaković, S.J., Savanović, M.M., and Armaković, S., 2023, Titanium dioxide as the most used photocatalyst for water purification: An overview, *Catalysts*, 13, 26.
- Ban, F., Jin, Q., and Wang, Y., 2020, Degradation of malachite green by visible light-assisted electrocatalytic treatment using N-V Co-doped TiO₂ as photocatalyst, *Int. J. Electrochem. Sci.*, 15, 12068–12079.
- Baruah, M., Kumar, S., Ezung, S.L., Jamir, L., Bora Sinha, U., and Sinha, D., 2024, Preparation of Co-doped TiO₂ activated carbon nanocomposite and its photocatalytic degradation of phenol wastewater, *Inorg. Chem. Commun.*, 166, 112644.
- Bian, Y., Zhang, Y., Chen, Z. yi, Xu, L., Zhang, C. yu, Shi, D., Feng, X. song, and Wang, X. qing, 2025, Malachite green in environmental samples: Updates on sources, fates, distribution and removal techniques, *Ecotoxicol. Environ. Saf.*, 303, 118978.
- Bilal, M., Ihsanullah, I., Hassan Shah, M.U., Bhaskar Reddy, A.V., and Aminabhavi, T.M., 2022, Recent advances in the removal of dyes from wastewater using low-cost adsorbents, *J. Environ. Manage.*, 321, 115981.
- Chahardoli, A., Hosseinzadeh, L., Shokoohinia, Y., and Fattahi, A., 2022, Production of rutile titanium dioxide nanoparticles by trans-ferulic acid and their biomedical applications, *Mater. Today Commun.*, 33, 104305.
- Chandrika, K.C., Anantharamaiah, P.N., Hari Krishna, R., Jineesh, A.G., and Niranjana Prabhu, T., 2022, CoFe₂O₄-TiO₂ a Lethal P-N heterogeneous catalyst for malachite green degradation under visible light and optimisation of parameters by the taguchi method, *Mater. Technol.*, 37, 1877–1889.
- Chiu, Y.H., Chang, T.F.M., Chen, C.Y., Sone, M., and Hsu, Y.J., 2019, Mechanistic insights into photodegradation of organic dyes using heterostructure photocatalysts, *Catalysts*, 9, 1–52.

- Choudhury, B. and Choudhury, A., 2012, Luminescence characteristics of cobalt doped TiO₂ nanoparticles, *J. Lumin.*, 132, 178–184.
- Dai, S., Wu, Y., Sakai, T., Du, Z., Sakai, H., and Abe, M., 2010, Preparation of highly crystalline TiO₂ nanostructures by acid-assisted hydrothermal treatment of hexagonal-structured nanocrystalline titania/cetyltrimethylammonium bromide nanoskeleton, *Nanoscale Res. Lett.*, 5, 1829–1835.
- Dutta, S., Adhikary, S., Bhattacharya, S., Roy, D., Chatterjee, S., Chakraborty, A., Banerjee, D., Ganguly, A., Nanda, S., and Rajak, P., 2024, Contamination of textile dyes in aquatic environment: Adverse impacts on aquatic ecosystem and human health, and its management using bioremediation, *J. Environ. Manage.*, 353, 120103.
- Evlen, H. and Eroğlu, S.C., 2025, Assessment of the effects of nano TiO₂ and HA reinforcement ratio on mechanical, morphological, and thermal properties of PLA matrix bio composites, *J. Biomed. Mater. Res. B Appl. Biomater.*, 113, 1–14.
- Fagan, R., McCormack, D.E., Hinder, S., and Pillai, S.C., 2016, Improved high temperature stability of anatase TiO₂ photocatalysts by N, F, P co-doping, *Mater. Des.*, 96, 44–53.
- Fatimah, I., Fahrani, D., Harmawantika, T., Sahroni, I., Kamari, A., Rahmatillah, C.S., and Nurillahi, R., 2019, Functionalization of hydroxyapatite derived from cockle (*Anadara granosa*) shells into hydroxyapatite–nano TiO₂ for photocatalytic degradation of methyl violet, *Sustain. Environ. Res.*, 29.
- Gao, S., Li, W., Dai, J., Wang, Q., and Suo, Z., 2021, Effect of transition metals doping on electronic structure and optical properties of β -Ga₂O₃, *Mater. Res. Express*, 8, 025904.
- Groeneveld, I., Kanelli, M., Ariese, F., and van Bommel, M.R., 2023, Parameters that affect the photodegradation of dyes and pigments in solution and on substrate—An overview, *Dyes Pigm.*, 210, 110999.
- Guo, Z., Sa, B., Pathak, B., Zhou, J., Ahuja, R., and Sun, Z., 2014, Band gap engineering in huge-gap semiconductor SrZrO₃ for visible-light photocatalysis, *Int. J. Hydrogen Energy*, 39, 2042–2048.
- Hayat, A., Al-Sehemi, A.G., El-Nasser, K.S., Taha, T.A., Al-Ghamdi, A.A., Jawad Ali Shah Syed, Amin, M.A., Ali, T., Bashir, T., Palamanit, A., Khan, J., and Nawawi, W.I., 2022, Graphitic carbon nitride (g-C₃N₄)–based semiconductor as a beneficial candidate in photocatalysis diversity, *Int. J. Hydrogen Energy*, 47, 5142–5191.
- Holm, A., Hamandi, M., Simonet, F., Jouguet, B., Dappozze, F., and Guillard, C., 2019, Impact of rutile and anatase phase on the photocatalytic decomposition of lactic acid, *Appl. Catal. B*, 253, 96–104.
- Hossain, Md.S. and Ahmed, S., 2023, FTIR spectrum analysis to predict the crystalline and amorphous phases of hydroxyapatite: a comparison of vibrational motion to reflection, *RSC Adv.*, 13, 14625–14630.

- Hossain, M.K., Pervez, M.F., Mia, M.N.H., Tayyaba, S., Jalal Uddin, M., Ahamed, R., Khan, R.A., Hoq, M., Khan, M.A., and Ahmed, F., 2017, Annealing temperature effect on structural, morphological and optical parameters of mesoporous TiO₂ film photoanode for dye-sensitized solar cell application, *Mater. Sci. -Pol.*, 35, 868–877.
- Hu, M., Yao, Z., Liu, X., Ma, L., He, Z., and Wang, X., 2018, Enhancement mechanism of hydroxyapatite for photocatalytic degradation of gaseous formaldehyde over TiO₂/hydroxyapatite, *J. Taiwan Inst. Chem. Eng.*, 85, 91–97.
- Hudak, B.M. and Stroud, R.M., 2023, Atomically precise detection and manipulation of nitrogen-vacancy centers in nanodiamonds, *ACS Nano*, 17, 7241–7249.
- Jassi, J., Deepa, S., Chitra Lekha, C.S., and Paul, N.M., 2025, Influence of g-C₃N₄ on the structural, optical, and morphological features of g-C₃N₄/ZnO nanocomposites, *Results in Surfaces and Interfaces*, 20.
- Khan, Idrees, Saeed, K., Ali, N., Khan, Ibrahim, Zhang, B., and Sadiq, M., 2020, Heterogeneous photodegradation of industrial dyes: An insight to different mechanisms and rate affecting parameters, *J. Environ. Chem. Eng.*, 8, 104364.
- Khan, M.R., Wabaidur, S.M., Busquets, R., Khan, M.A., Siddiqui, M.R., and Azam, M., 2019, Identification of malachite green in industrial wastewater using lignocellulose biomass composite bio-sorbent and UPLC-MS/MS: a green environmental approach, *Process Saf. Environ. Prot.*, 126, 160–166.
- Kumar, K.C. V., Subha, T.J., Ahila, K.G., Ravindran, B., Chang, S.W., Mahmoud, A.H., Mohammed, O.B., and Rathi, M.A., 2021, Spectral characterization of hydroxyapatite extracted from Black Sumatra and Fighting cock bone samples: A comparative analysis, *Saudi J. Biol. Sci.*, 28, 840–846.
- Kusiak-Nejman, E. and Morawski, A.W., 2019, TiO₂/graphene-based nanocomposites for water treatment: A brief overview of charge carrier transfer, antimicrobial and photocatalytic performance, *Appl. Catal. B*, 253, 179–186.
- Latifi, S., Saoiabi, S., Alanazi, M.M., Boukra, O., Krime, A., Hammari, L. El, Azzaoui, K., Hammouti, B., Hanbali, G., Jodeh, S., Saoiabi, A., Sabbahi, R., Algarra, M., and Abidi, N., 2025, Low-cost titania-hydroxyapatite (TiHAp) nanocomposites were synthesized for removal of methylene blue under solar and UV irradiation, *Next Mater.*, 8, 100859.
- Lavand, A.B., Bhatu, M.N., and Malghe, Y.S., 2019, Visible light photocatalytic degradation of malachite green using modified titania, *J. Mater. Res. Technol.*, 8, 299–308.
- Lee, Y.C., Choi, M., Yang, J.W., and Shin, H.J., 2015, Removal of malachite green (MG) from aqueous solutions by adsorption, precipitation, and alkaline fading using talc: kinetic, thermodynamic, and column feasibility studies, *Desalin. Water Treat.*, 56, 1918–1928.
- Lett, J.A., Sagadevan, S., Fatimah, I., Hoque, M.E., Lokanathan, Y., Léonard, E., Alshahateet, S.F., Schirhagl, R., and Oh, W.C., 2021, Recent advances in

- natural polymer-based hydroxyapatite scaffolds: Properties and applications, *Eur. Polym. J.*, 148, 110360.
- Liang, G., Li, B., and Liu, L., 2026, Co-doped black carbon nitride (BCN)@TiO₂ heterojunction: A bifunctional material for simultaneous solar evaporation and photothermal catalytic wastewater purification, *Desalination*, 620, 119685.
- Lianmawii, L. and Singh, N.M., 2025, Effect of additives on the photocatalytic degradation of malachite green using NiS:Tb³⁺ nanoparticle and their photoluminescence properties, *J. Mol. Struct.*, 1320, .
- Lin, J., Tian, W., Guan, Z., Zhang, H., Duan, X., Wang, H., Sun, H., Fang, Y., Huang, Y., and Wang, S., 2022, Functional carbon nitride materials in photo-fenton-like catalysis for environmental remediation, *Adv. Funct. Mater.*, 32, 1–31.
- Linh, N.T.T., Tuan, P.D., and Dzung, N. Van, 2014, The shifts of band gap and binding energies of titania/hydroxyapatite material, *J. Compos.*, 2014, 1–5.
- Liu, W., Qian, G., Liu, L., Fan, X., Cai, X., Feng, J., and Gao, M., 2018, The growth mechanism of titania/hydroxyapatite and its application in the photodegradation of methyl orange dye under UV irradiation, *Results Phys.*, 11, 112–117.
- Low, J., Cheng, B., and Yu, J., 2017, Surface modification and enhanced photocatalytic CO₂ reduction performance of TiO₂: a review, *Appl. Surf. Sci.*, 392, 658–686.
- Ma, Y., Ni, M., and Li, S., 2018, Optimization of malachite green removal from water by TiO₂ nanoparticles under UV irradiation, *Nanomaterials*, 8, 1–11.
- Mallah, A., Abdelrahman, E.A., Raza, N., Alqarni, L.S., Ismail, M., Modwi, A., Al-Farraj, E.S., Ghoniem, M.G., and Khairy, M., 2024, Boosting of photocatalytic degradation of malachite green dye on facile synthesized highly active Ca@TiO₂@g-C₃N₄ photocatalyst: Photocatalytic mechanism and kinetics, *Inorg. Chem. Commun.*, 170, 113464.
- Mallakpour, S. and Nikkhoo, E., 2014, Surface modification of nano-TiO₂ with trimellitylimido-amino acid-based diacids for preventing aggregation of nanoparticles, *Adv. Powder Technol.*, 25, 348–353.
- Manickam, K., Muthusamy, V., Manickam, S., Senthil, T.S., Periyasamy, G., and Shanmugam, S., 2019, Effect of annealing temperature on structural, morphological and optical properties of nanocrystalline TiO₂ thin films synthesized by sol-gel dip coating method,. In, *Mater. Today: Proc.* 68–72.
- Manoj, M., Mangalaraj, D., Ponpandian, N., and Viswanathan, C., 2015, Core-shell hydroxyapatite/Mg nanostructures: Surfactant free facile synthesis, characterization and their in vitro cell viability studies against leukaemia cancer cells (K562), *RSC Adv.*, 5, 48705–48711.
- Manzoli, M., Freyria, F.S., Blangetti, N., and Bonelli, B., 2022, Brookite, a sometimes under evaluated TiO₂ polymorph, *RSC Adv.*, 12, 3322–3334.

- Mao, J., Won, S.W., Min, J., and Yun, Y.-S., 2008, Removal of basic blue 3 from aqueous solution by corynebacterium glutamicum biomass: Biosorption and precipitation mechanisms, 8, 09454.
- Mariappan, A., Pandi, P., Rajeswarapalanichamy, R., Neyvasagam, K., Sureshkumar, S., Gatasheh, M.K., and Hatamleh, A.A., 2022, Bandgap and visible-light-induced photocatalytic performance and dye degradation of silver doped HAp/TiO₂ nanocomposite by sol-gel method and its antimicrobial activity, *Environ. Res.*, 211, 1113079.
- Mashuri, S.I.S., Ibrahim, M.L., Kasim, M.F., Mastuli, M.S., Rashid, U., Abdullah, A.H., Islam, A., Asikin-Mijan, N., Tan, Y.H., Mansir, N., Kaus, N.H.M., and Hin, T.Y.Y., 2020, Photocatalysis for organic wastewater treatment: From the basis to current challenges for society, *Catalysts*, 10, 1–29.
- Miao, Z., Wang, G., Li, L., Wang, C., and Zhang, X., 2019, Fabrication of black TiO₂/TiO₂ homojunction for enhanced photocatalytic degradation, *J. Mater. Sci.*, 54, 14320–14329.
- Mohanty, L., Sundar Pattanayak, D., Singhal, R., Pradhan, D., and Kumar Dash, S., 2022, Enhanced photocatalytic degradation of rhodamine B and malachite green employing BiFeO₃/g-C₃N₄ nanocomposites: An efficient visible-light photocatalyst, *Inorg. Chem. Commun.*, 138, 109286.
- Mostafa, E.M. and Amdeha, E., 2022, Enhanced photocatalytic degradation of malachite green dye by highly stable visible-light-responsive Fe-based tri-composite photocatalysts, *Environ. Sci. Pollut. Res.*, 29, 69861–69874.
- Munirathinam, R., Pham Minh, D., and Nzihou, A., 2020, Hydroxyapatite as a new support material for cobalt-based catalysts in Fischer-Tropsch synthesis, *Int. J. Hydrogen Energy*, 45, 18440–18451.
- Murugan, C., Bhojanaa, K.B., Ong, W.J., Jothivenkatachalam, K., and Pandikumar, A., 2019, Improving hole mobility with the heterojunction of graphitic carbon nitride and titanium dioxide via soft template process in photoelectrocatalytic water splitting, *Int. J. Hydrogen Energy*, 44, 30885–30898.
- Nasra, E., Kurniawati, D., Etika, S.B., Silvia, R., and Rahmatika, A., 2021, Effect of pH and concentration on biosorption malachite green and rhodamine B dyes using banana peel (*Musa balbisiana* Colla) as biosorbent,. In, *J. Phys.: Conf. Ser.* 1788.
- Nathanael, A.J., Mangalaraj, D., and Ponpandian, N., 2010, Controlled growth and investigations on the morphology and mechanical properties of hydroxyapatite/titania nanocomposite thin films, *Compos. Sci. Technol.*, 70, 1645–1651.
- Ng, K.H., Yuan, L.S., Cheng, C.K., Chen, K., and Fang, C., 2019, TiO₂ and ZnO photocatalytic treatment of palm oil mill effluent (POME) and feasibility of renewable energy generation: A short review, *J. Clean. Prod.*, 233, 209–225.
- Ojediran, J.O., Dada, A.O., Aniyi, S.O., David, R.O., and Adewumi, A.D., 2021, Mechanism and isotherm modeling of effective adsorption of malachite

- green as endocrine disruptive dye using acid functionalized maize cob (AFMC), *Sci. Rep.*, 11, 21498.
- Oladoye, P.O., Ajiboye, T.O., Wanyonyi, W.C., Omotola, E.O., and Oladipo, M.E., 2023, Insights into remediation technology for malachite green wastewater treatment, *Water Sci. Eng.*, 16, 261–270.
- Raval, N.P., Shah, P.U., and Shah, N.K., 2017, Malachite green “a cationic dye” and its removal from aqueous solution by adsorption, *Appl. Water Sci.*, 7, 3407–3445.
- Rawtani, D., Khatri, N., Tyagi, S., and Pandey, G., 2018, Nanotechnology-based recent approaches for sensing and remediation of pesticides, *J. Environ. Manage.*, 206, 749–762.
- Sadek, O., Touhtouh, S., Rkhis, M., Anoua, R., El Jouad, M., Belhora, F., and Hajjaji, A., 2022, Synthesis by sol-gel method and characterization of nano-TiO₂ powders,. In, *Mater. Today Proc.* 456–458.
- Safeen, A., Safeen, K., Ullah, R., Zulfqar, N., Shah, W.H., Zaman, Q., Althubeiti, K., Al Otaibi, S., Rahman, N., Iqbal, S., Khan, Alamzeb, Khan, Aurangzeb, and Khan, R., 2022, Enhancing the physical properties and photocatalytic activity of TiO₂ nanoparticles via cobalt doping, *RSC Adv.*, 12, 15767–15774.
- Sagadevan, S., Fatimah, I., Egbosiub, T.C., Alshahateet, S.F., Lett, J.A., Weldegebrerial, G.K., Le, M.V., and Johan, M.R., 2022, Photocatalytic efficiency of titanium dioxide for dyes and heavy metals removal from wastewater, *Bull. Chem. React. Eng. Catal.*, 17, 430–450.
- Satyam, S. and Patra, S., 2024, Innovations and challenges in adsorption-based wastewater remediation: A comprehensive review, *Heliyon*, 10, e29573.
- Shahazi, R., Saddam, A.I., Islam, M.R., Mahamud, M.K., Rahman, M.M., and Alam, M.M., 2024, Carbon nanomaterials for efficient oxygen and hydrogen evolution reactions in water splitting: A review, *Charact. Appl. Nanomater.*, 7, 1–15.
- Sharma, J., Sharma, S., and Soni, V., 2023, Toxicity of malachite green on plants and its phytoremediation: A review, *Reg. Stud. Mar. Sci.*, 62, 102911.
- Shi, B., Li, G., Wang, D., Feng, C., and Tang, H., 2007, Removal of direct dyes by coagulation: The performance of preformed polymeric aluminum species, *J. Hazard. Mater.*, 143, 567–574.
- Siddiqua, A., Masih, D., Anjum, D., and Siddiq, M., 2015, Cobalt and sulfur co-doped nano-size TiO₂ for photodegradation of various dyes and phenol, *J. Environ. Sci. (China)*, 37, 100–109.
- Silva, J.A., 2025, Advanced oxidation process in the sustainable treatment of refractory wastewater: A systematic literature review, *Sustainability*, 17, 3439.
- Sondezi, N., Njengele-Tetyana, Z., Matabola, K.P., and Makhetha, T.A., 2024, Sol-gel-derived TiO₂ and TiO₂/Cu nanoparticles: Synthesis, characterization, and antibacterial efficacy, *ACS Omega*, 9, 15959–15970.

- Sriram, G., Kigga, M., Uthappa, U.T., Rego, R.M., Thendral, V., Kumeria, T., Jung, H.Y., and Kurkuri, M.D., 2020, Naturally available diatomite and their surface modification for the removal of hazardous dye and metal ions: A review, *Adv. Colloid Interface Sci.*, 282, 102198.
- Srivastava, S., Sinha, R., and Roy, D., 2004, Toxicological effects of malachite green, *Aquat. Toxicol.*, 66, 319–329.
- Sun, W., Zhu, J., and Zheng, Y., 2021, Graphitic carbon nitride heterojunction photocatalysts for solar hydrogen production, *Int. J. Hydrogen Energy*, 46, 37242–37267.
- Sun, Y., Tan, J., Lin, H., Wang, X., Liu, J., Li, Y., and Wang, C., 2018, A facile strategy for the synthesis of ferroferric oxide/titanium dioxide/molybdenum disulfide heterostructures as a magnetically separable photocatalyst under visible-light, *J. Colloid Interface Sci.*, 516, 138–144.
- Verma, N., Chundawat, T.S., Chandra, H., and Vaya, D., 2023, An efficient time reductive photocatalytic degradation of carcinogenic dyes by TiO₂-GO nanocomposite, *Mater. Res. Bull.*, 158, 112043.
- Wang, R., Wang, Y., Chen, J., Yin, Y., Zheng, N., Li, M., Zhao, S., Han, X., Li, Q., Niu, Y., Zhang, L., and Pan, S., 2025, Photocatalytic TiO₂/HAP nanocomposite for antimicrobial treatment, remineralization, and tooth whitening, *RSC Adv.*, 15, 13453–13467.
- Xie, J., Meng, X., Zhou, Z., Li, P., Yao, L., Bian, L., Gao, X., and Wei, Y., 2013, Preparation of titania/hydroxyapatite (TiO₂/HAp) composite photocatalyst with mosaic structure for degradation of pentachlorophenol, *Mater. Lett.*, 110, 57–60.
- Yang, D., Xia, Y., Xiao, T., Xu, Z., Lei, Y., Jiao, Y., Zhu, X., and Feng, W., 2025, Constructing Ag–TiO₂-g-C₃N₄ S-scheme heterojunctions for photocatalytic degradation of malachite green, *Opt. Mater. (Amst.)*, 159, 116652.
- Yao, D., Xie, X., Liang, X., Lu, S., and Lai, H., 2024, Photocatalytic degradation of malachite green by titanium dioxide/covalent organic framework composite: Characterization, performance and mechanism, *ChemistryOpen*, 13, 1.
- Yao, J., Zhang, Y., Wang, Y., Chen, M., Huang, Y., Cao, J., Ho, W., and Lee, S.C., 2017, Enhanced photocatalytic removal of NO over titania/hydroxyapatite (TiO₂/HAp) composites with improved adsorption and charge mobility ability, *RSC Adv.*, 7, 24683–24689.
- Yaqoubi, M., Ghanbari, M., Salavati-Niasari, M., Alsultany, F.H., and Issa, S.K., 2025, A novel ZnMn₂O₄/g-C₃N₄ nanocomposites heterojunction photocatalyst: preparation, characterization, and investigation of photocatalytic behavior over toxic dyes, *Appl. Water Sci.*, 15, 1–12.
- Yunusa, U., Usman, B., and Bashir Ibrahim, M., 2021, Algerian journal of chemical engineering cationic dyes removal from wastewater by adsorptive method: A systematic in-depth review, *Alger. J. Chem. Eng.*, 2, 6–40.

- Zhang, H.M., Wang, J.J., Meng, Y., Lu, F., Ji, M., Zhu, C., Xu, J., and Sun, J., 2022, Review on intrinsic electrocatalytic activity of transition metal nitrides on HER, *Energy Mater. Adv.*, 6, 1–28.
- Zhang, J., Zhou, P., Liu, J., and Yu, J., 2014, New understanding of the difference of photocatalytic activity among anatase, rutile and brookite TiO₂, *Phys. Chem. Chem. Phys.*, 16, 20382–20386.