

## DAFTAR PUSTAKA

- Ahmad, S., Khan, A., Saeed, N., & Idrees, M. (2026). Synthesis and characterization of Mo<sub>2</sub>C for the photocatalytic degradation of methylene blue and Eosin blue dyes. *Next Materials*, 11, 101703.
- Ahmed, H. R., & Kayani, K. F. (2024). A comparative review of Fenton-like processes and advanced oxidation processes for Methylene Blue degradation. *Inorganic Chemistry Communications*, 113467.
- Aijaz, S. A., Shafi and, Z., & Shahid, M. (2026). Magnetized phyto-adsorbents for industrial dye removal: functionalization and mechanistic insights for sustainable wastewater remediation. *RSC Advances*, 16(1), 758–777.
- Akshaya, S., & Nathanael, A. J. (2024). A Review on Hydrophobically Associated Alginates: Approaches and Applications. *ACS Omega*.
- Ali, A., Zhang, N., & Santos, R. M. (2023). *Mineral Characterization using Scanning Electron Microscopy (SEM): A Review of the Fundamentals, Advancements, and Research Directions*.
- Al-Kelani, M., & Buthelezi, N. (2024). Advancements in medical research: Exploring Fourier Transform Infrared (FTIR) spectroscopy for tissue, cell, and hair sample analysis. *Skin Research and Technology*, 30(6).
- Alsharif, M. A. (2025). Adsorption - Fundamental Mechanisms and Applications. In *IntechOpen eBooks*. IntechOpen.
- Alves, D. C. da S., Healy, B., Pinto, L. A. de A., Cadaval, T. R. S., & Breslin, C. B. (2021). Recent Developments in Chitosan-Based Adsorbents for the Removal of Pollutants from Aqueous Environments. *Molecules*, 26(3), 594.
- Amrutha, Jeppu, G., Girish, C. R., Prabhu, B., & Mayer, K. (2023). *Multi-component Adsorption Isotherms: Review and Modeling Studies*. 10(2).
- Aranaz, I., Alcántara, A. R., Civera, M. C., Arias, C., Elorza, B., Heras Caballero, A., & Acosta, N. (2021). Chitosan: An Overview of Its Properties and Applications. *Polymers*, 13(19), 3256.
- Asmadi, F. A., Khalid, N. A., Basri, M. S. M., Othman, S. H., Talib, R. A., Balakrishnan, T. S., & Tawakkal, I. S. M. A. (2025). Enhanced Sodium Alginate-Based Active Packaging Films via Sonication, CaCl<sub>2</sub> Crosslinking, and Patchouli Essential Oil Incorporation. *Journal of Science Advanced Materials and Devices*, 10(3), 100973.
- Ballesteros, L. F., Teixeira, J. A., & Mussatto, S. I. (2014). Chemical, Functional, and Structural Properties of Spent Coffee Grounds and Coffee Silverskin. *Food and Bioprocess Technology*, 7(12), 3493–3503.
- Benali, F., Boukoussa, B., Issam, I., Iqbal, J., Mokhtar, A., Hachemaoui, M., Habeche, F., Hacini, S., & Abboud, M. (2023). Zinc nanoparticles encapsulated in porous biopolymer beads for reduction of water pollutants and antimicrobial activity. *International Journal of Biological Macromolecules*, 248, 125832–125832.

- Belattmania, Z., Kaidi, S., El Atouani, S., Katif, C., Bentiss, F., Jama, C., Reani, A., Sabour, B., & Vasconcelos, V. (2020). Isolation and FTIR-ATR and <sup>1</sup>H NMR Characterization of Alginates from the Main Alginophyte Species of the Atlantic Coast of Morocco. *Molecules*, 25(18), 4335–4335.
- Bhatnagar, A., & Sillanpää, M. (2010). Utilization of agro-industrial and municipal waste materials as potential adsorbents for water treatment—A review. *Chemical Engineering Journal*, 157(2-3), 277–296.
- Brebu, M., & Vasile, C. (2010). THERMAL DEGRADATION OF LIGNIN -A REVIEW. *CELLULOSE CHEMISTRY and TECHNOLOGY Cellulose Chem. Technol*, 44(9), 353–363.
- Bruckmann, F. da S., Gonçalves, J. O., Silva, L. F. O., Oliveira, M. L. S., Dotto, G. L., & Rhoden, C. R. B. (2025). Chitosan-based adsorbents for wastewater treatment: A comprehensive review. *International Journal of Biological Macromolecules*, 309, 143173.
- Campbell, R., Xiao, B., & Chirangano Mangwandi. (2024). Production of activated carbon from spent coffee grounds (SCG) for removal of hexavalent chromium from synthetic wastewater solutions. *Journal of Environmental Management*, 366, 121682–121682.
- Chahal, M., Kumari, S., Bhattacharya, A., & Garg, M. C. (2024). Evaluating sustainable agricultural waste biomass for methylene blue adsorption in wastewater treatment: A state-of-the-art review. *Bioresource Technology Reports*, 28, 101983.
- Chen, X., Hossain, M. F., Duan, C., Lu, J., Tsang, Y. F., Islam, M. S., & Zhou, Y. (2022). Isotherm models for adsorption of heavy metals from water - A review. *Chemosphere*, 307, 135545.
- Chen, Z. (2024). Application of UV-vis spectroscopy in the detection and analysis of substances. *Transactions on Materials, Biotechnology and Life Sciences*, 3, 131–136.
- CRINI, G. (2006). Non-conventional low-cost adsorbents for dye removal: A review. *Bioresource Technology*, 97(9), 1061–1085.
- Danish, M., & Ahmad, T. (2018). A review on utilization of wood biomass as a sustainable precursor for activated carbon production and application. *Renewable and Sustainable Energy Reviews*, 87, 1–21.
- Dash, M., Chiellini, F., Ottenbrite, R. M., & Chiellini, E. (2011). Chitosan—A versatile semi-synthetic polymer in biomedical applications. *Progress in Polymer Science*, 36(8), 981–1014.
- Doumèche, B., Küppers, M., Stapf, S., Blümich, B., Hartmeier, W., & Ansorge-Schumacher, M. B. (2004). New approaches to the visualization, quantification and explanation of acid-induced water loss from Ca-alginate hydrogel beads. *Journal of Microencapsulation*, 21(5), 565–573.
- Dutta, J., & Priyanka. (2022). A facile approach for the determination of degree of deacetylation of chitosan using acid-base titration. *Heliyon*, 8(7), e09924.

- Ebrahimzadeh, F., & Akbari, A. (2025). Investigation the adsorption mechanisms, chemical resistance and mechanical strength of the synthesized chitosan/activated carbon composite in methylene blue removal. *Scientific Reports*, 15(1).
- Feyissa, Z., Edossa, G. D., Gupta, N. K., & Negera, D. (2023). Development of double crosslinked sodium alginate/chitosan based hydrogels for controlled release of metronidazole and its antibacterial activity. *Heliyon*, 9(9), e20144.
- Forgacs, E., Cserháti, T., & Oros, G. (2004). Removal of synthetic dyes from wastewaters: a review. *Environment International*, 30(7), 953–971.
- Gao, Y., Yue, Q., Gao, B., & Li, A. (2020). Insight into activated carbon from different kinds of chemical activating agents: A review. *Science of the Total Environment*, 746, 141094.
- Guemgam, A., Gherbia, A., Bakchiche, B., & Hadjira, G. (2025). Effect of treating activated carbon derived from date pits with H<sub>2</sub>SO<sub>4</sub> on the adsorption of methylene blue dye molecules: kinetic, equilibrium and thermodynamic studies. *Global NEST Journal*.
- Guo, H., Qin, Q., Chang, J.-S., & Lee, D.-J. (2023). Modified alginate materials for wastewater treatment: Application prospects. *Bioresource Technology*, 387, 129639.
- Gupta, V. K., & Suhas. (2009). Application of low-cost adsorbents for dye removal – A review. *Journal of Environmental Management*, 90(8), 2313–2342.
- Han, M., Zhao, Y., Yu, J., Molaveisi, M., & Shi, Q. (2026). Phycocyanin-loaded W1/O/W2 double emulsion-filled sodium alginate gel beads reinforced by chitosan for enhanced stability and sustained release performance. *Algal Research*, 94, 104591.
- Hermanto, D., Prihatini, P. J., Apriani, N. Y., Kurniawati, L., Murniati, M., Hamdiani, S., Ismillayli, N., & Kamali, S. R. (2024). FACILE SYNTHESIS OF ACTIVATED CARBON/ALGINATE/CHITOSAN COMPOSITE BEADS AS RHEMAZOLE BRILLIANT BLUE R ADSORBENT. *Indonesian Physical Review*, 7(3), 480–495.
- Hidayat, A. Z. (2024). *Perbandingan Uji Adsorpsi Metilen Biru dan Rhodamin B pada Karbon Aktif dari Ampas Kopi*. Ugm.ac.id.
- Ho, Y.S., Wase, D.A., & Forster, C.F. (1996). Removal of lead ions from aqueous solution using sphagnum moss peat as adsorbent. *Water SA*, 22, 219-224.
- Holilah, Asranudin, Nouredine El Messaoudi, Ulfa, M., Amir Hamzah, Hamid, A., Dini Viandi Ramadhani, Lisman Suryanegara, Melbi Mahardika, Alvina Tata Melenia, Agus Wedi Pratama, & Didik Prasetyoko. (2024). Fabrication a sustainable adsorbent nanocellulose-mesoporous hectorite bead for methylene blue adsorption. *Case Studies in Chemical and Environmental Engineering*, 100850–100850.
- Hussein, H. M., Fattah, Z. A., & Kuhn, A. (2026). Bipolar electrochemistry for efficient removal of methylene blue from polluted water. *Electrochimica Acta*, 554, 148349.

- Ioannidou , O., & Zabaniotou , A. (2007). Agricultural residues as precursors for activated carbon production—A review. *Renewable and Sustainable Energy Reviews*, 11(9), 1966–2005.
- Jiang, G., Peng, Y., Jia, R., Guo, S., Qian, X., Chen, G., Hou, M., & Yang, L. (2025). A new strategy to enhance the electrochemical catalytic degradation of methylene blue: Preparation of porous BDD coupled with nitrate. *Diamond and Related Materials*, 159, 112754.
- Kaczorowska, M. A., & Bożejewicz, D. (2024). The Application of Chitosan-Based Adsorbents for the Removal of Hazardous Pollutants from Aqueous Solutions—A Review. *Sustainability*, 16(7), 2615.
- Kalam, S., Abu-Khamsin, S. A., Kamal, M. S., & Patil, S. (2021). Surfactant Adsorption Isotherms: A Review. *ACS Omega*, 6(48), 32342–32348.
- Kante, K., Nieto-Delgado, C., Rangel-Mendez, J. R., & Bandosz, T. J. (2012). Spent coffee-based activated carbon: Specific surface features and their importance for H<sub>2</sub>S separation process. *Journal of Hazardous Materials*, 201-202, 141–147.
- Kapatsila, S., Taras, R., Varchuk, D., Nosova, N., Varvarenko, S., & Samaryk, V. (2025). Influence of Calcium Crosslinker Form on Alginate Hydrogel Properties. *Gels*, 11(11), 885–885.
- Karolina, R., Nasution, I., Balyan, M., & Pulungan, I. H. (2022). *SCANNING ELECTRON MICROSCOPE (SEM) TM 3000: TEORI DAN APLIKASINYA*. PT. Pena Persada KerTA Utama
- Kılıç, M., Apaydin-Varol, E., & Pütün, A. E. (2012). Preparation and surface characterization of activated carbons from *Euphorbia rigida* by chemical activation with ZnCl<sub>2</sub>, K<sub>2</sub>CO<sub>3</sub>, NaOH and H<sub>3</sub>PO<sub>4</sub>. *Applied Surface Science*, 261, 247–254.
- Kong, X. (2012). Simultaneous determination of degree of deacetylation, degree of substitution and distribution fraction of –COONa in carboxymethyl chitosan by potentiometric titration. *Carbohydrate Polymers*, 88(1), 336–341.
- Kumari, S., Rath, P., Sri Hari Kumar, A., & Tiwari, T. N. (2015). Extraction and characterization of chitin and chitosan from fishery waste by chemical method. *Environmental Technology & Innovation*, 3, 77–85.
- Lee, E.-J., & Lee, J.-W. (2025). Dual adsorption–reduction mechanism of alginate-immobilized magnetic biochar beads for Cr(VI) removal. *Environmental Technology & Innovation*, 40, 104660.
- Lee, K. Y., & Mooney, D. J. (2012). Alginate: Properties and biomedical applications. *Progress in Polymer Science*, 37(1), 106–126.
- Leite, V. R., Krinski, I. M., Linero, H. C., Mariani, V. C., & Moura, L. M. (2025). Influence of temperature on kinetics and moisture diffusion during convective drying of spent coffee grounds. *Thermal Science and Engineering Progress*, 68, 104293.
- Lessa, E. F., Nunes, M. L., & Fajardo, A. R. (2018). Chitosan/waste coffee-grounds composite: An efficient and eco-friendly adsorbent for removal of

- pharmaceutical contaminants from water. *Carbohydrate Polymers*, 189, 257–266.
- Liu, H., Zhu, J., Li, Q., Li, L., Huang, Y., Wang, Y., Fan, G., & Zhang, L. (2023). Adsorption Performance of Methylene Blue by KOH/FeCl<sub>3</sub> Modified Biochar/Alginate Composite Beads Derived from Agricultural Waste. *Molecules*, 28(6), 2507.
- Luong, H. V. T., Le, P. P., Thieu, Q. Q. V., Nguyen, V. N. H., & Nguyen, T. N. Y. (2024). Alginate functionalized sugarcane cellulose-based beads to improve methylene blue adsorption from aqueous solution. *Heliyon*, 10(18), e37860.
- Meshram, S., Katiyar, D., Asha, T., Dewangan, G., Joshi, A., & Thakur, R. (2020). NCNE-2020 Special Issue Preparation and characterization of activated carbon from spent coffee grounds using NaOH and KCl as activating agents. *J. Indian Chem. Soc.*, 97, 1115–1118.
- Moyo, M., Nyamhere, G., Sebata, E., & Guyo, U. (2014). Kinetic and equilibrium modelling of lead sorption from aqueous solution by activated carbon from goat dung. *Desalination and Water Treatment*, 57(2), 765–775.
- Muhammad, S., Rahul Dev Bairwan, Khalil, H. P. S. A., Marwan Marwan, Ahmad, M. I., & Abdullah, C. K. (2025). Comparative study of lignin from patchouli waste fibers and spent coffee grounds as biofillers in poly(3-hydroxybutyrate-co-3-hydroxyvalerate)-based biodegradable packaging materials. *Bioresource Technology Reports*, 30, 102138–102138.
- Mukhopadhyay, P., Sarkar, K., Soam, S., & Kundu, P. P. (2012). Formulation of pH-responsive carboxymethyl chitosan and alginate beads for the oral delivery of insulin. *Journal of Applied Polymer Science*, 129(2), 835–845.
- Musah, M., Azeh, Y., Mathew, J., Umar, M., Abdulhamid, Z., & Muhammad, A. (2022). Adsorption Kinetics and Isotherm Models: A Review. *Caliphate Journal of Science and Technology*, 4(1), 20–26.
- Mussatto, S. I., Machado, E. M. S., Martins, S., & Teixeira, J. A. (2011). Production, Composition, and Application of Coffee and Its Industrial Residues. *Food and Bioprocess Technology*, 4(5), 661–672.
- Namli, S., Guven, O., Simsek, F. N., Gradišek, A., Sumnu, G., Yener, M. E., & Oztop, M. (2023). Effects of deacetylation degree of chitosan on the structure of aerogels. *International Journal of Biological Macromolecules*, 250, 126123–126123.
- Nandiyanto, A. B. D., Ragadhita, R., & Fiandini, M. (2022). Interpretation of Fourier Transform Infrared Spectra (FTIR): A Practical Approach in the Polymer/Plastic Thermal Decomposition. *Indonesian Journal of Science and Technology*, 8(1), 113–126.
- Nugraheni, A. D., Nurmayasari, N., & Sholihun, S. (2024). Performance of Chitosan Beads after treatment with spent coffee grounds for the adsorption of methylene blue. *Coffee Science*, 19, 1–8.
- Nart, A. S., & Silah, H. (2025). Polymeric styrene–divinylbenzene resin Amberlyst-15: A novel, smart and alternative adsorbent for the removal of cationic

- methylene blue dye from aqueous solution. *Materials Science and Engineering: B*, 317, 118174.
- Oshina, I., & Spigulis, J. (2021). Beer–Lambert Law for Optical Tissue Diagnostics: Current State of the Art and the Main Limitations. *Journal of Biomedical Optics*, 26(10), 100901.
- Pasieczna-Patkowska, S., Cichy, M., & Flieger, J. (2025). Application of Fourier Transform Infrared (FTIR) Spectroscopy in Characterization of Green Synthesized Nanoparticles. *Molecules*, 30(3), 684.
- Purnaningtyas, M. A. K., Sudiono, S., & Siswanta, D. (2020). Synthesis of Activated Carbon/Chitosan/Alginate Beads Powder as an Adsorbent for Methylene Blue and Methyl Violet 2B Dyes. *Indonesian Journal of Chemistry*, 20(5), 1119–1130.
- Pujol, D., Liu, C., Gominho, J., Olivella, M. À., Fiol, N., Villaescusa, I., & Pereira, H. (2013). The chemical composition of exhausted coffee waste. *Industrial Crops and Products*, 50, 423–429.
- Qamar, S. A., Ashiq, M., Jahangeer, M., Riasat, A., & Bilal, M. (2020). Chitosan-based hybrid materials as adsorbents for textile dyes—A review. *Case Studies in Chemical and Environmental Engineering*, 2, 100021.
- Rahmi, Lelifajri, & Nurfatimah, R. (2018). Preparation of polyethylene glycol diglycidyl ether (PEDGE) crosslinked chitosan/activated carbon composite film for Cd<sup>2+</sup> removal. *Carbohydrate Polymers*, 199, 499–505.
- Ramdhan, T., Ching, S. H., Prakash, S., & Bhandari, B. (2019). Time dependent gelling properties of cuboid alginate gels made by external gelation method: Effects of alginate-CaCl<sub>2</sub> solution ratios and pH. *Food Hydrocolloids*, 90, 232–240.
- Rápó, E., & Tonk, S. (2021). Factors Affecting Synthetic Dye Adsorption; Desorption Studies: A Review of Results from the Last Five Years (2017–2021). *Molecules*, 26(17), 5419.
- Rasheed, E., Humadi, J. I., Ahmed, S. H., & Al-majeed Rasheed, L. A. (2026). Orange peel-derived bio-adsorbents for methylene blue removal: Surface characteristics, experiments, kinetics, and density functional theory mechanism. *South African Journal of Chemical Engineering*, 56, 100850.
- Rinaudo, M. (2006). Chitin and chitosan: Properties and applications. *Progress in Polymer Science*, 31(7), 603–632.
- Ríos-Reina, R., & Azcarate, S. M. (2022). How Chemometrics Revives the UV-Vis Spectroscopy Applications as an Analytical Sensor for Spectralprint (Nontargeted) Analysis. *Chemosensors*, 11(1), 8.
- Roh, I. J., & Kwon, I.-C. (2002). Fabrication of a pure porous chitosan bead matrix: influences of phase separation on the microstructure. *Journal of Biomaterials Science, Polymer Edition*, 13(7), 769–782.
- Sak, G., Taşar, Ş., & Dursun, G. (2025). Organic Pollutant Degradation Through Photocatalysis: Progress, Challenges, and Sustainable Solutions (Mini Review). *Applied Sciences*, 16(1), 204.

- Sevilla, M., Fuertes, A. B., & Mokaya, R. (2011). Preparation and hydrogen storage capacity of highly porous activated carbon materials derived from polythiophene. *International Journal of Hydrogen Energy*, 36(24), 15658–15663.
- Shannon, M. A., Bohn, P. W., Elimelech, M., Georgiadis, J. G., Mariñas, B. J., & Mayes, A. M. (2008). Science and technology for water purification in the coming decades. *Nature*, 452(7185), 301–310.
- Shi, D., Gu, Y., Wu, W., Zhang, C., Wang, W., Jin, Y., Yang, Y., Rahman, M. M., & Jiang, B. (2025). Collaboration of lignin solvent self-assembly and Ca<sup>2+</sup> crosslinking triggered a highly compressible and ion-conductive hydrogel. *Chemical Engineering Journal*, 522, 167539.
- Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., & Sing, K. S. W. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry*, 87(9-10), 1051–1069.
- Triunfo, M., Guarnieri, A., Ianniciello, D., Coltelli, M. B., Salvia, R., Scieuzo, C., Bonis, A. D., & Falabella, P. (2024). A comprehensive characterization of *Hermetia illucens* derived chitosan produced through homogeneous deacetylation. *International Journal of Biological Macromolecules*, 271, 132669–132669.
- Verma, C., & Quraishi, M. A. (2023). *Activated Carbon*. Royal Society of Chemistry.
- Vivcharenko, V., Trzaskowska, M., Gieroba, B., Palka, K., Sroka-Bartnicka, A., & Przekora, A. (2025). The effect of chitosan molecular weight and its content on the mechanical, microstructural and biological parameters of biomaterial intended for cartilage tissue regeneration. *International Journal of Biological Macromolecules*, 331, 148068.
- Wang, J., & Guo, X. (2020). Adsorption kinetic models: Physical meanings, applications, and solving methods. *Journal of Hazardous Materials*, 390, 122156.
- Yorgun, S., Vural, N., & Demiral, H. (2009b). Preparation of high-surface area activated carbons from Paulownia wood by ZnCl<sub>2</sub> activation. *Microporous and Mesoporous Materials*, 122(1-3), 189–194.
- Younes, I., & Rinaudo, M. (2015). Chitin and Chitosan Preparation from Marine Sources. Structure, Properties and Applications. *Marine Drugs*, 13(3), 1133–1174.
- Zhou, W., Apkarian, R., Wang, Z. L., & Joy, D. (2006). Fundamentals of Scanning Electron Microscopy (SEM). *Scanning Microscopy for Nanotechnology*, 1–40.
- Zhou, W., & Wang, Z. L. (2007). *Scanning Microscopy for Nanotechnology*. Springer Science & Business Media.
- Zuo, H., Li, Z., Shi, Q., Zhao, L., Ma, J., Li, R., & Liu, X. (2025). Industrial scale utilization of bamboo-based columnar activated carbon for efficient treatment of Rhodamine B: Process optimization and performance analysis. *Separation and Purification Technology*, 379, 134877.