

TABLE OF CONTENTS

COVER

APPROVAL SHEET

ACKNOWLEDGEMENT i

TABLE OF CONTENTS iii

LIST OF FIGURES vii

LIST OF TABLE xi

LIST OF APPENDIX xii

ABSTRACT xiii

SARI xv

CHAPTER 1 – INTRODUCTION 1

1.1 Background 1

1.2 Location and Accessibility 4

1.3 Problem Formulation 5

1.4 Research Objectives 7

1.5 Research Limitation 7

1.6 Outlines of Research 8

1.7 Previous Works 9

1.8 Research Authenticity 10

CHAPTER 2 – REGIONAL GEOLOGY 11

2.1 Tectonic Setting 11

2.2 Physiography 13

2.3 Stratigraphy 15

2.4 Structures 18

2.5 Mineralization 19

CHAPTER 3 – BASIC THEORY 21

3.1 Introduction to Hydrothermal Gold Deposits 21

3.2 Types of Hydrothermal Deposits 22

3.3 Porphyry Deposits 24

3.4 Epithermal Deposits	26
3.4.1 High-sulfidation Epithermal Deposits	30
3.4.1.1 General Characteristics	30
3.4.1.2 Hydrothermal Alteration	32
3.4.1.3 Mineralization	34
3.4.1.4 Characteristics of Fluids and Fluid Inclusions	36
3.5 Hypotheses	38
CHAPTER 4 – RESEARCH METHODS	40
4.1 Introduction	40
4.2 Pre-Field Study	42
4.3 Field Investigation	42
4.3.1 Geological and Alteration Observation.....	42
4.3.2 Drill Hole Section Selection	43
4.3.3 Rock Sampling	43
4.4 Laboratory Work.....	43
4.4.1 Mineralogical Study	44
4.4.1.1 Petrographic Study from thin section	44
4.4.1.2 Ore Microscopy from polished section.....	44
4.4.1.3 X-ray Diffraction (XRD)	45
4.4.2 Mineral Chemistry Study	45
4.4.2.1 Scanning electron microscopy with energy-dispersive X-ray analysis (SEM-EDX)	45
4.4.3 Rock Geochemical Study.....	46
4.4.3.1 X-Ray Fluorescence Spectroscopy (XRF).....	46
4.4.3.2 Inductively coupled plasma Mass spectrometry (ICP-MS)	47
4.4.3.3 Atomic Absorption Spectroscopy (AAS)	47
4.4.4 Fluid Inclusion Study	48
4.5 Data Analysis and Interpretations	48
4.6 Data Compilation	50
CHAPTER 5 - DEPOSIT GEOLOGY	52

5.1 Introduction.....	52
5.2 Stratigraphic Units	52
5.2.1 Diorite.....	55
5.2.2 Volcaniclastic Breccia.....	56
5.2.3 Hydrothermal and Diatreme Breccia	58
5.2.4 Andesitic Lava and Breccia	60
5.3 Geological Structure	62
CHAPTER 6 –ALTERATION AND ORE MINERALIZATION	64
6.1 Alteration	64
6.1.1 Silicic Alteration	67
6.1.2 Advanced Argillic Alteration.....	68
6.1.3 Argillic Alteration.....	72
6.1.4 Propylitic Alteration.....	74
6.2 Mineralization	75
6.2.1 Ore and Gangue Mineralogy.....	80
6.2.2 Textures of Mineralization	85
6.2.3 Mineral Paragenesis	87
CHAPTER 7 – GEOCHEMISTRY	89
7.1 Introduction.....	89
7.2 Major and Trace Elements Composition of host rocks.....	89
7.3 Rare Earth Elements	93
CHAPTER 8 –HYDROTHERMAL FLUID CHARACTERIZATION	96
8.1 Introduction.....	96
8.2 Fluid Inclusion Petrology.....	96
8.3 Microthermometry	99
8.4 Temperature and Salinity of Fluid	100
CHAPTER 9 – DISCUSSION.....	102
9.1 Geological Controls on Deposit Formation	102

9.2 Deposit Characteristics	103
9.3 Hydrothermal Fluid Activities and Evolution.....	104
9.4 Genetic Model of Tumpangpitu HS-epithermal Gold Deposit.....	108
CHAPTER 10 – CONCLUSION	113
REFERENCES.....	115

LIST OF FIGURES

Figure		Page
Figure 1.1	Principal geographical features of SE Asia	2
Figure 1.2	Location of Tumpangpitu area, Bangyuwangi District, East Java, Indonesia.	6
Figure 2.1	Tectonic setting of Java Island, Indonesia	12
Figure 2.2	Topographic map of East Java (DEM from SRTM DATA) which also shows the present-day volcanoes of Sunda Arc.	14
Figure 2.3	Simplified geological map of East Java, showing the main geological provinces and stratigraphic units	15
Figure 2.4	Regional geology map of the southeast corner of Java	17
Figure 2.4	Tectonic framework of Java Island at 20 – 5 Ma	17
Figure 3.1	Cross-section showing alteration zones around a porphyry system, and the vertical scale of the mineralizing	24
Figure 3.2	Generalized alteration-mineralization zoning pattern for a non-telescoped porphyry Cu system	25
Figure 3.3	Idealized porphyry alteration/mineralization	26
Figure 3.4	The location of the epithermal gold deposit in the world distribution	27
Figure 3.5	Conceptual model illustrating different styles of magmatic arc porphyry and epithermal Cu-Au-Mo-Ag mineralization	30
Figure 3.6	Common setting for the development of acidic alteration	32
Figure 3.7	Cross-section of alteration zones characteristic of high-sulfidation	33
Figure 3.8	Schematic reconstruction of a dome-related HS system separated spatially from the underlying porphyry copper environment.	35
Figure 3.9	Conceptual model illustrating some of the fluids which may be involved in the development of banded epithermal vein systems	37
Figure 4.1	Flow chart showing methods and stages in the research area	41
Figure 5.1	Geological Map of the Tumpangpitu deposit	54
Figure 5.2	Diorite: (a) out crop nature of diorite rock and drill coal sample with porphyritic texture (b) drill sample of fine grained diorite	55
Figure 5.3	(a and b) Photomicrograph showing plagioclase with polysynthetic twin and anhedral quartz in diorite	56
Figure 5.4	(a) Lithic tuff outcrop with reddish color by product of alteration or oxidation, (b) Whitish fresh lithic tuff with lithic fragments and ground mass fine grained tuff, and (c) Photo showing lithic tuff with small voids	57
Figure 5.5	(a) Lithic tuff with silicify crystal-dominate grains, (b) Lithic tuff with variable amount of rock fragments, (c and d) Lapilli	58

	tuff with large lithic fragments where angular fragments are quartz and rounded grains are lapilli.	
Figure 5.6	Hydrothermal breccia with large grains sub-rounded andesite clasts	59
Figure 5.7	Photomicrograph showing altered hydrothermal breccia unit where breccia in fine grain matrix with fine sericite and kaolinite	59
Figure 5.8	(a) Out crop nature of andesite lava, (b) Andesite breccia, and (c) Close-up view of andesitic breccia with mafic minerals	60
Figure 5.9	Photomicrograph of andesite breccia showing (a) Phenocrysts of augite and pyroxene, (b) Phenocrysts of euhedral hornblende and pyroxene, and (c) Large plagioclase	61
Figure 5.10	The regional structure by magnetic image	63
Figure 6.1	Generalized distribution of alteration in the Tumpangpitu area	65
Figure 6.2	Spectral alteration map of Tumpangpitu area	66
Figure 6.3	(a) Outcrop nature of leached volcanic tuff with vuggy texture, (b) Drill core sample of silicic altered tuff where vuggy in fill by ore minerals, and (c) Fracture filling amorphous silica in silicic altered zone.	67
Figure 6.4	(a) Photomicrograph of silica altered zone with vuggy quartz and (b) Secondary replacement quartz crystal, amorphous quartz and ore minerals in vuggy quartz	68
Figure 6.5	(a) Pervasive Kaolinite alteration in lithic tuff and (b) Drill core sample of quartz-alunite with kaolinite filling vug	69
Figure 6.6	(a) Quartz-kaolinite alteration in hydrothermal breccia, (b,c and d) Large euhedral alunite and dickite in advanced argillic altered rock	70
Figure 6.7	XRD diffractogram of quartz-alunite-pyrite assemblages from advanced argillic zone	70
Figure 6.8	(a) Quartz-kaolinite-illite (argillic) alteration in lapilli tuff, (b&c) Photomicrographs showing illite-smectite assemblage where some are replaced to pyroxene mineral, and (d) Fine-grained sericite in argillic alteration	72
Figure 6.9	X-ray diffractograms of argillic mineral assemblages (quartz-illite-kaolinite-smectite) in argillic zone	73
Figure 6.10	(a&b) Smectite replacement to plagioclase in chlorite-smectite (porphyritic) alteration, (c) Radial chlorite in altered-andesite and (d) large grained of zeolite in porphyritic altered zone	75
Figure 6.11	Distribution of mineral prospects	77
Figure 6.12	3D view for Tumpangpitu Area	79
Figure 6.13	(a) Euhedral pyrite with cracks along the fracture and (b) Euhedral-anhedral pyrite grains within networks of alunite laths	81

Figure 6.14	Elemental composition of pyrite mineral under SEM-EDX analyses	81
Figure 6.15	Elemental composition of enargite mineral under SEM-EDX analyses	82
Figure 6.16	Enargite-pyrite-covellite minerals in vugs of silica alteration	83
Figure 6.17	Elemental composition of covellite mineral under SEM-EDX analyses	83
Figure 6.18	Photomicrograph showing Intergrowth of pyrite, enargite, luzonite, sphalerite, chalcopyrite, covellite in vugs.	84
Figure 6.19	Elemental composition of some tennantite mineral under SEM-EDX analyses	85
Figure 6.20	Photographs of selected drill core samples from Tumpangpitu area (a) Vuggy replacements mineralization in silicify volcanoclastic breccia (b) Sulphides quartz veinlet within diatreme breccia	86
Figure 6.21	Photographs of representative textures(c and d) Vuggy quartz (e) Small sulfide veinlet intercalated with clay and (f) Massive sulfide vein (pyrite) texture.	86
Figure 6.22	Photomicrographs of (a) pyrite vein with groundmass and (b) Quartz and alunite vein with pyrite vein	87
Figure 6.23	The paragenesis diagrams of ore and gangue minerals of Tumpangpitu area	88
Figure 7.1	The classification diagram of Zr/TiO ₂ vs Nb/Y for volcanic rocks	90
Figure 7.2	The total alkali silica (TAS) classification diagram of plutonic igneous rocks	90
Figure 7.3	Zr-Ti tectonic discrimination diagram for volcanic rocks	91
Figure 7.4	Tectonic discrimination diagrams of Y versus Nb and Rb versus Y+Nb	92
Figure 7.5	Harker variation diagrams for major and trace elements of the volcanic rocks from the Tumpangpitu area. Arrows in the diagrams indicate the fractionation trend.	93
Figure 7.6	REE chondrite-normalized diagrams for volcanic and volcanoclastic rocks	94
Figure 7.7	MORB-normalized spider diagrams for trace element concentrations of selected volcanic and volcanoclastic rocks of Tumpangpitu area	95
Figure 8.1	Photographs of quartz samples which has inclusions entrapped in quartz	97
Figure 8.2	Photomicrographs of fluid inclusions petrography	98
Figure 8.3	Frequency distribution of homogenization temperatures (Th) of fluid inclusions study at the depth of (a) 57.55m and (b) 135.15	99

Figure 8.4	Frequency distribution of melting temperatures (T _m) of fluid inclusions study at the depth of (a) 57.55m and (b) 135.15	100
Figure 8.5	Frequency distribution of Salinity (wt.% NaCl equiv.) of hydrothermal fluid (a) 57.55 m and (b) 135.15 m	101
Figure 9.1	Salinity(wt.% NaCl equiv.) versus homogenization temperatures (°C) for fluid inclusions of the Tumpangpitu deposit	106
Figure 9.2	The Formation depth of quartz vein samples from the shallow depth (57.55 m) and deeper depth (135.15 m)	106
Figure 9.3	Salinity vs T _h illustration typical ranges for inclusions from different types of deposits	107
Figure 9.4	Generalized alteration-mineralization zoning pattern for telescoped porphyry deposits	110
Figure 9.5	Schematic cross sections for the evolution of the Tumpangpitu high sulfidation epithermal system	111

LIST OF TABLES

Table		Page
Table 3.1	Representative hydrothermal ore deposits associated with subduction-related magmatism	23
Table 3.2	Modern Nomenclature for Epithermal Deposit Types	28
Table 9.1	Summary of the characterization of some selected principal HS deposits and Tumpangpitu deposit	112

LIST OF APPENDIX

		Page
Appendix A	Abbreviation	122
Appendix B	Geological Map with drill point location	124
Appendix C	Drill Hole Location	125
Appendix D	Sample Description	126
Appendix E	Sample Analysis	132
Appendix F	XRF Results	134
Appendix G	ICP-MS Results	139
Appendix H	SEM-EDX Results	141
Appendix I	Fluid Inclusion Data	147