UNIVERSITAS
GADJAH MADA
Sintesis Turunan 2-Arilkuinazolin-4(3H)-on dengan Variasi Benzaldehida: Studi Efek Sterik dan Elektronik terhadap Rendemen Produk
Siti Rania Sayidyva Soeheryono, Dr. Muhammad Idham Darussalam Mardjan, S.Si., M.Sc.; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, S.Y., El-Bayouki, K.A.M., and Basyouni, W.M., 2016, Utilization of Isatoic Anhydride in the Syntheses of Various Types of Quinazoline and Quinazolinone Derivatives, *Synth. Commun.*, 46, 993–1035.

Abdullaha, M., Mohammed, S., Ali, M., Kumar, A., Vishwakarma, R.A., and Bharate, S.B., 2019, Discovery of Quinazolin-4(3*H*)-ones as NLRP3 Inflammasome Inhibitors: Computational Design, Metal-Free Synthesis, and in Vitro Biological Evaluation, *J. Org. Chem.*, 84, 5129–5140.

Adib, M., Sheikhi, E., and Bijanzadeh, H., 2012, One-Pot Three-Component Synthesis of 4(3*H*)-Quinazolinones from Benzyl Halides, Isatoic Anhydride, and Primary Amines, *Synlett*, 85–88.

Ban, Z., Cui, X., Hu, F., Lu, G., Luoa, N., and Huang, G., 2018, Copper-mediated Synthesis of Quinazolin-4(3*H*)-ones from N(quinolin-8-yl)benzamide and Amidine Hydrochlorides, *New J. Chem.*, 42, 3999–4007.

Batalha, P.N., 2012, Recent Advances in Multicomponent Reactions: A Perspective Between the Years of 2008 and 2011, *Rev. Virtual Quím*, 4(1), 13–45.

Bera, S.K., Behera, S., De Luca, L., Basoccu, F., Mocci, R., and Porcheddu, A., 2024, Unveiling the Untapped Potential of Bertagnini's Salts in Microwave-Assisted Synthesis of Quinazolinones, *Molecules*, 29, 1–16.

Böhme, A., Ulrich, N., and Schüürmann, G., 2023, Amino Chemoassay Profiling of Aromatic Aldehydes–Unraveling Drivers of Their Skin Sensitization Potency, *Chem. Res. Toxicol.*, 36, 1055–1070.

Botta, L., Cesarini, S., Zippilli, C., Bizzarri, B.M., Fanelli, A., and Saladino, R., 2022, Multicomponent Reactions in the Synthesis of Antiviral Compounds, *Curr. Med. Chem.*, 29, 2013–2050.

Bunce, R.A., Nago, T., and Abuskhuna, S., 2015, Steric and Electronic Requirements in the Synthesis of 2,3-Dihydro-4(1*H*)-quinolinones by the Tandem Michael-SN Ar Reaction, *J. Heterocycl. Chem.*, 52, 1143–1149.

Chen, J., Liang, E., Shi, J., Wu, Y., Wen, K., Yao, X., and Tang, X., 2021, Metal-free Synthesis of 1,4-benzodiazepines and Quinazolinones from Hexafluoroisopropyl 2-aminobenzoates at Room Temperature, *RSC Adv.*, 11, 4966–4970.

Chen, K., Wang, S., Fu, S., Kim, J., Park, P., Liu, R., and Lei, K., 2025, 4(3*H*)-Quinazolinone: A Natural Scaffold for Drug and Agrochemical Discovery, *Int. J. Mol. Sci.*, 26, 1–28.

Divar, M., Zomorodian, K., Bastan, S., Yazdanpanah, S., dan Khabnadideh, S., 2018, Synthesis of Some Quinazolinone Derivatives Using Magnetic Nanoparticles-supported Tungstic Acid as Antimicrobial Agents, *J. Iran. Chem. Soc.*, 15, 1457–1466.

Dos Santos, J.A., de Castro, P.P., de Oliveira, K.T., Brocksom, T.J., and Amarante, G.W., 2023, Multicomponent Reactions Applied to Total Synthesis of Biologically Active Molecules: A Short Review, *Curr. Top. Med. Chem.*, 23, 990–1003.

UNIVERSITAS
GADJAH MADA
Sintesis Turunan 2-Arilkuinazolin-4(3H)-on dengan Variasi Benzaldehida: Studi Efek Sterik dan Elektronik terhadap Rendemen Produk
Siti Rania Sayidyva Soeheryono, Dr. Muhammad Idham Darussalam Mardjan, S.Si., M.Sc.; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Eckert, H., 2017, Synergy Effects in the Chemical Synthesis and Extensions of Multicomponent Reactions (MCRs)—The Low Energy Way to Ultra-Short Syntheses of Tailor-Made Molecules, *Molecules*, 22, 1–32.

Guerrero, T., Juárez-Cerrillo, S.F., Matus, M.H., and Durand-Niconoff, J.S., 2021, Study of Local Reactivity of Isatoic Anhydride Applying Quantum Molecular Similarity, *Chem. Sel.*, 6, 4390–4399.

Gupta, T., Rohilla, A., Pathak, A., Akhtar, M.J., Haider, M.R., and Yar, M.S., 2018, Current Perspectives on Quinazolines with Potent Biological Activities: A Review, *Synth. Commun.*, 48, 1099–1127.

Halder, S., Naskar, S., Jana, D., Kanrar, G., Mandal, S.C., Roy, S., Bharadwaj, N., Pramanik, K., and Ganguly, S., 2025, Dehydrogenative Coupling for Synthesis of Quinazolin-4(3*H*)-ones via Tandem Reaction using Ruthenium(II)-Phenyl-Azo-Naphthaldoxime: An Experimental and Theoretical Investigation, *Chem. Asian J.*, 20, e202401278.

Hao, S., Yang, J., Liu, P., Xu, J., Yang, C., and Li, F., 2021, Linear-Organic-Polymer-Supported Iridium Complex as a Recyclable Auto-Tandem Catalyst for the Synthesis of Quinazolinones via Selective Hydration/Acceptorless Dehydrogenative Coupling from o-Aminobenzonitriles, *Org. Lett.*, 23, 2553–2558.

Hassanzadeh, F., Sadeghi-Aliabadi, H., Jafari, E., Sharifzadeh, A., and Dana, N., 2019, Synthesis and Cytotoxic Evaluation of Some Quinazolinone-5-(4-chlorophenyl) 1, 3, 4-oxadiazole Conjugates, *Res. Pharm. Sci.*, 14, 408–413.

He, D., Wang, M., Zhao, S., Shu, Y., Zeng, H., Xiao, C., Lu, C., and Liu, Y., 2017, Pharmaceutical Prospects of Naturally Occurring Quinazolinone and Its Derivatives, *Fitoterapia*, 119, 136–149.

Hikawa, H., Nakayama, T., Takahashi, M., Kikkawa, S., and Azumaya, I., 2021, Direct Use of Benzylic Alcohols for Multicomponent Synthesis of 2-Aryl Quinazolinones Utilizing the π-Benzylpalladium(II) System in Water, *Adv. Synth. Catal.*, 363, 4075–4084.

Hupe, D.J., 1984, *New Comprehensive Biochemistry*, Elsevier, Amsterdam.

Kalakwade, A., Kavalapure, R.S., Gharge, S., Alegaon, S.G., Ranade, S.D., Wong, L.S., and Ramu, R., 2026, Heterocyclic Compounds with Diverse Biological Activities: A Review of Quinazoline and Quinazolinone Derivatives, *Results Chem.*, 19, e102932.

Khachatryan, D.S., Belus, S.K., Misyurin, V.A., Baryshnikova, M.A., Kolotaev, A.V., and Matevosyan, K.R., 2017, Synthesis and Properties of 1,2-dihydro-4(3H)-quinazolinones, *Russ. Chem. Bull.*, 66, 1044–1058.

Khandebharad, A.U., Sarda, S.R., Gill, C.H., and Agrawal, B.R., 2020, Synthesis of Quinazolinone Derivatives Catalyzed by Triethanolamine/NaCl in Aqueous Media, *Polycycl. Aromat. Compd.*, 40, 437–445.

Kumar, B.S., Rao, L.V., Dhananjaya, G., Kapavarapu, R., and Pal, M., 2025, Wang Resin Mediated Unexpected Greener Access to 2-substituted Quinazoline-4(3H)-ones and Their Evaluation against Chorismate Mutase, *J. Mol. Struct.*, 1321, e139931.

UNIVERSITAS
GADJAH MADA
Sintesis Turunan 2-Arilkuinazolin-4(3H)-on dengan Variasi Benzaldehida: Studi Efek Sterik dan Elektronik terhadap Rendemen Produk
Siti Rania Sayidyva Soeheryono, Dr. Muhammad Idham Darussalam Mardjan, S.Si., M.Sc.; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kumar, D., Jadhavar, P.S., Nautiyal, M., Sharma, H., Meena, P.K., Adane, L., Pancholia, S., dan Chakraborti, A.K., 2015, Convenient Synthesis of 2,3-disubstituted Quinazolin-4(3*H*)-ones and 2-styryl-3-substituted Quinazolin-4(3*H*)-ones: Applications Towards the Synthesis of Drugs, *RSC Adv.*, 5, 30819–30825.

Kushwaha, P., and Pandey, S., 2023, 1,3-Thiazole Derivatives as a Promising Scaffold in Medicinal Chemistry: A Recent Overview, *Anti-Inflamm. Anti-Allergy Agents Med. Chem.*, 22, 133–163.

Liu, H.-B., Tang, H., Yang, D., Deng, Q., Yuan, L.-J., and Ji, Q.-G., 2012, Synthesis and Biological Evaluation of Novel N-acyl Substituted Quinolin-2(1*H*)-one Derivatives as Potential Antimicrobial Agents, *Bioorg. Med. Chem. Lett.*, 22, 5845–5848.

Lobo, H.R., Singh, B.S., and Shankarling, G.S., 2012, Bio-compatible Eutectic Mixture for Multi-component Synthesis: A Valuable Acidic Catalyst for Synthesis of Novel 2,3-dihydroquinazolin-4(1*H*)-one Derivatives, *Catal. Commun.*, 27, 179–183.

Malinowski, Z., 2025, Recent Advances in One-Pot Multicomponent Reactions for the Synthesis of Substituted Quinazolin-4(3*H*)-ones, *Molecules*, 30, 3729-3775.

Maximiano, P., and Simões, P.N., 2024, Silica Aerogel-carbon Nanotube Composites: Mechanistic Insights into Condensation Reactions, *Chem. Eng. J.*, 496, e153580.

Mishra, S., Das, D., Sahu, A., Patil, S., Agarwal, R.K., and Gajbhiye, A., 2020, Transition Metal-free Approach for the Synthesis of 2-substituted Quinazolin-4(3*H*)-one via Anhydrous Magnesium Perchlorate, *Curr. Organocatalysis*, 7, 118–118.

Mohammadi, M., Dilmaghani, K.A., and Sarveahrabi, Y., 2024, Synthesis, Antibacterial, and Antifungal Evaluation of Some New Quinazolinone-Azole Hybrids, *Polycycl. Aromat. Compd.*, 44, 1805–1815.

Mohlala, R.L., and Coyanis, E.M., 2023, The Vital Use of Isocyanide-based Multicomponent Reactions (MCR) in Chemical Synthesis, *Phys. Sci. Rev.*, 9, 995–1032.

Mohlala, R.L., Rashamuse, T.J., and Coyanis, E.M., 2024, Highlighting Multicomponent Reactions as an Efficient and Facile Alternative Route in the Chemical Synthesis of Organic-based Molecules: A Tremendous Growth in the Past 5 Years, *Front. Chem.*, 12, e1469677.

Moshkina, T.N., Nosova, E.V., Permyakova, J.V., Lipunova, G.N., Zhilina, E.F., Kim, G.A., Slepukhin, P.A., and Charushin, V.N., 2022, Push-Pull Structures Based on 2-Aryl/thienyl Substituted Quinazolin-4(3*H*)-ones and 4-Cyanoquinazolines, *Molecules*, 27, 7156.

Murthy, V., Nikumbh, S., Kumar, S., Chiranjeevi, Y., Rao, L., and Raghunadh, A., 2016, A Simple Approach for the Synthesis of Fused Quinazoline-Based Tetracyclic Compounds via a Multicomponent Reaction Strategy, *Synlett*, 27, 2362–2367.

UNIVERSITAS
GADJAH MADA
Sintesis Turunan 2-Arilkuinazolin-4(3H)-on dengan Variasi Benzaldehida: Studi Efek Sterik dan Elektronik terhadap Rendemen Produk
Siti Rania Sayidyva Soeheryono, Dr. Muhammad Idham Darussalam Mardjan, S.Si., M.Sc.; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nandwana, N.K., Dhiman, S., Saini, H.K., Kumar, I., and Kumar, A., 2017, Synthesis of Quinazolinones, Imidazo[1,2-c]quinazolines and Imidazo[4,5-c]quinolines through Tandem Reductive Amination of Aryl Halides and Oxidative Amination of C(sp3)–H Bonds, *Eur. J. Org. Chem.*, 2017, 514–522.

Purkhosrow, A., Khalili, A., Ho, A.C., Mowlazadeh Haghighi, S., Fakher, S., and Khalafi-Nezhad, A., 2019, Highly Efficient, One Pot, Solvent and Catalyst, Free Synthesis of Novel Quinazoline Derivatives under Ultrasonic Irradiation and Their Vasorelaxant Activity Isolated Thoracic Aorta of Rat, *Iran. J. Pharm. Res.*, 18, 19082.

Rablen, P.R., and Yett, A., 2023, The Relative Favorability of Placing Substituents Ortho or Para in the Cationic Intermediate for Electrophilic Aromatic Substitution, *J. Phys. Org. Chem.*, 36, e4457.

Raghavendra, G.M., Pavan Kumar, C.S., Suresha, G.P., Rangappa, K.S., and Mantelingu, K., 2015, T3P Catalyzed One Pot Three-component Synthesis of 2,3-disubstituted 3*H*-quinazolin-4-ones, *Chin. Chem. Lett.*, 26, 963–968.

Saad-Aldeen, R.A., dan Al-Iraqi, M.A., 2019, Synthesis of New 3-Substiuted Quinazolin-4(3*H*)-one, *Compounds. Eng. Sci.*, 902712.

Sekar, K.G., 2002, Kinetic Studies on the Oxidation of Some Para and Meta-Substituted Benzaldeydes by Nicotinium Dichromate, *J. Chem. Res.*, 626–627.

Sharif, M., 2020, Quinazolin-4(3*H*)-ones: A Tangible Synthesis Protocol via an Oxidative Olefin Bond Cleavage Using Metal-Catalyst Free Conditions, *Appl. Sci.*, 10, 2815.

Sharma, P.K., 2017, A Review: Antimicrobial Agents Based on Nitrogen and Sulfur Containing Heterocycles, *Asian J. Pharm. Clin. Res.*, 10, 15673.

Shi, R., Wang, X., Zhang, X., Chen, S., Wang, Z.-L., Qi, H., and Xu, X.-M., 2023, Acid/Base-Steered Cascade Cyclization: An Efficient One-Pot Access to Diverse Isobenzofuranone and Isoindolobenzoxazinone Derivatives, *Molecules*, 28, 1443.

Shiri, P., Niknam, E., Aboonajmi, J., Khalafi-Nezhad, A., and Amani, A.M., 2022, A Quick Access to Structurally Diverse Triazoloquinazoline Heterocycles via the MIL-101(Cr)-Catalyzed One-Pot Multi-Component Reaction of a Series of Benzaldehydes, Dimedone, and 1*H*-1,2,4-Triazol-3-Amine Under Green Conditions, *Front. Chem.*, 10, 898658.

Tandi, M., Sharma, V., Gopal, B., and Sundriyal, S., 2025, Multicomponent Reactions (MCRs) Yielding Medicinally Relevant Rings: A Recent Update and Chemical Space Analysis of the Scaffolds, *RSC Adv.*, 15, 1447–1489.

Vavsari, V.F., dan Ziarani, G.M., 2018, Synthesis of 4-quinazolinones by Transition Metal-catalyzed Processes (microreview), *Chem. Heterocycl. Compd.*, 54, 317–319.

Wieczorkiewicz, P.A., Krygowski, T.M., and Szatylowicz, H., 2024, Substituent Effects and Electron Delocalization in Five-membered N-heterocycles, *Phys. Chem. Chem. Phys.*, 26, 19398–19410.

UNIVERSITAS
GADJAH MADA
Sintesis Turunan 2-Arilkuinazolin-4(3H)-on dengan Variasi Benzaldehida: Studi Efek Sterik dan Elektronik terhadap Rendemen Produk
Siti Rania Sayidyva Soeheryono, Dr. Muhammad Idham Darussalam Mardjan, S.Si., M.Sc.; Prof. Drs. Jumina, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yavari, I., Akbarzadeh, S., and Ghorbanzadeh, M., 2024, Formation of Quinazolin-4(3*H*)-ones from N-sulfonoketenimines and 2-aminobenzamides, *J. Iran. Chem. Soc.*, 21, 1011–1019.

Yu, X., Gao, L., Jia, L., Yamamoto, Y., and Bao, M., 2018, Synthesis of Quinazolin-4(3*H*)-ones via the Reaction of 2-Halobenzamides with Nitriles, *J. Org. Chem.*, 83, 10352–10358.

Zhang, Z.H., Lü, H.Y., Yang, S.H., and Gao, J.W., 2010, Synthesis of 2,3-Dihydroquinazolin-4(1*H*)-ones by Three-Component Coupling of Isatoic Anhydride, Amines, and Aldehydes Catalyzed by Magnetic Fe3O4 Nanoparticles in Water, *J. Comb. Chem.*, 12, 643–646.