

DAFTAR PUSTAKA

- Ahmad, I. (2017). Pemanfaatan limbah cangkang kerang darah (*Anadara granosa*) sebagai bahan abrasif dalam pasta gigi. *Jurnal Galung Tropika*, 6(1), 49–59.
- Alcami, P., Ma, S., & Gahr, M. (2025). Telemetry reveals rapid duel-driven canary song plasticity in a competitive social environment. *Frontiers in Psychology*, 15, 1468782.
- Alward, B. A., Balthazart, J., & Ball, G. F. (2013). Differential effects of global versus local testosterone on singing behavior and its underlying neural substrate. *Proceedings of the National Academy of Sciences*, 110(48), 19573–19578.
- Amalia, R., Mona Airin, C., & Astuti, P. (2022). Zinc and shell flour as innovative natural aromatase blocker to increase testosterone concentration. *BIO Web of Conferences*, 49, 01006.
- Amriarni, A., Hendrarto, B., & Hadiyanto, A. (2011). Bioakumulasi logam berat timbal (Pb) dan seng (Zn) pada kerang darah (*Anadara granosa* L.) dan kerang bakau (*Polymesoda bengalensis* L.) di perairan Teluk Kendari. *Jurnal Ilmu Lingkungan Undip*, 9(2), 45–50.
- Anwar, R. (2005). Biosintesis, sekresi dan mekanisme kerja hormon. *Pertemuan Fertilitas Endokrinologi Reproduksi Bagian Obstetri dan Ginekologi*, 1–26.
- Appeltants, D., Ball, G. F., & Balthazart, J. (2003). Song activation by testosterone is associated with an increased catecholaminergic innervation of the song control system in female canaries. *Neuroscience*, 121(3), 801–814.
- Astuti, P., Airin, C. M., Nurrurozi, A., Aidi, R., Hana, A., Hadi, S., & Harimurti, H. (2020). Potential natural aromatase blockers on enhance the frequency and sound quality of male canaries. *E3S Web of Conferences*, 151, 01024.
- Astuti, P., Airin, C. M., Sarmin, S., Nururrozi, A., & Harimurti, S. (2019). Effect of shell as natural testosterone boosters in Sprague Dawley rats. *Veterinary World*, 12(10), 1677–1681.
- Balthazart, J., & Ball, G. F. (2006). Is brain estradiol a hormone or a neurotransmitter? *Trends in Neurosciences*, 29(5), 241–249.
- Baulieu, E. E., & Kelly, P. A. (1990). *Hormones: From molecules to disease*. Chapman and Hall.
- Bharatham, H., Zakaria, M. Z. A. B., Perimal, E. K., Yusof, L. M., & Hamid, M. (2014). Mineral and physiochemical evaluation of cockle shell (*Anadara granosa*) and other selected molluscan shell as potential biomaterials. *Sains Malaysiana*, 43(7), 1023–1029.
- Bonthoux, S., & Balent, G. (2012). Point count duration: Five minutes are usually sufficient to model the distribution of bird species and to study the structure

- of communities for a French landscape. *Journal of Ornithology*, 153(2), 491–504.
- Cahyono, B. (2012). *Panduan lengkap beternak kenari*. Penebar Swadaya.
- Cai, Z., Wang, J., Zhang, Y., Li, X., Luo, J., Gao, X., & Guo, M. (2025). Zinc and animal health: An in-depth exploration of its role in physiological functions and regulatory molecular mechanisms. *Journal of Animal Science and Biotechnology*, 16(1), 169.
- Cardoso, G. C., Lopes, R. J., & Mota, P. G. (Eds.). (2023). *The canary: Natural history, science and cultural significance*. Elsevier.
- Chavan, O., Kharade, N., Chaudhari, A., Bhalke, N., & Nimbalkar, P. (2019). Machine learning and noise reduction techniques for music genre classification. *Machine Learning*, 6(12).
- Dawson, A., King, V. M., Bentley, G. E., & Ball, G. F. (2001). Photoperiodic control of seasonality in birds. *Journal of Biological Rhythms*, 16(4), 365–380.
- Dewanto, A., & Sitanggang, M. (2009). *Buku pintar merawat dan melatih burung kicauan*. AgroMedia Pustaka.
- Divilia, D., Sari, R. P., & Teguh, P. B. (2015). Efektivitas kombinasi grafting cangkang kerang darah (*Anadara granosa*) dan minyak ikan lemuru (*Sardinella longiceps*) terhadap penurunan jumlah osteoklas pada proses bone repair. *DENTA*, 9(1), 20–29.
- Düring, D. N., Knörlein, B. J., & Elemans, C. P. (2017). In situ vocal fold properties and pitch prediction by dynamic actuation of the songbird syrinx. *Scientific Reports*, 7(1), 11296.
- Goller, F. (2022). The syrinx. *Current Biology*, 32(20), R1095–R1100.
- Hudori, H. A., Firmansayah, M. Y., & CNAWP, R. P. (2024). Analisis kelayakan usaha burung kenari (*Serinus canaria*) dengan sistem kawin poligami di Kecamatan Kencong Kabupaten Jember. *Journal Gallus Gallus*, 2(3), 55–66.
- Jafari, M., Irani, M., & Rezaeipour, V. (2021). Effect of different dietary zinc sources on the semen quality, testicular histology and sex hormone concentration in broiler breeder roosters. *Italian Journal of Animal Science*, 20(1), 489–496.
- Khalil, M., Yasin, Z., & Hwai, T. S. (2017). Reproductive biology of blood cockle *Anadara granosa* (Bivalvia: Arcidae) in the northern region of the Strait of Malacca. *Ocean Science Journal*, 52(1), 75–89.
- Ko, M. C., Van Meir, V., Vellema, M., & Gahr, M. (2020). Characteristics of song, brain-anatomy and blood androgen levels in spontaneously singing female canaries. *Hormones and Behavior*, 117, 104614.

- Lerch, A., Roy, P., Pachet, F., & Nagle, L. (2011). Closed-loop bird-computer interactions: A new method to study the role of bird calls. *Animal Cognition*, 14(2), 203–211.
- Maharany, A., Effendi, I., Tang, U. M., & Darwis. (2023). *Bisnis dan peluang budidaya kerang darah*. Deepublish Digital.
- Mahary, A. (2017). Pemanfaatan tepung cangkang kerang darah (*Anadara granosa*) sebagai sumber kalsium pada pakan ikan lele (*Clarias batrachus* sp). *Acta Aquatica: Aquatic Sciences Journal*, 4(2), 63–67.
- Mareli, N., & Astuti, P. (2021). *Pengaruh pemberian zinc sulfat terhadap kadar testosteron serum burung kenari (Serinus canaria)* [Skripsi, Universitas Gadjah Mada]. Repositori UGM.
- Nayeem, A., Mizi, F., Ali, M. F., & Shariffuddin, J. H. (2023). Utilization of cockle shell powder as an adsorbent to remove phosphorus-containing wastewater. *Environmental Research*, 216, 114514.
- Prabakar, G., Gopi, M., Kolluri, G., Rokade, J. J., Khillare, G., Pearlin, B. V., Jadhav, S. E., Tyagi, J. S., & Mohan, J. (2021). Effect of supplementation of zinc-methionine on egg production, semen quality, reproductive hormones, and hatchability in broiler breeders. *Biological Trace Element Research*, 199(12), 4721–4730.
- Priyambodo, N., Santoso, N., & Fanani, L. (2020). Pengembangan sistem informasi manajemen ternak burung kenari berbasis web. *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, 4(7), 2163–2171.
- Putri, S. A., & Syarifuddin. (2024). Korelasi morfometrik cangkang terhadap berat daging kerang darah (*Anadara granosa*) di tambak dan habitat alami Sumatera Utara. *Jurnal Pendidikan Sains dan Teknologi Terapan*, 1(4), 273–278.
- Putra Tani. (2018). *Beternak kenari: Beternak kenari sendiri mudah dan menguntungkan*. Putra Tani.
- Rozirwan, Nanda, Nugroho, R. Y., Diansyah, G., Muhtadi, Fauziyah, Putri, W. A. E., & Agussalim, A. (2023). Phytochemical composition, total phenolic content and antioxidant activity of *Anadara granosa* (Linnaeus, 1758) collected from the east coast of South Sumatra, Indonesia. *Baghdad Science Journal*, 20(4).
- Rushofah, K. M., & Astuti, P. (2020). *Pengaruh pemberian tepung cangkang kerang darah (Anadara granosa) terhadap vokalisasi kenari jantan* [Skripsi, Universitas Gadjah Mada]. Repositori UGM.
- Sahin, K., Sahin, N., Kucuk, O., Hayirli, A., & Prasad, A. S. (2009). Role of dietary zinc in heat-stressed poultry: A review. *Poultry Science*, 88(10), 2176–2183.
- Sampath, V., Sureshkumar, S., Seok, W. J., & Kim, I. H. (2023). Role and functions of micro and macro-minerals in swine nutrition: A short review. *Journal of Animal Science and Technology*, 65(3), 479.

- Santoso, P. (2022). Studi penangkapan kerang darah (*Anadara granosa*) menuju pengembangan budidayanya di Kecamatan Kupang Tengah, Kabupaten Kupang. *JVIP*, 2(2), 24–31.
- Schroder, C. (2011). *The book of Audacity: Record, edit, mix, and master with the free audio editor*. No Starch Press.
- Sedigh, A., Modaresi, M., & Pirestani. (2014). Effect of organic and mineral zinc supplement in diet on reproductive hormones in mice. *International Journal of Animal and Veterinary Advance*, 6(2), 77–79.
- Shevchouk, O. T., Ball, G. F., Cornil, C. A., & Balthazart, J. (2017). Studies of HVC plasticity in adult canaries reveal social effects and sex differences as well as limitations of multiple markers available to assess adult neurogenesis. *PloS ONE*, 12(1), e0170938.
- Shevchouk, O. T., Ball, G. F., Cornil, C. A., & Balthazart, J. (2019). Rapid testosterone-induced growth of the medial preoptic nucleus in male canaries. *Physiology & Behavior*, 204, 20–26.
- Sherwood, L. (2016). *Human physiology: From cells to systems* (9th ed.). Cengage Learning.
- Sing, A., & Sitanggang, M. (2009). *Cara merawat dan melatih burung kenari*. AgroMedia Pustaka.
- Siriprom, W., Phae-ngam, W., & Kohmun, K. (2022). Effects of temperature and moisture on phase transition of *Anadara granosa* shells. *Materials Today: Proceedings*, 65, 2362–2368.
- Sulistiyarningsih, E., & Arbi, U. Y. (2020). Aspek bio-ekologi dan pemanfaatan kerang marga *Anadara* (mollusca: bivalvia: arcidae). *Oseana*, 45(2), 69–85.
- Swadaya, T., & Trubus, R. (2013). *Rahasia burung juara*. Trubus Swadaya.
- Turut, R. (2010). *Kenari*. PT Niaga Swadaya.
- Turut, R. (2012). *Burung ocehan juara kontes*. Penebar Swadaya Grup.
- Wafiroh, N. L., Mulyono, A., & Muthmainnah, M. (2024). Pelatihan beternak kenari sistem tanpa jamur dengan teknologi pencahaya. *Khidmah Nusantara*, 1(1), 108–118.
- Wang, C., Zeng, Y. T., Chen, X. Y., Wu, Q. Y., Yang, L. Q., Xu, L., & Zhang, M. (2019). Improvac induces immunocastration by affecting testosterone levels and disrupting spermatogenesis in male broiler chickens. *Poultry Science*, 98(11), 6034–6045.
- Washnik, N., Suresh, C., & Lee, C. Y. (2023). Using Audacity software to enhance teaching and learning of hearing science course: A tutorial. *Teaching and Learning in Communication Sciences & Disorders*, 7(3), 4.

- Wellock, C. D., & Reeke, G. N. (2012). Quantitative tools for examining the vocalizations of juvenile songbirds. *Computational Intelligence and Neuroscience*, 2012, 261010.
- Wibowo, Y. (2019). *Acuan praktis budi daya Yorkshire vs Lutino*. Laksana.
- Widodo, W. (2016). *Formulasi pakan burung ocehan dan hias*. Penebar Swadaya Grup.
- Yenilmez, F. (2020). Canary production. *Turkish Journal of Agriculture-Food Science and Technology*, 8(4), 941–944.
- Yuneldi, R. F., Airin, C. M., Saragih, H. T., Prawira, A. Y., & Astuti, P. (2024). Testosterone hormone levels and breast muscle performance of Pelung chickens after zinc sulfate and synthetic testosterone supplementation. *Veterinary World*, 17(10), 2365.
- Yuneldi, R. F., Airin, C. M., Sarmin, S., Prawira, A. Y., & Astuti, P. (2025). Benefits of aromatase blockers for increased testosterone in poultry: A mini-review. *Veterinary World*, 18(5), 1190.
- Yuneldi, R. F., Astuti, P., Saragih, H. T. S., & Airin, C. M. (2021). *Anadara granosa* shell powder improves the metabolism, testosterone level, and sound frequency of Pelung chickens. *Veterinary World*, 14(6), 1564–1571.
- Zeigler, H. P., & Marler, P. (2004). *Behavioral neurobiology of birdsong*. New York Academy of Sciences.