UNIVERSITAS
GADJAH MADA
Efektvitas bakteriofag CTPL 3.2 (famili myoviridae) dalam menghambat Vibrio parahaemolyticus dan mengendalikan vibriosis pada udang vaname (Penaeus vannamei Boone, 1931)
Avisa Azalia Putri, Indah Istiqomah, S.Pi., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afrianti, R., M. Marlina, dan M.H. Mukhtar. 2015. Penetapan pola resistensi antibiotika *Vibrio parahaemolyticus* hasil isolasi dari cumi-cumi (*Loligo vulgaris*) dan kepiting bakau (*Scylla serratta*). Scientia : Jurnal Farmasi dan Kesehatan.1(1): 42.

Algammal, A. M., S. Alghamdi, B. K Almessiry, A. Kabrah, A. S. Sindi, M. Y. Alshahrani, E. Al-Olayan, F. M. Youssef, S. S. Abdelsamea, G.B. Dayrit, and M. Mabrok. 2025. In-depth characterization of virulence traits, pathogenicity, antibiogram, and antibiotic resistance genes of MDR Vibrio parahaemolyticus retrieved from shrimp. Scientific Reports. 15(1): 34285.

Apriliani, M., dan A. H. C. Haditomo. 2016. Keanekaragaman agensia penyebab vibriosis pada udang vaname (*Litopenaeus vannamei*) dan sensitivitasnya terhadap antibiotik. Journal of Aquaculture Management and Technology. 5(1): 98-107.

Ariyanti, T. 2018. The use of bacteriophage for detection and biocontrol of foodborne pathogen. Indonesian Bulletin of Animal and Veterinary Sciences, 28(1): 33.

Brady, A., N. Quiles-Puchalt, D. S. F. Gallego, S. Zamora-Caballero, A. Felipe-Ruíz, J. Val-Calvo, W. J. J. Meijer, A. Marina, and J. R. Penadés. 2021. The arbitrium system controls prophage induction. Current Biology. 31(22):5037-5045.

Calvo, L. G., S. Corral-Orbe, R-A. Villarino , S. Sánchez, & T. de Miguel. 2026. Employment of a resazurin viability-based assay for minimum inhibitory and bactericidal concentration determination. Pharmaceuticals.19(3): 505.

Chandran, A., P. S. Priya, R. Meenatchi, S. Vaishnavi, V. Pavithra, T. T. Ajith Kumar, and J. Arockiaraj. 2023. Insights into molecular aspects of pathogenesis and disease management in acute hepatopancreatic necrosis disease (AHPND): An updated review. Fish & Shellfish Immunology, 142: 109138.

Chen, L., J. Fan, T. Yan, Q. Liu, S. Yuan, H. Zhang, J. Yang, D. Deng, S. Huang, and Y. Ma. 2019. Isolation and characterization of specific phages to prepare a cocktail preventing vibrio sp. Va-F3 infections in shrimp (*Litopenaeus vannamei*). Frontiers in Microbiology. 10: 2337.

Chuah, L.-O., M. E. Effarizah, A. M. Goni, and G. Rusul. 2016. Antibiotic application and emergence of Multiple Antibiotic Resistance (MAR) in global catfish aquaculture. Current Environmental Health Reports. 3(2): 118–127.

Clifton, L. A., M. W. A. Skoda, A. P. Le Brun, F. Ciesielski, I. Kuzmenko, S.A. Holt, and J. H. Lakey. 2015. Effect of divalent cation removal on the structure of Gram-Negative bacterial outer membrane models. Langmuir. 31(1): 404–412.

Duarte, J., Trindade, D., Oliveira, V., Gomes, N. C. M., Calado, R., Pereira, C., & Almeida, A. 2024. Isolation and characterization of infection of four new

UNIVERSITAS
GADJAH MADA
Efektvitas bakteriofag CTPL 3.2 (famili myoviridae) dalam menghambat Vibrio parahaemolyticus dan mengendalikan vibriosis pada udang vaname (Penaeus vannamei Boone, 1931)
Avisa Azalia Putri, Indah Istiqomah, S.Pi., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

bacteriophages infecting a *Vibrio parahaemolyticus* strain. Antibiotics. 13(11): 1086.

Effendi, I. 1997. Biologi Perikanan. Yayasan Pustaka Nusantara, Yogyakarta.

Estrada-Perez, N., J. M. J. Ruiz-Velazco, and A. Hernández-Llamas. 2020. Economic risk scenarios for semi-intensive production of *Litopenaeus (Penaeus) vannamei* shrimp affected by acute hepatopancreatic necrosis disease. Aquaculture Reports. 18: 100442.

Fadel, A., H. A. H. Ibrahim, Y. M. Al-Sodany, M. Bessat, M. Abdelsalam, and M. S. Amer. 2025. Prevalence and molecular characterization of Acute hepatopancreatic necrosis disease (AHPND) in cultured white-leg shrimp *Litopenaeus vannamei* with the fungal bioactive control strategy. Microbial Pathogenesis. 203: 107450.

Shinn, A. P., J. Pratoomyot, D. Griffiths, T. Q. Trong, N. T. Vu, P. Jiravanichpaisal, and M. Briggs. 2018. Asian Shrimp Production and the Economic Costs of Disease. Asian Fisheries Science. 31S: 29-58.

Grabowski, Ł., L. Gaffke, K. Pierzynowska, Z. Cyske, M. Choszcz, G. Węgrzyn, and A. Węgrzyn. 2022. Enrofloxacin—the ruthless killer of eukaryotic cells or the last hope in the fight against bacterial infections ?. Molecular Science. 23: 3648.

Hoa, T. T. T., M. S. Fagnon, D. T. M. Thy, T. Chabrillat, N. B. Trung, and S. Kerros. 2023. Growth performance and disease resistance against *Vibrio parahaemolyticus* of whiteleg shrimp (*Litopenaeus vannamei*) fed essential oil blend (phyto aquabiotic). Animals. 13(21): 3320.

Kang, J., and Y. Chang. 2024. Characterization of a *Vibrio parahaemolyticu*s-targeting lytic bacteriophage SSJ01 and its application in artificial seawater. Food Science and Biotechnology. 33(6): 1505–1515.

Kapoor, A., S. B. Mudaliar, V. G. Bhat, I. Chakraborty, A. S. B. Prasad, N. Mazumder. 2024. Phage therapy: A novel approach against multidrug-resistant pathogens. 3 Biotech. 14(10): 256.

Kim, Y. B., S. Y. Park, H. J. Jeon, B. Kim, M-G. Kwon, S-M. Kim, J. E. Han, and J. H. Kim. 2024. Genomic and pathological characterization of Acute Hepatopancreatic Necrosis Disease (AHPND)-associated natural mutant *Vibrio parahaemolyticus* isolated from *Penaeus vannamei* cultured in Korea. Animals. 14(19): 2788.

Lai, H.-C., T. H. Ng, M. Ando, C-T. Lee, I-T. Chen, J-C. Chuang, R. Mavichak, S-H. Chang, M-D. Yeh, Y-A. Chiang, H. Takeyama, H. Hamaguchi, C-F. Lo, T. Aoki, and H-C. Wang. 2015. Pathogenesis of acute hepatopancreatic necrosis disease (AHPND) in shrimp. Fish & Shellfish Immunology. 47(2): 1006–1014.

UNIVERSITAS
GADJAH MADA
Efektvitas bakteriofag CTPL 3.2 (famili myoviridae) dalam menghambat Vibrio parahaemolyticus dan mengendalikan vibriosis pada udang vaname (Penaeus vannamei Boone, 1931)
Avisa Azalia Putri, Indah Istiqomah, S.Pi., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Letchumanan, V., K-G. Chan, P. Pusparajah, S. Saokaew, A. Duangja, B.-H. Goh, N.-S. Mutalib, and L-H. Lee. 2016. Insights into bacteriophage application in controlling vibrio species. Frontiers in Microbiology, 7: 114.

Liu, Y., G. Jiang, J. Cheng, X. Wang, X. Fan, H. Wu, and H. Shen. 2025. Isolation, genomic analysis and biocontrol potential of bacteriophage SHY-Vp8 and its endolysin against Vibrio parahaemolyticus in shrimp aquaculture. Virus Research. 361: 199638.

Lal, T. M., M. Sano, and J. Ransangan. 2016. Genome characterization of a novel vibriophage VpKK5 (Siphoviridae) specific to fish pathogenic strain of Vibrio parahaemolyticus: Vibrio parahaemolyticus vibriophage VpKK5. Journal of Basic Microbiology. 56(8): 872–888.

Louten, J. 2016.Virus Structure and Classification. Essential Human Virology.6: 19–29. Maftuch, K. Aziz, D. Eslfitri, E. Sanoesi, and A. A. Prihanto. 2017. Enrofloxacin stimulates cell death in several tissues of vannamei shrimp (*Litopenaeus vannamei*). Comparative Clinical Pathology. 26(2): 249–254.

Maftuch, E. Prasetio, A. Sudianto, M. Rozik, R. Nurdiyani, E. Sanusi, H. Nursyam, F. Fariedah, Marsoedi, and Murachman. 2013. Improvement of innate immune responses and defense activity in tiger shrimp (*Penaeus monodon Fab*.) by intramuscular administration of the outer membrane protein *Vibrio alginolyticus*. SpringerPlus. 2(1): 432.

Maslifah, L.P.E. 2026. Isolasi dan karakterisasi *Vibrio parahaemolyticus* dan bakteriofag dari tambak budidaya udang vaname (*Penaeus vannamei)* di Kabupaten Kulon Progo. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.

Matamp, N., and S. G. Bhat. 2020. Genome characterization of novel lytic Myoviridae bacteriophage ϕVP-1 enhances its applicability against MDR-biofilm-forming *Vibrio parahaemolyticus*. Archives of Virology. 165(2):387–396.

Parmar, K. M., Z. J. Hathi, and N. A. Dafale. 2017. Control of multidrug-resistant gene flow in the environment through bacteriophage intervention. Applied Biochemistry and Biotechnology. 181(3):1007–1029.

Rao, B. M., and K.V. Lalitha. 2015. Bacteriophages for aquaculture: are they beneficial or inimical. Aquaculture. 437: 146–154.

Scott, A. E., A. R. Timms, P. L. Connerton, C. Loc Carrillo, K. Adzfa Radzum, and I. F. Connerton. 2007. Genome dynamics of campylobacter jejuni in response to bacteriophage predation. PLoS Pathogens. 3(8): 119.

Sieiro, C., L. Areal-Hermida, A. Pichardo-Gallardo, R. Almuiña-González, T. De Miguel, S. Sánchez, A. Sánchez-Pérez, and T. G. Villa. 2020. A hundred years of bacteriophages: can phages replace antibiotics in agriculture and aquaculture ?. Antibiotics. 9(8): 493.

UNIVERSITAS
GADJAH MADA
Efektvitas bakteriofag CTPL 3.2 (famili myoviridae) dalam menghambat Vibrio parahaemolyticus dan mengendalikan vibriosis pada udang vaname (Penaeus vannamei Boone, 1931)
Avisa Azalia Putri, Indah Istiqomah, S.Pi., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Soto-Rodriguez, S. A., R. Lozano-Olvera, M. G. Ramos-Clamont, E. Zenteno, J. L. Sánchez-Salgado, N. Vibanco-Pérez, and K. G. Aguilar Rendón. 2022. New insights into the mechanism of action of PirAB from *Vibrio Parahaemolyticus*. Toxins. 14(4): 243.

Sultana, T., A.B. Siddique, S. Akther, S. Ahmed, Md. N. Shahadat, M. B, Billah, and M. H. Rahman. 2025. Prevalence and antibiotic resistance patterns of *Vibrio cholerae* and *Vibrio parahaemolyticus* isolated from common fish of retail markets in Dhaka, Bangladesh. Discover Bacteria. 2(1): 23.

Tang, K. F. J., and M. G. Bondad-Reantaso. 2019. Impacts of acute hepatopancreatic necrosis disease on commercial shrimp aquaculture: -EN- -FR- effets de la maladie de nécrose hépatopancréatique aiguë sur la production commerciale de crevettes d'élevage -ES- Repercusiones de la enfermedad de la necrosis hepatopancreática aguda en la producción camaronícola industrial. Revue Scientifique et Technique de l'OIE. 38(2): 477–490.

Tretter, E. M., and J. M. Berger. 2012. Mechanisms for defining supercoiling set point of DNA gyrase orthologs. Journal of Biological Chemistry. 287(22): 18645–18654.

Vandeputte, M., S. Coppens, P. Bossier, N. Vereecke, and D. Vanrompay. 2024. Genomic mining of *Vibrio parahaemolyticus* highlights prevalence of antimicrobial resistance genes and new genetic markers associated with AHPND and tdh + /trh + genotypes. BMC Genomics. 25(1): 178.

Wang, Y., J. Dai, X. Wang, Y. Wang, and F. Tang. 2022. Mechanisms of interactions between bacteria and bacteriophage mediate by quorum sensing systems. Applied Microbiology and Biotechnology. 106(7): 2299–2310.

Xiao-hua, G., A. Wei, and Z. Ming-hui. 2021. Resistance of *Litopenaeus vannamei* from Shanghai to *Vibrio parahaemolyticus* and detection and analysis of resistance genes. Journal of Southern Agriculture. 52(3): 827-836.

Yang, F., L. Xu, W. Huang, and F. Li. 2022. Highly lethal *Vibrio parahaemolyticus* strains cause acute mortality in *Penaeus vannamei* post-larvae. Aquaculture,.548: 737605.

Yang, M., Y. Liang, S. Huang, J. Zhang, J. Wang, H. Chen, Y. Ye, X. Gao, Q. Wu, and Z. Tan. 2020. Isolation and characterization of the novel phages vB_VpS_BA3 and vB_VpS_CA8 for lysing *Vibrio parahaemolyticus*. Frontiers in Microbiology.11: 259.

Zhang, J., C. Zhan, Y. Sun, T. Pan, and X. Zhou. 2025. Exploring the efficacy of bacteriophage cocktails for mitigating vibrio contamination within the seafood production chain: A feasible approach to microbial risk management. Food Control. 177: 111424.

UNIVERSITAS
GADJAH MADA
Efektvitas bakteriofag CTPL 3.2 (famili myoviridae) dalam menghambat Vibrio parahaemolyticus dan mengendalikan vibriosis pada udang vaname (Penaeus vannamei Boone, 1931)
Avisa Azalia Putri, Indah Istiqomah, S.Pi., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhao, X., C. Xu, J. Domagala, K. Drlica. 1997. DNA topoisomerase targets of the Fluoroquinolones: A Strategy for Avoiding Bacterial Resistance. Proc. Natl. Acad. Sci. USA. 94(25):13991–13996.