UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Berkas 6 MV-FFF untuk Commissioning LINAC menggunakan Simulasi Monte Carlo
Yosef Laskar Haryo Utomo, M. Arif Efendi, S.Si., M.Sc., Ph.D.; Ir. Ester Wijayanti, M.T., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] R. Oemiati, E. Rahajeng, and A. Y. Kristanto, "Prevalensi Tumor dan Beberapa Faktor yang Mempengaruhinya di Indonesia," *Bul. Penelit. Kesehat.*, vol. 39, no. 4, pp. 190–204, 2011.

[2] "Profesor Riset BRIN Sebut: Tingkat Kematian Akibat Kanker di Indonesia Capai 59,24% - Jayakarta News." Accessed: May 12, 2026. [Online]. Available: https://jayakartanews.com/profesor-riset-brin-sebut-tingkat-kematian-akibat-kanker-di-indonesia-capai-5924/

[3] R. T. Setiadi, "Analisis Hubungan Reaksi Inti dan Peluruhan Radioaktif dengan Energi Radiasi pada Radioterapi," *RIGGS J. Artif. Intell. Digit. Bus.*, vol. 5, no. 1, pp. 6895–6903, Mar. 2026, doi: 10.31004/riggs.v5i1.7089.

[4] M. Budanec, I. Mrčela, M. Gregov, M. Mlinarić, A. Matanić, and A. Fröbe, "SAFETY CONSIDERATIONS IN RADIOTHERAPY," *Acta Clin. Croat.*, vol. 58, no. Suppl 2, pp. 82–83, Nov. 2019, doi: 10.20471/acc.2019.58.s2.14.

[5] B. H. Suharmono, I. Y. Anggraini, H. Hilmaniyya, and S. D. Astuti, "Quality Assurance (QA) Dan Quality Control (QC) Pada Instrumen Radioterapi Pesawat LINAC," *J. Biosains Pascasarj.*, vol. 22, no. 2, pp. 73–80, Dec. 2020, doi: 10.20473/jbp.v22i2.2020.73-80.

[6] R. Nath, L. L. Anderson, J. A. Meli, A. J. Olch, J. A. Stitt, and J. F. Williamson, "Medical Physics | AAPM Journal | Wiley Online Library", doi: 10.1118/1.597966.

[7] M. A. Efendi, A. Funsian, T. Chittrakarn, and T. Bhongsuwan, "Monte Carlo simulation using PRIMO code as a tool for checking the credibility of commissioning and quality assurance of 6 MV TrueBeam STx varian LINAC," *Rep. Pract. Oncol. Radiother.*, 2020, doi: 10.1016/j.rpor.2019.12.021.

[8] A. Sottiaux, V. Baltieri, C. Leclercq, A. Monseux, and M. Tomsej, "P25. Assessment of Monte Carlo calculations accuracy for VMAT treatment plans on a Novalis TrueBeam STx linac using PRIMO," *Phys. Med.*, vol. 32, pp. 377–378, Dec. 2016, doi: 10.1016/j.ejmp.2016.11.037.

[9] R. Shende, S. J. Dhoble, and G. Gupta, "Geometrical source modeling of 6MV flattening-filter-free (FFF) beam from TrueBeam linear accelerator and its commissioning validation using Monte Carlo simulation approach for radiotherapy," *Radiat. Phys. Chem.*, vol. 199, p. 110339, Oct. 2022, doi: 10.1016/j.radphyschem.2022.110339.

[10] J.-F. Calvo-Ortega and M. Hermida-López, "PRIMO Monte Carlo software as a tool for commissioning of an external beam radiotherapy treatment planning system," *Rep. Pract. Oncol. Radiother. J. Gt. Cancer Cent. Poznan Pol. Soc. Radiat. Oncol.*, vol. 28, no. 4, pp. 529–540, 2023, doi: 10.5603/RPOR.a2023.0060.

[11] I. F. Maulana, S. Yani, T. Sumaryada, M. F. Rhani, and F. Haryanto, "Commissioning of Elekta Infinity™ 6 MV flattening filter-free using Monte Carlo simulation," *Radiat. Phys. Chem.*, vol. 210, p. 111018, Sep. 2023, doi: 10.1016/j.radphyschem.2023.111018.

[12] A. L. de C. Ribeiro, A. C. H. de Oliveira, L. P. da Silva, and E. D. Paiva, "Monte Carlo simulation of a 6 MV Varian Trilogy clinical linear accelerator

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Berkas 6 MV-FFF untuk Commissioning LINAC menggunakan Simulasi Monte Carlo
Yosef Laskar Haryo Utomo, M. Arif Efendi, S.Si., M.Sc., Ph.D.; Ir. Ester Wijayanti, M.T., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

using Geant4 for small-field dosimetry analysis," *Braz. J. Radiat. Sci.*, vol. 13, no. 4, Oct. 2025, doi: 10.15392/2319-0612.2025.2958.

[13] E. X. Bozorov and G. N. U. O'g'li, "PHOTON INTERACTION WITH MATTER," *YANGI RENESSANSDA ILM-FAN TARAQQIYOTI*, vol. 1, no. 3, pp. 683–688, Dec. 2025.

[14] G. F. Knoll, *Radiation detection and measurement*, 3rd ed. New York: Wiley, 2000.

[15] "Interaction of Ionizing Radiation with Molecular Systems," in *Survey of Progress in Chemistry*, vol. 4, Elsevier, 1968, pp. 165–204. doi: 10.1016/B978-1-4832-0006-4.50011-6.

[16] Y. Tanaka *et al.*, "Energy Spectra of Bremsstrahlung X-Rays Emitted From an FRP Insulator," *Plasma Sci. IEEE Trans. On*, vol. 37, pp. 1495–1498, Sep. 2009, doi: 10.1109/TPS.2009.2020402.

[17] R. ; H. K. Susworo, *Radioterapi Dasar - Dasar Radioterapi Tata Laksana Radioterapi Penyakit Kanker*. Universitas Indonesia Press, 2017. Accessed: May 12, 2026. [Online]. Available: //opac.poltekkesjkt2.ac.id%2Findex.php%3Fp%3Dshow_detail%26id%3D8127%26keywords%3D

[18] D. E. Heron, R. P. Smith, and R. S. Andrade, "Advances in image-guided radiation therapy—the role of PET-CT," *Med. Dosim.*, vol. 31, no. 1, pp. 3–11, 2006.

[19] R. Baskar, K. A. Lee, R. Yeo, and K.-W. Yeoh, "Cancer and radiation therapy: current advances and future directions," *Int. J. Med. Sci.*, vol. 9, no. 3, pp. 193–199, 2012, doi: 10.7150/ijms.3635.

[20] G. A. Viani *et al.*, "Chemotherapy followed by low dose radiotherapy in childhood Hodgkin's disease: retrospective analysis of results and prognostic factors," *Radiat. Oncol.*, vol. 1, p. 38, Oct. 2006, doi: 10.1186/1748-717X-1-38.

[21] E. B. Podgorsak *et al.*, "Radiation oncology physics: A handbook for teachers and students," Jul. 2005, Accessed: May 12, 2026. [Online]. Available: https://inis.iaea.org/records/zvrz8-q5q11

[22] "(PDF) BOLUS BERBAHAN SILICONE DAN NATURAL RUBBER Undip Press Semarang," ResearchGate. Accessed: May 12, 2026. [Online]. Available: https://www.researchgate.net/publication/330750323_BOLUS_BERBAHAN_SILICONE_DAN_NATURAL_RUBBER_Undip_Press_Semarang

[23] D. (David) Greene, *Linear accelerators for radiation therapy*. Bristol, UK ; Philadelphia : Institute of Physics Pub., 1997. Accessed: May 12, 2026. [Online]. Available: http://archive.org/details/linearaccelerato0000gree

[24] E. B. Podgorsak *et al.*, "Radiation oncology physics: A handbook for teachers and students," Jul. 2005, Accessed: May 12, 2026. [Online]. Available: https://inis.iaea.org/records/zvrz8-q5q11

[25] "Linear Accelerator (LINAC)Concept and Operation." Accessed: May 12, 2026. [Online]. Available: https://www.linkedin.com/pulse/linear-accelerator-linac-concept-operation-jean-essam

UNIVERSITAS
GADJAH MADA
Analisis Karakteristik Berkas 6 MV-FFF untuk Commissioning LINAC menggunakan Simulasi Monte Carlo
Yosef Laskar Haryo Utomo, M. Arif Efendi, S.Si., M.Sc., Ph.D.; Ir. Ester Wijayanti, M.T., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[26] "climber.uml.edu.ni - Knoll Radiation Detection And Measurement 4th Edition." Accessed: May 12, 2026. [Online]. Available: https://climber.uml.edu.ni/HomePages/virtual-library/4000029/Knoll_Radiation-Detection-And_Measurement_4th_Edition.pdf

[27] J. Wulff, J. T. Heverhagen, and K. Zink, "Monte-Carlo-based perturbation and beam quality correction factors for thimble ionization chambers in high-energy photon beams," *Phys. Med. Biol.*, vol. 53, no. 11, pp. 2823–2836, Jun. 2008, doi: 10.1088/0031-9155/53/11/005.

[28] T. K. Johnson, "Commissioning and Quality Assurance of Computerized Planning Systems for Radiation Treatment of Cancer," *Health Phys.*, vol. 92, no. 4, pp. 407–408, Apr. 2007, doi: 10.1097/01.HP.0000256888.06234.e3.

[29] I. J. Das *et al.*, "Accelerator beam data commissioning equipment and procedures: report of the TG-106 of the Therapy Physics Committee of the AAPM," *Med. Phys.*, vol. 35, no. 9, pp. 4186–4215, Sep. 2008, doi: 10.1118/1.2969070.

[30] M. K. Semwal, "Khan's The Physics of Radiation Therapy," *J. Med. Phys.*, vol. 45, no. 2, pp. 134–135, 2020, doi: 10.4103/jmp.JMP_17_20.

[31] D. A. Low, W. B. Harms, S. Mutic, and J. A. Purdy, "A technique for the quantitative evaluation of dose distributions," *Med. Phys.*, vol. 25, no. 5, pp. 656–661, May 1998, doi: 10.1118/1.598248.

[32] M. Miften *et al.*, "Tolerance limits and methodologies for IMRT measurement-based verification QA: Recommendations of AAPM Task Group No. 218," *Med. Phys.*, vol. 45, no. 4, pp. e53–e83, 2018, doi: 10.1002/mp.12810.

[33] M. Rodriguez, J. Sempau, and L. Brualla, "PRIMO: a graphical environment for the Monte Carlo simulation of Varian and Elekta linacs," *Strahlenther. Onkol. Organ Dtsch. Rontgengesellschaft Al*, vol. 189, no. 10, pp. 881–886, Oct. 2013, doi: 10.1007/s00066-013-0415-1.