

DAFTAR PUSTAKA

- Alian, H. A., Samy, H. M., Ibrahim, M. T., Yusuf, M. S., & Mahmoud, M. M. A. (2023). Nano Zinc Oxide Improves Performance, IGF-I mRNA Expression, Meat Quality, and Humeral Immune Response and Alleviates Oxidative Stress and NF- κ B Immunohistochemistry of Broiler Chickens. *Biological Trace Element Research*, 201(8), 4062–4078.
- Aksono, E. B., Ariani, B. I., & Sarudji, S. (2012, Desember). Feathers (Calamus) Utilization as Materials for Sex Determination on Canary Bird (*Serinus canaria*) with PCR (Polymerase Chain Reaction) Method. *Media Journal of Basic Medical Veterinary*, 1, 59 - 64.
- Astuti, P., Airin, C. M., Sarmin, S., Nururrozi, A., & Harimurti, S. (2019). Effect of shell as natural testosterone boosters in Sprague Dawley rats. *Veterinary World*, 12(10), 1677–1681.
- Aydin, S. (2015). A short history, principles, and types of ELISA, and our laboratory experience with peptide/protein analyses using ELISA. *Peptides*, 72, 4–15.
- A'yuni, Q., Widiyanti, A., Ulfindrayani, I. F., Prayogi, Y. R., Arif, S., Fitria, A., & Ningsih, L. (2019). PEMANFAATAN LIMBAH CANGKANG KERANG SEBAGAI PAKAN TERNAK BERKUALITAS DI DESA TAMBAK CEMANDI SIDOARJO. In *Journal of Science and Social Development* (Vol. 2, Number 2).
- Behringer, V., & Deschner, T. (2017). Non-invasive monitoring of physiological markers in primates. In *Hormones and Behavior* (Vol. 91, pp. 3–18). Academic Press Inc.
- Buchanan, K. L., Spencer, K. A., Goldsmith, A. R., & Catchpole, C. K. (2003). Song as an honest signal of past developmental stress in the European starling (*Sturnus vulgaris*). *Proceedings of the Royal Society B: Biological Sciences*, 270(1520), 1149–1156.
- Cai, Z., Wang, J., Zhang, Y., Li, X., Luo, J., Gao, X., & Guo, M. (2025). Zinc and animal health: an in-depth exploration of its role in physiological functions and regulatory molecular mechanisms. In *Journal of Animal Science and Biotechnology* (Vol. 16, Number 1). BioMed Central Ltd.
- Cockrem, J. F. (2007). Stress, corticosterone responses and avian personalities. In *Journal of Ornithology* (Vol. 148, Number SUPPL. 2). Springer Verlag.

- Cockrem, J. F. (2012). Corticosterone responses and personality in birds: Individual variation and the ability to cope with environmental changes due to climate change. *General and Comparative Endocrinology*, 190, 156–163.
- Crino, O. L., Driscoll, S. C., Brandl, H. B., Buchanan, K. L., & Griffith, S. C. (2020). Under the weather: Corticosterone levels in wild nestlings are associated with ambient temperature and wind. *General and Comparative Endocrinology*, 285.
- Cruz-Martinez, L., Smits, J. E., & Fernie, K. (2014). Stress response, biotransformation effort, and immunotoxicity in captive birds exposed to inhaled benzene, toluene, nitrogen dioxide, and sulfur dioxide. *Ecotoxicology and Environmental Safety*, 112, 223–230.
- Currier, S. A., Whitt, J. G., & Reyna, K. S. (2024). Biological validation of faecal corticosterone metabolites as a non-invasive stress assessment in translocated California valley quail (*Callipepla californica*). *Conservation Physiology*, 12(1), coae012.
- Das, P. K., Sejian, V., Mukherjee, J., & Banerjee, D. (n.d.). *Textbook of Veterinary Physiology*.
- Dehnhard, M., Schreer, A., Krone, O., Jewgenow, K., Krause, M., & Grossmann, R. (2003). Measurement of plasma corticosterone and fecal glucocorticoid metabolites in the chicken (*Gallus domesticus*), the great cormorant (*Phalacrocorax carbo*), and the goshawk (*Accipiter gentilis*). *General and Comparative Endocrinology*, 131(3), 345–352.
- Deshpande, N., Suryawanshi, P. V, & Tripathy, S. (2024). Unveiling the Quest: Crafting an Enzyme-Linked Immunosorbent Assay (ELISA) Technique to Uncover COVID-19 Antibodies. *Cureus*.
- Dhalia, E., Ginting, D., Susetya, I. E., Patana, P., & Desrita, D. (2017). *Identifikasi jenis-jenis bivalvia di Perairan Tanjungbalai, Provinsi Sumatera Utara Identification of bivalvia in Tanjungbalai Waters, North Sumatera Province* (Vol. 4).
- Diva Adinda Purnamasari, Lana Nafisyah, S.Pi., M. Sc., Ph.D., A., & Aprilianita Sari, S.Pi., M.Si, L. (2024). Innovative Utilization of Blood Cockle Shell Waste (*Anadara granosa*) as a Growth Medium for *Nitzschia* sp. *Journal of Marine and Coastal Science*, 13(3), 136–143.
- Dong, H. L., Wu, X. Y., Wang, F. Y., Chen, H. X., Feng, S. L., Zhou, C. Y., Zhao, Z. Q., & Si, L. F. (2024). Mechanism of activation of TLR4/NF- κ B/NLRP3

signaling pathway induced by heat stress disrupting the filtration barrier in broiler. *BMC Veterinary Research*, 20(1).

Engelking, Larry. (2012). *Metabolic and Endocrine Physiology*. Teton NewMedia.

Flores, R., Penna, M., Wingfield, J. C., Cuevas, E., Vásquez, R. A., & Quirici, V. (2019). Effects of traffic noise exposure on corticosterone, glutathione and tonic immobility in chicks of a precocial bird. *Conservation Physiology*, 7(1).

Frid, A., & Dill, L. (2002). *Human-caused Disturbance Stimuli as a Form of Predation Risk*.

Gleichenhagen, J., Arndt, C., Casjens, S., Meinig, C., Gerullis, H., Raiko, I., Brüning, T., Ecke, T., & Johnen, G. (2018). Evaluation of a new survivin ELISA and UBC® rapid for the detection of bladder cancer in urine. *International Journal of Molecular Sciences*, 19(1).

Hidayat, R., & Patricia Wulandari. (2021). Enzyme Linked Immunosorbent Assay (ELISA) Technique Guideline. *Bioscientia Medicina : Journal of Biomedicine and Translational Research*, 5(5), 447–453.

Hou, J.-Y., Fu, X.-J., & Ren, X. (2026). Mollusk Shells as Marine Bioactive Materials: Composition, Bioactivities, and Prospects for Food and Health Applications. *IScience*, 114748.

Hu, P., Li, K., Peng, X., Yao, T., Zhu, C., Gu, H., Liu, H. Y., Sun, M. A., Hu, Y., Ennab, W., Luo, X., & Cai, D. (2023). Zinc intake ameliorates intestinal morphology and oxidative stress of broiler chickens under heat stress. *Frontiers in Immunology*, 14.

Ilmu Perairan, J., Notonegoro, H., Dewi Pratiwi, F., Perikanan Tangkap, J., Pertanian Perikanan dan Biologi, F., Bangka Belitung, U., & Manajemen Sumberdaya Perairan, J. (2022). *Aquatic Science MORFOMETRI KERANG Anadara granosa di PERAIRAN SUKAL BANGKA BARAT MORFOMETRIC OF Anadara granosa SHELLFISH in SUKAL WATERS, WEST BANGKA*. 18.

Kersey, D. C., & Dehnhard, M. (2014). The use of noninvasive and minimally invasive methods in endocrinology for threatened mammalian species conservation. *General and Comparative Endocrinology*, 203, 296–306.

Kustiariyah, dan. (2005). *Buletin Teknologi Hasil Perikanan KANDUNGAN MINERAL DAN PROKSIMAT KERANG DARAH (*Anadara granosa*) YANG DIAMBIL DARI KABUPATEN BOALEMO, GORONTALO* (Vol. 2).

- Lemos, L. S., Olsen, A., Smith, A., Chandler, T. E., Larson, S., Hunt, K., & Torres, L. G. (2020). Assessment of fecal steroid and thyroid hormone metabolites in eastern North Pacific gray whales. *Conservation Physiology*, 8(1).
- Li, Y., & Androulakis, I. P. (2021). Light entrainment of the SCN circadian clock and implications for personalized alterations of corticosterone rhythms in shift work and jet lag. *Scientific Reports*, 11(1), 17929.
- MacMullan, M. A., Ibrayeva, A., Trettner, K., Deming, L., Das, S., Tran, F., Moreno, J. R., Casian, J. G., Chellamuthu, P., Kraft, J., Kozak, K., Turner, F. E., Slepnev, V. I., & Le Page, L. M. (2020). ELISA detection of SARS-CoV-2 antibodies in saliva. *Scientific Reports*, 10(1).
- Mahary, A. (2017). Pemanfaatan Tepung Cangkang Kerang Darah (*Anadara granosa*) Sebagai Sumber Kalsium pada Ikan Lele (*Clarias batrachus* sp). *Acta Aquatica*, 4(2): 63-67
- Mariani, E., Mariani, E., Savoini, G., & Niewold, T. A. (2018). Non-invasive intestinal biomarkers: a new ELISA test for Pancreatitis Associated Protein detection in pig. *Animal Science Days*, 6(1s).
- Millspaugh & Washburn. (2003). Within-sample Variation of Fecal Glucocorticoid Measurements. *General and Comparative Endocrinology*, 1;132(1): 21-6.
- Mohd Yusof, H., Abdul Rahman, N., Mohamad, R., Zaidan, U. H., & Samsudin, A. A. (2023). Influence of Dietary Biosynthesized Zinc Oxide Nanoparticles on Broiler Zinc Uptake, Bone Quality, and Antioxidative Status. *Animals*, 13(1).
- Müller, C., Jenni-Eiermann, S., Blondel, J., Perret, P., Caro, S. P., Lambrechts, M., & Jenni, L. (2006). Effect of human presence and handling on circulating corticosterone levels in breeding blue tits (*Parus caeruleus*). *General and Comparative Endocrinology*, 148(2), 163–171.
- Nelson, J. R., Sobotik, E. B., Rebollo, M. A., & Archer, G. S. (2020). Supplementation of a water-soluble zinc-AA complex to reduce stress in broilers, pullets, and layers. *Journal of Animal Science*, 98(1). <https://doi.org/10.1093/jas/skz361>
- Newberry, G. N., & Swanson, D. L. (2018). Elevated temperatures are associated with stress in rooftop-nesting Common Nighthawk (*Chordeiles minor*) chicks. *Conservation Physiology*, 6(1).
- Nurjanah, Zulhamasyah, & Kustiariyah. (2005). Kandungan Mineral dan Fanasimat Kerang Darah (*Anadara granosa*) yang Diambil dari Kabupaten Boalemo, Gorontalo. *Buletin Teknologi Hasil Perikanan*, 7, 15-16.

- Palme, R. (2018). Non-invasive measurement of glucocorticoids: Advances and problems. *Physiology & Behavior*, 199, 229–243.
- Penelitian, J., Ramadhan Nugrayasa, F., Nabil Pratama, F., Usamah, N., Tri Rahmadani, R., Natanael Ginting, R., Rahmawati, S., Fitri Hapsari, K., & Agribisnis, M. (2025). All Fields of Science J-LAS Analisis Pengendalian Kualitas Komoditas Burung Kenari dengan Pendekatan Input-Proses-Output pada Usaha Ternak Malik Canary Analysis of Canary Commodity Quality Control Using the Input-Process-Output Approach in Malik Canary Breeding Business. *AFoSJ-LAS*, 5(4), 470–487.
- Pradit, S., Shazili, N. A. M., Towatana, P., & Saengmanee, W. (2016). Accumulation of Trace Metals in *Anadara granosa* and *Anadara inaequalis* from Pattani Bay and the Setiu Wetlands. *Bulletin of Environmental Contamination and Toxicology*, 96(4), 472–477.
- Ramiah, S. K., Awad, E. A., Mookiah, S., & Idrus, Z. (2019). Effects of zinc oxide nanoparticles on growth performance and concentrations of malondialdehyde, zinc in tissues, and corticosterone in broiler chickens under heat stress conditions. *Poultry Science*, 98(9), 3828–3838.
- Ramírez-Santos, P., L. Enríquez, P., Raúl Vázquez-Pérez, J., & Luis Rangel-Salazar, J. (2020). Bird Behaviour during Prey-Predator Interaction in a Tropical Forest in México. In *Owls*. IntechOpen.
- Rich, E. L., & Romero, L. M. (2005). Exposure to chronic stress downregulates corticosterone responses to acute stressors. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 288(6), R1628–R1636.
- Rozirwan, Nanda, Nugroho, R. Y., Diansyah, G., Muhtadi, Fauziyah, Putri, W. A. E., & Agussalim, A. (2023). Phytochemical composition, total phenolic content and antioxidant activity of *Anadara granosa* (Linnaeus, 1758) collected from the east coast of South Sumatra, Indonesia. *Baghdad Science Journal*, 20(4), 1258–1265.
- Sahin, N., Onderci, M., & Sahin, K. (2002). Effects of Dietary Chromium and Zinc on Egg Production, Egg Quality, and Some Blood Metabolites of Laying Hens Reared Under Low Ambient Temperature. In *Biological Trace Element Research* (Vol. 47).
- Sakamoto, S., Putalun, W., Vimolmangkang, S., Phoolcharoen, W., Shoyama, Y., Tanaka, H., & Morimoto, S. (2018). Enzyme-linked immunosorbent assay for the quantitative/qualitative analysis of plant secondary metabolites. In *Journal of Natural Medicines* (Vol. 72, Number 1, pp. 32–42). Springer Tokyo.

- Santosa, B. (2020). *TEKNIK ELISA Metode Elisa Untuk Pengukuran Protein Metallothionein Pada Daun Padi Ir Bagendit*.
- Santoso, P. (2022). Studi Penangkapan Kerang Darah (*Anadara granosa*) Menuju Pengembangan Budidayanya di Kecamatan Kupang Tengah, Kabupaten Kupang. *JVIP*, 2(2): 24-31
- Schwabl, P., Bonaccorso, E., & Goymann, W. (2016). Diurnal variation in corticosterone release among wild tropical forest birds. *Frontiers in Zoology*, 13(1), 19.
- Siegel, H. S. (1980). *Physiological Stress in Birds* (Vol. 30, Number 8).
- Sing, k., dan Stitanggang, M. (2010). *Jurus Sukses Merawat & Menangkarkan Kenari*. Jakarta: AgroMedia
- Skwarska, J., Podstawczyńska, A., Bańbura, M., Gładalski, M., Kaliński, A., Markowski, M., Wawrzyniak, J., Zieliński, P., & Bańbura, J. (2022). Effects of ambient temperature during the nestling stage on a stress indicator in nestling pied flycatchers *Ficedula hypoleuca*. *International Journal of Biometeorology*, 66(1), 139–148.
- Sollars, P. J., Weiser, M. J., Kudwa, A. E., Bramley, J. R., Ogilvie, M. D., Spencer, R. L., Handa, R. J., & Pickard, G. E. (2014). Altered entrainment to the Day/Night cycle attenuates the daily rise in circulating corticosterone in the mouse. *PLoS ONE*, 9(11), e111944.
- Spencer, R. L., & Deak, T. (2017). A users guide to HPA axis research. In *Physiology and Behavior* (Vol. 178, pp. 43–65). Elsevier Inc. ht
- Squires, E. J. (n.d.). *Squires 3rd Edition APPLIED ANIMAL ENDOCRINOLOGY 3rd Edition Space for bar code with ISBN included APPLIED ANIMAL ENDOCRINOLOGY*.
- Stiles, L. I., Ferrao, K., & Mehta, K. J. (2024). Role of zinc in health and disease. In *Clinical and Experimental Medicine* (Vol. 24, Number 1). Springer Science and Business Media Deutschland GmbH
- Sulistyaningsih, E, & Arbi, U. Y. (2020). Aspek Bio-Ekologi dan Pemanfaatan Kerang Marga *Anadara* (Mollusca: Bivalvia: Arcidae). *Oseana*, 45(2):69-85.
- Summa, D., Lanzoni, M., Castaldelli, G., Fano, E. A., & Tamburini, E. (2022). Trends and Opportunities of Bivalve Shells' Waste Valorization in a Prospect of Circular Blue Bioeconomy. In *Resources* (Vol. 11, Number 5). MDPI.

- Takeda, A. (2011). Zinc signaling in the hippocampus and its relation to pathogenesis of depression. *Molecular Neurobiology*, 44(2), 166–174.
- Turriani, M., Bernabò, N., Barboni, B., Todisco, G., Montini, L., & Berardinelli, P. (2016). Circadian Rhythm and Stress Response in Droppings of *Serinus canaria*. *Veterinary Medicine International*, 2016.
- Turut, R. (2010). *Kenari*. Jakarta: Penebar Swadaya.
- Van Meter, P. E., French, J. A., Dloniak, S. M., Watts, H. E., Kolowski, J. M., & Holekamp, K. E. (2009). Fecal glucocorticoids reflect socio-ecological and anthropogenic stressors in the lives of wild spotted hyenas. *Hormones and Behavior*, 55(2), 329–337.
- Watanabe, M., Tamano, H., Kikuchi, T., & Takeda, A. (2010). Susceptibility to stress in young rats after 2-week zinc deprivation. *Neurochemistry International*, 56(3), 410–416.
- Wheeler, B. C., Tiddi, B., Kalbitzer, U., Visalberghi, E., & Heistermann, M. (2013). Methodological Considerations in the Analysis of Fecal Glucocorticoid Metabolites in Tufted Capuchins (*Cebus apella*). *International Journal of Primatology*, 34(5), 879–898.
- Xu, J., Wang, B., & Ao, H. (2025). Corticosterone effects induced by stress and immunity and inflammation: mechanisms of communication. In *Frontiers in Endocrinology* (Vol. 16). Frontiers Media SA.
- Yenilmez, F. (2020). Canary Production. *Turkish Journal of Agriculture - Food Science and Technology*, 8(4), 941–944.
- Zhang, Y., & Wang, L. (2024). Research progress in the treatment of chronic fatigue syndrome through interventions targeting the hypothalamus-pituitary-adrenal axis. *Frontiers in Endocrinology*, 15, 1373748. <https://doi.org/10.3389/fendo.2024.1373748>