UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdurrasyid, Z., Astawan, M., Lioe, H. N. and Wresdiyati, T. 2023. Physicochemical and antioxidant properties of germinated soybean tempe after two days additional fermentation time. *Biointerface Research in Applied Chemistry*, 13(3): 1-14.

Adebo, J.A., Njobeh, P.B., Gbashi, S., Oyedeji, A.B., Ogundele, O.M., Oyeyinka, S.A. and Adebo, O.A. 2022. Fermentation on cereals and legumes: Impact on nutritional constituents and nutrient bioavailability. *Fermentation*, 8: 63.

Aguilera, Y., Esteban, R.M., Benitez, V., Molla, E. and Martin-Cabrejas, M.A. 2009. Starch, functional properties, and microstructural characteristics in chickpea and lentil as affected by thermal processing. *Journal of Agricultural and Food Chemistry*, 57(22): 10.682−10.688.

Ahnan-Winarno, A.D., Cordeiro, L., Winarno, F.G., Gibbons, J. and Xiao, H. 2021. Tempeh: a semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *Compr. Rev. Food Sci. Food Saf.*, 20(2021): 1717-1767.

Allwood, J. G., Wakeling, L. T. and Bean, D. C. 2021. Fermentation and the microbial community of Japanese koji and miso: A review. *Journal of Food Science*, 86(6): 2194–2207. DOI: 10.1111/1750-3841.15773.

Amanah, Y.S., Sya'di, Y.K. and Handarsari, E. 2019. Kadar protein dan tekstur pada tempe koro benguk dengan substitusi kedelai hitam.

Anggraeni, A.S., Windarsih, A., Ujiantari, N.S.O., Utami, I.D., Alam, L.P.M., Khasanah, Y., Indrianingsih, A.W. and Suratno. 2024. Fast DPPH antioxidant activity analysis by UHPLC-HRMS combined with chemometrics of tempeh during food processing. *Metabolomics*, 20(130): 1-18.

AOAC International. 2019. *Official Methods of Analysis of AOAC International*. 21st ed. AOAC International, Rockville, Maryland.

Astawan, M., Wresdiyati, T., Widowati, S., Bintari, S.H. and Ichsani, N. 2013. Physico-chemical characteristics and functional properties of tempeh made from different soybeans varieties. *Jurnal Pangan*, 22(3): 241-252.

Astawan, M., Faishal, M. A., Prayudani, A. P. G., Wresdiyati, T. and Sardjono, R. E. 2023. Effects of seed germination on physicochemical and bioactive compounds characteristics of velvet bean tempe. *Current Research in Nutrition and Food Science*, 11(2): 808–821.

Astawan, M., Prayudani, A. P. G., Haekal, M., Wresdiyati, T. and Sardjono, R. E. 2024. Germination effects on the physicochemical properties and sensory profiles of velvet bean (*Mucuna pruriens*) and soybean tempe. *Frontiers in Nutrition*, 11: 383841.

Ayun, Q., Muthiah, S.N. and Perdana, A.T. 2024. Characterization of Lactic Acid Bacteria (LAB) from tempeh probiotic drink with combination of dates and skim milk. *Konservasi Hayati*, 20(1): 11-21.

Barus, T. and Rahman, R. A. 2021. Kualitas tempe menggunakan *Rhizopus microsporus* TB23, *R. microsporus* TB32, dan *R. microsporus* TB55 yang

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

berasal dari inokulum "Daun Waru". *Jurnal Aplikasi Teknologi Pangan*, 10(1): 13–18.

Bashev, Z., Karcheva-Bahchevanska, D., Ardasheva, R. and Ivanova, S. 2026. A comprehensive review of the therapeutic potential of *Mucuna pruriens*. *Molecules*, 31: 868.

Becker, K., Heilmann, C. and Peters, G. 2014. Coagulase-Negative *Staphylococci*. *Clinical Microbiology Reviews*, 27(4): 871-925.

Bokulich, N.A. and Mills, D.A. 2013. Facility-specific "house" microbiome drives microbial landscape of artisan cheese making plants. *Applied and Environmental Microbiology* 79(17): 5214-5223.

Cempaka, L., Eliza, N., Ardiansyah, Handoko, D.D. and Astuti, R.M. 2018. Proximate composition, total phenolic content, and sensory analysis of rice bran tempeh. *Makara Journal of Science.* 22(2): 89-94.

Crafack, M., Keul, H., Eskildsen, C.E., Petersen, M.A., Saerens, S., Blennow, A., Skovmand-Larsen, M., Swiegers, J.H., Petersen, G.B., Heimdal, H. 2014. Impact of starter cultures and fermentation techniques on the volatile aroma and sensory profile of chocolate. *Food Res. Int.*, 63(2014): 306-316.

Dabrowski, P., Rasmus, M., Jundzill, A., Drewa, T., and Pokrywczynska, M. 2024. A comparison of five methods to maximize RNA and DNA isolation yield from adipose tissue. *PeerJ*, 12: e17071.

Dafne, V., Kassandra, D.S., Nicolle, M.E. and Rocio, C. 2025. Tempeh-type fermentation: impact on food composition, bioaccessibility, and health benefits. *Improving Health and Nutrition through Functional Foods*, 2025: 17-41.

Damanik, R.N.S., Pratiwi, D.Y.W., Widyastuti, N., Rustanti, N., Anjani, G. and Afifah, D.N. 2018. Nutritional composition changes during tempeh gembus proceessing. *IOP Conf. Series: Earth and Environmental Science*, 116(2018): 012026.

De Coster, W., D'Hert, S., Schultz, D.T., Cruts, M. and Van Broeckhoven, C. 2018. NanoPack: visualizing and processing long-read sequencing data. *Bioinformatics*, 34(15): 2666–2669.

De Vuyst, L., Comasio, A. and Kerrebroeck, S.V. 2023. Sourdough production: fermentation strategies, microbial ecology, and use of non-flour ingredients. *Crit. Rev. Food Sci. Nutr.*, 63(2023): 2447-2479.

Dhanya Raj, C. T., Kandaswamy, S., Suryavanshi, M. V., Ramasamy, K., Rajasabapathy, R. and James, R. A. 2023. Genomic and metabolic properties of *Staphylococcus gallinarum* FCW1 MCC4687 isolated from naturally fermented coconut water towards GRAS assessment. *Journal of Applied Microbiology,* 134(4): lxad047.

Efriwati, Suwanto, A., Rahayu, G. and Nuraida, L. 2013. Population dynamics of yeasts and lactic acid bacteria (LAB) during tempeh production. *HAYATI Journal of Biosciences*, 20(2): 57-64.

Erdiansyah, M., Meryandini, A., Wijaya, M. and Suwanto, A. 2021. Microbiological quality of tempeh with different wraps: banana leaf versus plastic. *Journal Food Science Technology*, 2021: 1-8.

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Erkan, S.B., Gurler, H.N., Bilgin, D.G., Germec, M. and Turhan, I. 2020. Production and characterization of tempehs from different sources of legume by *Rhizopus oligosporus*. *LWT - Food Science and Technology*, 119(1): 108880.

Etiosa, O., Chika, N. and Benedicta, A. 2018. Mineral and proximate composition of soya bean. *Asian Journal Chemical Science*. 4: 1–6.

Ezegbe, C.C., Nwosu, J.N., Owuamanan, C.I., Victor-Aduloju, T.A. and Nkhata, S.G. 2023. Proximate composition and anti-nutritional factors in *Mucuna pruriens* (velvet bean) seed flour as affected by several processing methods. *Heliyon*, e18728.

Feng, X.M., Passoth, V., Eklund-Jonsson, C., Alminger, M.L. and Schnurer, J. 2007. *Rhizopus oligosporus* and yeast co-cultivation during barley tempeh fermentation-nutritional impact and real-time PCR quantification of fungal growth dynamics. *Food Microbiol*, 24: 393-402.

Fitriyah, H., Anwar, F. and Palupi, E. 2021. Morphological characteristics, chemical and amino acids composition of flours from velvet beans tempe (*Mucuna pruriens*), an indigenous legume from Yogyakarta. *Journal of Physics: Conference Series*, 1869(1).

GBIF Secretariat. 2023. *Mucuna pruriens (L.) DC. GBIF Backbone Taxonomy*. Global Biodiversity Information Facility.

Gorska, K., Pejcz, E. and Harasym, J. 2025. Tempeh and fermentation - Innovative substrates in a classical microbial process. *Applied Sciences*, 15: 8888.

Handoyo, T. and Morita, N. 2006. Structural and functional properties of fermented soybean (tempeh) by using *Rhizopus oligosporus*. *International Journal of Food Properties*, 9: 347-355.

Harahap, R.H., Lubis, Z. and Kaban, J. 2018. Komponen flavor volatil tempe yang dibungkus dengan daun pisang dan plastik. *Agritech*, 38(2): 194-199.

Hassanein, T.R., Prabawati, E.K. and Gunawan-Puteri, M.D.P.T. 2015. Analysis of chemical and microbial changes during storage of overripe tempeh powder as seasoning material. *International Journal of Science and Engineering (IJSE)*, 8(2): 131-134.

Heo, S., Lee, J. H. and Jeong, D. W. 2020. Food-derived coagulase-negative Staphylococcus as starter cultures for fermented foods. *Food Science and Biotechnology*, 29(8): 1023–1035.

Index Fungorum. 2024. *Rhizopus caespitosus* Schipper & Samson, Mycotaxon 50: 482 (1994). *Index Fungorum Registration Identifier*: 361737.

Ishartani, D., Sistiani, D., Sari, A.M., Nursiwi, A. and Zaman, M.Z. 2021. Changes to the chemical and microbiological characteristics of *Leucaena leucocephala* seeds during tempeh fermentation in Pacitan, East Java. *Food Research 5 (Suppl. 2)*, 2021: 78-83.

Istiqomah, L., Cahyanto, M.N. and Zuprizal. 2022. Xylanase production by Trichoderma virens MLT2J2 under solid-state fermentation using corn cob as a substrate. *Biodiversitas*, 23(12): 6530–6538.

Jayanti, E.T. 2019. Seeds and tempeh protein content from non-soybean fabaceae. *Bioscientist: Jurnal Ilmiah Biologi*, 7(1): 79-86.

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kakirde, K.S., Parsley, L.C. and Liles, M.R. 2010. Size does matter: Application-driven approaches for soil metagenomics. *Soil Biology and Biochemistry*, 21: 1-13.

Kalembkiewicz, J., Galas, D. and Sitarz-Palczak, E. 2018. The physicochemical properties and composition of biomass ash and evaluating directions of its applications. *Polish Journal of Environmental Studies*, 27(6): 2593–2603.

Kim, J.S., Kim, J., Kim, S.H. and Moon, K.D. 2025. Development of chickpea tempeh using *Rhizopus oryzae* for dysphagia diet: Effect of fermentation time and heat treatment. *Innovative Food Science and Emerging Technologies*, 100(2025): 103940.

Kim, T.W., Lee, J.H. and Park, M.H. 2010. Analysis of bacterial and fungal communities in Japanese- and Chinese-fermented soybean pastes using nester PCRDGGE. *Current Microbiology*, 60(5): 315-320.

Kloos, W.E. and George, C.G. 1991. Identification of *Staphylococcus* species and subspecies with microscan pos id and rapid pos id panel systems. *Journal of Clinical Microbiology*, 29(4): 738-744.

Kurniasih, N., Dinna, F., Amalia, V. and Widiastuti, D. 2021. The effect of fortification of brands and chitosan on tempeh on fiber levels and probiotic bacteria growth. *HELIUM: Journal of Science and Applied Chemistry*, 1(2): 37-41.

Kustyawati, M.E., Sari, M. and Haryati, T. 2013. Effect of fermentation using *Saccharomyces cerevisiae* on the biochemical properties tapioca. *Jurnal Agritech*, 33(3): 281-287.

Kustyawati, M.E., Nawansih, O. and Nurdjanah, S. 2017. Profile of aroma compounds and acceptability of modified tempeh. *International Food Research Journal*, 24(2): 734-740.

Laukova, A., Simonova, M. and Strompfova, V. 2010. *Staphylococcus xylosus* S03/1M/1/2, bacteriocinproducing meat starter culture or additive. *Food Control*, 21(7): 970-973.

Liu, Q., Chen, Q., Liu, H., Du, Y., Jiao, W., Sun, F. and Fu, M. 2024. *Rhizopus* stolonifer and related control strategies in postharvest fruit: A review. *In Heliyon*, 10(8).

Lucena-Aguilar, G., Sánchez-López, A.M., Barberán-Aceituno, C., Carrillo-Ávila, J.A., López-Guerrero, J.A. and Aguilar-Quesada, R. 2016. DNA source selection for downstream applications based on DNA quality indicators analysis. *Biopreservation and Biobanking*, 14(4): 264–270.

Ma, Z., Boye, J.I., Simpson, B.K., Prasher, S.O., Monpetit, D. and Malcolmcon, L. 2011. Thermal processing effects on the functional properties and microstructure of lentil, chickpea, and pea flours. *Food Research International*, 44(2011): 2534-2544.

Madhaiyan, M., Wirth, J.S. and Saravanan, W.S. 2020. Phylogenomic analyses of the Staphylococcaceae family suggest the reclassification of five species within the genus *Staphylococcus* as heterotypic synonyms, the promotion of five subspecies to novel species, the taxonomic reassignment of five *Staphylococcus* species to *Mammaliicoccus* gen. nov., and the formal assignment of *Nosocomiicoccus* to the family Staphylococcaceae.

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

International Journal of Systematic and Evolutionary Microbiology, 70: 5926-5936.

Magdalena, S., Surya, N. A., and Yogiara, Y. (2024). Effect of tempeh wrapping on sensory evaluation and lactic acid bacteria profile. *Food Research*, 8(4): 99–107.

Marco, M.L., Heeney, D., Binda, S., Cifelli, C.J., Cotter, P.D., Foligné, B., Gänzle, M., Kort, R., Pasin, G. and Pihlanto, A. 2017. Health benefits of fermented foods: microbiota and beyond. *Curr. Opin. Biotechnol.*, 44: 94-102.

Maryam, S., Sastrawidana, I.D.K., Sudiana, I.K. and Sukarta, I.N. 2024. Nutritional profile analysis of red bean tempeh fermented using *Rhizopus oligosporus* at different time. *International Journal of Nutrition and Food Sciences*, 13(5): 199-208.

Medaglia, G., Valsesia, G. and Panke, S. 2010. Development of high cell-density protocol for the production of pregallidermin, a non-toxic precursor of the lantibiotic gallidermin. *Journal of Biotechnology*, 145(2): 176-185.

Mubin, M.F. and Zubaidah, E. 2016. Studi pembuatan kefir nira siwalan (*Borassus flabellifer* L.) (Pengaruh pengenceran nira siwalan dan metode inkubasi). *Jurnal Pangan dan Agroindustri*, 4(1): 291–301.

Mukherjee, A., Breselge, S., Dimidi, E., Marco, M.L., Cotter, P.D. 2023. Fermented foods and gastrointestinal health: underlying mechanisms. *Nat. Rev. Gastroenterol. Hepatol*., 2023: 1-19.

Muzdalifah, D., Athaillah, Z.A., Nugrahani, W. and Devi, A.F. 2017. Colour and pH changes of tempe during extended fermentation. *AIP Conference Proceedings*, 1803: 020036.

Nadeem, M., Anjum, F.M., Murtaza, M.A. and Mueenud-din, G. 2012. Development, characterization, and optimization of protein level in date bars using response surface methodology. *The Scientific World Journal*, 2012: 518702.

NCBI Taxonomy. 2024. *Rhizopus caespitosus Schipper & Samson, 1994*. Taxonomy ID: 86631. National Center for Biotechnology Information.

Nout, M.R. and Kiers, J.L. 2005. Tempe fermentation, innovation and functionality: Update into the third millenium. *Journal of Applied Microbiology*, 98: 789–805.

Noviakorniyati, T., Rahayu, T. and Rahmawati, A. 2017. Cara produksi pangan yang baik (CPPB) pada pembuatan besengek tempe benguk di Desa Bumirejo. *Jurnal Prodi Biologi*, 6(7): 400-408.

Nurdini, A.L., Nuraida, L., Suwanto, A. and Suliantari. 2015. Microbial growth dynamics during tempeh fermentation in two different home industries. *International Food Research Journal*, 22(4): 1668-1674.

Nursiwi, A., Dwikiputra, B.I., Ishartani, D. and Sari, A.M. 2019. Changes on microbial growth during Mlanding tempeh (*Leucaena leucocephala*) over fermentation. *IOP Conf. Series: Earth and Environmental Science*, 379(2019): 012001.

Olahan, G.S., Ajadi, I., Ben-uwabor, P.O. and Adebayo. S.E. 2024. Characterization of fungal contaminants in fermented locust beans in Kwara State: Implications for food safety. *Lafia Journal of Scientific and Industrial Research*, 1–6.

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Oxford Nanopore Technologies. 2021. *Quality Scores and Read Accuracy*. EPI2ME Labs.

Pangastuti, A., Alfisah, R.K., Istiana, N.I., Sari, S.A., Setyaningsih, R., Susilowati, A. and Purwoko, T. 2019. Metagenomic analysis of microbial community in over-fermented tempeh. *Biodiversitas*, 20(4): 1106-1114.

Papanikolaou, S. and Aggelis, G. 2011. Lipids of oleaginous yeasts. Part II: Technology and potential applications. *European Journal of Lipid Science and Technology*, 113: 1052-1073.

Radiati, A. and Sumanto. 2016. Analisis sifat fisik, sifat organoleptik, dan kandungan gizi pada produk tempe dari kacang non-kedelai. *Jurnal Aplikasi Teknologi Pangan*, 5(1): 1–10.

Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A.T. and Rusmana, I. 2017. Metagenome analysis of tempeh production: Where did the bacterial community in tempeh come from?. *Malaysian Journal of Microbiology*, 13(4): 280-288.

Rahayu, N.A., Cahyanto, M.N. and Indrati, R. 2019. Pola perubahan protein koro benguk (*Mucuna pruriens*) selama fermentasi tempe menggunakan inokulum raprima. *Agritech*, 39(2): 128-135.

Rahmatu, R.D., Isabella, T.A., Monde, A., Sangadji, M.N. and Noviyanti, A. 2025. Fungi, bacteria, and chemical components in the fermentation process of various maturity levels of drumstick trees (*Moringa oleifera* Lam.) in making tempeh, a fermented soybean food. *Australian Journal of Crop Science*, 19(05): 587-596.

Raja, H.A., Miller, A.N., Pearce, C.J. and Oberlies, N.H. 2017. Fungal identification using molecular tools: a primer for natural products research community. *Journal Natural Products*, 80(3): 756-770.

Ramdhani, R.P., Tryas, A.A., Astawan, M., Wresdiyati, T., Sardjono, R.E., Irdiani, R. and Putri, S.P. 2025. Comparative metabolomic analysis of tempe from velvet bean, soybean, and their combination. *Canrea Journal: Food Technology, Nutritions, and Culinary*, 8(1): 22-37.

Rizal, S., Erna, M., Nurainy, F. and Tambunan, A.R. 2016. Karakteristik probiotik minumanfermentasi laktat sari buah nanas dengan variasi jenis bakteri asam laktat. *Jurnal Kimia Terapan Indonesia*, 18(1): 63–71.

Rizal, S. and Kustyawati, M.E. 2019. Characteristics of sensory and beta-glucan content of soybean tempeh with addition of *Saccharomyces cerevisiae*. *Jurnal Teknologi Pertanian*. 2(20): 127-138.

Romulo, A. and Surya, R. 2021. Tempe: A traditional fermented food of Indonesia and its health benefits. *International Journal of Gastronomy and Food Science*, 26(2021): 100413.

Rongtong, B., Suwonsichon, T., Ritthiruangdej, P. and Kasemsumran, S. 2018. Determination of water activity, total soluble solids and moisture, sucrose, glucose and fructose contents in osmotically dehydrated papaya using near-infrared spectroscopy. *Agriculture and Natural Resources*, 52: 557–564.

Rubiola, S., Macori, G., Civera, T., Fanning, S., Mitchell, M. and Chiesa, F. 2022. Comparison between full-length 16S rRNA *metabarcoding* and whole

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

metagenome sequencing suggests the use of either is suitable for large-scale microbiome studies. *Foodborne Pathogens and Disease*, 19(7): 495-504.

Salim, R. 2017. Analisis jenis kemasan terhadap kadar protein dan kadar air pada tempe. *Jurnal Katalisator*, 2(2): 106-111.

Santos, A., Aerle, R.V., Barrientos, L. and Martinez-Urtaza, J. 2020. Computational methods for 16S *metabarcoding* studies using Nanopore sequencing data. *Computational and Structural Biotechnology Journal*, 18: 296-305.

Silva, E.P.D., Siqueira, H.H., Damiani, C. and Vilas-Boas, E.V.D.B. 2016. Physicochemical and sensory characteristics of snack bars added jerivá flour (*Syagrus romanzoffiana*). Journal of Food Science and Technology, 36(3): 421-425.

Silvestre-De-León, R., Espinosa-Ramírez, J., Heredia-Olea, E., Pérez-Carrillo, E. and Serna-Saldívar, S.O. 2020. Biocatalytic degradation of proteins and starch of extruded whole chickpea flours. *Food and Bioprocess Technology*, 13: 1703-1716.

Sjamsuridzal, W., Khasanah, M., Febriani, R., Vebliza, Y., Oetari, A., Santoso, I. and Gandjar, I. 2021. The effect of the use of commercial tempeh starter on the diversity of *Rhizopus* tempeh in Indonesia. *Scientific Reports*, 11: 23932.

Skowron, K., Budzyńska, A., Grudlewska-Buda, K., Wiktorczyk-Kapischke, N., Andrzejewska, M., Wałecka-Zacharska, E. and Gospodarek-Komkowska, E. 2022. Two faces of fermented foods—the benefits and threats of its consumption. *Front. Microbiol.*, 13: 845166.

Sowdhanya, D., Singh, J., Rosane, P., Kaur, S., Kaur, J., Ercisli, S. and Verma, H. 2024. Nutritional significance of velvet bean (*Mucuna pruriens*) and opportunities for its processing into value-added products. *Journal of Agricultural and Food Research*, 15: 100921.

Srinivas, M., O'Sullivan, O., Cotter, P.D., Sinderen, D.V. and Kenny, J.G. 2022. The application of metagenomics to study microbial communities and develop desirable traits in fermented foods. *Foods*, 11(20): 3297.

Stavropoulou, D. A., De Vuyst, L. and Leroy, F. 2018. Nonconventional starter cultures of coagulase-negative staphylococci to produce animal-derived fermented foods, a SWOT analysis. *Journal of Applied Microbiology*, 125(6): 1570–1586.

Sui, L., Wang, S., Wang, X., Su, L., Xu, H., Xu, W., Chen, L. and Li, H. 2024. Analysis of different strains fermented douchi by GCxGC-TOFMS and UPLC-TOFMS omics analysis. *Foods*, 13(21): 3521.

Symanowicz, B., Becher, M., Jaremko, D. and Skwarek, K. 2018. Possibilities for the use of wood ashes in agriculture. *Journal of Ecological Engineering*, 19(3): 191–196.

Teoh, S.Q., Chin, N.L., Chong, C.W., Ripen, A.M., How, S. and Lim, J.J.L. 2024. A review on health benefits and processing of tempeh with outlines on its functional microbes. *Future Foods*, 9(2024): 100330.

Ting, H., Tan, S.R. and John, A.N. 2017. Consumption intention toward ethnic food: determinants of Dayak food choice by Malaysians. *Journal Ethnic Foods*, 4(2017): 21-27.

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Treichel, H., Oliveira, D., Mazutti, M.A., Luccio, M.D. and Oliveira, J.V. 2010. A review on microbial lipases production. *Food Bioprocess Technol*, 3: 182-196.

Utama, Z., Agrippina, F.D. and Nurmadhani, B.S. 2018. Comparison of appearances and color indexes for tempe with different packaging using digital image analysis. *Proceeding of the 2nd International Conference on Tropical Agriculture*, 61-68.

Visakhadevi, J.A., Andriyono, S., Satyantini, W.H. and Noh, N.I.M. 2024. Investigation of the bacterial diversity in fermented mangrove apple (*Sonneratia caseolaris*) fruit juice kombucha using DNA *metabarcoding*. *Biodiversitas*, 25(9): 3201–3207.

Wang, J., Jiang, Q., Huang, Z., Wang, Y., Roubik, H., Yang, K., Cai, M. and Sun, P. 2023. Solid-state fermentation of soybean meal with edible mushroom mycelium to improve its nutritional, antioxidant capacities and physicochemical properties. *Fermentation*, 9(322): 1-14.

Wicaksono, W.A., Akinyemi, O.E., Wassermann, B., Bickel, S., Suwanto, A. and Berg, G. 2024. The terroir of tempeh: Strong region-specific signatures in the bacterial community structures across Indonesia. *Current Research in Microbial Sciences*, 7(2024): 100287.

Xiang, H., Sun-Waterhouse, D., Waterhouse, G.I., Cui, C. and Ruan, Z. 2019. Fermentation-enabled wellness foods: a fresh perspective. *Food Sci. Hum. Wellness*., 8: 203-243.

Yarlina, V. P., Djali, M., Andoyo, R., Nurmilah, S. and Lani, M. N. 2024. Metagenomic insights into enhancing protein content and digestibility in Jack Bean (*Canavalia ensiformis*) tempeh: Unraveling microbial dynamics during fermentation. *Applied Food Research*, 4(2): 100588.

Yarlina, V.P., Tandra, J.L., Indiarto, R., Andoyo, R., Harlina, P.W., Ubaidillah, N.H.N. and Lani, M.N. 2026. Unraveling tempeh through omics: a scoping review of fermentation pathways and functional health benefits. *NPJ Science of Food*, 10: 122.

Yatsu, F., Sawano, Y. and Ito, K. 2015. Morphological and physiological responses of *Rhizopus* spp. under competitive conditions in solid-state fermentation. *Journal of Food Biochemistry*, 39(5): 591–599.

Yogeswara, I.B.A., Nursini, N.W., Kusumawati, I.G.A.W. and Kusumaningsih, P. 2024. Metagenomic insights into the bacterial diversity of Balinese fermented sausage (Urutan) from the household industry. *Fermentation*, 10(12).

Zainal Abidin, N. A., Mohd Zin, Z., Abdullah, M. A. A., Rusli, N. D., and Zainol, M. K. 2020. Physicochemical properties and sensory acceptance of canavalia ensiformis tempeh energy bar. *Food Research*, *4*(5): 1637–1645.

Zainol, M. K., Tan, R. C., Mohd Zin, Z., Ahmad, A., and Danish-Daniel, M. 2020. Effectiveness of Toothpony (Gazza minuta) protein hydrolysate on reducing oil uptake upon deep-frying. *Food Research*, *4*(3): 805–813.

Zhao, H., Xu, J., Wang, R., Liu, X., Peng, X. and Guo, S. 2023. Succession and diversity of microbial flora during the fermentation of douchi and their effects on the formation of characteristic aroma. *Foods*, 12(2): 329.

UNIVERSITAS
GADJAH MADA
**Karakterisasi Mikrobiota, Metbolit, dan Fisikokimia Tempe Koro Benguk Asal Kulonprogo Menggunakan
Pendekatan Metabarcoding dan Volatilomik**
Firchamy Vuqi Aulia, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhu, D., and Labuza, T.P. 2010. Effect of cysteine on lowering protein aggregation and subsequent hardening of whey protein isolate (WPI) protein bars in wpi/buffer model systems. *Journal of Agricultural and Food Chemistry*, 58(13): 7970–7979.