

## DAFTAR PUSTAKA

- Ahmad-najib, M., Wan-nor-amilah, W. A. W., & Kin, W. W. (2021). *Prevalence and Risk Factors of Bovine Fascioliasis in Kelantan , Malaysia : A Cross-Sectional Study*. 32(2).
- Ahmad Z, & Diyan, Y. (2020). Buku Pengelolaan Sapi Potong. In *Jurnal Ilmu Pendidikan* (Vol. 7, Issue 2).
- Akbar, M. T., Hartono, M., Qisthon, A., & Siswanto, S. (2024). Tingkat Infestasi Dan Jenis Parasit Saluran Pencernaan Pada Sapi Peranakan Ongole Di Kecamatan Tulang Bawang Udik Kabupaten Tulang Bawang Barat. *Jurnal Riset Dan Inovasi Peternakan (Journal of Research and Innovation of Animals)*, 8(3), 436–445. <https://doi.org/10.23960/jrip.2024.8.3.436-445>
- Amalia, B. I. R., Dwinata, I. M., & Oka, I. B. M. (2025). Prevalence *Fasciola* spp. Infection in Mud Buffalo used for Makepung Tradition in Jembrana District. *Buletin Veteriner Udayana*, 17(3), 1053–1061.
- Ambarisa, I., Irnawati, M., & Hasan, W. (2013). Analisis Cacing Hati (*Fasciola hepatica*) pada Hati dan Feses Sapi yang Diambil dari Rumah Potong Hewan di Mabar Medan Tahun 2013. *Jurnal Kesehatan Masyarakat Universitas Sumatera Utara*, 1–15.
- Aragaw, K., & Tilahun, H. (2019). Coprological study of trematode infections and associated host risk factors in cattle during the dry season in and around Bahir Dar, northwest Ethiopia. *Veterinary and Animal Science*, 7(November 2018), 100041. <https://doi.org/10.1016/j.vas.2018.11.002>
- Baharni, Zulfikar, & Malik, A. (2025). *Kajian Lingkungan Terhadap Kemunculan Parasit Cacing Pada Ternak Sapi Di Kabupaten Bireuen*. 9(February), 1–8.
- Bowman, D. D. (2020). *Georgis' Parasitology for Veterinarians* (Vol. 32, Issue 3). Elsevier.
- Bulla-Castañeda, D. M., Lancheros-Buitrago, D. J., García-Corredor, D. J., C-Giraldo-Forero, J., & Pulido-Medellin, M. O. (2023). Seroprevalence and risk factors of bovine fasciolosis in the municipalities of Colombia. *Veterinary World*, 16, 1293–1300. <https://doi.org/10.14202/vetworld.2023.1293-1300>
- Caravedo, M. A., & Cabada, M. (2020). Human Fascioliasis: Current Epidemiological Status and Strategies for Diagnosis, Treatment, and Control. *Research and Reports in Tropical Medicine, Volume 11*, 149–158. <https://doi.org/10.2147/rrtm.s237461>
- Charisma, A. M., Ekawasti, F., Wahyuningrum, A., Naisali, W. F. ., Syawaludin, M. F., Auralya, T. F., Vebiayanti, S. D., Maisaroh, Rukmana, D. H., Alfani, M., & Afkarina, Z. K. (2024). Studi Literatur: Faktor Risiko dan Strategi Pengendalian Fasciolosis di Indonesia. *Jurnal Kajian Veteriner*, 12(2), 199–206.

- Chattopadhyay, A. K., & Bandyopadhyay, S. (2013). Seasonal variations of EPG levels in gastro-intestinal parasitic infection in a southeast asian controlled locale: A statistical analysis. *SpringerPlus*, 2(1), 1–9. <https://doi.org/10.1186/2193-1801-2-205>
- Che-Kamaruddin, N., Hamid, N. F. S., Idris, L. H., Yusuff, F. M., Ashaari, Z. H., Yahaya, H., Sahimin, N., & Isa, N. M. M. (2024). Prevalence and risk factors of fasciolosis in a bovine population from farms in Taiping, Malaysia. *Veterinary Parasitology: Regional Studies and Reports*, 49(January), 100998. <https://doi.org/10.1016/j.vprsr.2024.100998>
- Damayanti, P. L. P. E., Almet, J., & Detha, A. I. R. (2019). Detection and Prevalence of Fasciolosis in Bali Cattle at Oeba Slaughterhouse, Kupang City. *Jurnal Veteriner Nusantara*, 2(1), 13–18.
- Direktorat Kesehatan Hewan. (2014). *Manual Penyakit Hewan Mamalia*. Direktorat Jenderal Peternakan dan Kesehatan Hewan, Kementrian Pertanian.
- Dube, A., Kalinda, C., Manyangadze, T., Mindu, T., & Chimbari, M. J. (2023). Effects of temperature on the life history traits of intermediate host snails of fascioliasis: A systematic review. *PLoS Neglected Tropical Diseases*, 2023-Decem, 1–23. <https://doi.org/10.1371/journal.pntd.0011812>
- Flores-Velázquez, L. M., Ruiz-Campillo, M. T., Herrera-Torres, G., Martínez-Moreno, Á., Martínez-Moreno, F. J., Zafra, R., Buffoni, L., Rufino-Moya, P. J., Molina-Hernández, V., & Pérez, J. (2023). Fasciolosis: pathogenesis, host-parasite interactions, and implication in vaccine development. *Frontiers in Veterinary Science*, 10. <https://doi.org/10.3389/fvets.2023.1270064>
- Frias, H., Maraví, C., Arista-Ruiz, M. A., Yari-Briones, D. I., Paredes-Valderrama, J. R., Bravo, Y. R., Cortez, J. V., Segura, G. T., Ruiz, R. E., Lapa Lopez, R. M., & Valderrama, N. L. M. (2023). Prevalence, coinfection, and risk factors associated with *Fasciola hepatica* and other gastrointestinal parasites in cattle from the Peruvian Amazon. *Veterinary World*, 16(3), 546–553. <https://doi.org/10.14202/vetworld.2023.546-553>
- Gedefaw, T., Mebratu, A. S., Dagnachew, S., & Fenta, M. D. (2025). Comparative analysis of anthelmintic treatments: impact on liver biomarkers and clinical recovery in sheep with fasciolosis. *Frontiers in Veterinary Science*, 12. <https://doi.org/10.3389/fvets.2025.1485568>
- Gual, I., Campero, L. M., Hecker, Y. P., Regidor-Cerrillo, J., Leunda, M. R., Odeón, A. C., Campero, C. M., Torioni de Echaide, S., Echaide, I. E., Estein, S. M., Ortega-Mora, L. M., & Moore, D. P. (2022). Parasitemia and Associated Immune Response in Pregnant and Non-Pregnant Beef Cows Naturally Infected With *Neospora caninum*. *Frontiers in Veterinary Science*, 9(June), 1–12. <https://doi.org/10.3389/fvets.2022.905271>
- Gunarso, P., Suratna, N. A., & Apsari, A. P. (2024). Identifikasi *Paramphistomum* spp. yang menginfeksi rumen dan retikulum sapi bali berbasis morfometrik.

*Buletin Veteriner Udayana*, 16(5), 1451–1458.

- Gunathilaka, N., Niroshana, D., Amarasinghe, D., & Udayanga, L. (2018). Prevalence of Gastrointestinal Parasitic Infections and Assessment of Deworming Program among Cattle and Buffaloes in Gampaha District, Sri Lanka. *BioMed Research International*, 2018. <https://doi.org/10.1155/2018/3048373>
- Hambal, M., Ayuni, R., Vanda, H., Amiruddin, A., & Athaillah, F. (2020). Occurrence of *Fasciola gigantica* and *Paramphistomum* spp Infection in Aceh Cattle. *E3S Web of Conferences*, 151, 1–4. <https://doi.org/10.1051/e3sconf/202015101025>
- Hamid, P. H., Kristianingrum, Y. P., Prastowo, J., & Da Silva, L. M. R. (2016). Gastrointestinal parasites of cattle in central Java. *American Journal of Animal and Veterinary Sciences*, 11(3), 119–124. <https://doi.org/10.3844/ajavsp.2016.119.124>
- Haridwal, S., Malatji, M. P., & Mukaratirwa, S. (2021). Morphological and molecular characterization of *Fasciola hepatica* and *Fasciola gigantica* phenotypes from co-endemic localities in Mpumalanga and KwaZulu-Natal provinces of South Africa. *Food and Waterborne Parasitology*, 22, e00114. <https://doi.org/10.1016/j.fawpar.2021.e00114>
- Hayes, C. J., O'Brien, P. J., Wolfe, A., Hoey, S., Chandler, C., Rhodes, V., Carty, C. I., Piras, I. M., & Ryan, E. G. (2021). Acute fasciolosis in an alpaca: a case report. *BMC Veterinary Research*, 17(215), 1–11. <https://doi.org/10.21521/mw.6736>
- Hermawansyah, Salido, W. L., Khaeruddin, Syamsuryadi, B., Nuraliah, S., Jannah, R., Mangalisu, Azmi, Armayanti, A. K., Luthfi, N., & Lailatun Nisfimawardah, Y. A. T. (2023). *Manajemen Ternak Sapi Potong*. Indie Press.
- Hotessa, A. S., & Kanko, D. K. (2020). *Review on Paramphistomosis*. 14(4), 184–192. <https://doi.org/10.5829/idosi.abr.2020.184.192>
- Hu, Y., Zhan, R. J., Lu, S. L., Zhang, Y. Y., Zhou, M. Y., Huang, H., Wang, D. D., Zhang, T., Huang, Z. X., Zhou, Y. F., & Lv, Z. Y. (2024). Global distribution of zoonotic digenetic trematodes: a scoping review. *Infectious Diseases of Poverty*, 13(1), 1–19. <https://doi.org/10.1186/s40249-024-01208-1>
- Hussein, A. N. A., Hassan, I. M., & Khalifa, R. M. A. (2010). Development and hatching mechanism of *Fasciola* eggs, light and scanning electron microscopic studies. *Saudi Journal of Biological Sciences*, 17(3), 247–251. <https://doi.org/10.1016/j.sjbs.2010.04.010>
- Ico-Gómez, R., González-Garduño, R., Ortiz-Pérez, D., Mosqueda-Gualito, J. J., del Flores-Santiago, E. J., Sosa-Pérez, G., & Salazar-Tapia, A. A. (2021). Assessment of anthelmintic effectiveness to control *Fasciola hepatica* and *paramphistome* mixed infection in cattle in the humid tropics of Mexico.

*Parasitology*, 148(12), 1458–1466.  
<https://doi.org/10.1017/S0031182021001153>

Iglesias-Piñeiro, J., González-Warleta, M., Castro-Hermida, J. A., Córdoba, M., González-Lanza, C., Manga-González, Y., & Mezo, M. (2016). Transmission of *Calicophoron daubneyi* and *Fasciola hepatica* in Galicia (Spain): Temporal follow-up in the intermediate and definitive hosts. *Parasites and Vectors*, 9(1), 1–14. <https://doi.org/10.1186/s13071-016-1892-8>

Joly, F., Note, P., Barbet, M., Jacquet, P., Faure, S., Benoit, M., & Dumont, B. (2022). Parasite dilution improves lamb growth more than does the complementarity of forage niches in a mesic pasture grazed by sheep and cattle. *Frontiers in Animal Science*, 3(December), 1–9. <https://doi.org/10.3389/fanim.2022.997815>

Kahl, A., Samson-Himmelstjerna, G. von, Krücken, J., & Ganter, M. (2021). Chronic wasting due to liver and rumen flukes in sheep. *Animals*, 11(2), 1–20. <https://doi.org/10.3390/ani11020549>

Kebede, I. A., Beriso, T. E., Mengistu, T. S., & Gebremeskel, H. F. (2023). Study on Cattle Trematodiasis and Related Risk Factors in Damot Sore District, Wolaita Zone, Southern Ethiopia. *Journal of Parasitology Research*, 2023. <https://doi.org/10.1155/2023/6687665>

Keiser, J., & Utzinger, J. (2009). Food-borne trematodiasis. *Clinical Microbiology Reviews*, 22(3), 466–483. <https://doi.org/10.1128/CMR.00012-09>

Kurnianto, H., Ramanoon, S. Z., Aziz, N. A. A., & Indarjulianto, S. (2022). Prevalence, risk factors, and infection intensity of fasciolosis in dairy cattle in Boyolali, Indonesia. *Veterinary World*, 15(6), 1438–1448. <https://doi.org/10.14202/vetworld.2022.1438-1448>

Lloyd, J., & Boray, J. (2000). Stomach fluke (paramphistomes) in ruminants. *AGFACTS - NSW Agriculture*, 452(No. AO.9.26(3rd. Ed.)), 4 pp.

López-Gatius, F., Pabón, M., & Almería, S. (2004). Neospora caninum infection does not affect early pregnancy in dairy cattle. *Theriogenology*, 62(3–4), 606–613. <https://doi.org/10.1016/j.theriogenology.2003.11.002>

Lumain, J. P. L. M., & Balala, L. M. (2019). Prevalence and risk factors associated with *Fasciola gigantica* and *Paramphistomum cervi* infection through actual retrieval in Philippine Carabaos in Ormoc City Abattoir, Philippines. 41(2), 43–56.

Machali, I. (2025). *STATISTIK ITU MUDAH*. Ladang Kata.

Martinez-Ibeas, A. M., Munita, M. P., Lawlor, K., Sekiya, M., Mulcahy, G., & Sayers, R. (2016). Rumen fluke in Irish sheep: Prevalence, risk factors and molecular identification of two *paramphistome* species. *BMC Veterinary Research*, 12(1), 1–11. <https://doi.org/10.1186/s12917-016-0770-0>

- Mazeri, S., Rydevik, G., Handel, I., Bronsvort, B. M. D., & Sargison, N. (2017). Estimation of the impact of *Fasciola hepatica* infection on time taken for UK beef cattle to reach slaughter weight. *Scientific Reports*, 7(1), 1–15. <https://doi.org/10.1038/s41598-017-07396-1>
- Mehmood, K., Hui, Z., Sabir, A. J., Abbas, R. Z., Durrani, A. Z., Saleem, M. H., Rehman, M. U., Iqbal, M. K., Wang, Y., Ahmad, H. I., Abbas, T., Ghor, M. T., Ali, S., Khan, A. U., & Li, J. (2017). A review on epidemiology, global prevalence and economical losses of fasciolosis in ruminants. *Microbial Pathogenesis*, 109, 253–262. <https://doi.org/10.1016/j.micpath.2017.06.006>.This
- Mesfin, T., Solomon, T., & Temesgen, A. B. (2026). Prevalence and Associated Risk Factors of Bovine Fasciolosis in Bahir Dar, Ethiopia: Cross-Sectional Study. *JMIR Bioinformatics and Biotechnology*, 7, 1–8. <https://doi.org/10.2196/81219>
- Mogha, L., Kainga, H., Kamanga, N., Kapalamula, T. F., Wood, C., Thomas, L. F., Mutua, F., Sargison, N., Hayashida, K., Tsutsumi, T., Hayashi, N., Nonaka, N., Nakao, R., & Chatanga, E. (2025). Genetic diversity and population structure of *Fasciola gigantica* isolated from cattle in Malawi. *Veterinary Research Communications*, 49(3). <https://doi.org/10.1007/s11259-025-10717-9>
- Nugraheni, Y. R., Priyowidodo, D., Prastowo, J., Rohayati, E. S., Sahara, A., & Awaludin, A. (2018). Parasit Gastrointestinal pada Sapi di Daerah Aliran Sungai Progo Yogyakarta. *Jurnal Ilmu Peternakan Terapan*, 1(2), 46–50. <https://doi.org/10.25047/jipt.v1i2.889>
- Nurnafisah, A., Amrullah, S. H., & Wirawan, H. P. (2025). The Relationship of *Paramphistomum* sp. Infection and Distribution of Paramphistomiasis in Libureng District, Bone Regency. *Journal Of Biology Education*, 8(1), 68. <https://doi.org/10.21043/job.v8i1.28267>
- Nyagura, I., Malatji, M. P., & Mukaratirwa, S. (2024). The prevalence and infection rates of *pamphistome* species in intermediate snail hosts: a systematic review and meta-analysis. *Frontiers in Veterinary Science*, 11(June). <https://doi.org/10.3389/fvets.2024.1418979>
- Nyindo, M., & Lukambagire, A. H. (2015). Fascioliasis: An Ongoing Zoonotic Trematode Infection. *BioMed Research International*, 2015. <https://doi.org/10.1155/2015/786195>
- Oehm, A. W., Zablotzki, Y., Hoedemaker, M., Campe, A., Strube, C., Jordan, D., Springer, A., Klawitter, M., & Knubben-Schweizer, G. (2023). Associations of production characteristics with the on-farm presence of *Fasciola hepatica* in dairy cows vary across production levels and indicate differences between breeds. *PLoS ONE*, 18(11 November), 1–18. <https://doi.org/10.1371/journal.pone.0294601>

- Otranto, D., & Wall, R. (2024). *Veterinary Parasitology Fifth Edition*. Wiley Blackwell. <https://doi.org/10.1111/j.1751-0813.1968.tb09132.x>
- Papadopoulos, E., Mavrogianni, V., Mitsoura, A., Ptochos, S., Spanos, S., & Fthenakis, G. (2013). Potential association between trematode infections and development of pregnancy toxemia in sheep. *Helminthologia (Poland)*, 50(3), 161–166. <https://doi.org/10.2478/s11687-013-0126-2>
- Purwaningsih, P., Noviyanti, N., & Putra, R. P. (2018). Distribusi dan Faktor Risiko Fasciolosis pada Sapi Bali di Distrik Prafi, Kabupaten Manokwari, Provinsi Papua Barat. *Acta VETERINARIA Indonesiana*, 5(2), 120–126. <https://doi.org/10.29244/avi.5.2.120-126>
- Purwono, E. (2019). Gambaran kasus fasciolosis (cacing hati) pada sapi bali berdasarkan data hasil pemeriksaan hewan qurban di kabupaten manokwari tahun 2018. *Jurnal Triton*, 10(1), 69–75.
- Purwono, E., Mubarakah, W. W., Makmun, L., & Akbarrizki, M. (2025). Gambaran Kasus Paramphistomiasis Pada Sapi Bali ( *Bos sondaicus* ) Berdasarkan Data Hasil Pemeriksaan Post Mortem Pada Hewan Kurban. 5.
- Putri, A. A., Murwani, S., & Umar, S. (2016). The Prevalence of Intestinal Nematodes in Goats (*Capra* sp.) by Feeding Forage and Artificial Food (Concentrate) in Sumber Agung Village, Kemiling, Bandar Lampung. 3(1), 67–75.
- Ranika, D., & Sulistyani, N. (2024). Identifikasi *Fasciola hepatica* pada Sapi di Sleman Yogyakarta. *Bioscientiae*, 21(1), 12. <https://doi.org/10.20527/b.v21i1.11881>
- Ratih, N. K. S., Sudira, I. W., & Dwinata, I. M. (2025). Efficacy of Albendazole Against *Paramphistomum* sp. Infections in Bali Cattle in Bali. 0(158), 1359–1368.
- Rerkyusuke, S., Lerk-U-Suke, S., Mektrirat, R., Wiratsudakul, A., Kanjampa, P., Chaimongkol, S., Phanmanee, N., Visuddhangkoon, M., Pattayawongdech, P., Piyapattanakon, N., Krajaipan, P., & Sutamwirat, P. (2024). Prevalence and Associated Risk Factors of Gastrointestinal Parasite Infections among Meat Goats in Khon Kaen Thailand. *Veterinary Medicine International*, 2024, 1–16. <https://doi.org/10.1155/2024/3267028>
- Rizwan, H. M., Sajid, M. S., Abbas, H., Ghazanfer, S., & Arshad, M. (2022). An Insight into Different Strategies for Control and Prophylaxis of Fasciolosis: A Review. *Journal of Advances in International Veterinary Research*, 4(1), 5. <https://doi.org/10.30564/jaivr.v4i1.4665>
- Rusdiana, S., & Maesya, A. (2017). Pertumbuhan sosial ekonomi dan kebijakan pertanian. *Agriekonomika*, 6(1), 12–25.
- Rutland, C. (2021). *A Natural & Cultural History*. Princeton University Press.

- Saukhan, G. N. S., Satrija, F., Murtini, S., Suprayogi, A., Siswandi, R., & Soehartono, R. H. (2023). Koinfeksi *Fasciola* dan *Paramphistomum* pada Kerbau Lumpur (*Bubalus bubalis*) di Kabupaten Sumba Timur. *Acta VETERINARIA Indonesiana*, 11(1), 17–25. <https://doi.org/10.29244/avi.11.1.17-25>
- Sharma, N., Sukee, T., Cummins, S. F., Webster, B. L., Ponder, W. F., Koehler, A. V., & Young, N. D. (2025). Intermediate host recognition abilities of *Fasciola hepatica* miracidia. *Parasites and Vectors*, 18(1), 1–11. <https://doi.org/10.1186/s13071-025-07125-y>
- Sinulingga, K. B., Dwinata, I. M., & Okta, I. B. M. (2025). Prevalence of *Paramphistomum* sp. Infection in Mud Buffalo used in the Makepung Tradition in Jembrana District. *Buletin Veteriner Udayana*, 17(5), 1567–1576.
- Squire, S. A., Robertson, I. D., Yang, R., Ayi, I., & Ryan, U. (2019). Prevalence and risk factors associated with gastrointestinal parasites in ruminant livestock in the Coastal Savannah zone of Ghana. *Acta Tropica*, 199(February), 105126. <https://doi.org/10.1016/j.actatropica.2019.105126>
- Statistik, B. P. (2025). Catalog : 1101001. *Badan Pusat Statistik*, 53,2025, 790. <https://www.bps.go.id/publication/2020/04/29/e9011b3155d45d70823c141f/statistik-indonesia-2020.html>
- Suwito, W., Andriani, Kusumaningtyas, E., Primatika, R. A., & Heryanto, R. B. (2025). Prevalence and risk factors of toxocariasis in beef calves in Pandak, Indonesia: A cross-sectional study. *Open Veterinary Journal*, 15(4), 1637–1644. <https://doi.org/10.5455/OVJ.2025.V15.I4.15>
- Uwalaka EC, Akpabio U, & Adediran OA. (2019). Prevalence of Fascioliasis and Paramphistomiasis in cattle in Umuaha, Abia State, Nigeria. *Malaysian Journal of Veterinary Research*, 10(2), 100–105.
- Wesołowska, A. (2022). Sex-the most underappreciated variable in research: insights from helminth-infected hosts. *Veterinary Research*, 53(1), 94. <https://doi.org/10.1186/s13567-022-01103-3>
- Winarso, A., Kale, N. D., Rihi, D. M., Hurek, D. T. M., Pello, P. S., Beti, V. N., Moi, M. M., Boru, M. J. N., Manafe, R. Y., Parera, M. D. E., Jo, M. G. M., Nadja, Y. R., Dhiu, D. T., Cantona, M., Amleni, L. D., Koanak, S. J., Nawa, Y. V., Daki, A. N., & Pora, J. F. T. L. (2021). Prevalensi trematodiasis pada sapi bali di Kupang dengan pemeriksaan feses metode filtrasi. *ARSHI Veterinary Letters*, 5(1), 13–14. <https://doi.org/10.29244/avl.5.1.13-14>
- Yao, J. W., & Jia, T. W. (2022). Global distribution and transmission of *Fasciola*. *Chinese Journal of Schistosomiasis Control*, 34(6), 654–658. <https://doi.org/10.16250/j.32.1374.2022234>
- Zalizar, L., Rahmawati, K., & Yaro, A. (2021). Fasciolosis infection level of various breed cattle in batu and pujon district, East Java, Indonesia. *E3S Web*

*of Conferences*, 226, 0–4. <https://doi.org/10.1051/e3sconf/202122600029>

Zelpina, E., Noor, P. S., Siregar, R., Sujatmiko, S., Lutfi, U. M., Amir, Y. S., & Lefiana, D. (2023). Fasciolosis Prevalence in Sacrificial Cattle of West Sumatra, Indonesia. *World's Veterinary Journal*, 13(3), 420–424. <https://doi.org/10.54203/SCIL.2023.WVJ46>