UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abera, B., Kibret, M. & Mulu, W., 2016. Knowledge and beliefs on antimicrobial resistance among physicians and nurses in hospitals in Ethiopia. Antimicrobial Resistance and Infection Control, 5(1), pp.1–7. DOI: https://doi.org/10.1186/s13756-016-0104-7

Advanced Food Diagnostics, (2024). Violet Red Bile Glucose Agar EP USO ISO 1092. [pdf] Available at: https://advancedfooddiagnostics.com/wp-content/uploads/2024/11/1092-Violet-Red-Bile-Glucose-Agar-EP-USO-ISO.pdf

Al-Malki, F., Al-Kharousi, Z., Guizani, N., Al-Bulushi, I., & Al-Sadi, A. (2023). Fermentative microbiota and chemical characterization of traditional date vinegar with promising biotechnological applications. Frontiers in Sustainable Food Systems. https://doi.org/10.3389/fsufs.2023.1142152

Al-Snafi, A.E. 2016. Pharmacological Importance of Clitoria ternatea, IOSR Journal Of Pharmacy, 6(3): 57-67.

Andrade, D. K. A., Wang, B., Lima, E. M., Shebeko, S. K., Ermakov, A., Khramova, V., Ivanova, I., Rocha, R. K. D., Vaz-Velho, M., Mutukumira, A., & Todorov, S. D. (2025). Kombucha: An Old Tradition into a New Concept of a Beneficial, Health-Promoting Beverage. Foods, 14. https://doi.org/10.3390/foods14091547

Andreson, M., Kazantseva, J., Malv, E., Kuldjärv, R., Priidik, R. and Kütt, M., 2023. Evaluation of microbial dynamics of kombucha consortia upon continuous backslopping in coffee and orange juice. Foods, 12. DOI: https://doi.org/10.3390/foods12193545

Andreson, M., Kazantseva, J., Kuldjärv, R., Malv, E., Vaikma, H., Kaleda, A., Kütt, M., & Vilu, R. (2022). Characterisation of chemical, microbial and sensory profiles of commercial kombuchas.. International journal of food microbiology, 373, 109715. https://doi.org/10.1016/j.ijfoodmicro.2022.109715

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ansari, J.A., Naz, S., Tarar, O.M., Siddiqi, R., Haider, M.S. and Jamil, K., 2015. Binding effect of proline-rich-proteins (PRPs) on in vitro antimicrobial activity of the flavonoids. Brazilian Journal of Microbiology, 46(1), pp.183-188. DOI: https://doi.org/10.1590/S1517-838246120130280

Antoni, G. L. (1999). Characterization of kefir grains grown in cows' milk and in soya milk. Journal of Dairy Research, 66, 327 - 333. https://doi.org/10.1017/s0022029999003490

Arrieta-Echeverri, M., Fernandez, C., Duarte-Riveros, A., Correa-Álvarez, J., Bardales, J., Villanueva-Mejía, D., & Sierra-Zapata, L. (2023). Multi-omics characterization of the microbial populations and chemical space composition of a water kefir fermentation. Frontiers in Molecular Biosciences, 10, 1223863. DOI: https://doi.org/10.3389/fmolb.2023.1223863

Badan Standarisasi Nasional. SNI 7552:2009. Minuman Susu Fermentasi Berperisa, Jakarta: Badan Standarisasi Nasional, 2009.

Bella, P.O. 2021. Analisis Kandungan Total Fenol dan Aktivitas Antioksidan Ekstrak Bunga Telang (Clitoria ternatea) dengan Teknik Ekstraksi Ultrasonik (Kajian Jenis Pelarut dan Waktu Ekstraksi). Skripsi thesis, Universitas Brawijaya, Malang.

Bilac, C. A., Rodrigues, L. F. S., de Araújo, M. O., Gomes, K. O., de Souza Silva, B. M., da Silva, I. C. R., & Orsi, D. C. (2023). Physicochemical characterization and antibacterial activity of Brazilian artisanal milk kefir. Scientia Plena, 19(9). DOI: https://doi.org/10.14808/sci.plena.2023.091501

Bueno, R. S., Ferreira, M. A. C., Marques, G., & Freitas, M. Q. (2025). Development, characterization, and stability of flavored water kefir: Impact of fermentation and storage. Fermentation, 11(9), 513. DOI: https://doi.org/10.3390/fermentation11090513

Cahyaningsih, E., Sandhi, P.E., & Santoso, P. 2019. Skrining Fitokimia dan Uji Aktivitas Antioksidan Ekstrak Etanol Bunga Telang (Clitoria ternatea L.) dengan Metode Spektrofotometri UV-Vis. Jurnal Ilmiah Medicamento,

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

5(1): 51-57. DOI: https://doi.org/10.36733/medicamento.v5i1.851

Cai, Y., Sounderrajan, A. and Serventi, L., 2020. water kefir: A review of its microbiological profile, antioxidant potential and sensory quality. Acta Scientifci Nutritional Health, 4(6), pp.10-17. ISSN:2582-1423. DOI: https://doi.org/10.31080/ASNH.2020.04.0706

Cheirsilp, B. and Radchabut, S., 2011. Use of whey lactose from dairy industry for economical kefiran production by Lactobacillus kefiranofaciens in mixed cultures with yeasts. New biotechnology, 28(6), pp.574-580. DOI: https://doi.org/10.1016/j.nbt.2011.01.009

Chen, M., Tang, H. and Chiang, M. (2017). Effects of heat, cold, acid and bile salt adaptations on the stress tolerance and protein expression of kefir-isolated probiotic Lactobacillus kefiranofaciens M1.. Food microbiology, 66, pp. 20-27. DOI: https://doi.org/10.1371/journal.pone.0078789

Chomphoosee, T., Seesuriyachan, P., Wattanutchariya, W., Tipbunjong, C., Therdtatha, P., Techapun, C., Insomphun, C., Panti, N., & Moukamnerd, C. (2023). A novel beverage of coffee cherry (cascara) water kefir rich in antioxidants, bioactive compounds, and exhibiting promising antibacterial and sensory qualities. LWT - Food Science and Technology, vol. 219, 114630. DOI: https://doi.org/10.1016/j.lwt.2025.117539

Coorevits, L., Boelens, J. and Claeys, G., 2015. Direct susceptibility testing by disk diffusion on clinical samples: a rapid and accurate tool for antibiotic stewardship. European Journal of Clinical Microbiology & Infectious Diseases, 34(6), pp.1207-1212. DOI: https://doi.org/10.1007/s10096-015-2349-2

Cufaoglu, G. and Erdinc, A.N., 2023. Comparative analyses of milk and water kefir: Fermentation temperature, physicochemical properties, sensory qualities, and metagenomic composition. Food Bioscience, 55, p.103079. DOI: https://doi.org/10.1016/j.fbio.2023.103079

Daval, C., Tran, T., Verdier, F., Martin, A., Alexandre, H., Grandvalet, C. and Tourdot-Maréchal, R., 2024. Identification of key parameters inducing

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

microbial modulation during backslopped kombucha fermentation. Foods,13. DOI: https://doi.org/10.3390/foods13081181

Davidović, S., Miljković, M., Antonović, D., Rajilić-Stojanović, M., & Dimitrijević-Branković, S. I. (2014). Water Kefir grain as a source of potent dextran producing lactic acid bacteria. Hemijska Industrija, 69, 595-604. https://doi.org/10.2298/hemind140925083d

Davis, W. W dan Stout. 1971. Disc plate methods of microbiological antibiotic assay. Microbiologi. 22 (4): 659-665. DOI: https://doi.org/10.1128/am.22.4.659-665.1971

De Almeida, K. V., Ana, C. S. T., Wichello, S. P., Louzada, G. E., Verruck, S., & Teixeira, L. J. Q. (2025). Water Kefir: Review of Microbial Diversity, Potential Health Benefits, and Fermentation Process. Processes. https://doi.org/10.3390/pr13030885

Deng, Y., Ryu, J.H. and Beuchat, L.R., 1999. Tolerance of acid-adapted and non-adapted Escherichia coli O157: H7 cells to reduced pH as affected by type of acidulant. Journal of Applied Microbiology, 86(2), pp.203-210. DOI: https://doi.org/10.1046/j.1365-2672.1999.00649.x

Dinos, G.P., Athanassopoulos, C.M., Missiri, D.A., Giannopoulou, P.C., Vlachogiannis, I.A., Papadopoulos, G.E., Papaioannou, D. and Kalpaxis, L. (2016). Chloramphenicol derivatives as antibacterial and anticancer agents: historic problems and current solutions. Antibiotics, 5(2), 20. DOI: https://doi.org/10.3390/antibiotics5020020

Diosma, G., Romanin, D., Rey-Burusco, M., Londero, A. and Garrote, G. (2013). Yeasts from kefir grains: isolation, identification, and probiotic characterization. World Journal of Microbiology and Biotechnology, 30,pp. 43 - 53. doi: https://doi.org/10.1007/s11274-013-1419-9

Dueñas Ford, L., Theodoridou, K., Sheldrake, G. N., & Walsh, P. J. 2019. A Critical Review of Analytical Methods Used for The Chemical Characterisation and Quantification of Phlorotannin Compounds in Brown Seaweeds. Phytochemical Analysis, 30 (6), 587- 599. DOI:

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.3390/antiox4010001

Escher, G.B., Wen, M., Zhang, L., Rosso, N.D. and Granato, D., 2020. Phenolic composition by UHPLC-Q-TOF-MS/MS and stability of anthocyanins from Clitoria ternatea L.(butterfly pea) blue petals. Food chemistry, 331, p.127341. https://doi.org/10.1016/j.foodchem.2020.127341

Fahrurrozi, F., Purwanto, A., Sofia, D. and Ratnakomala, S., 2020. Identification of lactic acid bacteria and acetic acid bacteria of Lampung cocoa beans fermentation. IOP Conference Series: Earth and Environmental Science, 439, p.012061. DOI: https://doi.org/10.1088/1755-1315/439/1/012061

Fan, D., Stoyanova, L.G. and Netrusov, A.I., 2022. Microbiome and metabiotic properties of kefir grains and kefirs based on them. Microbiology, 91(4), pp.339-355.

Fatdillah, H., Febrianti, F. & Sari, D.R., 2023. Pengaruh fermentasi spontan dan back-slopping terhadap kualitas dadih berdasarkan total bakteri asam laktat, pH dan total titratable acidity. Jurnal Riset Rumpun Ilmu Hewani, 2(2), pp.69–81. https://doi.org/10.55606/jurrih.v2i2.2670

Firgianti, G., Setiawan, Y. and Azahari, F., 2025. Pengaruh perbandingan konsentrasi Lactobacillus plantarum dan gula terhadap karakteristik cuka kulit lemon (Citrus limon). COMPOSITE: Jurnal Ilmu Pertanian, 7(2), pp.102-111. DOI: https://doi.org/10.37577/composite.v7i2.881

Fu, X., Wu, Q., Wang, J., Chen, Y., Zhu, G. and Zhu, Z. (2021). Spectral Characteristic, Storage Stability and Antioxidant Properties of Anthocyanin Extracts from Flowers of Butterfly Pea (Clitoria ternatea L.). Molecules, 26. doi: https://doi.org/10.3390/molecules26227000

Gao, X., Kong, J., Zhu, H., Mao, B., Cui, S. and Jianxin, Z. (2021). Lactobacillus, Bifidobacterium and Lactococcus response to environmental stress: Mechanisms and application of cross-protection to improve resistance against freeze-drying. Journal of Applied Microbiology, 132, pp. 802 - 821. DOI: https://doi.org/10.1111/jam.15251

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Garrote, G. L., Abraham, A. G., & De Antoni, G. L. (2000). Inhibitory power of kefir: the role of organic acids. Journal of food protection, 63(3), 364-369. DOI: https://doi.org/10.4315/0362-028x-63.3.364

GBIF.org. (2024). Clitoria ternatea L.. Global Biodiversity Information Facility. Retrieved April 14, 2025, from https://www.gbif.org/species/2946519

Gerung, W. H. P., Fatimawali, & Antasionasti, I. (2013). Uji aktivitas antibakteri ekstrak daun belimbing botol (Averrhoa bilimbi L.) terhadap pertumbuhan bakteri Propionibacterium acne penyebab jerawat. PHARMACON, 10(4): 1087–1093. DOI: https://doi.org/10.35799/pha.10.2021.37403

Gökırmaklı, Ç., & Güzel-Seydim, Z. B. (2024). Comparative analyses of milk and water kefir: Fermentation temperature, physicochemical properties, sensory qualities, and metagenomic composition. Journal of Functional Foods, 110, 10587 DOI: https://doi.org/10.1016/j.jff.2023.105873

González-Orozco, B. D., García-Cano, I., Escobar-Zepeda, A., Jiménez-Flores, R., & Alvarez, V. B. (2023). Metagenomic analysis and antibacterial activity of kefir microorganisms.. Journal of food science. https://doi.org/10.1111/1750-3841.16614

Guzel-Seydim, Z., Gökırmaklı, Ç. and Greene, A. (2021) 'A comparison of milk kefir and water kefir: Physical, chemical, microbiological and functional properties', Trends in Food Science & Technology. DOI: https://doi.org/10.1016/j.tifs.2021.04.041

Hamidi, R.F., Octaningtyas, D.I., Nadawati, I. & Ekawati, E.V. Verifikasi Metode Uji Angka Enterobacteriaceae pada Produk Susu dan Analognya Sesuai SNI ISO 21528-2:2017. Jurnal Sains Health, 1(1): 1-8. DOI: https://doi.org/10.51804/jsh.v7i1.2068.1-8

Havanada, T. & Luengwilai, K. 2019. Variation in Floral Antioxidant Activities and Phytochemical Properties Among Butterfly Pea (Clitoria ternatea L.) Germplasm. Genetic Resources and Crop Evolution, vol. 66: 645-658. DOI: https://doi.org/10.1007/s10722-018-00738-6

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Horwitz, W. and Latimer, G.W., 2005. Official methods of analysis of AOAC International (Vol. 1, pp. 46-50). Gaithersburg: AOAC international.

Hutabarat, D.J.C. and Irene, 2021, July. Chemical and physical characteristics of fermented beverages from plant-based milk with the addition of butterfly pea flower (Clitoria ternatea L.) extracts. In IOP Conference Series: Earth and Environmental Science (Vol. 794, No. 1, p. 012140). IOP Publishing. DOI: https://doi.org/10.1088/1755-1315/794/1/012140

International Commission on Microbiological Specifications for Foods (ICMSF), 2011. Microorganisms in foods 8: Use of data for assessing process control and product acceptance. Springer. DOI: https://doi.org/10.1007/978-1-4419-9374-8

Iraporda, C., Júnior, M. A., Neumann, E., Nunes, Á. C., Nicoli, J. R., Abraham, A. G., & Garrote, G. L. (2017). Biological activity of the non-microbial fraction of kefir: antagonism against intestinal pathogens. Journal of dairy research, 84(3), 339-345. DOI: https://doi.org/10.1017/S0022029917000358

Ishak, A., Mazonakis, N., Spernovasilis, N., Akinosoglou, K. and Tsioutis, C., 2025. Bactericidal versus bacteriostatic antibacterials: clinical significance, differences and synergistic potential in clinical practice. Journal of Antimicrobial Chemotherapy, 80(1), pp.1-17. DOI: https://doi.org/10.1093/jac/dkae380

Jeong, D., Kim, D.H., Kang, I.B., Kim, H., Song, K.Y., Kim, H.S. and Seo, K.H., 2017. Characterization and antibacterial activity of a novel exopolysaccharide produced by Lactobacillus kefiranofaciens DN1 isolated from kefir. Food Control, 78, pp.436-442. DOI: https://doi.org/10.1016/j.foodcont.2017.02.033

Jeyaraj E.J, Lim Y.Y, & Choo W.S. 2020. Extraction methods of butterfly pea (Clitoria ternatea) flower and biological activities of its phytochemicals. J. Food Sci. Technol. DOI: https://doi.org/10.1007/s13197-020-04745-3

Jeyaraj, E., Lim, Y. and Choo, W. (2022). Antioxidant, cytotoxic, and antibacterial

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

activities of Clitoria ternatea flower extracts and anthocyanin-rich fraction. Scientific Reports, 12. DOI: https://doi.org/10.1038/s41598-022- 19146-z

Jungjunan, R.A., Rahayu, P., Yulyuswarni, Y. & Ardini, D., 2023. Uji aktivitas dan efektivitas antibakteri ekstrak etanol daun bandotan (Ageratum conyzoides Linn.) terhadap bakteri Staphylococcus aureus. Jurnal Analis Farmasi, 8(1), pp.13–32. DOI: https://doi.org/10.33024/jaf.v8i1.9269

Kaur, G., Kumar, S., & Singh, A., 2011. Antibacterial activity of plant extracts against pathogenic bacteria. International Journal of Pharmaceutical Sciences Review and Research, 9(2), pp.57–60. DOI: https://doi.org/10.4103/2221- 6189.291288

Knežević, V., Vranešević, J., Pelić, M., Knežević, S., Kureljušić, J., Milanov, D. and Pelić, L. (2021). The significance of Enterobacteriaceae as a process hygiene criterion in yogurt production. IOP Conference Series: Earth and Environmental Science, 854. doi: https://doi.org/10.1088/1755-1315/854/1/012104

Kumalawati, D., Dewi, R., Fitriani, N., Muchtar, S., Leonardo, J., Taslim, N., Romano, R., Santini, A. and Nurkolis, F., 2025. Sea grape (Caulerpa racemosa) kombucha: A comprehensive study of metagenomic and metabolomic profiling, its molecular mechanism of action as an antioxidative agent, and the impact of fermentation time. Beverages. DOI: https://doi.org/10.3390/beverages11050134

Kusuma, G.P.A.W., Nocianitri, K.A. & Pratiwi, I.D.P.K., 2020. Pengaruh lama fermentasi terhadap karakteristik fermented rice drink sebagai minuman probiotik dengan isolat Lactobacillus sp. F213. Jurnal Itepa, 9(2), pp.182–193. DOI: https://doi.org/10.24843/itepa.2020.v09.i02.p08

Laureys, D., Jean, A.V., Dumont, J., & Vuyst. 2017. Investigation of The Instability and Low water kefir Grain Growth During an Industrial water kefir Fermentation Process, 101(7). DOI: https://doi.org/10.1007/s00253-016-8084-5

Lestari, M.W., Bintoro, V.P. and Rizqiati, H., 2018. Pengaruh lama fermentasi

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

terhadap tingkat keasaman, viskositas, kadar alkohol, dan mutu hedonik kefir air kelapa. Jurnal Teknologi Pangan, 2(1).

Liao, T., Li, X., Fan, L., Zhang, B., Zheng, W., Hua, J., Li, L., Mahror, N. and Cheng, L., 2024. Nature of backslopping kombucha fermentation process: Insights from microbial succession, metabolite composition changes and their correlations. Frontiers in Microbiology, 15. DOI: https://doi.org/10.3389/fmicb.2024.1433127

Lithgow, T., Stubenrauch, C.J. and Stumpf, M.P., 2023. Surveying membrane landscapes: a new look at the bacterial cell surface. Nature Reviews Microbiology, 21(8), pp.502-518. Available at: https://www.nature.com/articles/s41579-023-00862-w

Londero, A., Quinta, R., Abraham, A.G., Sereno, R., De Antoni, G. and Garrote, G.L., 2011. Inhibitory activity of cheese whey fermented with kefir grains. Journal of Food Protection, 74(1), pp.94-100. DOI: https://doi.org/10.4315/0362-028X.JFP-10-121

Lucena, M.D.A., Ramos, I.F.D.S., Geronço, M.S., de Araújo, R., da Silva Filho, F.L., da Silva, L.M.L.R., de Sousa, R.W.R., Ferreira, P.M.P., Osajima, J.A., Silva-Filho, E.C. and Rizzo, M.D.S., 2022. Biopolymer from water kefir as a potential clean-label ingredient for health applications: evaluation of new properties. Molecules, 27(12), p.3895. DOI: https://doi.org/10.3390/molecules27123895

Lynch, K., Wilkinson, S., Daenen, L. and Arendt, E. (2021) 'An update on water kefir: Microbiology, composition and production', International Journal of Food Microbiology, 345, p. 109128. DOI: https://doi.org/10.1016/j.ijfoodmicro.2021.109128

Mahmad, N., Taha, R. M., Othman, R., Abdullah, S., Anuar, N., Elias, H., & Rawi, N. (2018). Anthocyanin as potential source for antimicrobial activity in Clitoria ternatea L. and Dioscorea alata L. Pigment & Resin Technology, 47(6), 490-495. DOI: https://doi.org/10.1108/PRT-11-2016-0109

Maillard, J.Y. and Pascoe, M., 2024. Disinfectants and antiseptics: mechanisms of

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

action and resistance. Nature Reviews Microbiology, 22(1), pp.4-17. available at: https://www.nature.com/articles/s41579-023-00958-3

Manoochehri, H., Hosseini, N., Saidijam, M., Taheri, M., & Rezaee, H. (2020). A review on invertase: Its potentials and applications. Biocatalysis and Agricultural biotechnology, 25, 101599. https://doi.org/10.1016/j.bcab.2020.101599

Marangi L.P., Sangi, M.S. & Paendong, J.J.E. 2012. Penentuan Kandungan Tanin dan Uji Aktivitas Antioksidan Ekstrak Biji Buah Alpukat (Persea americana Mill.). Jurnal MIPA Unstrat Online. 1(1): 5-10. DOI: https://doi.org/10.35799/jm.1.1.2012.423

Ma'ruf, N.Q., Antasionasti, I., Fatimawali, F. and Tallei, T., 2021. ANALISIS GC-MS EKSTRAK METANOL DAN N-HEKSAN DARI BUNGA TELANG (Clitoria ternatea L.). Pharmacon, 10(2), pp.857-862. DOI: https://doi.org/10.35799/pha.10.2021.34035

Mazzaracchio, P., Pifferi, P., Kindt, M., Munyaneza, A., & Barbiroli, G. (2004). Interactions between anthocyanins and organic food molecules in model systems. International Journal of Food Science and Technology, 39(1), 53-59. DOI: https://doi.org/10.1111/j.1365-2621.2004.00747.x

McDougal, L.K. & Thornsberry, C., 1984. New recommendations for disk diffusion antimicrobial susceptibility tests for methicillin-resistant (heteroresistant) staphylococci. Journal of Clinical Microbiology, 19(4), pp.482–488. https://doi.org/10.1128/jcm.19.4.482-488.1984

Melia, S., Juliyarsi, I., Oktania, M., & Putri, D. D. (2024). Physicochemical characteristics, microbiology, and antioxidants of goat milk kefir supplemented with Clitoria ternatea L. extract. Current Nutrition & Food Science, 20(3), 356–364. DOI: https://dx.doi.org/10.2174/1573401319666230518153436

Min, K.H., Yin, F.H., Amin, Z., Mansa, R.F. and Ling, C.M.W.V., 2022. An overview of the role of lactic acid bacteria in fermented foods and their potential probiotic properties. Borneo International Journal of

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Biotechnology (BIJB), 2, pp.65-83. DOI: https://doi.org/10.51200/bijb.v2i.4186

Mulyani, S., Sunarko, K.M.F. and Setiani, B.E., 2021. Pengaruh lama fermentasi terhadap total asam, total bakteri asam laktat dan warna kefir belimbing manis (Averrhoa carambola). Jurnal Ilmiah Sains, 21(2), pp.113-118. DOI: https://doi.org/10.35799/jis.21.2.2021.31416

Nassarawa, S.S., Nayik, G.A., Gupta, S.D., Areche, F.O., Jagdale, Y.D., Ansari, M.J., Hemeg, H.A., Al-Farga, A. and Alotaibi, S.S., 2023. Chemical aspects of polyphenol-protein interactions and their antibacterial activity. Critical Reviews in Food Science and Nutrition, 63(28), pp.9482-9505. DOI: https://doi.org/10.1080/10408398.2022.2067830

Naz, S., Alam, S., Ahmad, W., Khan, S., Qayyum, A., Sabir, M., Naz, A., Iqbal, A., Bibi, Y., Nisa, S., Khalifa, A., Gharib, A., & Askary, A. (2021). Inhibition of multi-Drug Resistant Salmonella enterica serovar Typhi by Selected Plant Extracts Along With Their Phytochemicals. Saudi Journal of Biological Sciences. https://doi.org/10.1016/j.sjbs.2021.10.008

Nejati, F., Junne, S., & Neubauer, P. (2020). A Big World in Small Grain: A Review of Natural Milk Kefir Starters. Microorganisms, 8. https://doi.org/10.3390/microorganisms8020192

Ngibad, K., & Lestari, L.P. 2020. Aktivitas Antioksidan dan Kandungan Fenolik Total Daun Zodia (Evodia suaveolens). ALCHEMY Jurnal Penelitian Kimia, 16(1): 94-109. DOI: https://doi.org/10.20961/alchemy.16.1.35580.94-109

Nurfuzianti, R., Lubis, N. and Cahyati, E.J., 2021. Pengaruh proses fermentasi terhadap kandungan asam laktat pada makanan fermentasi. Parapemikir: Jurnal Ilmiah Farmasi, 10(2), pp.71-76.

Oguis, G.K., Gilding, E.K., Jackson, M.A. and Craik, D.J., 2019. Butterfly pea (Clitoria ternatea), a cyclotide-bearing plant with applications in agriculture and medicine. Frontiers in plant science, 10, p.645. DOI: https://doi.org/10.3389/fpls.2019.00645

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Permadi, M.R., Oktafa, H. & Agustianto, K. 2018. Perancangan Sistem Uji Sensoris Makanan dengan Pengujian Preference Test (Hedonik dan Mutu Hedonik), Studi Kasus Roti Tawar Menggunakan Algoritma Radial Basis Function Network. Jurnal Mikrotik, 8(1): 29-42. DOI: https://doi.org/10.31598/sintechjournal.v2i2.282

Pertiwi, S.R.R., Novidahlia, N., & Juliana, I. 2013. Chemical Propertis Changes of Water-Kefirr Fermented at Various Temperatures, Jurnal Pertanian. 4(1): 21-25. DOI: https://doi.org/10.30997/jp.v4i1.65

Pogačić, T., Šinko, S., Zamberlin, Š. and Samaržija, D., 2013. Microbiota of kefir grains. Mljekarstvo, 63(1), pp.3-14. available at: https://hrcak.srce.hr/file/144662

Potrich, E., & Amaral, L. (2018). Activation Energy, Half-Life and Yield of the Hydrolysis Reaction of Sucrose Catalyzed by the Enzyme Invertase Produced by Yeast Saccharomyces cerevisiae. International Journal of Current Microbiology and Applied Sciences, 7, 806-816. https://doi.org/10.20546/ijcmas.2018.702.102

Prado, M.R., Blandón, L.M., Vandenberghe, L.P., Rodrigues, C., Castro, G.R., Thomaz-Soccol, V. and Soccol, C.R., 2015. Milk kefir: composition, microbial cultures, biological activities, and related products. Frontiers in microbiology, 6, p.1177. DOI: https://doi.org/10.3389/fmicb.2015.01177

Prastowo, I., Sundari, W., Hanifah, M., Octaviana, S., Ahda, M., Moro, H. and Narusman, A. (2023). Production of yoghurt with Clitoria ternatea flower extract supplementation, and its stability during storage. International Food Research Journal. DOI: doi: https://doi.org/10.47836/ifrj.30.1.18

Pratibha, S., Sonali, R. and Jagtap, M.N., 2023. Phytochemical analysis and antimicrobial screening of Clitoria ternatea L. Acta Scientific Microbiologi, 6(4), pp.4-8. DOI: https://doi.org/10.31080/ASMI.2023.06.1223

Purwanto, U.M.S., Aprilia, K. & Sulistya. 2022. Aktivitas Antioksidan Ekstrak Kembang Telang (Clitoria ternatea L.) dalam Menghambat Peroksidasi Lipid. Curr Biochem, 9(1): 26-37. DOI:

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.21107/agrointek.v19i2.20206

Reuter, G., 1985. Elective and selective media for lactic acid bacteria. International Journal of Food Microbiology, 2(1–2), pp.55–68. DOI: https://doi.org/10.1016/0168-1605(85)90057-1

Reygaert, W.C., 2018. An overview of the antimicrobial resistance mechanisms of bacteria. AIMS Microbiology, 4(3), pp.482–501. https://doi.org/10.3934/microbiol.2018.3.482

Rezaldi, F., Utami, A., Wijayanti, F., Purbanova, R., Wati, D., Suminar, E., Kusumiyati, K., Mu'jijah, M., Faizah, N., Cahyono, A., Setyaji, D., Fadillah, M. and Yenny, R. (2024) 'Aktivitas antioksidan pada sediaan kombucha bunga telang yang diracik dari formulasi gula aren dan madu SR12 sebagai produk bioteknologi pangan dan farmasi', Agribios. DOI: https://doi.org/10.36841/agribios.v22i2.5209

Rizal, S., Erna, M., Nurainy, F., & Tambunan, A.R. 2016. Karakteristik Probiotik Minuman Fermentasi Laktat Sari Buah Nanas dengan Variasi Jenis Bakteri Asam Laktat. Jurnal Kimia Terapan Indonesia, 18(1): 63-71. DOI: https://doi.org/10.14203/jkti.v18i01.41

Rozi, F., Ash-Shidiq, M.N. & Majiding, C.M. 2023. Analisis Kapasitas Antioksidan Minuman Sumber Vitamin C. Jurnal Kesehatan Tambusai, 4(4): 6105-6111. DOI: https://doi.org/10.31004/jkt.v4i4.21855

Sawangrat, K., Therdtatha, P., Pundee, A., Seesuriyachan, P. and Panti, N. (2024) 'Development of new functional beverage: Longan kefir supplemented with herbs', Current Applied Science and Technology. DOI: https://doi.org/10.55003/cast.2024.259608

Setiawati, A.E. & Kusnadi, J. 2021. Optimazitation of Fermentation Time and Grain Concentration for water kefir Production from Butterflu Pea Flower (Clitoria ternatea). International Conference on Green Agro-industry and Bioeconomy. DOI: https://doi.org/10.1088/1755-1315/924/1/012081

Siagian, L., Manalu, K. and Nasution, R., 2024. Isolasi dan identifikasi bakteri asam

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

laktat dari hasil fermentasi limbah organik kulit buah (eco-enzyme). BIOEDUSAINS: Jurnal Pendidikan Biologi dan Sains, 7(1). DOI: https://doi.org/10.31539/bioedusains.v7i1.9967

Sindi, A., Badsha, M.B., Nielsen, B. and Ünlü, G., 2020. Antimicrobial activity of six international Artisanal Kefirs against Bacillus cereus, Listeria monocytogenes, Salmonella enterica serovar Enteritidis, and Staphylococcus aureus. Microorganisms, 8(6), p.849. DOI: https://doi.org/10.3390/microorganisms8060849

Singh, J.P., Kaur, A., Singh, N., Nim, L.,Shevkani, K., Kaur, H., and Arora, D.S.2016. In vitro antioxidant and antimicrobial properties of jambolana (Syzygium cumini) fruit polyphenols. LWT, 1025-1030. DOI: https://doi.org/10.1016/j.lwt.2015.09.038

Suharman, Izzati, N.K. & Himelda, T.A.N., 2023. Analisis cemaran mikroba dalam produk minuman sari kedelai dengan metode Total Plate Count (TPC). JITAP, 1(1), pp.9. DOI: https://doi.org/10.31316/jitap.vi.5748

Suhartatik, N., Mustofa, A., & Mursito, P. (2019). Phenolic content and antioxidant activity of black glutinous rice anthocyanin during fermentation by Pediococcus pentosaceus N11. 16. Agritech: Jurnal Fakultas Teknologi Pertanian UGM, 39(1), 30-35. DOI: https://doi.org/10.22146/agritech.36347

Sundari S, Fadhliani. 2019. Uji Angka Lempeng Total (ALT) pada Sediaan Kosmetik Lotion X di BBPOM Medan. Jurnal Biologica Samudra, vol. 1, pp. 25–8. available at: https://ejurnalunsam.id/index.php/jbs/article/view/1524

Suthanthangjai, W., Kilmartin, P.A., Phillips, A.R.J., Davies, K. and Ansell, J., 2014. Bioconversion of Pinot noir anthocyanins into bioactive phenolic compounds by lactic acid bacteria. Nutrition and Aging, 2(2-3), pp.145-149. DOI: https://doi.org/10.3390/foods8100430

SY, M.Z.S. and Wardani, A.K., 2024. Effect of Sucrose and Starter on the Chemical and Organoleptic Properties of Fig Leaf Tea water kefir. Agritech, 44(4),

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

p.341. DOI: http://doi.org/10.22146/agritech.82628

Talattof, Ayyudia, H. & Asngad, A. 2019. Kualitas water kefir Buah Sirsak dengan Konsentrasi Starter Kristal Alga dan Lama Fermentasi yang Berbeda. Skripsi thesis, Universitas Muhammadiyah Surakarta, Surakarta.

Tan, Z., Gu, L., Wang, Z., Wang, L., Wu, G., Qin, G., Wang, Y. and Pang, H., 2022. Variation of microbial community and fermentation quality in corn silage treated with lactic acid bacteria and Artemisia argyi during aerobic exposure. Toxins, 14(5), p.349. Available at: https://doi.org/10.3390/toxins14050349

Taye, Y., Degu, T., Fesseha, H. and Mathewos, M., 2021. Isolation and identification of lactic acid bacteria from cow milk and milk products. The Scientific World Journal, 2021, pp.1–8. Available at: https://doi.org/10.1155/2021/4697445

Thibodeau, A., Reardon, P., Bartlett, B. and Curtin, C., 2025. Changes in microbial community structure during adaptation of kombucha symbiotic culture of bacteria and yeast to fermentation of sweet and acid whey. Journal of Dairy Science. DOI: https://doi.org/10.3168/jds.2024-25859

Tireki, S., 2025. Influence of water properties on the physicochemical and sensorial parameters of water kefir. Journal of Culinary Science & Technology, 23(3), pp.579-599. DOI: https://doi.org/10.1080/15428052.2024.2303002

Tzavaras, D., Papadelli, M., & Ntaikou, I. (2022). From Milk Kefir to water kefir: Assessment of Fermentation Processes, Microbial Changes and Evaluation of the Produced Beverages. Fermentation. https://doi.org/10.3390/fermentation8030135

Vaisbourd, E., Glass, D.S., Yang, Y., Mayo, A., Bren, A. and Alon, U., 2025. Principles of bacteriostatic and bactericidal antibiotics at subinhibitory concentrations. Mbio, 16(11). DOI: https://doi.org/10.1128/mbio.02066-25

Vidana Gamage, G.C., Lim, Y.Y. and Choo, W.S., 2021. Anthocyanins from Clitoria ternatea flower: Biosynthesis, extraction, stability, antioxidant

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

activity, and applications. Frontiers in Plant Science, 12, p.792303. DOI: https://doi.org/10.3389/fpls.2021.792303

Vieira, C., Rosario, A., Lelis, C., Rekowsky, B., Carvalho, A., Rosario, D., Elias, T., Costa, M., Foguel, D. and Conte-Junior, C. (2021) 'Bioactive compounds from kefir and their potential benefits on health: A systematic review and meta-analysis', Oxidative Medicine and Cellular Longevity, 2021. DOI: https://doi.org/10.1155/2021/9081738

Villarreal-Soto, S. A., Bouajila, J., Pace, M., Leech, J., Cotter, P., Souchard, J., Taillandier, P., & Beaufort, S. (2020). Metabolome-microbiome signatures in the fermented beverage, Kombucha.. International journal of food microbiology, 333, 108778. https://doi.org/10.1016/j.ijfoodmicro.2020.108778

Waldherr, F., Doll, V., Meissner, D., & Vogel, R. (2010). Identification and characterization of a glucan-producing enzyme from Lactobacillus hilgardii TMW 1.828 involved in granule formation of water kefir.. Food microbiology, 27 5, 672-8. https://doi.org/10.1016/j.fm.2010.03.013

Walsh, C., 2000. Molecular mechanisms that confer antibacterial drug resistance. Nature, 406(6797), pp.775–781. https://doi.org/10.1038/35021219

Wang, B., Rutherfurd-Markwick, K., Zhang, X.-X., & Mutukumira, A. (2022). Kombucha: Production and Microbiological Research. Foods, 11. https://doi.org/10.3390/foods11213456

Wang, S., Zhang, L., Qi, L., Liang, H., Lin, X., Yu, C., & Ji, C. (2020). Effect of synthetic microbial community on nutraceutical and sensory qualities of kombucha. International Journal of Food Science & Technology. https://doi.org/10.1111/ijfs.14596

Wang, Y., Chen, H., Feng, P., Wang, D. and Du, X., 2025. Botany, phytochemistry, pharmacology and application of Clitoria ternatea L.: a review. DOI: http://doi.org/10.25135/rnp.2509.3634

Wong, F. and Amir, A., 2019. Mechanics and dynamics of bacterial cell lysis.

UNIVERSITAS
GADJAH MADA
Karakteristik Fermentasi dan Aktivitas Antibakteri Water Kefir dengan Penambahan Bunga Telang (Clitoria ternatea L.)
Luthfia Kumala Dewi, Sari Darmasiwi, S.Si., M.Biotech., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Biophysical journal, 116(12), pp.2378-2389. DOI: https://doi.org/10.1016/j.bpj.2019.04.040

Xu, D., Fels, L., Wefers, D., Behr, J., Jakob, F., & Vogel, R. (2018). Lactobacillus hordei dextrans induce Saccharomyces cerevisiae aggregation and network formation on hydrophilic surfaces.. International journal of biological macromolecules, 115, 236-242. https://doi.org/10.1016/j.ijbiomac.2018.04.068

Yıkmış, S. and Tuğgüm, S., 2019. Evaluation of microbiological, physicochemical and sensorial properties of purple basil kombucha beverage. Turkish Journal of Agriculture-Food Science and Technology, 7(9), pp.1321-1327. DOI: https://doi.org/10.24925/turjaf.v7i9.1321-1327.2550

Yılmaz, B., Sharma, H., Melekoglu, E., & Ozogul, F. (2022). Recent developments in dairy kefir-derived lactic acid bacteria and their health benefits. Food Bioscience. https://doi.org/10.1016/j.fbio.2022.101592

Yuliasari, H., Ayuningtyas, L.P. and Erminawati, E., 2023. Identifikasi senyawa bioaktif dan evaluasi kapasitas antioksidan seduhan simplisia bunga telang (Clitoria ternatea L.). Jurnal Teknologi Pangan dan Hasil Pertanian, 18(1), pp.1-9. DOI: https://doi.org/10.26623/jtphp.v18i1.6104

Yulion, R., Hadriyati, A. and Elvina, N. (2023) 'Antibacterial activity of apple vinegar against the growth of Streptococcus pyogenes', International Journal of Pharmaceutical Sciences and Medicine (IJPSM), 8(6), pp. 188–191. DOI: https://doi.org/10.47760/ijpsm.2023.v08i06.012

Zakari, D., Amoka, A., Idris, E., Anoze, A., Moyosore, A., Boniface, M., Bashir, A., Danjuma, S. and Omuya, A., 2025. Characterization of lactic acid bacteria from fermented cereal-based foods in Anyigba, Nigeria, for potential probiotic and bio-preservation applications. Agriculture and Food Bioactive Compounds, 2(8). DOI: https://doi.org/10.31989/afbc.v2i8.1723