UNIVERSITAS
GADJAH MADA
**Prarancangan Pabrik Propilen Glikol dari Gliserol dan Asam Format dengan Kapasitas 50.000 Ton/Tahun**
Nasywa Dzakiyya Maheswari, Dr. Ir. Jonas Kristanto, S.T., IPM.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Ai, S., Huang, Z., Yu, W., & Liu, L. (2024). Separation of ethylene glycol from propylene glycol via selective adsorption with basic anion-exchange resin. *Journal of Molecular Liquids*, *405*, 125116. https://doi.org/10.1016/j.molliq.2024.125116

Al-Ghawas, H. A., Hagewiesche, D. P., Ruiz-Ibanez, G., & Sandall, O. C. (1989). Physicochemical properties important for carbon dioxide absorption in aqueous methyldiethanolamine. *Journal of Chemical & Engineering Data*, *34*.

American Petroleum Institute. (2016). *API standard 560: Fired heaters for general refinery service* (5th ed.). API Publishing Services.

Aries, R. S., & Newton, R. D. (1955). *Chemical engineering cost estimation*. McGraw-Hill.

Badan Pusat Statistik. (2025). *Impor propylene glycol (HS 290532) menurut negara asal dan tahun*. https://www.bps.go.id/exim

Badan Pusat Statistik Gresik. (2024). *Curah hujan menurut bulan di Kabupaten Gresik tahun 2023*. https://gresikkab.bps.go.id/id

Badan Pusat Statistik Kabupaten Gresik. (2024). *Jumlah penduduk berdasarkan umur di Kabupaten Gresik tahun 2023*. https://gresikkab.bps.go.id

Badday, A. S., Abdullah, A. Z., Lee, K. T., & Khayoon, M. S. (2012). Intensification of biodiesel production via ultrasonic-assisted process: A critical review on fundamentals and recent development. *Renewable and Sustainable Energy Reviews*, *16*(7), 4574–4587. https://doi.org/10.1016/j.rser.2012.04.057

Brown, G. G., Boyaju, D., Lil, M., O, U. E., Brown, G. M., Brownell, L. E., La, D., Katz, V., Martin, J. J., & White, R. R. (1950). *Unit operations*.

Brownell, L. E., & Young, E. H. (1959). *Process equipment design*. John Wiley & Sons.

Champon, I., Bengaouer, A., Chaise, A., Thomas, S., & Roger, A. (2019). Carbon dioxide methanation kinetic model on a commercial Ni/Al2O3 catalyst.

UNIVERSITAS
GADJAH MADA
**Prarancangan Pabrik Propilen Glikol dari Gliserol dan Asam Format dengan Kapasitas 50.000 Ton/Tahun**
Nasywa Dzakiyya Maheswari, Dr. Ir. Jonas Kristanto, S.T., IPM.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

*Journal of CO2 Utilization*, *34*, 256–265. https://doi.org/10.1016/j.jcou.2019.05.030

Cohen, P. (Ed.). (1989). *The ASME handbook on water technology for thermal power systems*. American Society of Mechanical Engineers.

Coker, A. K. (2007). *Ludwig's applied process design for chemical and petrochemical plants* (4th ed., Vol. 1). Elsevier.

Couper, J. R., Penney, W. R., Fair, J. R., & Walas, S. M. (2012). *Chemical process equipment: Selection and design* (3rd ed.). Elsevier.

Dinas Lingkungan Hidup Kabupaten Gresik. (2023). *Status lingkungan hidup daerah (SLHD) Kabupaten Gresik tahun 2023*. https://dlh.gresikkab.go.id

Dudukovic, M. P., Kuzeljevic, Ž. V., & Combest, D. P. (2014). Three-phase trickle-bed reactors. In *Ullmann's encyclopedia of industrial chemistry* (pp. 1–40). Wiley. https://doi.org/10.1002/14356007.b04_309.pub2

Duduković, M. P., Larachi, F., & Mills, P. L. (2002). Multiphase catalytic reactors: A perspective on current knowledge and future trends. *Catalysis Reviews*, *44*(1), 123–246. https://doi.org/10.1081/CR-120001460

Eigenberger, G., & Ruppel, W. (2012). Catalytic fixed-bed reactors. In *Ullmann's encyclopedia of industrial chemistry*. Wiley. https://doi.org/10.1002/14356007.b04_199.pub2

Fayol, H., Urwick, L. F., & Fayol, H. (1971). *General and industrial management* (Repr.). Pitman.

Fuku, K., Kamegawa, T., Mori, K., & Yamashita, H. (2012). Highly dispersed platinum nanoparticles on TiO2 prepared by using the microwave-assisted deposition method: An efficient photocatalyst for the formation of H2 and N2 from aqueous NH3. *Chemistry – An Asian Journal*, *7*(6), 1366–1371. https://doi.org/10.1002/asia.201100984

Gandarias, I., Fernández, S. G., El Doukkali, M., Requies, J., & Arias, P. L. (2013). Physicochemical study of glycerol hydrogenolysis over a Ni-Cu/Al2O3 catalyst using formic acid as the hydrogen source. *Topics in Catalysis*, *56*(11), 995–1007. https://doi.org/10.1007/s11244-013-0063-9

Gates, B. C., Katzer, J. R., Olson, J. H., & Schuit, G. C. A. (1974). *Chemistry of catalytic processes*.

UNIVERSITAS
GADJAH MADA
**Prarancangan Pabrik Propilen Glikol dari Gliserol dan Asam Format dengan Kapasitas 50.000 Ton/Tahun**
Nasywa Dzakiyya Maheswari, Dr. Ir. Jonas Kristanto, S.T., IPM.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Geankoplis, C. J. (2018). *Transport processes and separation process principles* (5th ed.). Pearson Education.

Global Asset Protection Services LLC. (2015). *GAPS guidelines: Oil and chemical plant layout and spacing*.

Hasibuan, M. S. P. (2017). *Manajemen sumber daya manusia*. Bumi Aksara.

Haynes, W. M., Lide, D. R., & Bruno, T. J. (2016). *CRC handbook of chemistry and physics* (97th ed.).

Hietala, J., Vuori, A., Johnsson, P., Pollari, I., Reutemann, W., & Kieczka, H. (2016). Formic acid. In *Ullmann's encyclopedia of industrial chemistry* (pp. 1–22). Wiley. https://doi.org/10.1002/14356007.a12_013.pub3

J. R., M., Sharma, H., Mori, K., Yamashita, H., & Verma, P. (2025). Photocatalytic hydrogen generation from formic acid: Understanding the mechanistic insights and recent trends. *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, *65*, 100725. https://doi.org/10.1016/j.jphotochemrev.2025.100725

Kementerian Pekerjaan Umum. (2026, Februari). *Parameter uji air Pos Boboh*. https://hidrologi.bbws-bsolo.net/kualitasair/parameter/322

Kern, D. Q. (1965). *Process heat transfer*. McGraw-Hill.

Larkins, R. P., White, R. R., & Jeffrey, D. W. (1961). Two-phase concurrent flow in packed beds. *A.I.Ch.E. Journal*, *7*, 231–239.

Market Reports World. (2025). *Propylene glycol market size and growth report, 2033*. https://www.marketreportsworld.com/market-reports/propylene-glycol-market14720917

Mitta, H., Seelam, P. K., Ojala, S., Keiski, R. L., & Balla, P. (2018). Tuning Y-zeolite based catalyst with copper for enhanced activity and selectivity in vapor phase hydrogenolysis of glycerol to 1,2-propanediol. *Applied Catalysis A: General*, *550*, 308–319. https://doi.org/10.1016/j.apcata.2017.10.019

Miyazawa, T., Kusunoki, Y., Kunimori, K., & Tomishige, K. (2006). Glycerol conversion in the aqueous solution under hydrogen over Ru/C + an ion-exchange resin and its reaction mechanism. *Journal of Catalysis*, *240*(2), 213–221. https://doi.org/10.1016/j.jcat.2006.03.023

UNIVERSITAS
GADJAH MADA
**Prarancangan Pabrik Propilen Glikol dari Gliserol dan Asam Format dengan Kapasitas 50.000 Ton/Tahun**
Nasywa Dzakiyya Maheswari, Dr. Ir. Jonas Kristanto, S.T., IPM.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Nielsen, N. D., Jensen, A. D., & Christensen, J. M. (2021). The roles of CO and CO2 in high pressure methanol synthesis over Cu-based catalysts. *Journal of Catalysis*, *393*, 324–334. https://doi.org/10.1016/j.jcat.2020.11.035

Peraturan Presiden (Perpres) Nomor 64 Tahun 2020 tentang Perubahan Kedua atas Peraturan Presiden Nomor 82 Tahun 2018 tentang Jaminan Kesehatan, Pub. L. No. 64 Tahun 2020, NO.130 LN.2020. (2020). https://peraturan.bpk.go.id/Details/136650/perpres-no64-tahun-2020

Perry, R. H., & Green, D. W. (1997). *Chemical engineers' handbook*.

Perry, R. H., Green, D. W., & Maloney, J. O. (2000). *Perry's chemical engineers' handbook* (7th ed.).

Peters, M. S., Timmerhaus, K. D., & West, R. E. (2003). *Plant design and economics for chemical engineers* (5th ed.). McGraw-Hill.

Powell, S. T. (1954). *Water conditioning for industry* (1st ed.). McGraw-Hill.

Rahmat, N., Abdullah, A. Z., & Mohamed, A. R. (2010). Recent progress on innovative and potential technologies for glycerol transformation into fuel additives: A critical review. *Renewable and Sustainable Energy Reviews*, *14*(3), 987–1000. https://doi.org/10.1016/j.rser.2009.11.010

Rase, H. F. (1977). *Chemical reactor design for process plants*.

Reason, J. (2000). Human error: Models and management. *BMJ*, *320*(7237), 768–770.

Restrepo, J. B., Bustillo, J. A., Bula, A. J., & Paternina, C. D. (2021). Selection, sizing, and modeling of a trickle bed reactor to produce 1,2 propanediol from biodiesel glycerol residue. *Processes*, *9*(3). https://doi.org/10.3390/pr9030479

Restrepo, J. B., Paternina-Arboleda, C. D., & Bula, A. J. (2021). 1,2-propanediol production from glycerol derived from biodiesel's production: Technical and economic study. *Energies*, *14*(16). https://doi.org/10.3390/en14165081

Robbins, S. P., & Coulter, M. K. (2017). *Management* (13th global ed.). Pearson.

Sinnott, R. K. (2005). *Chemical engineering design: Vol. 6. Coulson & Richardson's chemical engineering* (4th ed.). Elsevier Butterworth-Heinemann.

UNIVERSITAS
GADJAH MADA
**Prarancangan Pabrik Propilen Glikol dari Gliserol dan Asam Format dengan Kapasitas 50.000 Ton/Tahun**
Nasywa Dzakiyya Maheswari, Dr. Ir. Jonas Kristanto, S.T., IPM.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Slovinsky, M. (1981). *Boiler additives for oxygen scavenging* (U.S. Patent No. 4,269,717). U.S. Patent and Trademark Office.

Smith, J. M., Van Ness, H. C., Abbott, M. M., & Swihart, M. T. (2018). *Introduction to chemical engineering thermodynamics* (8th ed.). McGraw-Hill Education.

Smith, R. J. B., Loganathan, M., & Shantha, M. S. (2010). A review of the water gas shift reaction kinetics. *International Journal of Chemical Reactor Engineering*, *8*. https://doi.org/10.2202/1542-6580.2238

SnowPure LLC. (2018). *OEM engineering manual Electropure XL & EXL series EDI* (Vol. 3). www.snowpure.com

Sullivan, C. J., Kuenz, A., & Vorlop, K. (2018). Propanediols. In *Ullmann's encyclopedia of industrial chemistry* (pp. 1–15). Wiley. https://doi.org/10.1002/14356007.a22_163.pub2

Sutedi, A. (2011). *Good corporate governance*. Sinar Grafika.

Tchobanoglous, G., Stensel, H. D., & Tsuchihashi, R. (2014). *Wastewater engineering: Treatment and resource recovery*.

Towler, G. (2022). *Chemical engineering design*. https://doi.org/10.1016/c2019-0-02025-0

Towler, G. P., & Sinnott, R. K. (2013). *Chemical engineering design: Principles, practice, and economics of plant and process design* (2nd ed.). Butterworth-Heinemann.

Treybal, R. E. (1980). *Mass-transfer operations* (J. J. Carberry, J. R. Fair, M. S. Peters, W. R. Schowalter, & J. Wei, Eds.). McGraw-Hill.

Ulrich, G. D. (1984). *A guide to chemical engineering process design and economics*. Wiley.

Vadthya, P., Kumari, A., Sumana, C., & Sridhar, S. (2015). Electrodialysis aided desalination of crude glycerol in the production of biodiesel from oil feed stock. *Desalination*, *362*, 133–140. https://doi.org/10.1016/j.desal.2015.02.001

Wen, C. Y., & Yu, Y. H. (1966). A generalized method for predicting the minimum fluidization velocity. *AIChE Journal*, *12*(3), 610–612. https://doi.org/10.1002/aic.690120343

UNIVERSITAS
GADJAH MADA
**Prarancangan Pabrik Propilen Glikol dari Gliserol dan Asam Format dengan Kapasitas 50.000 Ton/Tahun**
Nasywa Dzakiyya Maheswari, Dr. Ir. Jonas Kristanto, S.T., IPM.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Windsor, B. (2016). *Ion exchange design – Hand calculation*.

Winkler, T., Baccot, F., Eränen, K., Wärnå, J., Hilpmann, G., Lange, R., Peurla, M., Simakova, I., Grénman, H., Murzin, D. Yu., & Salmi, T. (2022). Catalytic decomposition of formic acid in a fixed bed reactor – an experimental and modelling study. *Catalysis Today*, *387*, 128–139. https://doi.org/10.1016/j.cattod.2021.10.022

Yaws, C. L. (1999). *Chemical properties handbook*. McGraw-Hill.

Zhou, Z., Li, X., Zeng, T., Hong, W., Cheng, Z., & Yuan, W. (2010). Kinetics of hydrogenolysis of glycerol to propylene glycol over Cu-ZnO-Al2O3 catalysts. *Chinese Journal of Chemical Engineering*, *18*(3), 384–390. https://doi.org/10.1016/S1004-9541(10)60235-2