UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Lauryl Alcohol Ethoxylate dari Lauryl Alcohol dan Etilena Oksida Dengan Kapasitas 40.000 Ton/tahun
Stefanus Hendrian Subiantara, Ir. Muhammad Mufti Azis, S.T., M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aguirre-Ramírez, M., Silva-Jiménez, H., Banat, I. M., & Diaz De Rienzo, M. A. (2021). Surfactants: Physicochemical interactions with biological macromolecules. *Biotechnology Letters, 43*(3), 523–535. https://doi.org/10.1007/s10529-020-03054-1

Amaral, G. M., & Giudici, R. (2011). Kinetics and modeling of fatty alcohol ethoxylation in an industrial spray loop reactor. *Chemical Engineering & Technology, 34*(10), 1635–1644. https://doi.org/10.1002/ceat.201100215

American Chemistry Council. (2023). *Ethylene oxide product stewardship guidance manual.* American Chemistry Council, Ethylene Oxide/Ethylene Glycols Panel. Diakses pada 20 Desember 2025, dari https://www.americanchemistry.com/content/download/12874/file/Ethylene-Oxide-Product-Stewardship-Manual-(2023).pdf

Aries, R. S., & Newton, R. D. (1955). *Chemical engineering cost estimation.* McGraw-Hill.

Badan Pusat Statistik. (2024). *Statistik impor menurut komoditi (HS).* Badan Pusat Statistik. Diakses pada 10 Desember 2025, dari https://www.bps.go.id

Balchem Corporation. (2016). *Ethylene oxide* (Versi 37) [Lembar data produk]. Balchem Corporation. Diakses pada 5 Desember 2025, dari https://www.balchem.com

Brown, G. G., Foust, A. S., & Katz, D. L. (1950). *Unit operations.* John Wiley & Sons.

Brownell, L. E., & Young, E. H. (1959). *Process equipment design: Vessel design.* John Wiley & Sons.

Center for Chemical Process Safety. (2001). *Layer of protection analysis: Simplified process risk assessment.* American Institute of Chemical Engineers.

Crowl, D. A., & Louvar, J. F. (2011). *Chemical process safety: Fundamentals with applications* (3rd ed.). Prentice Hall.

Di Serio, M., Iengo, P., Vairo, G., & Santacesaria, E. (1998). Narrow-range ethoxylation of fatty alcohols promoted by a zirconium alkoxide sulfate catalyst. *Journal of Surfactants and Detergents, 1*(1), 83–91. https://doi.org/10.1007/s11743-998-0011-9

Di Serio, M., Russo, V., Santacesaria, E., & Tesser, R. (2021). The evolution of the fed-batch ethoxylation reactors to produce the non-ionic surfactants. *Frontiers in Chemical Engineering, 3*, Article 644719. https://doi.org/10.3389/fceng.2021.644719

Di Serio, M., Tesser, R., Felippone, F., & Santacesaria, E. (1995). Ethylene oxide solubility and ethoxylation kinetics in the synthesis of nonionic surfactants.

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Lauryl Alcohol Ethoxylate dari Lauryl Alcohol dan Etilena Oksida Dengan Kapasitas 40.000 Ton/tahun
Stefanus Hendrian Subiantara, Ir. Muhammad Mufti Azis, S.T., M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Industrial & Engineering Chemistry Research, 34(11), 4092–4098. https://doi.org/10.1021/ie00038a052

Di Serio, M., Tesser, R., & Santacesaria, E. (2005). Comparison of different reactor types used in the manufacture of ethoxylated, propoxylated products. *Industrial & Engineering Chemistry Research, 44*(25), 9482–9489. https://doi.org/10.1021/ie0502234

Di Serio, M., Vairo, G., Iengo, P., Felippone, F., & Santacesaria, E. (1996). Kinetics of ethoxylation and propoxylation of 1- and 2-octanol catalyzed by KOH. *Industrial & Engineering Chemistry Research, 35*(11), 3848–3853. https://doi.org/10.1021/ie960200c

Fogler, H. S. (2016). *Elements of chemical reaction engineering* (5th ed.). Prentice Hall.

Götz, M., Lefebvre, J., Mörs, F., Ortloff, F., Reimert, R., Bajohr, S., & Kolb, T. (2017). Novel gas holdup correlation for slurry bubble column reactors operated in the homogeneous regime. *Chemical Engineering Journal, 308*, 1209–1224. https://doi.org/10.1016/j.cej.2016.09.101

Green, D. W., & Perry, R. H. (Eds.). (2008). *Perry's chemical engineers' handbook* (8th ed.). McGraw-Hill.

Gubernur Banten. (2024). *Keputusan Gubernur Banten tentang upah minimum kabupaten/kota di Provinsi Banten tahun 2025.* Pemerintah Provinsi Banten. Diakses pada 22 Desember 2025, dari https://birohukum.bantenprov.go.id

Hreczuch, W., Miszkiewicz, W., Szymanowski, J., & Zimoch, J. (1996). High ethoxylated alcohols with narrow distribution of homologues. *Journal of Chemical Technology and Biotechnology, 67.*

Kantarci, N., Borak, F., & Ulgen, K. O. (2005). Bubble column reactors. *Process Biochemistry, 40*(7), 2263–2283. https://doi.org/10.1016/j.procbio.2004.10.004

Kern, D. Q. (1950). *Process heat transfer.* McGraw-Hill.

Kosswig, K. (1994). Surfactants. In *Ullmann's encyclopedia of industrial chemistry* (Vol. A25). VCH Verlagsgesellschaft.

Leib, T. M., & Pereira, C. J. (2008). Reaction kinetics. In D. W. Green & R. H. Perry (Eds.), *Perry's chemical engineers' handbook* (8th ed.). McGraw-Hill.

Li, J., Li, Y., Lian, J., Wei, L., & Zhang, R. (2025). Experimental study on transient self-priming process of rotary lobe pump. *Flow Measurement and Instrumentation, 102*, Article 102803. https://doi.org/10.1016/j.flowmeasinst.2024.102803

Li, Y., Zhou, J., Zhang, Y., Liang, H., Sun, J., Liu, Y., D'Errico, G., Sun, Y., & Di Serio, M. (2021). Synthesis and properties of primary alcohol ethoxylates using different

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Lauryl Alcohol Ethoxylate dari Lauryl Alcohol dan Etilena Oksida Dengan Kapasitas 40.000 Ton/tahun
Stefanus Hendrian Subiantara, Ir. Muhammad Mufti Azis, S.T., M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

catalytic systems. *ACS Omega, 6*(44), 29774–29780. https://doi.org/10.1021/acsomega.1c04232

Ma, Y., Guo, L., Xiao, Y., & Ji, A. (2024). Bubble mass transfer in fluids under gravity: A review of theoretical models and intensification technologies in industry. *Frontiers in Physics, 12*, Article 1383537. https://doi.org/10.3389/fphy.2024.1383537

McCabe, W. L., Smith, J. C., & Harriott, P. (2005). *Unit operations of chemical engineering* (7th ed.). McGraw-Hill.

Mordor Intelligence. (2024). *Alcohol ethoxylates market size & share analysis — Growth trends & forecasts (2024–2029).* Mordor Intelligence. Diakses pada 12 Desember 2025, dari https://www.mordorintelligence.com/industry-reports/alcohol-ethoxylates-market

Mudge, S. M. (2005). *Fatty alcohols: A review of their natural synthesis and environmental distribution.* Diakses pada 8 Desember 2025, dari https://www.researchgate.net/publication/267974492

MSDS asam fosfat. (n.d.). *Lembar data keselamatan bahan: Asam fosfat (phosphoric acid).* [Lengkapi produsen dan URL].

Nedeltchev, S. (2025). Updated review on the available methods for measurement and prediction of the mass transfer coefficients in bubble columns. *Fluids, 10*(2), Article 29. https://doi.org/10.3390/fluids10020029

Peraturan Pemerintah Republik Indonesia Nomor 22 Tahun 2021 tentang Penyelenggaraan Perlindungan dan Pengelolaan Lingkungan Hidup. (2021). *Lembaran Negara Republik Indonesia Tahun 2021 Nomor 32.* Diakses pada 20 Maret 2026, dari https://peraturan.bpk.go.id

Perry, R. H., & Green, D. W. (Eds.). (1997). *Perry's chemical engineers' handbook* (7th ed.). McGraw-Hill.

Peters, M. S., Timmerhaus, K. D., & West, R. E. (2003). *Plant design and economics for chemical engineers* (5th ed.). McGraw-Hill.

Pittsburgh Corning. (n.d.). *FOAMGLAS insulation — Technical data sheet.* Pittsburgh Corning. Diakses pada 14 Februari 2026, dari https://www.foamglas.com

Powell, S. T. (1954). *Water conditioning for industry.* McGraw-Hill.

Rebsdat, S., & Mayer, D. (2001). Ethylene oxide. In *Ullmann's encyclopedia of industrial chemistry.* Wiley-VCH. https://doi.org/10.1002/14356007.a10_117

ROCKWOOL. (n.d.). *ProRox SL 940 NA — Product data sheet.* ROCKWOOL. Diakses pada 28 Februari 2026, dari https://www.rockwool.com

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Lauryl Alcohol Ethoxylate dari Lauryl Alcohol dan Etilena Oksida Dengan Kapasitas 40.000 Ton/tahun
Stefanus Hendrian Subiantara, Ir. Muhammad Mufti Azis, S.T., M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Salmi, T., Roche, M., Carucci, J. H., Eränen, K., & Murzin, D. (2012). Ethylene oxide — Kinetics and mechanism. *Current Opinion in Chemical Engineering, 1*(3), 321–327. https://doi.org/10.1016/j.coche.2012.06.002

Sanchez, M. A., Torres, G. C., Mazzieri, V. A., & Pieck, C. L. (2017). Selective hydrogenation of fatty acids and methyl esters of fatty acids to obtain fatty alcohols: A review. *Journal of Chemical Technology and Biotechnology, 92*(1), 27–42. https://doi.org/10.1002/jctb.5039

Santacesaria, E., Di Serio, M., Garaffa, R., & Addino, G. (1992a). Kinetics and mechanisms of fatty alcohol polyethoxylation. 1. The reaction catalyzed by potassium hydroxide. *Industrial & Engineering Chemistry Research, 31*(11), 2413–2418. https://doi.org/10.1021/ie00011a001

Santacesaria, E., Di Serio, M., Garaffa, R., & Addino, G. (1992b). Kinetics and mechanisms of fatty alcohol polyethoxylation. 2. Narrow-range ethoxylation obtained with barium catalysts. *Industrial & Engineering Chemistry Research, 31*(11), 2419–2421. https://doi.org/10.1021/ie00011a002

Santacesaria, E., Tesser, R., & Di Serio, M. (2018). Polyethoxylation and polypropoxylation reactions: Kinetics, mass transfer and industrial reactor design. *Chinese Journal of Chemical Engineering, 26*(6), 1235–1251. https://doi.org/10.1016/j.cjche.2018.02.020

Sinnott, R. K. (2005). *Coulson & Richardson's chemical engineering: Vol. 6. Chemical engineering design* (4th ed.). Elsevier Butterworth-Heinemann.

Statista. (2025). *Market volume of alcohol ethoxylates worldwide.* Statista. Diakses pada 15 Desember 2025, dari https://www.statista.com

Tian, W., Qin, G., & Zhou, J. (2025). Ru/MgO catalyst for narrow-distribution fatty alcohol ethers: Enhanced efficiency and recyclability in ethoxylation. *Catalysis Letters, 155*(9). https://doi.org/10.1007/s10562-025-05133-2

Towler, G., & Sinnott, R. K. (2013). *Chemical engineering design: Principles, practice and economics of plant and process design* (2nd ed.). Butterworth-Heinemann.

Undang-Undang Republik Indonesia Nomor 7 Tahun 2021 tentang Harmonisasi Peraturan Perpajakan. (2021). *Lembaran Negara Republik Indonesia Tahun 2021 Nomor 246.* Diakses pada 15 April 2026, dari https://peraturan.bpk.go.id

U.S. Environmental Protection Agency. (n.d.). *AP-42, Chapter 7, Section 1: Organic liquid storage tanks.* U.S. Environmental Protection Agency. Diakses pada 9 Desember 2025, dari https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emissions-factors

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Lauryl Alcohol Ethoxylate dari Lauryl Alcohol dan Etilena Oksida Dengan Kapasitas 40.000 Ton/tahun
Stefanus Hendrian Subiantara, Ir. Muhammad Mufti Azis, S.T., M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Veeramanoharan, A., & Kim, S. C. (2024). A comprehensive review on sustainable surfactants from CNSL: Chemistry, key applications and research perspectives. *RSC Advances, 14*(35), 25429–25471. https://doi.org/10.1039/d4ra04684f

Volza. (2025). *Lauryl alcohol ethoxylate import data of Indonesia.* Volza Grow Global. Diakses pada 18 Desember 2025, dari https://www.volza.com

Walke, S., & Sathe, V. (2011). Review of gas holdup characteristics of bubble column reactors. *International Journal of Chemical Engineering Research, 3*(1), 71–80. https://doi.org/10.37622/ijcher/3.1.2011.71-80

Yaws, C. L. (1999). *Chemical properties handbook: Physical, thermodynamic, environmental, transport, safety, and health related properties for organic and inorganic chemicals.* McGraw-Hill.

Zedníková, M., Orvalho, S., Fialová, M., & Růžička, M. C. (2018). Measurement of volumetric mass transfer coefficient in bubble columns. *ChemEngineering, 2*(2), Article 19. https://doi.org/10.3390/chemengineering2020019