UNIVERSITAS
GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abo-Rezq, H., Albaho, M., & Thomas, B. (2009). Effect of sand in growing media on selected plant species. *European Journal of Scientific Research*, *26*(4), 618-623.

Alfatih, M. A. (2025). Kualitas Fisik dan Fisiologis Benih Lima Jenis *Eucalyptus* Penghasil Minyak Atsiri di KHDTK Wanagama (Sjripsi. Tidak Dipublikasikan). Fakultas Kehutanan, Universitas Gadjah Mada.

Ali, N. S. (2010). Peranan air dalam perkecambahan biji. *Jurnal Ilmiah Sains*, *10*(2), 190-195.

Alighiri, D., Eden, W. T., Supardi, K. I., Masturi, & Purwinarko, A. (2017, March). Potential development essential oil production of Central Java, Indonesia. In *Journal of Physics: Conference Series* (Vol. 824, No. 1, p. 012021). IOP Publishing.

Aprialdi, D., Haiban, M. I., Kløve, B., & Torabi Haghighi, A. (2019). Irrigation requirement for Eucalyptus Pellita during initial growth. *Water*, *11*(10), 1972.

Barrios-Trilleras, A., & López-Aguirre, A. M. (2020). Basal area growth models for Eucalyptus tereticornis Smith stands on the Colombian Atlantic coast. *Madera y bosques*, *26*(2).

Batista, I. M. P., Figueiredo, A. D., Silva, A. D., & Silva, T. D. (2011). Packages, environment and storage periods effects in germination and vigor of cedar (Cedrela odorata) seeds in Manaus, AM.

Bean, A. R. (2013). Two new subspecies of Eucalyptus tereticornis Sm.(Myrtaceae). *Austrobaileya*, *9*(1), 107-113.

Brasil. (2013) Instruções Para Análise de Sementes de EspéciesFlorestais. Secretaria de Defesa Agropecuária.Ministério da Agricultura Pecuária e Abastecimento(MAPA), Brasília

Brown, N. A. C. (1992). Seed germination in the fynbos fire ephemeral, Syncarpha vestita (L) B-Nord is promoted by smoke, aqueous extracts of smoke and charred wood derived from burning the ericoid-leaved shrub, Passerina vulgaris Thoday. *International Journal of Wildland Fire*, *3*(4), 203-206.

Ceccherini, L., Raddi, S., Andreoli, C., (1998). The effect of seed stratification on germination of 14 Cupressus species. Seed Sci. Technol. 26, 159–168.

Close, D. C., & Wilson, S. J. (2002). Provenance effects on pre-germination treatments for Eucalyptus regnans and E. delegatensis seed. *Forest ecology and management*, *170*(1-3), 299-305.

UNIVERSITAS
GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Copeland, L. O. & McDonald, M. B. (2001). Principles of Seed Science and Technology. Kluwer Academic Publishers. London.

De Oliveira, V. H., Montanha, G. S., Carvalho, H. W., Mazzafera, P., & de Andrade, S. A. L. (2023). Mycorrhizal symbiosis alleviates Mn toxicity and downregulates Mn transporter genes in Eucalyptus tereticornis under contrasting soil phosphorus. *Plant and Soil*, *489*(1), 361-383.

Dhakad, A. K., Pandey, V. V., Beg, S., Rawat, J. M., & Singh, A. (2018). Biological, medicinal and toxicological significance of Eucalyptus leaf essential oil: a review. *Journal of the Science of Food and Agriculture*, *98*(3), 833-848.

Dignart, S., Ferronato, A., Camargo, I. P., & Mendonça, E. A. F. (2005). Overcoming physical dormancy on Stryphnodendron adstringens (Mart.) Cov. barbatimão seeds.

Dixon, K. W., Roche, S., & Pate, J. S. (1995). The promotive effect of smoke derived from burnt native vegetation on seed germination of Western Australian plants. *Oecologia*, *101*(2), 185-192.

Eshun, F., Wotorchie, R. K., Buahing, A. A., Harrison-Afful, A. A., Atiatorme, W. K., Amedzake, G., ... & Mante, V. (2022). A survey of the role of environmental education in biodiversity conservation in the greater Accra region of Ghana. *Conservation*, *2*(2), 297-304.

Fatima, F., Khalid, E., Afzal, I., Usman, M., Nadeem, M. A., & Kamran, M. (2025). Evaluation of cotton (Gossypium hirsutum L.) seed longevity and deterioration: Physiological and biochemical aspects in relation to moisture contents during storage in different module systems. *Journal of Stored Products Research*, *111*, 102553.

Florentino, A. L., Masullo, L. S., de Vicente Ferraz, A., de Souza Mateus, N., Monteleone, R. C. R., Pastoriza, L. B. B., ... & de Moraes Goncalves, J. L. (2021). Nutritional status of Eucalyptus plantation and chemical attributes of a Ferralsol amended with lime and copper plus zinc. *Forest Ecology and Management*, *502*, 119742.

Florentino, A. L., Carvalho, M. E. A., de Souza Mateus, N., de Vicente Ferraz, A., Rossi, M. L., Gaziola, S. A., ... & de Moraes Goncalves, J. L. (2024). Integrated Ca, Mg, Cu, and Zn supply upregulates leaf anatomy and metabolic adjustments in Eucalyptus seedlings. *Plant Physiology and Biochemistry*, *208*, 108446.

Gazola, R. D. N., Buzetti, S., Teixeira Filho, M. C. M., Dinalli, R. P., Moraes, M. D., Celestrino, T. D. S., ... & Dupas, E. (2015). Doses of N, P and K in the cultivation of eucalyptus in soil originally under Cerrado vegetation.

UNIVERSITAS
GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ginwal, H. S. (2009). Provenance and family variation in growth performance of Eucalyptus tereticornis (Sm.) in a provenance cum progeny trial in Midnapore, India. *Forest ecology and management*, *258*(11), 2529-2534.

González, M. (2023). Estimation of genetic parameters for productive traits in Eucalyptus tereticornis and implications for breeding. *Bosque*, *44*(3), 493-502.

Hariyono, Kacung, and Talitha Nathaniel. "Hubungan perkecambahan benih dan performa bibit di lapang pada beberapa varietas terung hibrida." *Jurnal Agrotek Tropika* 12.1 (2024): 130-137.

Hosseinifarahi, M., Moazen, H. A., Amiri, A., Jowkar, M. M., & Mottaghipisheh, J. (2022). Evaluation of seed priming and culture media to improve the germination performance and quality of sweet pepper and eggplant seedlings. *International Journal of Horticultural Science and Technology*, *9*(4), 415-428.

Hyun, S. Y., Choi, B. J., & Choi, H. S. (2024). Eucalyptus Species Selection for Superior Adaptability to Indoor-Outdoor Environments in South Korea. *Horticultural Science and Technology*, *42*(2), 188-199.

Jeromini, T. S., Silva, G. Z. D., & Martins, C. C. (2021). Effect of size classification on physical and physiological quality aimed at pelletizing seeds of Eucalyptus species. *Floresta e Ambiente*, *28*(3), e20200092.

Jesus Albuquerque Nogueira, M. C. D., Araujo, V. A. D., Vasconcelos, J. S., Christoforo, A. L., & Rocco Lahr, F. A. (2020). SIXTEEN PROPERTIES OF Eucalyptus tereticornis WOOD FOR STRUCTURAL USES.

Keeley, S. C., & Pizzorno, M. (1986). Charred wood stimulated germination of two fire-following herbs of the California chaparral and the role of hemicellulose. *American Journal of Botany*, *73*(9), 1289-1297.

Koornneef, M., Bentsink, L., & Hilhorst, H. (2002). Seed dormancy and germination. *Current opinion in plant biology*, *5*(1), 33-36.

Kullusyahi, W., Safitri, F. R., Ismatama, T. M., & Ratnaningrum, Y. W. (2025). Mass propagation of Eucalyptus species for essential oils: Sustainable techniques for Indonesian forestry. In *BIO Web of Conferences* (Vol. 167, p. 06005). EDP Sciences.

Kumar, P., Mishra, A. K., Kumar, M., Chaudhari, S. K., Singh, R., Singh, K., ... & Sharma, D. K. (2019). Biomass production and carbon sequestration of Eucalyptus tereticornis plantation in reclaimed sodic soils of north-west India. *Indian Journal of Agricultural Sciences*, *89*(7), 1091-1095.

Kumar, P., Mishra, A. K., Chaudhari, S. K., Sharma, D. K., Rai, A. K., Singh, K., ... & Singh, R. (2021). Carbon sequestration and soil carbon build-up

UNIVERSITAS GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

under Eucalyptus plantation in semi-arid regions of North-West India. *Journal of Sustainable Forestry*, *40*(4), 319-331.

Laclau, J. P., Ranger, J., de Moraes Gonçalves, J. L., Maquère, V., Krusche, A. V., M'Bou, A. T., ... & Deleporte, P. (2010). Biogeochemical cycles of nutrients in tropical Eucalyptus plantations: main features shown by intensive monitoring in Congo and Brazil. *Forest ecology and management*, *259*(9), 1771-1785.

Leksono, B. 2010. Efisiensi Seleksi Awal pada Kebun Benih Semai *Eucalyptus pellita*. *Jurnal Penelitian Hutan Tanaman*, 7(1): 1-13.

Lewsey, M. G., Bassel, G. W., & Whelan, J. (2025). Dynamic and spatial control of cellular activity during seed germination. *Current Opinion in Plant Biology*, *86*, 102754.

Li, Y., Zhan, X., Liu, S., Lu, H., Jiang, R., Guo, W., ... & Baret, F. (2023). Self-supervised plant phenotyping by combining domain adaptation with 3D plant model simulations: Application to wheat leaf counting at seedling stage. *Plant Phenomics*, *5*, 0041.

Lipiec, J., Siczek, A., Sochan, A., & Bieganowski, A. (2016). Effect of sand grain shape on root and shoot growth of wheat seedlings. *Geoderma*, *265*, 1-5.

Listyanto, T., Glencross, K., Nichols, J. D., Schoer, L., & Harwood, C. (2010). Performance of eight eucalypt species and interspecific hybrid combinations at three sites in northern New South Wales, Australia. Australian Forestry, 73(1), 47-52.

Loiola, Â. T., Pinheiro, E. S., da Silva Souza, A. R., da Silva, P. H. M., de Holanda, A. C., & Araujo, P. C. D. (2025). Influence of environmental factors on the survival and growth of Eucalyptus tereticornis provenances in the Brazilian semi-arid. *Forest Ecology and Management*, *593*, 122925.

Lubis, Y. A., Riniarti, M., & Bintoro, A. (2014). Pengaruh lama waktu perendaman dengan air terhadap daya berkecambah trembesi (Samanea saman). *Jurnal Sylva Lestari*, *2*(2), 25-32.

Maciel, G. P., Caldeira, C. F., Gastauer, M., Ribeiro, P. G., da Silva, G. M., & Ramos, S. J. (2023). Morphological characteristics and germination of native species seeds for mineland rehabilitation in the Eastern Amazon. *New Forests*, *54*(5), 769-787.

Mangwende, E., Chirwa, P. W., & Aveling, T. A. S. (2020). Evaluation of seed treatments against Colletotrichum kahawae subsp. cigarro on Eucalyptus spp. *Crop Protection*, *132*, 105113.

Mariappan, N., Srimathi, P., Sundaramoorthi, L., & Sudhakar, K. (2014). Effect

UNIVERSITAS GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

of growing media on seed germination and vigor in biofuel tree species. *Journal of forestry research*, *25*(4), 909-913.

Martins, C. C., Rocha Pereira, M. R., & Gomes Lopes, M. T. (2014). Germination of eucalyptus seeds under water and salt stress.

McDonald, M. W., Brooker, M. I. H., & Butcher, P. A. (2009). A taxonomic revision of Eucalyptus camaldulensis (Myrtaceae). *Australian Systematic Botany*, *22*(4), 257-285.

Nair, T. S., Wilson, S., & Spurr, C. (2007). Dormancy and germination in Eucalyptus globulus seeds. In *Seeds: biology, development and ecology. Proceedings of the Eighth International Workshop on Seeds, Brisbane, Australia, May 2005* (pp. 262-268). Wallingford UK: CABI.

Nguyen, N. T., Nakabayashi, K., Mohapatra, P. K., Thompson, J., & Fujita, K. (2003). Effect of nitrogen deficiency on biomass production, photosynthesis, carbon partitioning, and nitrogen nutrition status of Melaleuca and Eucalyptus species. *Soil science and plant nutrition*, *49*(1), 99-109.

Niu, Y., Chen, T., Zhao, C., & Zhou, M. (2021). Improving crop lodging resistance by adjusting plant height and stem strength. Agronomy, 11(12), 2421.

Nugraheni, F. T., Haryanti, S., & Prihastanti, E. (2019). Pengaruh perbedaan kedalaman tanam dan volume air terhadap perkecambahan dan pertumbuhan benih sorgum (Sorghum bicolor (L.) Moench). Buletin Anatomi dan Fisiologi, 3(2), 223-232.

Nuroniah, H. S., Darwo, Yulianti, Lelana, N. E., Putri, K. P., Darmawan, U. W.,& Kusuma, Y. (2024, February). Genetic variation of Eucalyptus urophylla at seedling stage from provenances of East Nusa Tenggara, Indonesia. In AIP Conference Proceedings (Vol. 3001, No. 1, p. 030049). AIP Publishing LLC.

Obroucheva, N. V., & Antipova, O. V. (1997). Physiology of the initiation of seed germination.

Oliveira Júnior, O. A. D., Cairo, P. A. R., & Novaes, A. B. D. (2011). Morphophysiological characteristics associated to quality of Eucalyptus urophylla seedlings produced on different substrates. *Revista Árvore*, *35*, 1173-1180.

Olsen, J. E. (2005). Mechanisms of dormancy regulation. In *X International Symposium on Plant Bioregulators in Fruit Production 727* (pp. 157-166).

UNIVERSITAS GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Paine, T. D., Steinbauer, M. J., & Lawson, S. A. (2011). Native and exotic pests of Eucalyptus: a worldwide perspective. *Annual review of Entomology*, *56*(1), 181-201.

Peuchot, C. (2006). Testing of filter media for liquid filtration-introduction and review. *FILTRATION-COALVILLE-*, *6*(4), 297.

Postinguel, R. D. B., Alves, L. D. S., Ré, B. B., Caitano, C. E. C., Barretto, V. C. D. M., & Zied, D. C. (2025). Spent mushroom substrate for eucalyptus seedling growth under varying water deficiency conditions. *New Forests*, *56*(1), 9. https://link.springer.com/article/10.1007/s11056-024-10082-6

Pujiarti, R. & Fentiyanti. (2017). Chemical compositions and repellent activity of *Eucalyptus teretricornis* and *Eucalyptus deglupta* essential oils against Culex quinquefasciatus mosquito. *Thai Journal of Pharmaceutical Sciences (TJPS)*, 41(1).

Queiroz, T. B., Campoe, O. C., Montes, C. R., Alvares, C. A., Cuartas, M. Z., & Guerrini, I. A. (2020). Temperature thresholds for Eucalyptus genotypes growth across tropical and subtropical ranges in South America. *Forest Ecology and Management*, *472*, 118248.

Rasyfillah, M. R., Amri, A. A., Shorea, Z., & Al Rosid, S. A. (2023). Pemanfaatan Daun Eukaliptus Sebagai Minyak Atsiri di Desa Giripurno. Joong-Ki: Jurnal Pengabdian Masyarakat, 2(3), 575-580.

Rix, K. D., Gracie, A. J., Potts, B. M., Brown, P. H., Spurr, C. J., & Gore, P. L. (2011). Germination response of Eucalyptus globulus seeds exposed to low and high temperature stress. *Seed Science and Technology*, *39*(3), 686-691.

Rix, K. D., Gracie, A. J., Potts, B. M., Brown, P. H., Spurr, C. J., & Gore, P. L. (2012). The effect of time of harvest, irrigation treatments and kilning temperature on Eucalyptus globulus seed germination response to high temperature stress. *Seed Science and Technology*, *40*(2), 185-199.

Rodriguez de Melo, T. R., Antonangelo, J. A., Carvalho Delalibera, G. D., Firmano, R. F., Freitas Fregonezi, G. D., & Barzan, R. R. (2017). Initial development of eucalyptus clone I144 (Eucalyptus grandis X Eucalyptus urophylla) in response to foliar and soil fertilization.

Rosa, D. P. D., Navroski, M. C., Fonseca, P. H. T. D., Pereira, M. D. O., Brun, E. J., & Silva, J. J. D. N. (2021). Liming and macronutrient on early growth of Eucalyptus benthamii. *Ciência Rural*, *51*(10), e20200549. https://www.scielo.br/j/cr/a/9Pg4jqXDdnQNTXqWygK9VDt/?lang=en

Ruiz-Talonia, L., Carr, D., Smith, R., Whalley, R. D. B., & Reid, N. (2019). Effect of temperature and light on germination of 10 species of Eucalyptus from north-western NSW. *Australian Journal of Botany*, *66*(8), 657-666.

UNIVERSITAS
GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sá-Martins, R., Cleiton-José, A., Rocha-Faria, J. M., & de Melo, L. A. (2019). Effect of water and salt stress on seeds germination and vigor of different eucalyptus species. *Journal of Tropical Forest Science*, *31*(1), 12-18.

Schafer, G., & Lerner, B. L. (2022). Physical and chemical characteristics and analysis of plant substrate. *Ornamental Horticulture*, *28*, 181-192.

Schmidt, L. H. (2007). Tropical forest seed. Springer Science & Business Media.

Shankaranarayana, K. H., Ravikumar, G., Angadi, V. G., & Rathore, T. S. (2006). Cineole rich clone in Eucalyptus tereticornis of pharmaceutical importance.\

Siboro, T. D. (2019). Manfaat keanekaragaman hayati terhadap lingkungan. Jurnal Ilmiah Simantek, 3(1).

Song, Z., Yang, H., Weng, Q., Zhou, C., Li, F., Li, M., ... & Gan, S. M. (2016). Genetic diversity and selective loci in Eucalyptus tereticornis populations. *Sci. Silvae Sin*, *52*(9), 39-47.

Sudrajat, D. J., & Zanzibar, M. 2010. LEDA (Eucalyptus deglupta Blume). Balai Penelitian Teknologi Perbenihan Bogor, 35.

Suleiman, M. K., Dixon, K., Commander, L., Nevill, P., Bhat, N. R., Islam, M. A., ... & Thomas, R. (2018). Seed germinability and longevity influences regeneration of Acacia gerrardii. *Plant ecology*, *219*(5), 591-609.

Suhastyo, A. A., & Raditya, F. T. (2019). Respon pertumbuhan dan hasil sawi pagoda (Brassica narinosa) terhadap pemberian mol daun kelor. *Agrotechnology Research Journal*, *3*(1), 56-60.

Surata, I. K. (2009). Pemupukan NPK Pada Tanaman Eucalyptus camaldulensis Dehnh Di Lahan Savana, Kabupaten Sumba Timur, Propinsi Nusa Tenggara Timur. Jurnal Penelitian Hutan Tanaman, 6(1), 9-18.

Tanwar, A. K., Pathania, I., Das, S., Kumar, A., & Singh, I. P. (2026). Seasonal metabolomic profiling of Eucalyptus tereticornis using 1H-NMR spectroscopy: Insights into volatile dynamics and neuroprotective potential of three eucalyptus species. *Biochemical Systematics and Ecology*, *126*, 105237.

Tang, Y., Li, H., Liu, C., He, Y., Wang, H., Zhao, T., ... & Jiang, J. (2022). CRISPR-Cas9-mediated mutagenesis of the SlSRM1-like gene leads to abnormal leaf development in tomatoes. *BMC plant biology*, *22*(1), 13.

Vishal, M. K., Banerjee, B., Saluja, R., Raju, D., Chinnusamy, V., Kumar, S., ... & Adinarayana, J. (2020, September). Leaf counting in rice (Oryza Sativa L.) using object detection: A deep learning approach. In *IGARSS 2020-2020 IEEE International Geoscience and Remote Sensing Symposium* (pp. 5286-5289). IEEE.

UNIVERSITAS
GADJAH MADA
PENGARUH SKARIFIKASI SUHU DAN LAMA PERENDAMAN TERHADAP KUALITAS FISIOLOGIS BENIH Eucalyptus teretricornis PADA DUA MEDIA TABUR YANG BERBEDA
Falchelery Rachmad Divansyah, Dr. Ir. Yeni Widyana N R, S.Hut., M.Sc. ; Prof. Ir. Eny Faridah, M.Sc., Ph.D., IPM.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, J. Y., Bu, Z. J., Poschlod, P., Yusup, S., Zhang, J. Q., & Zhang, Z. X. (2024). Seed dormancy types and germination response of 15 plant species in temperate montane peatlands. *Ecology and Evolution*, *14*(7), e11671.

Wang, L., Hu, H., Teng, W., Hou, W., Wei, J., Goodale, U. M., ... & Zhang, B. (2018). Orthogonal fertilization tests designed to optimize the quality of Eucalyptus seedlings. *Journal of Plant Nutrition*, *41*(12), 1507-1521.

Wang, X., Singh, D., Marla, S., Morris, G., and Poland, J. (2018). Field-based high-throughput phenotyping of plant height in sorghum using different sensing technologies. *Plant Methods, 14.* Kansas State University.

Wang, Z. C., Xu, Y. X., Zhu, W. K., & Du, A. P. (2019). Radial growth characteristics and influencing factors of Eucalyptus urophylla× E. grandis in Leizhou Peninsula in dry season.

Williams, E. R., Gunn, B. V. W., Solomon, D. J., & Doran, J. C. (2007). Reliability of germination testing procedures and germination performance of stored Eucalyptus camaldulensis seed of different ages. *Seed Science and Technology*, *35*(1), 1-8.

Winarni, W.W., Susilo, G.S., Nugroho, A.A.F., Safitri, F.R., Irwan, Ratnaningrum, Y.W.N.. (2021). Sprouting and rooting ability of the plus trees of Eucalyptus pellita, E. brassiana, and its hybrid in Wanagama, Indonesia. IOP Conference Series: Earth and Environmental Science 914/012051.

Yang, Q. X., Chen, D., Zhao, Y., Zhang, X. Y., Zhao, M., Peng, R., ... & Liang, Y. L. (2022). RNA-seq analysis reveals key genes associated with seed germination of Fritillaria taipaiensis PY Li by cold stratification. *Frontiers in Plant Science*, *13*, 1021572.

Yuniarti, N. & Leksono, B. (2017). The effect of method and germination paper substrate on viability of Eucalyptus pellita F. Muell seed. Jurnal Penelitian Kehutanan Wallacea, 6(1), 13-19.

Yuniarti, N., Syamsuwida, D., & Aminah, A. (2013). Dampak perubahan fisiologi dan biokimia benih eboni (Diospyros celebica Bakh.) selama penyimpanan. Jurnal Penelitian Hutan Tanaman, 10(2), 65-71.

Zanatto, B., de Paula, R. C., de Paula, N. F., Freitas, M. L. M., & de Araujo, M. J. (2020). Genetic divergence among Eucalyptus tereticornis Smith open pollinated progenies for growth and wood quality characters.