UNIVERSITAS
GADJAH MADA
**Pengaruh Jagung Transgenik Cry1Ab terhadap Hama Non-target Helicoverpa armigera di Kapanewon
Ngemplak dan Tempel, Sleman**
Zhilla Nur Annisa, Prof. Ir. Y. Andi Trisyono, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Amelia, E., U. Cahyana, dan Y. Hala. 2025. Rekayasa genetik tanaman dengan gen bt: implikasi bagi keamanan pangan dan kesehatan. JIIP-Jurnal Ilmiah Ilmu Pendidikan 8(5): 5027-5035.

Anggarda, B., C. Adileksana, dan A.B. Pratama. 2023. Praktik pertanian terbaik budi daya jagung. Edufarmers, Jakarta Selatan.

Badan Pusat Statistik. 2025. Luas panen, produksi, dan produktivitas jagung menurut provinsi, 2024. https://www.bps.go.id/id/statistics-table/2/MjIwNCMy/luas-panen-produksi--danproduktivitas-jagung-menurut-provinsi.html. Diakses pada 4 Januari 2025.

Bahagiawati, B., R. Reflinur, dan T.J. Santoso. 2015. Teknik PCR kualitatif untuk deteksi produk rekayasa genetika jagung event BT11 dan GA21. Jurnal Agrobiogen 11(2): 65-72.

Benowitz, K.M., C.W. Allan., B.A. Degain., X. Li., J.A. Fabrick., B.E. Tabashnik., Y. Carrière, and L.M. Matzkin. 2022. Novel genetic basis of resistance to Bt toxin Cry1Ac in *Helicoverpa zea*. Genetics 221(1): iyac037.

Bravo, A., M. Soberón, and S.S. Gill. 2005. *Bacillus thuringiensis*: mechanisms and use. Comprehensive Molecular Insect Science 6: 175-205.

Brévault, T., S. Heuberger., M. Zhang., C. Ellers-Kirk., X. Ni., L. Masson., X. Li., B.E. Tabashnik, and Y. Carrière. 2013. Potential shortfall of pyramided transgenic cotton for insect resistance management. Proceedings of the National Academy of Sciences of the United States of America 110(15): 5806-5811.

Broderick, N.A., C.J. Robinson., M.D. McMahon., J. Holt., J. Handelsman, and K.F. Raffa. 2009. Contributions of gut bacteria to *Bacillus thuringiensis*-induced mortality vary across a range of Lepidoptera. BMC Biology 7: 1-9.

Broderick, N.A., K.F. Raffa, and J. Handelsman. 2006. Midgut bacteria required for *Bacillus thuringiensis* insecticidal activity. Proceedings of the National Academy of Sciences of the United States of America 103: 15196-15199.

Bulla, L.A., K.J. Kramer., D.J. Cox., B.L. Jones., L.I. Davidson, and G.L. Lookhart. 1981. Purification and characterization of the entomocidal protoxin of *Bacillus thuringiensis*. Journal of Biological Chemistry 256: 3000-3004.

Buntin, G.D., R.D. Lee., D.M. Wilson, and R.M. McPherson. 2001. Evaluation of YieldGard transgenic resistance for control of fall armyworm and corn earworm (Lepidoptera: Noctuidae) on corn. Florida Entomologist 84: 37-42.

Burkness, E.C., W.D. Hutchison., P.C. Bolin., D.W. Bartels., D.F. Warnock, and D.W. Davis. 2001. Field efficacy of sweet corn hybrids expressing a Bacillus thuringiensis toxin for management of *Ostrinia nubilalis* (Lepidoptera: Crambidae) and *Helicoverpa zea* (Lepidoptera: Noctuidae). Journal of Economic Entomology 94: 197-203.

Carrière, Y., B.A. Degain., V.S. Harpold., G.C. Unnithan, and B.E. Tabashnik. 2020b. Gene flow between Bt and non-Bt plants in a seed mixture increases dominance of resistance to pyramided Bt corn in *Helicoverpa zea*

Pengaruh Jagung Transgenik Cry1Ab terhadap Hama Non-target Helicoverpa armigera di Kapanewon
Ngemplak dan Tempel, Sleman
Zhilla Nur Annisa, Prof. Ir. Y. Andi Trisyono, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(Lepidoptera: Noctuidae). Journal of Economic Entomology 113(5): 2041-2051.

Carrière, Y., N. Crickmore, and B.E. Tabashnik. 2015. Optimizing pyramided transgenic Bt crops for sustainable pest management. Nature Biotechnology 33(2): 161-168.

Center for Environmental Risk Assessment, ILSI Research Foundation. 2011. A review of the environmental safety of the Cry1Ab protein. Environmental Biosafety Research 10(3): 51-71.

Chakravarty, S., S. Ganguly., K.G. Padwal., R. Keval, and C.P. Srivastava. 2022. Morphology of immature stages and adults of *Helicoverpa armigera*. Indian Journal of Entomology 84(3): 588-593.

Dowd, P.F. 2001. Biotic and abiotic factors limiting efficacy of Bt corn in indirectly reducing mycotoxin levels in commercial fields. Journal of Economic Entomology 94: 1067-1074.

EFSA Panel on Genetically Modified Organisms (EFSA GMO Panel), H. Naegeli., J.L. Bresson., T. Dalmay., I.C. Dewhurst., M.M. Epstein, and M. Koukoulanaki. 2019. Assessment of genetically modified maize Bt11 × MIR162 × MIR604 × 1507 × 5307 × GA21 and subcombinations, for food and feed uses, under Regulation (EC) No 1829/2003 (application EFSA-GMO-DE-2011-103). EFSA Journal 17(4): e05635.

Eizaguirre, M., F. Madeira, and C. López. 2010. Effects of Bt maize on non-target Lepidoptera pests. IOBC/WPRS Bulletin 52: 49-55.

Erasmus, A. and J. Van den Berg. 2014. Effect of Bt-maize expressing Cry1Ab toxin on non-target Coleoptera and Lepidoptera pests of maize in South Africa. African Entomology 22(1): 167-179.

Gill, S.S. 1992. The mode of action of *Bacillus thuringiensis* endotoxin. Annual Review of Entomology 37: 615-636.

Ginting, S., M. Chozin, and S. Sudjatmiko. 2023. Infestation of *Helicoverpa armigera* (Hubner) and *Ostrinia furnacalis* Guenee on three tropical altitude variations. Jurnal Hama dan Penyakit Tumbuhan Tropika 23(1): 31-37.

Head, G., C.R. Brown., M.E. Groth, and J.J. Duan. 2001. Cry1Ab protein levels in phytophagous insects feeding on transgenic corn: implications for secondary exposure risk assessment. Entomologia Experimentalis et Applicata 99: 37-45.

Heckel, D.G., L.J. Gahan., S.W. Baxter., J.Z. Zhao., A.M. Shelton., F. Gould, and B.E. Tabashnik. 2007. The diversity of Bt resistance genes in species of Lepidoptera. Journal of Invertebrate Pathology 95(3): 192-197.

Ioannidis, J.P.A. 2005. Why most published research findings are false. PLoS Medicine 2(8): e124.

Jurat-Fuentes, J.L., D.G. Heckel, and J. Ferré. 2021. Mechanisms of resistance to insecticidal proteins from *Bacillus thuringiensis*. Annual Review of Entomology 66: 121-140.

Karim, A.I., R. Iswati, dan F. Zakaria. 2013. Tingkat serangan hama penggerek tongkol (*Helicoverpa armigera* Hubner) pada jagung varietas Bisi-2 dan Lokal Motorokiki [Attack level of cob borer (*Helicoverpa armigera* Hubner) on corn Bisi-2 and Motorokiki varieties]. Skripsi. Universitas Negeri Gorontalo, Gorontalo.

UNIVERSITAS GADJAH MADA
Pengaruh Jagung Transgenik Cry1Ab terhadap Hama Non-target Helicoverpa armigera di Kapanewon Ngemplak dan Tempel, Sleman
Zhilla Nur Annisa, Prof. Ir. Y. Andi Trisyono, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Knowles, B.H. 1994. Mechanism of action of *Bacillus thuringiensis* delta-endotoxins. Advances in Insect Physiology 24: 275-308.

Kranthi, K.R., C.S. Dhawad., S. Naidau., K. Mate., E. Patil, and S. Kranthi. 2005. Bt-cotton seed as a source of *Bacillus thuringiensis* insecticidal Cry1Ac toxin for bioassays to detect and monitor bollworm resistance to Bt-cotton. Current Science 88: 796-800.

Ledolter, J. and R.H. Kardon. 2020. Focus on data: statistical design of experiments and sample size selection using power analysis. Investigative Ophthalmology and Visual Science 61(8): 11-11.

Li, G., H. Feng., T. Ji., J. Huang, and C. Tian. 2021. What type of Bt corn is suitable for a region with diverse lepidopteran pests: a laboratory evaluation. GM Crops and Food 12(1): 115-124.

Li, X., Y. Liu., Z. Pei., G. Tong., J. Yue., J. Li., W. Dai., H. Xu., D. Shang, and L. Ban. 2023. The efficiency of pest control options against two major sweet corn ear pests in China. Insects 14(12): 929.

Liu, M.M., X.J. Zhang., Y. Gao., Z.C. Shen, and C.Y. Lin. 2018. Molecular characterization and efficacy evaluation of a transgenic corn event for insect resistance and glyphosate tolerance. Journal of Zhejiang University-SCIENCE B 19(8): 610-619.

Meissle, M., S.E. Naranjo, and J. Romeis. 2022. Does the growing of Bt maize change abundance or ecological function of non-target animals compared to the growing of non-GM maize? A systematic review. Environmental Evidence 11(1): 21.

Meytiana, A.D., N. Kurnia, dan R. Ngitung. 2017. Kajian awal siklus hidup dan konversi pakan *Helicoverpa armigera* di laboratorium. Prosiding Seminar Nasional Lembaga Penelitian Universitas Negeri Makassar: Membangun Indonesia Melalui Hasil Riset. hlm. 722-725. https://ojs.unm.ac.id/semnaslemlit/article/view/4144. Diakses 3 Juni 2026.

Natawigena. 1989. Pestisida dan kegunaannya. CV. Armico, Bandung.

Obrist, I.B., A. Dutton., R. Albajes, and F. Bigler. 2006. Exposure of arthropod predators to Cry1Ab toxin in Bt maize fields. Ecological Entomology 31: 143-154.

Palma, L., D. Muñoz., C. Berry., J. Murillo, and P. Caballero. 2014. *Bacillus thuringiensis* toxins: an overview of their biocidal activity. Toxins 6(12): 3296-3325.

Pérez-Hedo, M., C. López., R. Albajes, and M. Eizaguirre. 2012. Low susceptibility of non-target Lepidopteran maize pests to the Bt protein Cry1Ab. Bulletin of Entomological Research 102(6): 737-743.

Perry, J.N., Y. Devos., S. Arpaia., D. Bartsch., A. Gathmann., R.S. Hails., J. Kiss., K. Lheureux., B. Manachini., S. Mestdagh., G. Neemann., F. Ortego., J. Schiemann, and J.B. Sweet. 2010. A mathematical model of exposure of non-target Lepidoptera to Bt maize pollen expressing Cry1Ab within Europe. Proceedings of the Royal Society B: Biological Sciences 277(1686): 1417-1425.

Peterson, B., C.C. Bezuidenhout, and J. Van den Berg. 2017. An overview of mechanisms of Cry toxin resistance in lepidopteran insects. Journal of Economic Entomology 110(2): 362-377.

Pengaruh Jagung Transgenik Cry1Ab terhadap Hama Non-target Helicoverpa armigera di Kapanewon
Ngemplak dan Tempel, Sleman
Zhilla Nur Annisa, Prof. Ir. Y. Andi Trisyono, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pigott, C.R. and D.J. Ellar. 2007. Role of receptors in *Bacillus thuringiensis* crystal toxin activity. Microbiology and Molecular Biology Reviews 71: 255–281.

Pratiwi, K., Y.A. Trisyono, and E. Martono. 2016. The effect of *Bacillus thuringiensis* toxin Cry1A.105 and Cry2Ab2 on the survival of the non-target pest, *Spodoptera litura*. Jurnal Perlindungan Tanaman Indonesia 20(1): 7-14.

Reisig, D.D., C. DiFonzo., G. Dively., Y. Farhan., J. Gore, and J. Smith. 2022. Best management practices to delay the evolution of Bt resistance in Lepidopteran pests without high susceptibility to Bt toxins in North America. Journal of Economic Entomology 115(1): 10-25.

Reisig, D.D. and F.P.F. Reay-Jones. 2015. Inhibition of *Helicoverpa zea* (Lepidoptera: Noctuidae) growth by transgenic corn expressing Bt toxins and development of resistance to Cry1Ab. Environmental Entomology 44(4): 1275-1285.

Sanchis, V. 2011. From microbial sprays to insect-resistant transgenic plants: history of the biopesticide *Bacillus thuringiensis.* A review. Agronomy for Sustainable Development 31: 217–231.

Sarwono, B. Pikukuh., R. Sukarno., E. Korlina, dan Jumadi. 2003. Serangan ulat penggerek tongkol *Helicoverpa armigera* pada beberapa galur jagung [Attack of *Helicoverpa armigera* on corn]. Agrosains 5(2): 28-32.

Schnepf, E., N. Crickmore., J. Van Rie., D. Lereclus., J. Baum., J. Feitelson., D.R. Zeigler, and D.H. Dean. 1998. *Bacillus thuringiensis* and its pesticidal crystal proteins. Microbiology and Molecular Biology Reviews 62: 775-806.

Silva, G.A., I.B. Santos., S.O. Campos., T.V.S. Galdino., E.G.F. Morais., J.C. Martins., L.R. Ferreira., R.N.C. Guedes, and M.C. Picanço. 2018. Spatial distribution and losses by grain destroying insects in transgenic corn expressing the toxin Cry1Ab. PLoS One 13(8): e0201201.

Song, C., X. Yang., L. He., W. Wang, and K. Wu. 2024. Control efficacy of the Bt maize event DBN3601T expressing Cry1Ab and Vip3Aa proteins against beet armyworm, *Spodoptera exigua* (Hübner), in China. Plants 13(14): 1933.

Storer, N.P., J.W. Van Duyn, and G.G. Kennedy. 2001. Life history traits of *Helicoverpa zea* (Lepidoptera: Noctuidae) on non-Bt and Bt transgenic corn hybrids in eastern North Carolina. Journal of Economic Entomology 94: 1268-1279.

Storer, N. P., S.L. Peck., F. Gould., J.W. Van Duyn, and G.G. Kennedy. 2003. Spatial processes in the evolution of resistance in *Helicoverpa zea* (Lepidoptera: Noctuidae) to Bt transgenic corn and cotton in a mixed agroecosystem: a biology-rich stochastic simulation model. Journal of Economic Entomology 96(1), 156-172.

Surtikanti. 2011. Hama dan penyakit penting tanaman jagung dan pengendaliannya. Balai Penelitian Tanaman Serealia 1: 497-508.

Tabashnik, B.E., M. Zhang., J.A. Fabrick., Y. Wu., M. Gao., F. Huang., J. Wei., J. Zhang., A. Yelich., G.C. Unnithan., A. Bravo., M. Soberón., Y. Carrière, and X. Li. 2015. Dual mode of action of Bt proteins: protoxin efficacy against resistant insects. Scientific Reports 5(1): 15107.

UNIVERSITAS
GADJAH MADA
Pengaruh Jagung Transgenik Cry1Ab terhadap Hama Non-target Helicoverpa armigera di Kapanewon Ngemplak dan Tempel, Sleman
Zhilla Nur Annisa, Prof. Ir. Y. Andi Trisyono, M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tabashnik, B.E., Y. Liu., T. Malvar., D.G. Heckel., L. Masson, and J. Ferré. 1998. Insect resistance to *Bacillus thuringiensis*: uniform or diverse? Philosophical Transactions of the Royal Society B 353(1376): 1751-1756.

Tay, W.T., M.F. Soria., T. Walsh., D. Thomazoni., P. Silvie., G.T. Behere., C. Anderson, and S. Downes. 2013. A brave new world for an old world pest: *Helicoverpa armigera* (Lepidoptera: Noctuidae) in Brazil. PLoS One 8(11).

Tengkano, W. 2008. Ulat pemakan polong *Helicoverpa armigera*: biologi, perubahan status dan pengendaliannya pada tanaman kedelai. Buletin Palawija 16: 37-50.

Thamrin, T.N., dan E. Sudartik. 2019. Kepadatan populasi hama utama pada 2 varietas tanaman jagung di Kapanewon Malangke Kabupaten Luwu Utara. Agrovital Jurnal Ilmu Pertanian 5(2): 52-54.

Torres-Vila, L.M., M.C. Rodriguez-Molina., A. Lacasa Plasencia., P. Bielza-Lino, and A. Rodriguez-del-Rincon. 2002. Pyrethroid resistance of *Helicoverpa armigera* in Spain: current status and agroecological perspective. Agriculture Ecosystems and Environment 93: 55-66.

Tuliabu, R., J. Pelealu., J.B. Kaligis., dan M.F. Dien. 2015. Populasi hama penggerek tongkol jagung *Helicoverpa armigera* (Lepidoptera: Noctuidae) di Kabupaten Bone Bolango Provinsi Gorontalo. Eugenia 21(1).

Vachon, V., R. Laprade, and J.L. Schwartz. 2012. Current models of the mode of action of *Bacillus thuringiensis* insecticidal crystal proteins: a critical review. Journal of Invertebrate Pathology 111: 1–12.

Van Wyk, A., J. Van den Berg, and H. Van Hamburg. 2008. Diversity and comparative phenology of Lepidoptera on Bt and non-Bt-maize in South Africa. International Journal of Pest Management 54: 77-78.

Welch, K.L., G.C. Unnithan., B.A. Degain., J. Wei., J. Zhang., X. Li., B.E. Tabashnik, and Y. Carrière. 2015. Cross-resistance to toxins used in pyramided Bt crops and resistance to Bt sprays in *Helicoverpa zea*. Journal of Invertebrate Pathology 132: 149-156.

Whalon, M.E. and B.A. Wingerd. 2003. Bt: Mode of action and use. Archives of Insect Biochemistry and Physiology 54: 200–211.

Windus, L.C., A.M. Jones., S. Downes., T. Walsh., K. Knight, and M. Kinkema. 2021. HearNPV susceptibility in *Helicoverpa armigera* and *Helicoverpa punctigera* strains resistant to Bt toxins Cry1Ac, Cry2Ab, and Vip3Aa. Journal of Invertebrate Pathology 183: 107598.

Wolfersberger, M.G. 1990. The toxicity of two *Bacillus thuringiensis* δ-endotoxins to gypsy moth larvae is inversely related to the affinity of binding sites on midgut brush border membranes for the toxins. Experientia 46(5): 475-477.

Yi-yang, Y. and G. Feng. 2010. Effects of transgenic Bt crops on non-target soil animals. Chinese Journal of Applied Ecology 21(5).

ZhengJun, Z., L.S. Lu ShunBao., H. YanLin., H. HaoYong., C. JianBin., W. Wei, and L. Biao. 2018. Effects of Bt crops on non-target insect pests. Biodiversity Science 26(6): 636-644.