UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adhya, T. K., Bharati, K., Mohanty, S. R., Ramakrishnan, B., Rao, V. R., Sethunathan, N., & Wassmann, R. (2000). Methane emission from rice fields at Cuttack, India. *Nutrient Cycling in Agroecosystems, 58*(1), 95-105.

Aisyah, R. N., Nurjani, E., & Suarma, U. (2021). *Analisis zona agroklimat dan hubungannya dengan produktivitas padi dan tembakau di Kabupaten Temanggung* (Skripsi, Universitas Gadjah Mada). Program Studi Geografi Lingkungan, Universitas Gadjah Mada.

Aldrian, E., & Dwi Susanto, R. (2003). Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature. *International Journal of Climatology: A Journal of the Royal Meteorological Society, 23*(12), 1435-1452.

Apoorva, M. R., & Kundlas, K. (2024). Negative impacts of intensive agricultural practices on environment and ecosystem: A review. *International Journal of Research in Agronomy, 7*(12), 285-289.

Ariani, M., Hanudin, E., & Haryono, E. (2021). Greenhouse Gas Emissions from Rice Fields in Indonesia: Challenges for Future Research and Development. *Indonesian Journal of Geography, 53*(1), 30-43.

Ariani, M., Hanudin, E., & Haryono, E. (2022). The effect of contrasting soil textures on the efficiency of alternate wetting-drying to reduce water use and global warming potential. *Agricultural Water Management, 274*, 107970.

Aulakh, M. S., Wassmann, R., Bueno, C., & Rennenberg, H. (2001). Impact of root exudates of different cultivars and plant development stages of rice (Oryza sativa L.) on methane production in a paddy soil. *Plant and soil, 230*(1), 77-86.

Bertora, C., Peyron, M., Pelissetti, S., Grignani, C., & Sacco, D. (2018). Assessment of methane and nitrous oxide fluxes from paddy field by means of static closed chambers maintaining plants within headspace. *Journal of Visualized Experiments: Jove,* (139), 56754.

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Blake, L. I., Tveit, A., Øvreås, L., Head, I. M., & Gray, N. D. (2015). Response of methanogens in Arctic sediments to temperature and methanogenic substrate availability. *PloS one, 10*(6), e0129733.

Bodelier, P. L. (2011). Interactions between nitrogenous fertilizers and methane cycling in wetland and upland soils. *Current opinion in environmental sustainability*, 3(5), 379-388.

BPS. (2016). *Kabupaten Temanggung dalam Angka 2016*. Kabupaten Temanggung: BPS Kabupaten Temanggung.

BPS. (2024). *Provinsi Jawa Tengah dalam Angka 2024*. Semarang: BPS Provinsi Jawa Tengah.

Bwire, D., Saito, H., Sidle, R. C., & Nishiwaki, J. (2024). Water management and hydrological characteristics of paddy-rice fields under alternate wetting and drying irrigation practice as climate smart practice: a review. *Agronomy, 14*(7), 1421.

Chidthaisong, A., Cha-Un, N., Rossopa, B., Buddaboon, C., Kunuthai, C., Sriphirom, P., ... & Minamikawa, K. (2018). Evaluating the effects of alternate wetting and drying (AWD) on methane and nitrous oxide emissions from a paddy field in Thailand. *Soil Science and Plant Nutrition*, *64*(1), 31-38.

Chowdhury, N. R., Das, R., Joardar, M., Ghosh, S., Bhowmick, S., & Roychowdhury, T. (2018). *Arsenic accumulation in paddy plants at different phases of pre-monsoon cultivation. Chemosphere*, *210*, 987-997.

Ciais, P., Sabine, C., Bala, G., Bopp, L., Brovkin, V., Canadell, J., ... & Thornton, P. (2013). Carbon and other biogeochemical cycles. Climate change 2013: the physical science basis. *Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. 465-570. Cambridge University Press.

Conrad, R. (2023). Complexity of temperature dependence in methanogenic microbial environments. *Frontiers in microbiology*, *14*, 1232946.

Darman, L. P., Januhariadi, J., Yudha, M. P., & Aslan, A. (2024). Assessment of NASA POWER reanalysis products as data resources alternative for

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

weather monitoring in West Sumbawa, Indonesia. *In E3S Web of Conferences*. (485), 06006.

Dharmawijaya, M. L. (1980). *Klasifikasi Tanah: dasar teori bagi peneliti tanah dan pelaksana pertanian di Indonesia*. Bandung: Balai Penelitian Teh dan Kina.

Eggleston, H. S., Buendia, L., Miwa, K., Ngara, T., & Tanabe, K. (2006). *2006 IPCC Guidelines for National Greenhouse Gas Inventories: Intergovernmental Panel on Climate Change*. Institute for Global Environmental Strategies.

ESRI. (2021). Proportional symbols. Diakses pada 15 Maret 2026 dari https://pro.arcgis.com/en/pro-app/latest/help/mapping/layer-properties/proportional-symbology.htm

Filonchyk, M., Peterson, M. P., Zhang, L., Hurynovich, V., & He, Y. (2024). Greenhouse gases emissions and global climate change: Examining the influence of CO2, CH4, and N2O. *Science of The Total Environment*, 173359.

Fischer, M., & Goad, S. (2024). Greenhouse Gas Emission-A Perspective. *Journal of Strategic Innovation & Sustainability*, *19*(2), 1-13.

Flessa, H., Ruser, R., Dörsch, P., Kamp, T., Jimenez, M. A., Munch, J. C., & Beese, F. (2002). Integrated evaluation of greenhouse gas emissions (CO2, CH4, N2O) from two farming systems in southern Germany. *Agriculture, Ecosystems & Environment*, *91*(1-3), 175-189.

Forster, P., Ramaswamy, V., Artaxo, P., Berntsen, T., Betts, R., Fahey, D. W., Haywood, J., Lean, J., Lowe, D. C., Myhre, G., Nganga, J., Prinn, R., Raga, G., Schulz, M., & Van Dorland, R. (2007). *Changes in Atmospheric Constituents and in Radiative Forcing*. Chapter 2 (pp. p. 129–234). Cambridge University Press.

Hakim, D. L., Adji, R., & Satwhikawara, R. (2025). Integrating Land Suitability and Socio-economic Analysis for Strategic Agriculture Commodities in Tasikmalaya Regency, West Java, Indonesia. *Journal Of Experimental Agriculture International Учредители: Sciencedomain International*, *47*(2), 1-15.

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Houghton, J. (2009). *Global warming: the complete briefing*. Cambridge University Press.

Juutinen, S., Aurela, M., Tuovinen, J. P., Ivakhov, V., Linkosalmi, M., Räsänen, A., ... & Laurila, T. (2022). Variation in CO 2 and CH 4 fluxes among land cover types in heterogeneous Arctic tundra in northeastern Siberia. *Biogeosciences, 19*(13), 3151-3167.

Kim, G. W., Gwon, H. S., Jeong, S. T., Hwang, H. Y., & Kim, P. J. (2016). Different responses of nitrogen fertilization on methane emission in rice plant included and excluded soils during cropping season. *Agriculture, Ecosystems & Environment, 230*, 162-168.

Kaplan Pastíriková, L., Hrbáček, F., & Matějka, M. (2025). Validation of ERA5-Land-based reconstructed air temperature and near-surface ground temperature on James Ross Island. *Polar Geography*, *48*(2), 95-115.

Kirschke, S., Bousquet, P., Ciais, P., Saunois, M., Canadell, J. G., Dlugokencky, E. J., ... & Zeng, G. (2013). Three decades of global methane sources and sinks. *Nature geoscience, 6*(10), 813-823.

Lantin, R. S., Aduna, J. B., & Javeliana, A. M. (1995). Methane measurements in rice fields. *International Rice Research Institute. Los Banos, Manila, Philippines*.

Lee, J. H., Lee, J. Y., Kang, Y. G., Kim, J. H., & Oh, T. K. (2023). Evaluating methane emissions from rice paddies: A study on the cultivar and transplanting date. *Science of The Total Environment*, 902, 166174.

Lim, J. Y., Cho, S. R., Kim, G. W., Kim, P. J., & Jeong, S. T. (2021). Uncertainty of methane emissions coming from the physical volume of plant biomass inside the closed chamber was negligible during cropping period. *Plos one, 16*(9), e0256796.

Linarka, U. A., Tambunan, M. P., Kusratmoko, E., & Latifah, A. L. (2025). Assessing the spatiotemporal precipitation trends from ERA5-Land over Indonesia region. *IOP Conference Series: Earth and Environmental Science, 1438*(1), 012046.

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, J., Zang, H., Xu, H., Zhang, K., Jiang, Y., Hu, Y., & Zeng, Z. (2019a). Methane emission and soil microbial communities in early rice paddy as influenced by urea-N fertilization. *Plant and Soil, 445*(1), 85-100.

Liu, X., Zhou, T., Liu, Y., Zhang, X., Li, L., & Pan, G. (2019b). Effect of mid-season drainage on CH4 and N2O emission and grain yield in rice ecosystem: A meta-analysis. *Agricultural Water Management, 213*, 1028-1035.

Liu, X., Zhao, M., & Miao, Q. (2023). Global carbon dioxide emissions analysis based on time series visualization. *Frontiers in Physics, 11*, 1201983.

Manida, M. (2022). The future of food and agriculture trends and challenges. *Agriculture & Food E-Newsletter, 4*(2), 27-29.

Mazengo, T. E. R., Zhong, X., Liu, X., Mwema, M. F., & Gill, R. (2024). Non-flow-through static (closed chamber) method for sampling of greenhouse gases in crop production systems. *Frontiers in Agronomy, 6*, 1464495.

Monteiro, L. A., Sentelhas, P. C., & Pedra, G. U. (2018). Assessment of NASA/POWER satellite-based weather system for Brazilian conditions and its impact on sugarcane yield simulation. *International Journal of Climatology, 38*(3), 1571-1581.

Munawaroh, U., Komariah, K., Ariyanto, D. P., Zaki, M. K., & Noda, K. (2022). Estimates of methane and nitrous oxide emission from a rice field in Central Java, Indonesia, based on the DeNitrification DeComposition model. *SAINS TANAH-Journal of Soil Science and Agroclimatology, 19*(1), 1-11.

Muñoz-Sabater, J., Dutra, E., Agustí-Panareda, A., Albergel, C., Arduini, G., Balsamo, G., ... & Thépaut, J. N. (2021). ERA5-Land: A state-of-the-art global reanalysis dataset for land applications. *Earth system science data, 13*(9), 4349-4383.

Naser, H. M., Nagata, O., Sultana, S., & Hatano, R. (2018). Impact of management practices on methane emissions from paddy grown on mineral soil over peat in Central Hokkaido, Japan. *Atmosphere, 9*(6), 212.

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Paramitha, I. G. A. A. P. (2024). A Systematic Review of Research Trends in Methane Emissions from Rice Fields in Asia. *LIMNOTEK Perairan Darat Tropis di Indonesia, 30*(2), 33-45.

Parkin, T. B., & Venterea, R. T. (2010). *USDA-ARS GRACEnet Project Protocols Chapter 3. Chamber-Based Trace Gas Flux Measurements 4.*

Parthasarathi, T., Vanitha, K., Mohandass, S., & Vered, E. (2019). Mitigation of methane gas emission in rice by drip irrigation. *F1000Research, 8*, 2023.

PPID Kabupaten Temanggung. (2024). Diakses pada 22 Februari 2025 dari https://ppid.temanggungkab.go.id/frontend/d_profil/48

Ramachandran, S., Chandramohan, B. P., & Sunitha, S. (2024). Anthropogenic Methane Emission In India: Sources Of Methane Reduction Through Circular Economy For Mitigating Climate Change. *African Journal of Biomedical Research, 27*(5s), 347-359.

Rahmawati, R. (2021). *Analisis pengembangan sektor pertanian unggulan di Kabupaten Temanggung* (Tesis, Universitas Islam Negeri Syarif Hidayatullah Jakarta.).

Rustanto, A., & Suyono, D. (2012). *Kuantifikasi emisi metana (CH_4) areal persawahan padi tergenang Kabupaten Sleman dengan contoh gas terbatas* (Tesis, Universitas Gadjah Mada).

Sapkota, T. B., Rai, M., Singh, L. K., Gathala, M. K., Jat, M. L., Sutaliya, J. M., ... & Sharma, D. K. (2014). Greenhouse gas measurement from smallholder production systems: guidelines for static chamber method. *International Maize and Wheat Improvement Center (CIMMYT) and Indian Council of Agricultural Research (ICAR), 1*, 18.

Sartohadi, J., & Suratman, J. (2012). *Pengantar geografi tanah*. Pustaka Pelajar.

Setyanto, P., & Bakar, R. A. (2005). Methane emission from paddy fields as influenced by different water regimes in Central Java. *Indonesian Journal of Agricultural Science, 6*(1), 1-9.

Setyanto, P., Rosenani, A. B., Fauziah, C. I., & Makarim, A. K. (2004). *Influence of soil properties on methane production potential from wetland rice field in Java* (Doctoral dissertation, Universiti Putra Malaysia).

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Setyanto, P., Rosenani, A. B., Makarim, A. K., Bidin, A., & Suharsih, S. (2002). Soil controlling factors of methane gas production from flooded rice fields in Pati District, Central Java. *Indonesian Journal of Agricultural Science, 3*(1), 1-11.

Setyanto, P., Pramono, A., Adriany, T. A., Susilawati, H. L., Tokida, T., Padre, A. T., & Minamikawa, K. (2018). Alternate wetting and drying reduces methane emission from a rice paddy in Central Java, Indonesia without yield loss. *Soil Science and Plant Nutrition, 64*(1), 23-30.

Shah, A., Huang, J., Han, T., Khan, M. N., Tadesse, K. A., Daba, N. A., ... & Zhang, H. (2024). Impact of soil moisture regimes on greenhouse gas emissions, soil microbial biomass, and enzymatic activity in long-term fertilized paddy soil. *Environmental Sciences Europe, 36*(1), 120.

Smartt, A. D., Brye, K. R., Rogers, C. W., Norman, R. J., Gbur, E. E., Hardke, J. T., & Roberts, T. L. (2015). Chamber Size Effects on Methane Emissions from Rice Production. Open *Journal of Soil Science, 5*(10), 227.

Sodipo, M. O. A. (2015). Global Warming And Greenhouse Effect. *International Journal of Science, Environment and Technology, 6*(1), 50-63.

Subagyono, K., Dariah, A., Surmaini, E., & Kurnia, U. (2005). 7. Pengelolaan Air Pada Tanah Sawah. *Kata Pengantar*, 223.

Sutanto, R. (2005). *Dasar-Dasar Ilmu Tanah, Konsep dan Kenyataan*. Kanisius.

Susila, K. D., Ginting, D. C. B., Adnyana, I., Saifulloh, M., & Arthagama, I. (2024). Enhancing soil quality for sustainable agricultural practices in Subak rice fields. *Journal of Degraded & Mining Lands Management, 12*(1), 6623-6635.

Talla, A., Swain, D. K., Srivastava, R. K., Tewari, V. K., & Purohit, S. (2024). Integrating Climatic Factors and Agronomic Management for Optimal Hybrid Rice Yield and Quality. *Communications in Soil Science and Plant Analysis*, 1-16.

Tian, Z., Fan, Y., Wang, K., Zhong, H., Sun, L., Fan, D., ... & Liu, J. (2021). Searching for “Win-Win” solutions for food-water-GHG emissions

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

tradeoffs across irrigation regimes of paddy rice in China. *Resources, Conservation and Recycling, 166*, 105360.

Devi, T. N., Devi, S. A., & Singh, K. R. (2022). Emission of Methane from Wetland Paddy Fields: A Review. *Journal of Climate Change, 8*(3), 13-19.

Wagner, D., Pfeiffer, E. M., & Bock, E. (1999). Methane production in aerated marshland and model soils: effects of microflora and soil texture. *Soil Biology and Biochemistry, 31*(7), 999-1006.

Watanabe, T. (2018). Paddy fields as artificial and temporal wetland. *Irrigation in agroecosystems*, 143-157.

Wei, D., Wang, Y., & Wang, Y. (2015). Considerable methane uptake by alpine grasslands despite the cold climate: in situ measurements on the central Tibetan Plateau, 2008–2013. *Global Change Biology, 21*(2), 777-788.

Xing, Y., & Wang, X. (2024). Impact of agricultural activities on climate change: a review of greenhouse gas emission patterns in field crop systems. *Plants, 13*(16), 2285.

Xu, P., Zhou, W., Jiang, M., Khan, I., Shaaban, M., Jiang, Y., & Hu, R. (2020a). Nitrogen fertilizer application in the rice-growing season can stimulate methane emissions during the subsequent flooded fallow period. *Science of the total environment*, 744, 140632.

Xu, X., Zhang, M., Xiong, Y., Yuan, J., Shaaban, M., Zhou, W., & Hu, R. (2020b). The influence of soil temperature, methanogens and methanotrophs on methane emissions from cold waterlogged paddy fields. *Journal of environmental management, 264*, 110421.

Yang, M., & Zhang, W. (2019). Orographic effects of geomorphology on precipitation in a pluvial basin of the eastern Tibetan Plateau. *Water, 11*(2), 250.

Yoga, F., & Simanjuntak, B. H. (2024). Water balance optimization for strategic planting patterns and calendars in paddy (Oryza sativa L.) cultivation in rainfed regions. *Jurnal Ilmiah Pertanian, 21*(2), 117-128.

UNIVERSITAS
GADJAH MADA
Analisis Emisi Metana dari Lahan Pertanian Sawah Irigasi di Kabupaten Temanggung
Aida Fitri Amaliya, Dr. Emilya Nurjani, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zakaria, Z., & Kamarudin, S. K. (2016). Direct conversion technologies of methane to methanol: An overview. *Renewable and Sustainable Energy Reviews, 65*, 250-261.

Zhang, G., Ji, Y., Ma, J., Xu, H., Cai, Z., & Yagi, K. (2012). Intermittent irrigation changes production, oxidation, and emission of CH4 in paddy fields determined with stable carbon isotope technique. *Soil Biology and Biochemistry, 52*, 108-116.

Zhou, H., Tao, F., Chen, Y., Yin, L., Li, Y., Wang, Y., & Su, C. (2024). Paddy rice methane emissions, controlling factors, and mitigation potentials across Monsoon Asia. *Science of The Total Environment, 935*, 173441.