UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abhale, Y., Patel, K., Paul, R. K., Mishra, S. R., Roy, S., Ahmaruzzaman, M., Ban, T. K., Kumar, D., & Ghotekar, S. (2025). Novel bio-inspired fabrication of $BiVO_4$ nanoparticles and their solar light-aided photocatalytic activity for metronidazole antibiotic degradation. *J. Sol-Gel Sci. Technol.*, *115*(3), 1580–1597.

Abraham, S. , D., David, S. , T., Bennie, R. , B., Joel, C., & Kumar, D. , S. (2016). Eco-friendly and green synthesis of $BiVO_4$ nanoparticle using microwave irradiation as photocatalayst for the degradation of Alizarin Red S. *J. Mol. Struct.*, *1113*, 174–181.

Abrishami-Rad, A., & Sadeghzadeh-Attar, A. (2023). Fe-doped $BiVO_4$ photocatalyst assisting SnO_2 nanorod arrays for efficient visible-light-driven degradation of Basic Red 46. *J. Taiwan Inst. Chem. Eng.*, *151*, 105110.

Afriyie, C., & Zhang, X. (2024). New Fe-doped two-dimensional $BiVO_4$ nanosheets for direct methane conversion to methyl oxygenates. *Mater. Adv.*, *5*(9), 3981–3991.

Al-Farraj, E. S., & Abdelrahman, E. A. (2024). Efficient Photocatalytic Degradation of Congo Red Dye Using Facilely Synthesized and Characterized $MgAl_2O_4$ Nanoparticles. *ACS Omega*, *9*(4), 4870–4880.

Alijani, H. Q., Iravani, S., & Varma, R. S. (2022). Bismuth Vanadate ($BiVO_4$) Nanostructures: Eco-Friendly Synthesis and Their Photocatalytic Applications. *Catalysts*, *13*(1), 59.

Al-Lami, H. S., Abdulwahid, A. A., & Mizhir, A. A. (2022). Adsorption process for removing hazardous Congo red dye from aqueous solutions: isotherm, kinetic, and thermodynamic studies. *Desalin. Water Treat.*, *280*, 177–187.

Asses, N., Ayed, L., Hkiri, N., & Hamdi, M. (2018). Congo Red Decolorization and Detoxification by *Aspergillus niger*: Removal Mechanisms and Dye Degradation Pathway. *BioMed Res. Int.*, *2018*(1), 3049686.

Azzahra, M. N. (2023). Sintesis Nanopartikel $BiVO_4$ sebagai Katalis untuk Degradasi Fotokatalitik Larutan Kongo Merah. *Skripsi*, Departemen Kimia FMIPA UGM, Yogyakarta.

Cao, V. D., Nong, L. X., Nguyen, V. H., Tran, T. V., Vu, H. T., Hien, N. K., & Do, S. T. (2020). Degradation of ciprofloxacin antibiotic under visible light by $BIVO_4$ photocatalyst. *IOP Conf. Ser. Mater. Sci. Eng.*, *736*(6), 062004.

Chala, S., Wetchakun, K., Phanichphant, S., Inceesungvorn, B., & Wetchakun, N. (2014). Enhanced visible-light-response photocatalytic degradation of methylene blue on Fe-loaded $BiVO_4$ photocatalyst. *J. Alloys Compd.*, *597*, 129–135.

Channei, D., Thammaacheep, P., Kerdphon, S., Jannoey, P., Khanitchaidecha, W., & Nakaruk, A. (2023). Domestic microwave-assisted synthesis of Pd doped-$BiVO_4$ photocatalysts. *Inorg. Chem. Commun.*, *150*, 110478.

Edery, Y., Dror, I., Scher, H., & Berkowitz, B. (2015). Anomalous reactive transport in porous media: Experiments and modeling. *Phys. Rev. Ek*, *91*(5), 052130.

UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Fan, X., Liang, H., Song, Y., Xing, Z., & Bai, J. (2024). Development of a novel beads-like In/Fe co-doped $BiVO_4$ composite for enhanced photocatalytic degradation of tetracycline in water. *Colloids Surf. A: Physicochem. Eng. Asp.*, *687*, 133477.

Favela-Hernández, J. M. J., González-Santiago, O., Ramírez-Cabrera, M. A., Esquivel-Ferriño, P. C., & Camacho-Corona, M. D. R. (2016). Chemistry and Pharmacology of *Citrus sinensis*. *Molecules*, *21*(2), 247.

Hikmah, N., Agustiningsih, D., Nuryono, N., & Kunarti, E. S. (2021). Preparation of Iron-Doped SiO_2/TiO_2 Using Silica from *Sugarcane Bagasse* Ash for Visible Light Degradation of Congo Red. *Indones. J. Chem.*, *22*(2), 402–412.

Himanshi, Makasana, J., Ganesan, S., Lal, B., Naidu, K. S., Ahmed, J., Prakash, J., Verma, A., Lakshmaiya, N., Jasrotia, R., Yong, X., & Chan, C. K. (2025). Insights into the enhanced photocatalytic degradation of congo red using advanced $BaDy_xFe_{12-x}O_{19}$ catalytic hexamaterials. *Sci. Rep.*, *15*(1), 8978.

Hu, J., & Chen, H. (2015). Preparation and Photocatalytic Activities of $Fe/BiVO_4$ by Low-Temperature Solid State Method. *Proc. Int. Conf. Chem. Mater. Food Eng.*, *22*, 245–248.

Isari, A. A., Payan, A., Fattahi, M., Jorfi, S., & Kakavandi, B. (2018). Photocatalytic degradation of rhodamine B and real textile wastewater using Fe-doped TiO_2 anchored on reduced graphene oxide ($Fe\text{-}TiO_2$/rGO): Characterization and feasibility, mechanism and pathway studies. *Appl. Surf. Sci.*, *462*, 549–564.

Jagusiak, A., Piekarska, B., Panczyk, T., Jemiola-Rzeminska, M., Bielanska, E., Stopa, B., Zemanek, G., Rybarska, J., Roterman, I., & Konieczny, L. (2017). Dispersion of single-wall carbon nanotubes with supramolecular Congo red – properties of the complexes and mechanism of the interaction. *Beilstein J. Nanotechnol.*, *8*(1), 636–648.

Javed, R., Sajjad, A., Naz, S., Sajjad, H., & Ao, Q. (2022). Significance of Capping Agents of Colloidal Nanoparticles from the Perspective of Drug and Gene Delivery, Bioimaging, and Biosensing: An Insight. *Int. J. Mol. Sci.*, *23*(18), 10521.

Khabeeri, O. M., Al-Thabaiti, S. A., & Khan, Z. (2020). *Citrus sinensis* peel waste assisted synthesis of AgNPs: effect of surfactant on the nucleation and morphology. *SN Appl. Sci.*, *2*(12), 1–15.

Kocijan, M., Ćurković, L., Radošević, T., & Podlogar, M. (2020). Preparation, characterization and photocatalytic activity of TiO_4/reduced graphene oxide nanocomposite. *Ann. DAAAM Proc. Int. DAAAM Symp.*, *31*(1), 668–676.

Kunarti, E. S., Agustiningsih, D., Pambudi, F. I., Rusli, S., & Rusdiarso, B. (2024). Silver-and-Sulphur-Codoped Fe_3O_4/TiO_2 as a Magnetically Separable Photocatalyst for Methylene Blue Degradation under Visible Light. *Molekul*, *19*(1), 143–151.

Kunarti, E. S., Agustiningsih, D., Pambudi, F. I., Syoufian, A., & Santosa, S. J. (2025). Enhanced Photocatalytic Activity and Magnetic Properties of $CoFe_2O_4/TiO_2$-Ag/S for Visible Light-Driven Photodegradation of Methylene Blue. *Indones. J. Chem.*, *25*(1), 232–243.

Kunarti, E. S., Puspitaningrum, R., Agustiningsih, D., Syoufian, A., Santosa, S. J., Ardyani, T., & Saviola, A. J. (2026). *Citrus Peel*–Mediated Microwave

UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Synthesis of Ag-Modified BiVO4 as High-Performance Nanophotocatalysts for Congo Red Photodegradation under Visible Light. *Asian J. Green Chem.*, *10*, 896–917.

Lai, C., Zhang, M., Li, B., Huang, D., Zeng, G., Qin, L., Liu, X., Yi, H., Cheng, M., Li, L., Chen, Z., & Chen, L. (2019). Fabrication of CuS/$BiVO_4$ (0 4 0) binary heterojunction photocatalysts with enhanced photocatalytic activity for Ciprofloxacin degradation and mechanism insight. *Chem. Eng. J.*, *358*, 891–902.

Li, G., Bai, Y., & Zhang, W. F. (2012). Difference in valence band top of $BiVO_4$ with different crystal structure. *Mater. Chem.Phys.*, *136*(2–3), 930–934.

Litefti, K., Freire, M. S., Stitou, M., & González-Álvarez, J. (2019). Adsorption of an anionic dye (Congo red) from aqueous solutions by pine bark. *Sci. Rep.*, *9*(1), 1–11.

Liu, R., Ren, J., Zhao, D., Ning, J., Zhang, Z., Wang, Y., Zhong, Y., Zheng, C., & Hu, Y. (2017). Band-gap engineering of porous $BiVO_4$ nanoshuttles by Fe and Mo co-doping for efficient photocatalytic water oxidation. *Inorg. Chem. Front.*, *4*(12), 2045–2054.

Liu, W., Zhao, G., An, M., & Chang, L. (2015). Solvothermal synthesis of nanostructured $BiVO_4$ with highly exposed (0 1 0) facets and enhanced sunlight-driven photocatalytic properties. *Appl. Surf. Sci.*, *357*, 1053–1063.

Liu, X., Zhang, Y., Yu, J., & Li, M. (2026). Enhanced photocatalytic degradation of Congo red by a $BiVO_4$/$ZnIn_2S_4$ composite: performance and mechanism. *RSC Adv.*, *16*(24), 21667–21675.

Malathi, A., Madhavan, J., Ashokkumar, M., & Arunachalam, P. (2018). A review on $BiVO_4$ photocatalyst: Activity enhancement methods for solar photocatalytic applications. *Appl. Catal. A: Gen.*, *555*, 47–74.

Mallikarjunaswamy, C., Pramila, S., Nagaraju, G., Ramu, R., & Ranganatha, V. L. (2021). Green synthesis and evaluation of antiangiogenic, photocatalytic, and electrochemical activities of $BiVO_4$ nanoparticles. *J. Mater. Sci.: Mater. Electron.*, *32*(10), 14028–14046.

Manjunatha, A. S., Pavithra, N. S., Marappa, S., Prashanth, S. A., Nagaraju, G., & Puttaswamy. (2018). Green Synthesis of Flower-Like $BiVO_4$ Nanoparticles by Solution Combustion Method Using Lemon (*Citrus Limon*) Juice as a Fuel: Photocatalytic and Electrochemical Study. *ChemistrySelect*, *3*(47), 13456–13463.

Maran, M. A., Zheng, A. L. T., Tan, H. Y., Sarbini, S. R., Tan, K. B., Boonyuen, S., Wong, K. K. S., Chung, E. L. T., Lease, J., & Andou, Y. (2025). Assessing the Photocatalytic Performance of Hydrothermally Synthesized Fe-Doped $BiVO_4$ Under Low-Intensity UV Irradiation. *Arab. J. Sci. Eng.*, 1–19.

Mera, S. L., & Davies, J. D. (1984). Differential Congo Red staining: The effects of pH, non-aqueous solvents and the substrate. *Histochem. J.*, *16*(2), 195–210.

Mogole, L., Omwoyo, W., Viljoen, E., & Moloto, M. (2021). Green synthesis of silver nanoparticles using aqueous extract of *Citrus sinensis* peels and evaluation of their antibacterial efficacy. *Green Process. Synth.*, *10*(1), 851–859.

UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohamed, H. E. A., Sone, B. T., Khamlich, S., Coetsee-Hugo, E., Swart, H. C., Thema, T., Sbiaa, R., & Dhlamini, M. S. (2021). Biosynthesis of $BiVO_4$ nanorods using *Callistemon viminalis* extracts: Photocatalytic degradation of methylene blue. *Mater. Today Proc.*, *36*, 328–335.

Nair, S. S., Tahira Rizvi, S., & Anthappan, P. (2018). Optimization of Rapid Green Synthesis of AgNPs using *Citrus sinensis* peel extract for antibacterial activity. *Int. J. Adv. Sci. Res. Manag.*, *3*(8), 274–281.

Nasikhudin, Diantoro, M., Kusumaatmaja, A., & Triyana, K. (2018). Study on Photocatalytic Properties of TiO_2 Nanoparticle in various pH condition. *J. Phys. Conf. Ser.*, *1011*(1), 012069.

Nguyen, T. D., Nguyen, V. H., Nanda, S., Vo, D. V. N., Nguyen, V. H., Van Tran, T., Nong, L. X., Nguyen, T. T., Bach, L. G., Abdullah, B., Hong, S. S., & Van Nguyen, T. (2020). $BiVO_4$ photocatalysis design and applications to oxygen production and degradation of organic compounds: a review. *Environ. Chem. Lett.*, *18*(6), 1779–1801.

Nissi, R. J., Bincy, T. S., S., P., B., V., & Murugan, S. (2025). Facile synthesis of Cu-doped $BiVO_4$ using domestic microwave-assisted chemical precipitation method with fleeting time of microwave irradiation for the photocatalytic application. *Inorg. Nano-Met. Chem.*, *55*(1), 47–59.

Obregón, S., & Colón, G. (2013). On the different photocatalytic performance of $BiVO_4$ catalysts for Methylene Blue and Rhodamine B degradation. *J. Mol. Catal. A: Chem.*, *376*, 40–47.

Oktavia, I. N., & Sutoyo, S. (2021). Article Review: Synthesis of Silver Nanoparticles Using Bioreductor from Plant Extract as An Antioxidant. *UNESA J. Chem.*, *10*(1), 37–54.

Othman, S. H., Abdul Rashid, S., Mohd Ghazi, T. I., & Abdullah, N. (2011). Fe-Doped TiO_2 Nanoparticles Produced via MOCVD: Synthesis, Characterization, and Photocatalytic Activity. *J. Nanomater.*, *2011*(1), 571601.

Pandiaraj, A., Ibrahim, M. M., Jothivenkatachalam, K., & Kavinkumar, V. (2022). Photoelectrochemical Water Splitting Over Decahedron Shaped $BiVO_4$ Photoanode by Tuning the Experimental Parameters. *J. Clust. Sci.*, *34*(1), 557–564.

Parashar, S., Sharma, M. K., Garg, C., & Garg, M. (2022). Green Synthesized Silver Nanoparticles as Silver Lining in Antimicrobial Resistance: A Review. *Curr. Drug Deliv.*, *19*(2), 170–181.

Park, Y., Mc Donald, K. J., & Choi, K. S. (2013). Progress in bismuth vanadate photoanodes for use in solar water oxidation. *Chem. Soc. Rev.*, *42*(6), 2321–2337.

Patra, J. K., & Baek, K. H. (2014). Green Nanobiotechnology: Factors Affecting Synthesis and Characterization Techniques. *J. Nanomater.*, *2014*(1), 417305.

Prakash, M., Kavitha, H. P., Abinaya, S., Vennila, J. P., & Lohita, D. (2022). Green synthesis of bismuth based nanoparticles and its applications - A review. *Sustain. Chem. Pharm.*, *25*, 100547.

Pramila, S., Nagaraju, G., Mallikarjunaswamy, C., Latha, K. C., Chandan, S., Ramu, R., Rashmi, V., & Lakshmi Ranganatha, V. (2020). Green Synthesis of

UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

$BiVO_4$ Nanoparticles by Microwave Method using *Aegle marmelos* Juice as a Fuel: Photocatalytic and Antimicrobial Study. *Anal. Chem. Lett.*, *10*(3), 298–306.

Rafique, M. A., Kiran, S., Javed, S., Ahmad, I., Yousaf, S., Iqbal, N., Afzal, G., & Rani, F. (2021). Green synthesis of nickel oxide nanoparticles using *Allium cepa* peels for degradation of Congo red direct dye: an environmental remedial approach. *Water Sci. Technol.*, *84*(10–11), 2793–2804.

Rahmi, Lubis, S., Az-Zahra, N., Puspita, K., & Iqhrammullah, M. (2021). Synergetic photocatalytic and adsorptive removals of metanil yellow using TiO_2/grass-derived cellulose/chitosan (TiO_2/GC/CH) film composite. *Int. J. Eng.*, *34*(8), 1827–1836.

Rajesh, G., Kumar, P. S., Akilandeswari, S., Rangasamy, G., Mandal, A., Shankar, V. U., Ramya, M., Nirmala, K., & Thirumalai, K. (2023). A synergistic consequence of catalyst dosage, pH solution and reactive species of Fe-doped $CdAl_4O_4$ nanoparticles on the degradation of toxic environmental pollutants. *Chemosphere*, *318*, 137919.

Regmi, C., Kshetri, Y. K., Kim, T. H., Pandey, R. P., & Lee, S. W. (2017). Visible-light-induced Fe-doped $BiVO_4$ photocatalyst for contaminated water treatment. *Mol. Catal.*, *432*, 220–231.

Regmi, C., Kshetri, Y. K., Pandey, R. P., Kim, T. H., Gyawali, G., & Lee, S. W. (2019). Understanding the multifunctionality in Cu-doped $BiVO_4$ semiconductor photocatalyst. *J. Environ. Sci.*, *75*, 84–97.

Rehman, R., Abbas, A., Murtaza, S., Mahmud, T., Salman, M., & Shafique, U. (2012). Comparative Removal of Congo Red Dye from Water by Adsorption on *Grewia asiatica* Leaves, *Raphanus sativus* Peels and Activated Charcoal. *J. Chem. Soc. Pak.*, *34*(1), 112–119.

Reyes-Vallejo, O., Cano, F. J., Sánchez-Albores, R., Luévano-Hipólito, E., Serrano-Ramirez, R. P., Hernández-Cruz, M. C., Valencia, D., Torres-Martínez, L. M., & Velumani, S. (2025). Sustainable combustion synthesis of $BiVO_4$ using orange peel for photocatalytic applications. *J. Mater. Sci.: Mater. Electron.*, *36*(20), 1–24.

Saha, S., Do, T., Maycock, J., Wood, S., & Boesch, C. (2023). Antibiofilm Efficacies of Flavonoid-Rich Sweet Orange Waste Extract against Dual-Species Biofilms. *Pathogens*, *12*(5), 657.

Shah, A., Jamil, M., Aman, G., Shabir, F., Begum, R., Sun, H., Rafiq, S., Iqbal, N., Aman, N., Aman, N., Liaqat, Z., & Aleena, S. (2025). Bismuth Vanadate Nanoparticles: Structure, Synthesis, and Emerging Engineering Applications. *Biomed. J. Sci. Tech. Res.*, *62*(3), 54728–54740.

Sidhu, A. K., Verma, N., & Kaushal, P. (2022). Role of Biogenic Capping Agents in the Synthesis of Metallic Nanoparticles and Evaluation of Their Therapeutic Potential. *Front. Nanotechnol.*, *3*, 801620.

Sudarsan, S., Anandkumar, M., & Trofimov, E. A. (2024). Synthesis and characterization of copper ferrite nanocomposite from discarded printed circuit boards as an effective photocatalyst for Congo red dye degradation. *J. Ind. Eng. Chem.*, *131*, 208–220.

UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sun, F., Miao, Z., Li, Y., Zhao, Y., & Wang, H. (2026). Fe-doped $BiVO_4$ nanorods as photoanode for high-performance solar-driven H_2O_2 photoelectrochemical cells. *Chem. Eng. J.*, *527*, 171683.

Tezcan, F., Kahya Düdükcü, M., & Kardaş, G. (2022). Photocorrosion protection of $BiVO_4$ electrode by α-Cr_2O_3 core–shell for photoelectrochemical hydrogen production. *J. Electroanal. Chem.*, *920*, 116595.

Trinh, D. T. T., Khanitchaidecha, W., Channei, D., & Nakaruk, A. (2019). Synthesis, characterization and environmental applications of bismuth vanadate. *Res. Chem. Intermed.*, *45*(10), 5217–5259.

Ullah, I., Haider, A., Khalid, N., Ali, S., Ahmed, S., Khan, Y., Ahmed, N., & Zubair, M. (2018). Tuning the band gap of TiO_2 by tungsten doping for efficient UV and visible photodegradation of Congo red dye. *Spectrochim. Acta A Mol. Biomol. Spectrosc.*, *204*, 150–157.

Víctor-Román, S., García-Bordejé, E., Hernández-Ferrer, J., González-Domínguez, J. M., Ansón-Casaos, A., Silva, A. M. T., Maser, W. K., & Benito, A. M. (2020). Controlling the surface chemistry of graphene oxide: Key towards efficient ZnO-GO photocatalysts. *Catal. Today*, *357*, 350–360.

Wang, L., Wang, L., Shi, X., Jia, Y., Cheng, H., Wang, L., & Wang, Q. (2021). Recent advances in bismuth vanadate-based photocatalysts for photoelectrochemical water splitting. *Chin. Chem. Lett.*, *32*(6), 1869–1878.

Wang, X., Sø, L., Su, R., Wendt, S., Hald, P., Mamakhel, A., Yang, C., Huang, Y., Iversen, B. B., & Besenbacher, F. (2014). The influence of crystallite size and crystallinity of anatase nanoparticles on the photo-degradation of phenol. *J. Catal.*, *310*, 100–108.

Wang, Y., Huang, J., Chen, Y., Yang, H., Ye, K. H., & Huang, Y. (2024). Modulating built-in electric field via Bi-VO_4-Fe interfacial bridges to enhance charge separation for efficient photoelectrochemical water splitting. *J. Colloid Interface Sci.*, *672*, 12–20.

Xu, F., He, Y., Zhang, J., Liang, G., Liu, C., & Yu, J. (2025). Prolonging Charge Carrier Lifetime via Intraband Defect Levels in S-Scheme Heterojunctions for Artificial Photosynthesis. *Angew. Chem. Int. Ed.*, *64*(2), e202414672.

Yaneva, Z., & Georgieva, N. (2012). Insights into Congo Red Adsorption on Agro-Industrial Materials-Spectral, Equilibrium, Kinetic, Thermodynamic, Dynamic and Desorption Studies. A Review. *Inter. Rev. Chem. Eng.*, *4*(2), 127–146.

Yang, J., Deng, C., Lei, Y., Duan, M., Yang, Y., Chen, X., Yang, S., Li, J., Sheng, H., Shi, W., Chen, C., & Zhao, J. (2025). Fe−N Co-Doped $BiVO_4$ Photoanode with Record Photocurrent for Water Oxidation. *Angew. Chem.*, *137*(4), e202416340.

Yusof, K. N., Alias, S. S., Harun, Z., Basri, H., & Azhar, F. H. (2018). *Parkia speciosa* as Reduction Agent in Green Synthesis Silver Nanoparticles. *ChemistrySelect*, *3*(31), 8881–8885.

Zafar, Z., Yi, S., Li, J., Li, C., Zhu, Y., Zada, A., Yao, W., Liu, Z., & Yue, X. (2022). Recent Development in Defects Engineered Photocatalysts: An Overview of the Experimental and Theoretical Strategies. *Energy Environ. Mater.*, *5*(1), 68–114.

UNIVERSITAS
GADJAH MADA
Sintesis Hijau Nanopartikel BiVO4 Termodifikasi Fe Menggunakan Ekstrak Kulit Jeruk Manis sebagai Fotokatalis untuk Degradasi Larutan Kongo Merah
Abdul Wafi, Prof. Dra. Eko Sri Kunarti, M.Si., Ph.D.; Prof. Drs. Sri Juari Santosa, M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zainudin, N. F., Sam, S. T., Wong, Y. S., Ismail, H., Walli, S., Inoue, K., Kawamura, G., & Tan, W. K. (2023). Degradation of Diazo Congo Red Dye by Using Synthesized Poly-Ferric-Silicate-Sulphate through Co-Polymerization Process. *Polymers 2023, Vol. 15, Page 237*, *15*(1), 237.

Zayed, M., Ghazal, H., Othman, H. A., & Hassabo, A. G. (2021). Synthesis of different nanometals using *Citrus Sinensis* peel (orange peel) waste extraction for valuable functionalization of cotton fabric. *Chem. Pap.*, *76*(2), 639–660.

Zhang, L., Dai, Z., Zheng, G., Yao, Z., & Mu, J. (2018). Superior visible light photocatalytic performance of reticular $BiVO_4$ synthesized via a modified sol–gel method. *RSC Adv.*, *8*(19), 10654–10664.

Zhou, H., Qiu, Y., Yang, C., Zang, J., Song, Z., Yang, T., Li, J., Fan, Y., Dang, F., & Wang, W. (2022). Efficient Degradation of Congo Red in Water by UV-Vis Driven $CoMoO_4$/PDS Photo-Fenton System. *Molecules*, *27*(24), 8642.