Sintesis komposit TiO?-biochar okara teraktivasi asam basa dan aplkasinya sebagai fotokatalis untuk
degradasi zat warna erythrosine b
FADILA DIAN PUSPARINI, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.; Taufik Abdillah Natsir, S.Si., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdu, M., Babaee, S., Worku, A., Diale, P., Msagati, T.A.M., & Nure, J.F., 2025, Synthesis and optimization of TiO_2-biochar composite for degradation of Basic Blue 41 dye in textile wastewater using response surface methodology, *Inorg. Chem. Commun.*, 174, 112345.

Abdu, M., Tibebu, S., Babaee, S., Worku, A., Msagati, T.A.M., & Nure, J.F., 2025, Optimization of photocatalytic degradation of Eriochrome Black T from aqueous solution using TiO_2-biochar composite, *Results in Engineering*, 25, 103210.

Al-Harbi, L.M., Mohamed, W.S., Ebnalwaled, A.A., Said, A.H., & Ezzeldien, M., 2023, The effect of synthesis conditions on the photokilling activity of TiO_2 nanostructures, *Mater. Res. Express*, 10, 105001.

Apostol, L.C., Ghinea, C., Alves, M., & Gavrilescu, M., 2016, Removal of Erythrosine B dye from water effluents using crop waste pumpkin seed hulls as adsorbent, *Desalin. Water Treat.*, 57, 22585–22608.

Apostol, L.C., Smaranda, C., Diaconu, M., & Gavrilescu, M., 2015, Environmental engineering and management, *Environ. Eng. Manag. J.*, 14, 123–132.

Bouddouch, A., Akhsassi, B., Amaterz, E., Bakiz, B., Taoufyq, A., Villain, S., Guinneton, F., El Aamrani, A., Gavarri, J.R., & Benlhachemi, A., 2022, Photodegradation under UV light irradiation of various types and systems of organic pollutants in the presence of a performant $BiPO_4$ photocatalyst, *Catalysts*, 12, 1234.

Carneiro, J.O., Azevedo, S., Fernandes, F., Freitas, E., Pereira, M., Tavares, C.J., Lanceros-Méndez, S., & Teixeira, V., 2014, Synthesis of iron-doped TiO_2 nanoparticles by ball-milling process: The influence of process parameters on the structural, optical, magnetic, and photocatalytic properties, *J. Mater. Sci.*, 49, 7476–7488.

Cha, J.S., Park, S.H., Jung, S.C., Ryu, C., Jeon, J.K., Shin, M.C., & Park, Y.K., 2016, Production and utilization of biochar: A review, *Journal of Industrial and Engineering Chemistry*, 40, 1–15.

Chandra, S., Jagdale, P., Medha, I., Tiwari, A.K., Bartoli, M., De Nino, A., & Olivito, F., 2021, Biochar-supported TiO_2-based nanocomposites for the photocatalytic degradation of sulfamethoxazole in water - A review, *Toxics*, 9, 234.

Chen, X. & Mao, S.S., 2007, Titanium dioxide nanomaterials: Synthesis, properties, modifications and applications, *Chem. Rev.*, 107, 2891–2959.

UNIVERSITAS GADJAH MADA
Sintesis komposit TiO?-biochar okara teraktivasi asam basa dan aplkasinya sebagai fotokatalis untuk degradasi zat warna erythrosine b
FADILA DIAN PUSPARINI, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.; Taufik Abdillah Natsir, S.Si., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, Y., Zhang, X., Chen, W., Yang, H., & Chen, H., 2017, The structure evolution of biochar from biomass pyrolysis and its correlation with gas pollutant adsorption performance, *Bioresour. Technol.*, 246, 101–109.

Cobra, S. & Reza, A., 2021, Advanced oxidation process as a green technology for dyes removal from wastewater: A review, *J. Environ. Chem. Eng.*, 9, 105120.

Dissanayake, P.D., Choi, S.W., Igalavithana, A.D., Yang, X., Tsang, D.C.W., Wang, C.H., Kua, H.W., Lee, K.B., & Ok, Y.S., 2020a, Sustainable gasification biochar as a high efficiency adsorbent for CO_2 capture: A facile method to designer biochar fabrication, *Renewable and Sustainable Energy Reviews*, 124, 109785.

Dissanayake, P.D., You, S., Igalavithana, A.D., Xia, Y., Bhatnagar, A., Gupta, S., Kua, H.W., Kim, S., Kwon, J.H., Tsang, D.C.W., & Ok, Y.S., 2020b, Biochar-based adsorbents for carbon dioxide capture: A critical review, *Renewable and Sustainable Energy Reviews*, 119, 109582.

Ello, A.S., De Souza, L.K.C., Trokourey, A., & Jaroniec, M., 2013, Development of microporous carbons for CO_2 capture by KOH activation of African palm shells, *Journal of CO_2 Utilization*, 2, 35–38.

Etacheri, V., Di Valentin, C., Schneider, J., Bahnemann, D., & Pillai, S.C., 2015, Visible-light activation of TiO_2 photocatalysts: Advances in theory and experiments, *Journal of Photochemistry and Photobiology C: Photochemistry Reviews*, 25, 1–29.

Fu, J., Chen, Z., Wang, M., Liu, S., Zhang, J., Zhang, J., Han, R., & Xu, Q., 2015, Adsorption of methylene blue by a high-efficiency adsorbent (polydopamine microspheres): Kinetics, isotherm, thermodynamics and mechanism analysis, *Chemical Engineering Journal*, 259, 53–61.

Ghorbani, M., Amirahmadi, E., Neugschwandtner, R.W., Konvalina, P., Kopecký, M., Moudrý, J., Perná, K., & Murindangabo, Y.T., 2022, The impact of pyrolysis temperature on biochar properties and its effects on soil hydrological properties, *Sustainability*, 14, 4532.

Gopalakrishnan, K., Joshi, H.M., Kumar, P., Panchakarla, L.S., & Rao, C.N.R., 2011, Selectivity in the photocatalytic properties of the composites of TiO_2 nanoparticles with B- and N-doped graphenes, *Chem. Phys. Lett.*, 511, 304–308.

Hasnat, M.A., Uddin, M.M., Samed, A.J.F., Alam, S.S., & Hossain, S., 2007, Adsorption and photocatalytic decolorization of a synthetic dye erythrosine on anatase TiO_2 and ZnO surfaces, *J. Hazard. Mater.*, 147, 471–477.

Sintesis komposit TiO?-biochar okara teraktivasi asam basa dan aplkasinya sebagai fotokatalis untuk
degradasi zat warna erythrosine b
FADILA DIAN PUSPARINI, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.; Taufik Abdillah Natsir, S.Si., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hoffmann, M.R., Martin, S.T., Choi, W., & Bahnemann, D.W., 1995, Environmental applications of semiconductor photocatalysis, *Chem. Rev.*, 95, 69–96.

Ihsanullah, I., Khan, M.T., Zubair, M., Bilal, M., & Sajid, M., 2022, Removal of pharmaceuticals from water using sewage sludge-derived biochar: A review, *Chemosphere*, 289, 133150.

Indriasari, M., Kustiyah, L., Priosoeryanto, B.P., & Idris, F.H., 2019, Determination of the dose of Erythrosine B as a preparation for inducing the experimental rats to be spastic, *Mod. Clin. Med. Res.*, 3, 12–18.

Islam, T. & Halim, A., 2021, Washing defects and remedial actions of denim garments and statistical review of denim sectors in emerging economy, *Journal of Management Science & Engineering Research*, 4, 30–40.

Islam, T., Repon, M.R., Islam, T., Sarwar, Z., & Rahman, M.M., 2023, Impact of textile dyes on health and ecosystem: a review of structure, causes, and potential solutions, *Environmental Science and Pollution Research*, 30, 9207–9242.

Kacem, S.B., Elaoud, S.C., Asensio, A.M., Panizza, M., & Clematis, D., 2021, Electrochemical and sonoelectrochemical degradation of Allura Red and Erythrosine B dyes with Ti-PbO_2 anode, *Journal of Electroanalytical Chemistry*, 889, 115219.

Kamble, D.B. & Rani, S., 2020, Bioactive components, in vitro digestibility, microstructure and application of soybean residue (okara): a review, *Legume Science*, 2, e33.

Kanan, S., Moyet, M.A., Arthur, R.B., & Patterson, H.H., 2020, Recent advances on TiO_2-based photocatalysts toward the degradation of pesticides and major organic pollutants from water bodies, *Catal. Rev. Sci. Eng.*, 62, 1–65.

Kaur, M. & Datta, M., 2013, Adsorption equilibrium and kinetics of toxic dye-Erythrosine B adsorption onto montmorillonite, *Separation Science and Technology*, 48, 1370–1381.

Kim, J.R. & Kan, E., 2016, Heterogeneous photocatalytic degradation of sulfamethoxazole in water using a biochar-supported TiO_2 photocatalyst, *J. Environ. Manage.*, 180, 94–101.

Kumar, S.G. & Devi, L.G., 2011, Review on modified TiO_2 photocatalysis under UV/visible light: Selected results and related mechanisms on interfacial charge carrier transfer dynamics, *Journal of Physical Chemistry A*, 115, 13211–13241.

UNIVERSITAS GADJAH MADA
Sintesis komposit TiO?-biochar okara teraktivasi asam basa dan aplkasinya sebagai fotokatalis untuk degradasi zat warna erythrosine b
FADILA DIAN PUSPARINI, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.; Taufik Abdillah Natsir, S.Si., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, B., Qiao, M., & Lu, F., 2012, Composition, nutrition, and utilization of okara (soybean residue), *Food Reviews International*, 28, 231–252.

Liem, V., Putranto, A., & Andreas, A., 2018, Sintesis karbon aktif dari kulit salak aktivasi kimia-senyawa KOH sebagai adsorben proses adsorpsi zat warna metilen biru, *Prosiding Seminar Nasional Teknik Kimia "Kejuangan"*, 15, 1–6.

Liu, C., Wang, W., Wu, R., Liu, Y., Lin, X., Kan, H., & Zheng, Y., 2020, Preparation of acid- and alkali-modified biochar for removal of methylene blue pigment, *ACS Omega*, 5, 30906–30922.

Liu, J., Qiu, H., Wang, C., Shen, J., Zhang, W., Cai, J., Tang, H., & Wu, J., 2021, Effects of biochar amendment on greenhouse gas emission in two paddy soils with different textures, *Paddy and Water Environment*, 19, 87–98.

Liu, Y., Dai, X., Li, J., Cheng, S., Zhang, J., & Ma, Y., 2024, Recent progress in TiO_2-biochar-based photocatalysts for water contaminants treatment: strategies to improve photocatalytic performance, *RSC Adv.*, 14, 478–491.

Menya, E., Olupot, P.W., Storz, H., Lubwama, M., & Kiros, Y., 2018, Production and performance of activated carbon from rice husks for removal of natural organic matter from water: A review, *Chemical Engineering Research and Design*, 129, 271–296.

Oni, B.A., Oziegbe, O., & Olawole, O.O., 2019, Significance of biochar application to the environment and economy, *Annals of Agricultural Sciences*, 64, 222–222.

O'Toole, D.K., 1999, Characteristics and use of okara, the soybean residue from soy milk production - A review, *J. Agric. Food Chem.*, 47, 363–371.

Patel, K., Rattu, M., Van Sertima, C., Akter, M., Chen, B.Q., Basher, W., Bravo, L., & Singh, A., 2011, Overview of clinical and analytical aspects of erythrosine use, *J. Pharm. Sci.*, 2, 45–52.

Pelaez, M., Nolan, N.T., Pillai, S.C., Seery, M.K., Falaras, P., Kontos, A.G., Dunlop, P.S.M., Hamilton, J.W.J., Byrne, J.A., O'Shea, K., Entezari, M.H., & Dionysiou, D.D., 2012, A review on the visible light active titanium dioxide photocatalysts for environmental applications, *Appl. Catal. B*, 125, 331–349.

Reza, K.M., Kurny, A., & Gulshan, F., 2017, Parameters affecting the photocatalytic degradation of dyes using TiO_2: a review, *Appl. Water Sci.*, 7, 1569–1578.

Salvi, N.A., 2018, Decolorization of Erythrosine B by Rhizopus arrhizus biomass, *Appl. Water Sci.*, 8, 114.

Sintesis komposit TiO?-biochar okara teraktivasi asam basa dan aplkasinya sebagai fotokatalis untuk
degradasi zat warna erythrosine b
FADILA DIAN PUSPARINI, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.; Taufik Abdillah Natsir, S.Si., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Samota, J., Sharma, S., Bhardwaj, S., & Intodia, K., 2020, Photocatalytic degradation of Erythrosin-B using cadmium cobaltite for water reuse: Efficiency and degradation pathway, *Asian Journal of Chemistry*, 32, 2143–2148.

Schuepfer, D.B., Badaczewski, F., Guerra-Castro, J.M., Hofmann, D.M., Heiliger, C., Smarsly, B., & Klar, P.J., 2020, Assessing the structural properties of graphitic and non-graphitic carbons by Raman spectroscopy, *Carbon N. Y.*, 161, 359–372.

Sulaiman, S.N.A., Zaky Noh, M., Nadia Adnan, N., Bidin, N., & Ab Razak, S.N., 2018, Effects of photocatalytic activity of metal and non-metal doped TiO_2 for hydrogen production enhancement - A review, *J. Phys. Conf. Ser.*, 1049, 012005.

Suratman, A., Astuti, D.N., Kusumastuti, P.P., Sudiono, S., Wijaya, H.W., & Wibowo, A.H., 2024, Comprehensive study of thermochemical conversion of biomass okara into biochar, *J. Anal. Appl. Pyrolysis*, 181, 106542.

Suratman, A., Astuti, D.N., Natsir, T.A., & Mudasir, M., 2025, Eco-friendly QCM sensor based on biochar-functionalized nanofibers for rapid and selective detection of hydrogen chloride gas, *Anal. Chim. Acta*, 1376, 342110.

Syauqiah, I., Amalia, M., & Kartini, H.A., 2011, Analisis variasi waktu dan kecepatan pengadukan pada proses adsorpsi limbah sasirangan menggunakan karbon aktif, *Info Teknik*, 12, 11–20.

Taer, E., Oktaviani, T., Taslim, R., & Farma, R., 2019, Karakterisasi sifat fisika karbon aktif tempurung kelapa dengan variasi konsentrasi aktivator sebagai kontrol kelembaban, *Jurnal Komunikasi Fisika Indonesia*, 16, 45–50.

Tan, S.N., Yuen, M.L., & Ramli, R.A., 2025, Photocatalysis of dyes: Operational parameters, mechanisms, and degradation pathway, *Green Analytical Chemistry*, 12, 100115.

Ullah, I., Yin, T., Xiong, S., Zhang, J., Din, Z.U., & Zhang, M., 2017, Structural characteristics and physicochemical properties of okara (soybean residue) insoluble dietary fiber modified by high-energy wet media milling, *LWT*, 82, 15–22.

Utomo, H.D. & Tan, K.A.X., 2014, Adsorption of toxic dyes from aqueous solutions using activated biochar, *Environ. Earth Sci.*, 72, 2115–2123.

Wang, J. & Guo, X., 2020, Adsorption kinetic models: Physical meanings, applications, and solving methods, *J. Hazard. Mater.*, 390, 122156.

UNIVERSITAS GADJAH MADA
Sintesis komposit TiO?-biochar okara teraktivasi asam basa dan aplkasinya sebagai fotokatalis untuk degradasi zat warna erythrosine b
FADILA DIAN PUSPARINI, Dr.rer.nat. Adhitasari Suratman, S.Si., M.Si.; Taufik Abdillah Natsir, S.Si., M.Si., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, J., Wang, G., Yu, T., Ding, N., Wang, M., & Chen, Y., 2023, Photocatalytic performance of biochar-modified TiO_2 (C/TiO_2) for ammonia-nitrogen removal, *RSC Adv.*, 13, 24237–24249.

Wang, J. & Wang, S., 2019, Preparation, modification and environmental application of biochar: A review, *J. Clean. Prod.*, 227, 1002–1022.

Wang, N., Wang, B., & Zhang, X., 2024, TiO_2-loaded phosphogypsum-modified biochar for the removal of ofloxacin and Cu^{2+}: Performance, mechanisms, and toxicity assessment, *Chemical Engineering Journal*, 498, 154321–154330.

Xiao, X., Chen, B., Chen, Z., Zhu, L., & Schnoor, J.L., 2018, Insight into multiple and multilevel structures of biochars and their potential environmental applications: A critical review, *Environ. Sci. Technol.*, 52, 5027–5047.

Xu, F., Xiao, W., Cheng, B., & Yu, J., 2014, Direct Z-scheme anatase/rutile bi-phase nanocomposite TiO_2 nanofiber photocatalyst with enhanced photocatalytic H_2-production activity, *Int. J. Hydrogen Energy*, 39, 15394–15402.

Yan, B., Hiew, Z., Lee, L.Y., Xin, X., Lee, J., Thangalazhy-Gopakumar, S., & Gan, S., 2021, Utilisation of environmentally friendly okara-based biosorbent for cadmium(II) removal, *Environ. Sci. Pollut. Res.*, 28, 40608–40622.

Yang, H., Gong, M., Hu, J., Liu, B., Chen, Y., Xiao, J., Li, S., Dong, Z., & Chen, H., 2020, Cellulose pyrolysis mechanism based on functional group evolutions by two-dimensional perturbation correlation infrared spectroscopy, *Energy and Fuels*, 34, 3412–3421.

Yang, X., Sun, H., Li, G., An, T., & Choi, W., 2021, Fouling of TiO_2 induced by natural organic matters during photocatalytic water treatment: Mechanisms and regeneration strategy, *Appl. Catal. B*, 294, 119740.

Ying, Z., Chen, X., Li, H., Liu, X., Zhang, C., Zhang, J., & Yi, G., 2021, Efficient adsorption of methylene blue by porous biochar derived from soybean dreg using a one-pot synthesis method, *Molecules*, 26, 1452–1460.

Yu, J., Feng, H., Tang, L., Pang, Y., Wang, J., Zou, J., Xie, Q., Liu, Y., Feng, C., & Wang, J., 2021, Insight into the key factors in fast adsorption of organic pollutants by hierarchical porous biochar, *J. Hazard. Mater.*, 403, 123894.