UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adhesti, Y. M. P., & Widyastuti, M. (2021). Study of Groundwater Vulnerability to Contamination in Part of the Klaten District Area, Central Java–Indonesia. *E3S Web of Conferences, 325*, 2–6. https://doi.org/10.1051/e3sconf/202132502006

Adji, T. N., A, H., A, N. I., A, N. P., D, K., Bagaskara, R, A., & Astabella. (2022). Kajian Kerentanan Airtanah di Cekungan Airtanah (CAT) Wates Kabupaten Kulon Progo. *Media Komunikasi Geografi*, 23(1), 25–43.

Aduck, J., Mufur, A., & Fonteh, M. (2024). A Review of Methods to Assess Groundwater Vulnerability to Pollution. *American Journal of Environmental Protection, 13*(4), 93–107. https://doi.org/10.11648/j.ajep.20241304.12

Ahmad, Z. U., Sakib, S., & Gang, D. D. (2016). Nonpoint Source Pollution. *Water Environment Research, 88*(10), 1594–1619. https://doi.org/10.2175/106143016X14696400495497

Aller, L., Lehr, J. H., Petty, R., & Bennett, T. (1987). DRASTIC: A Standardized System to Evaluate Groundwater Pollution Potential Using Hydrogeologic Setting. *Journal of the Geological Society of India, 29*(1), 23–37.

Apriansyah, J., & Satispi, E. (2024*).* Implementasi Kebijakan Minimalisasi Penggunaan Air Tanah di Jakarta Selatan. *PUBLICUS: Jurnal Administrasi Publik, 2*(1)https://doi.org/10.30598/publicusvol2iss1p141–149

Aravinda, K., Sravanthi, J., Lakhanpal, S., Shrivastava, A., Kalra, R., Mohammad, Q., & Kumar Mishra, N. (2024). Water and Hydrology: Challenges, Sustainable Strategies and Future Trends. *E3S Web of Conferences, 552,* 01135, 1–12. https://doi.org/10.1051/e3sconf/202455201135

Armon, R. H., & Starosvetsky, J. (2015). Point Source Pollution Indicators. In *Environmental Indicators*. https://doi.org/10.1007/978–94–017–9499–2_29

Asfaw, D., & Mengistu, D. (2020). Modeling Megech Watershed Aquifer Vulnerability to Pollution Using Modified DRASTIC Model for Sustainable Groundwater Management, Northwestern Ethiopia. *Groundwater for Sustainable Development, 11*, 100375. https://doi.org/10.1016/j.gsd.2020.100375

Assayed, A., Talozi, S., Ardah, R., Alziq, N., Bataineh, S., & Alhushki, A. (2023). Using COP Model to Map the Vulnerability of Groundwater Wells Adjacent to Landfills. *Sustainability, 15*(1), 623. https://doi.org/10.3390/su15010623

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Attoui, B., Benrabah, S. T., Majour, H., & Zair, N. (2017). Assessment of Groundwater Vulnerability to Pollution Using the Kherici's Method in the Talezza Plain, Collo Region (NE Algeria). *Journal of Water and Land Development*, 33(1), 23–30. https://doi.org/10.1515/jwld–2017–0015

Ayenew, T., Demlie, M., & Wohnlich, S. (2008). Hydrogeological Framework and Occurrence of Groundwater in the Ethiopian Aquifers. *Journal of African Earth Sciences, 52*(3), 97–113. https://doi.org/10.1016/j.jafrearsci.2008.06.006

Badan Pusat Statistik. (2024). *Kabupaten Purbalingga dalam Angka 2024*. Purbalingga: Badan Pusat Statistik Kabupaten Purbalingga.

Badan Pusat Statistik. (2025*). Kecamatan Bojongsari dalam Angka 2025*. Purbalingga: Badan Pusat Statistik Kabupaten Purbalingga.

Badan Pusat Statistik Kabupaten Purbalingga. (2024). *Kecamatan Bojongsari dalam Angka 2024*. Purbalingga: Badan Pusat Statistik Kabupaten Purbalingga.

Badan Standardisasi Nasional. (2002). *Penyusunan Neraca Sumber Daya–Bagian 1: Sumber Daya Air Spasial*. Jakarta: Badan Standardisasi Nasional.

Bahri, S., Zulfiah, Sukri, Muh. R. A., Batlolona, Y., & Hamzah, W. N. (2025). Characterizing Groundwater Aquifers in Warasia, Ambon City Using Electrical Resistivity Tomography Data and Archie's Law. J*urnal Penelitian Fisika dan Aplikasinya (JPFA), 15*(1), 27–39.

Balai Besar Wilayah Sungai Serayu Opak. (2025, September 23). *Pembangunan Jaringan Irigasi Slinga Menjadi Penopang Ketahanan Pangan di Jawa Tengah*. Direktorat Jenderal Sumber Daya Air Kementerian Pekerjaan Umum.

Barad, V. N., Bhadarka, A. I., Shrivastava, V., & Kalyani, R. (2024). Recent Advances in Techniques for Detection of Aquatic Pollution–present Scenario and Future Prospective. In *Aquatic Pollution: Concerns and Abatement*. https://doi.org/10.1201/9781003503705–4

Beaujean, J., Lemieux, J.–M., Dassargues, A., Therrien, R., & Brouyère, S. (2014). Physically Based Groundwater Vulnerability Assessment Using Sensitivity Analysis Methods. *Groundwater, 52*(6), 864–874. https://doi.org/10.1111/gwat.12132

Caetano, M. O., Schneider, I. A. H., Gomes, L. P., Kieling, A. G., & Miranda, L. A. S. (2017). A Compact Remediation System for the Treatment of Groundwater Contaminated with BTEX and TPH. *Environmental Technology (United Kingdom), 38*(11), 1408–1420. https://doi.org/10.1080/09593330.2016.1231222

AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cesnulevicius, A., Bagdžiūnaitė–Litvinaitienė, L., & Litvinaitis, A. (2014). Influence of Relief Dismemberment on Surface–water Infiltration and Erosion Conditions in Merkys River Tributaries Catchments. *9th International Conference on Environmental Engineering, ICEE 2014*. https://doi.org/10.3846/enviro.2014.075

Chamanehpour, E., Sayadi, M. hossein, & Yousefi, E. (2020). The Potential Evaluation of Groundwater Pollution Based on the Intrinsic and the Specific Vulnerability Index. *Groundwater for Sustainable Development, 10, 100313*. https://doi.org/10.1016/j.gsd.2019.100313

Chen, Liu, C. W., & Huang, H.–C. (2002). Analysis of Water Movement in Paddy Rice Fields (II) Simulation Studies. *Journal of Hydrology, 268*(1–4), 259–271. https://doi.org/10.1016/S0022–1694(02)00180–4

Chen, W., Yu, S.–W., Liao, J., Wang, S.–C., & Liu, G.–N. (2025). Source Analysis and Health Risk Assessment of Heavy Metals in Groundwater in the Northeast of Nanchang City. Huanjing Kexue/Environmental Science, 46(2), 854–863. https://doi.org/10.13227/j.hjkx.202310199

Chi, M., Zhang, D., Honglin, L., Hongzhi, W., Yazhou, Z., Shuai, Z., Wei, Y., Shuaishuai, L., & Qiang, Z. (2019). Simulation Analysis of Water Resource Damage Feature and Development Degree of Mining–Induced Fracture at Ecologically Fragile Mining Area. *Environmental Earth Sciences, 78*(3). https://doi.org/10.1007/s12665–018–8039–5

Cioban, T., Irimuş, I. A., Petrea, D., & Roşca, S. (2014). The Structure and Texture of the Terrace Sediments of the Mures River and Their Role in Dispersing Organic Pollutants. *International Multidisciplinary Scientific GeoConference Surveying Geology and Mining Ecology Management, SGEM, 2*(5), 791–804. Diakses 4 Juni 2026, dari https://www.scopus.com/inward/record.uri?eid=2–s2.0–84946547587&partnerID=40&md5=c16391af34c45fa750bb7f5dc22d2652

Dardouri, S., & Sghaier, J. (2018). Adsorption Characteristics of Layered Soil as Delay Barrier of Some Organic Contaminants: Experimental and Numerical Modeling. *Environmental Modelling & Software, 110*, 95–106. https://doi.org/10.1016/j.envsoft.2018.09.003

de Graaf, I. E. M., van Beek, R. L. P. H., Gleeson, T., Moosdorf, N., Schmitz, O., Sutanudjaja, E. H., & Bierkens, M. F. P. (2017). A Global–Scale Two–Layer Transient Groundwater Model: Development and Application to Groundwater Depletion. *Advances in Water Resources, 102*, 53–67. https://doi.org/10.1016/j.advwatres.2017.01.011

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dinas ESDM Provinsi Jawa Tengah. (2012). *Peta Zona Pemanfaatan dan Konservasi Air Tanah Cekungan Air Tanah Purwokerto–Purbalingga Jawa Tengah*. Semarang: Dinas ESDM Provinsi Jawa Tengah.

Dinas Pekerjaan Umum Sumber Daya Air dan Penataan Ruang Provinsi Jawa Tengah. (2024). *Pantauan Debit Pada Bendung–Bendung*.

Dindi, E., Shehu, A., & Dindi, A. (2024). Groundwater Vulnerability Assessment—case Study: *Tirana–ishmi Aquifer, Albania. Hydrology, 11*(8), 110. https://doi.org/10.3390/hydrology11080110

Djuri, M., Samodra, H., Amin, T. C., & Gafoer, S. (1996). *Peta Geologi Lembar Purwokerto dan Tegal, Jawa*. Bandung: Pusat Penelitian dan Pengembangan Geologi.

Douglas, S. H., Dixon, B., & Griffin, D. (2018). Assessing the Abilities of Intrinsic and Specific Vulnerability Models to Indicate Groundwater Vulnerability to Groups of Similar Pesticides: A Comparative Study. (6), 487–505. https://doi.org/10.1080/02723646.2017.1406300

Duda, R., Kania, J., & Zdechlik, R. (2024). DIRECT Index–a Coupled Indicator of Groundwater Vulnerability to Pollution and Groundwater–Dependent Ecosystems Risk. *Ecological Indicators, 165*, 1–12. https://doi.org/10.1016/j.ecolind.2024.112184

Dzhamalov, R. G. (2006). Environmental Aspects of Groundwater Pollution. In Geology and Ecosystems: International Union of Geological Sciences (IUGS) Commission on Geological Sciences for Environmental Planning (COGEOENVIRONMENT) Commission on Geosciences for Environmental Management (GEM). https://doi.org/10.1007/0–387–29293–4_15

Earon, R., & Olofsson, B. (2018). Hydraulic Heterogeneity and Its Impact on Kinematic Porosity in Swedish Coastal Terrains. *Engineering Geology, 245*, 61–71. https://doi.org/10.1016/j.enggeo.2018.08.008

Effendi, A. T. (1985). *Peta Hidrogeologi Indonesia Lembar Pekalongan, Skala 1:250.000*. Bandung: Direktorat Geologi Tata Lingkungan.

El–Aassar, A.–H., Hagagg, K., Hussien, R., Oterkus, S., & Oterkus, E. (2023). Integration of Groundwater Vulnerability with Contaminants Transport Modeling in Unsaturated Zone, Case Study El–Sharqia, Egypt. *Environmental Monitoring and Assessment, 195*(6), 1–13. https://doi.org/10.1007/s10661–023–11298–3

Entezari, M., Yamani, M., & Jafari Aghdam, M. (2016). Evaluation of Intrinsic Vulnerability, Hazard and Risk Mapping for Karst Aquifers, Khorein Aquifer, Kermanshah Province:

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

A Case Study. *Environmental Earth Sciences, 75*(5), 435. https://doi.org/10.1007/s12665–016–5258–5

Feng, K., Lu, Z., & Yang, C. (2019). Enhanced Morris Method for Global Sensitivity Analysis: Good Proxy of Sobol' Index. *Structural and Multidisciplinary Optimization, 59*(2), 373–387. https://doi.org/10.1007/s00158–018–2071–7

Fetter, C. W. (2000). *Applied Hydrogeology (4th ed.)*. Upper Saddle River, NJ: Prentice Hall.

Fryar, A. E., & Mukherjee, A. (2020). Groundwater Hydrogeology. In *Encyclopedia of Geology: Volume 1–6, Second Edition* (Vol. 6). https://doi.org/10.1016/B978–0–12–409548–9.12115–3

Fusco, F., Allocca, V., Bancheri, M., Basile, A., Calcaterra, D., Coppola, A., Neuwirth, M., Puig–Sirera, À., Terribile, F., & De Vita, P. (2024). A Multi–Method Approach for Assessing Groundwater Vulnerability of Shallow Aquifers in the Marchfeld Region (Austria). *Journal of Hydrology: Regional Studies, 55, 101865*. https://doi.org/10.1016/j.ejrh.2024.101865

Ghouili, N., Jarraya–Horriche, F., Hamzaoui–Azaza, F., Zaghrarni, M. F., Ribeiro, L., & Zammouri, M. (2021). Groundwater Vulnerability Mapping Using the Susceptibility Index (SI) Method: Case Study of Takelsa Aquifer, Northeastern Tunisia. *Journal of African Earth Sciences, 173*. https://doi.org/10.1016/j.jafrearsci.2020.104035

Gonçalves, V., Albuquerque, A., Carvalho, P., Almeida, P., & Cavaleiro, V. (2023). Groundwater Vulnerability Assessment to Cemeteries Pollution Through GIS–Based DRASTIC Index. *Water, 15*(4), 812. https://doi.org/10.3390/w15040812

Goyal, D., Haritash, A. K., & Singh, S. K. (2021). A Comprehensive Review of Groundwater Vulnerability Assessment Using Index–Based, Modelling and Coupling Methods. *In Journal of Environmental Management, 296*, 113161. Academic Press. https://doi.org/10.1016/j.jenvman.2021.113161

Hanna, T., PG, & Sterrett, R. (2022, December 22). Aquifer Types of North America. *WWJ: Water Well Journal*. Diakses 4 Juni 2026.

He, H., Li, X., Li, X., Cui, J., Zhang, W., & Xu, W. (2018). Optimizing the DRASTIC Method for Nitrate Pollution in Groundwater Vulnerability Assessments: A Case Study in China. *Polish Journal of Environmental Studies, 27*(1), 95–107. https://doi.org/10.15244/pjoes/75181

Hermawan, N. M., & Ansori, C. (2019). Identifikasi Akuifer Berdasarkan Metode Geolistrik Susunan Schlumberger di Kecamatan Pejagoan, Kebumen. *Wahana Fisika, 4*(1), 1. https://doi.org/10.17509/wafi.v4i1.14303

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hezron, Y., Asmaranto, R., & Hariwibowo, R. (2021). Analisis Kerentanan Intrinsik dan Spesifik Air Tanah terhadap Pencemaran di Sub DAS Amprong, Malang, Jawa Timur. *Jurnal Teknologi dan Rekayasa Sumber Daya Air, 1*(2), 213–226.

Hilal, I., Oubeid, A. M., Qurtobi, M., Aqnouy, M., Amenzou, N., Saadi, R., Raibi, F., Bellarbi, M., Si Mhamdi, H., Sadiki, M., Hasnaoui, M. D., & Benmansour, M. (2024). Groundwater Vulnerability Mapping Using the Susceptibility Index (SI) Method and Tritium Isotopes: A Case Study of the Gharb Aquifer in Northwestern Morocco. *E3S Web of Conferences, 489*, 07001. https://doi.org/10.1051/e3sconf/202448907001

Hui, T., Changlai, X., Honggen, X., Xiujuan, L., Jianli, Q., Longtan, Q., Weilong, Z., & Hong, Z. (2023). Groundwater Vulnerability Assessment of Nitrate Pollution in the Ankang Basin: Using an Optimized DRASTIC–LY Method. *Journal of Water and Health, 21*(8), 1177–1192. https://doi.org/10.2166/wh.2023.062

Huizar–Alvarez, R., Ouysse, S., Espinoza–Jaramillo, M. M., Carrillo–Rivera, J. J., & Mendoza–Archundia, E. (2016). The Effects of Water Use on Tothian Flow Systems in the Mexico City Conurbation Determined from the Geochemical and Isotopic Characteristics of Groundwater. *Environmental Earth Sciences, 75*(13). https://doi.org/10.1007/s12665–016–5843–7

Iqbal, J., Gorai, A. K., Tirkey, P., & Pathak, G. (2012). Approaches to Groundwater Vulnerability to Pollution: A Literature Review. *Asian Journal of Water, Environment and Pollution, 9*(1), 105–115. Diakses 4 Juni 2026, dari https://www.scopus.com/inward/record.uri?eid=2–s2.0–84861355980&partnerID=40&md5=9c847957c8929a4c0cb2dcb1c5d98aea

Jackson, C. R. (1992). Hillslope Infiltration and Lateral Downslope Unsaturated Flow. *Water Resources Research, 28*(9), 2533–2539. https://doi.org/10.1029/92WR00664

Jain, H. (2023). Groundwater Vulnerability and Risk Mitigation: A Comprehensive Review of the Techniques and Applications. *Groundwater for Sustainable Development, 22,* 100968. https://doi.org/10.1016/j.gsd.2023.100968

Jiang, F., Huang, Y., Wang, M., Lin, J., Zhao, G., & Ge, H. (2014). Effects of Rainfall Intensity and Slope Gradient on Steep Colluvial Deposit Erosion in Southeast China. *Soil Science Society of America Journal, 78*(5), 1741–1752. https://doi.org/10.2136/sssaj2014.04.0132

Kamruzzaman, Md., Khan, Md. S. U., Ritu, S. A., Khanom, S., Hossain, M., Islam, Md. R., & Uddin, S. (2025). Diving Deep: Exploring Fluoride in Groundwater—causes,

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Implications, and Mitigation. *Environmental Science and Engineering, Part F4036*, 189–221. https://doi.org/10.1007/978–3–031–77247–4_8

Kayastha, V., Patel, J., Kathrani, N., Varjani, S., Bilal, M., Show, P. L., Kim, S.–H., Bontempi, E., Bhatia, S. K., & Bui, X.–T. (2022). New Insights in Factors Affecting Groundwater Quality with Focus on Health Risk Assessment and Remediation Techniques. *Environmental Research, 212,* 113171. https://doi.org/10.1016/j.envres.2022.113171

Keegan–Treloar, R., Irvine, D. J., Werner, A. D., & Banks, E. W. (2023). Identifying Groundwater Recharge and Discharge Zones Using Geostatistical Simulation of Hydraulic Head and Its Derivatives. *Journal of Hydrology, 617*, 1–11. https://doi.org/10.1016/j.jhydrol.2022.128993

Khedidja, A., Drias, T., & Reghais, A. (2023). Assessment of Groundwater Vulnerability to Pollution Using DRASTIC and the SI Methods: Case of the Alluvial Aquifer in Tadjenanet– Chelghoum Laid (East Algeria). *Acque Sotterranee–Italian Journal of Groundwater, 12*(2), 37–47. https://doi.org/10.7343/as–2023–644

Khomri, Z., Chabaca, M. N., Boudibi, S., & Latif, S. D. (2022). Assessment of Groundwater Vulnerability Using Remote Sensing, Susceptibility Index, and Wetspass Model in an Arid Region (Biskra, SE Algeria). *Environmental Monitoring and Assessment, 194*(7). https://doi.org/10.1007/s10661–022–10189–3

Kintoro, F. S., Adji, T. N., & Widyastuti, M. (2025). Land Use Changes and Their Impact on Groundwater Vulnerability's Spatio–Temporal Conditions. *Journal of Degraded and Mining Lands Management, 12*(2), 6979–6990. https://doi.org/10.15243/jdmlm.2025.122.6979

Kinzelbach, W., Wang, H., Li, Y., Wang, L., & Li, N. (2022). Introduction. *Springer Water*, 1–23. https://doi.org/10.1007/978–981–16–5843–3_1

Kirlas, M. C., Karpouzos, D. K., Georgiou, P. E., & Katsifarakis, K. L. (2022). A Comparative Study of Groundwater Vulnerability Methods in a Porous Aquifer in Greece. *Applied Water Science, 12*(6), 1–21. https://doi.org/10.1007/s13201–022–01651–1

Kopačková, V., Rapprich, V., Šebesta, J., & Zelenková, K. (2011). Slope Dependent Morphometric Analysis as a Tool Contributing to Reconstruction of Volcano Evolution. *Earth and Environmental Sciences*, 219–240.

Krogulec, E., & Trzeciak, J. (2017). Uncertainty of the Assessment of Groundwater Vulnerability for Urban Areas on the Example of the Bielany Warsaw's District. *Przeglad Geologiczny, 65*(11), 1090–1095. Diakses 4 Juni 2026, dari

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://www.scopus.com/inward/record.uri?eid=2–s2.0–85040580613&partnerID=40&md5=16d0818327c10293934bf647ea222d9b

Kurwadkar, S., Kanel, S. R., & Nakarmi, A. (2020). Groundwater Pollution: Occurrence, Detection, and Remediation of Organic and Inorganic Pollutants. *Water Environment Research, 92*(10), 1659–1668. https://doi.org/10.1002/wer.1415

Kusumayudha, S. B., Pratiknyo, P., Riswandi, H., & Muryani, E. (2021). Hydrogeological Risk Assessment for Groundwater Conservation in the Northeastern Slope Area of Mount Arjuno, Pasuruan Regency, East Java, Indonesia. *Indonesian Journal of Geography, 53*(1), 20–29. https://doi.org/10.22146/IJG.59476

Lathifah, A. (2018). Studi Komparasi Konservasi Lingkungan Penambangan Pasir di DAS Klawing, Kecamatan Kaligondang dan Kecamatan Kemangkon, Kabupaten Purbalingga. *Student Journal UNY*, 1–13.

Letz, O., Siebner, H., Avrahamov, N., Egozi, R., Eshel, G., & Dahan, O. (2021). The Impact of Geomorphology on Groundwater Recharge in a Semi–Arid Mountainous Area. *Journal of Hydrology, 603*, 127029. https://doi.org/10.1016/j.jhydrol.2021.127029

Listyani, T., & Putranto, T. (2020). Studi Potensi Airtanah pada Cekungan Airtanah (CAT) Banyumudal, Kabupaten Kebumen, Jawa Tengah. *Jurnal Ilmu Lingkungan, 18*(3), 531–544.

Loborec, J., & Durin, B. (2016). Implementation of Multi–Criterial Analysis to Selecting the Optimal Method for Intrinsic Vulnerability Assessment of Karst Aquifers. *Hrvatske Vode, 24*(97), 193–202. Diakses 4 Juni 2026, dari https://www.scopus.com/inward/record.uri?eid=2–s2.0–84992147588&partnerID=40&md5=3e55c8739fe5fba33755b015d1b5f58e

Loke, M. H. (1999). *Electrical Imaging Surveys for Environmental and Engineering Studies: A Practical Guide to 2–D and 3–D Surveys*. Penang: Geotomo Software.

Malard, F., Griebler, C., & Retaux, S. (2023). *Groundwater Ecology and Evolution (2nd ed.)*. Amsterdam: Academic Press.

Malik, M. S., & Shukla, J. P. (2019). GIS Modeling Approach for Assessment of Groundwater Vulnerability in Parts of Tawa River Catchment Area, Hoshangabad, Madhya Pradesh, India. *Groundwater for Sustainable Development*, *9*. https://doi.org/10.1016/j.gsd.2019.100249

Manciati, C., Taupin, J. D., Patris, N., Leduc, C., & Casiot, C. (2021). Diverging Water Ages Inferred from Hydrodynamics, Hydrochemical and Isotopic Tracers in a Tropical

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Andean Volcano–Sedimentary Confined Aquifer System. *Frontiers in Water, 3*, 597641. https://doi.org/10.3389/frwa.2021.597641

Maples, S. R., Fogg, G. E., & Maxwell, R. M. (2019). Modeling Managed Aquifer Recharge Processes in a Highly Heterogeneous, Semi–Confined Aquifer System. *Hydrogeology Journal, 27*(8), 2869–2888. https://doi.org/10.1007/s10040–019–02033–9

Maria, R. (2018). Comparative Studies of Groundwater Vulnerability Assessment. *IOP Conference Series: Earth and Environmental Science, 118*(1). https://doi.org/10.1088/1755–1315/118/1/012018

Masitoh, F., Rusydi, A. N., & Ramdani, F. (2025). Assessing Groundwater Vulnerability in the Intermountain Plains of Metro Hilir Watershed Malang. *Scientific Reports, 15*(1), 37759. https://doi.org/10.1038/s41598–025–09621–8

Menchen, A., Heras, J. D. las, & Alday, J. J. G. (2017). Pesticide Contamination in Groundwater Bodies in the Júcar River European Union Pilot Basin (SE Spain). *Environmental Monitoring and Assessment, 189*(4). https://doi.org/10.1007/s10661–017–5827–4

Michael, H. A., & Khan, M. R. (2016). Impacts of Physical and Chemical Aquifer Heterogeneity on Basin–Scale Solute Transport: Vulnerability of Deep Groundwater to Arsenic Contamination in Bangladesh. *Advances in Water Resources, 98*, 147–158. https://doi.org/10.1016/j.advwatres.2016.10.010

Milewski, A., Lezzaik, K., & Rotz, R. (2020). Sensitivity Analysis of the Groundwater Risk Index in the Middle East and North Africa Region. *Environmental Processes, 7(*1), 53–71. https://doi.org/10.1007/s40710–019–00421–7

Mimi, Z. A., Mahmoud, N., & Madi, M. A. (2012). Modified DRASTIC Assessment for Intrinsic Vulnerability Mapping of Karst Aquifers: A Case Study. *Environmental Earth Sciences, 66*(2), 447–456. https://doi.org/10.1007/s12665–011–1252–0

Moghaddam, A., Fijani, A. \, & Nadiri, A. A. (2010). Groundwater Vulnerability Assessment Using GIS–Based DRASTIC Model in the Bazargan and Poldasht Plains. *Journal of Environmental Studies, 35*(52). Diakses 4 Juni 2026, dari www.SID.ir

Muhammad, A. M., Zhonghua, T., Dawood, A. S., & Earl, B. (2015). Evaluation of Local Groundwater Vulnerability Based on DRASTIC Index Method in Lahore, Pakistan. *Geofisica Internacional, 54*(1), 67–81. https://doi.org/10.1016/j.gi.2015.04.003

Mulyanti, D., Perwira, I., Muttaqin, Z., & Sugiharti, D. K. (2024). The Legal Policy Role of Groundwater Tax on Water Resources Conservation in Indonesia. *Journal of Law and Sustainable Development, 12*(2). https://doi.org/10.55908/sdgs.v12i2.1673

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Napoli, A., Crespi, A., Ragone, F., Maugeri, M., & Pasquero, C. (2019). Variability of Orographic Enhancement of Precipitation in the Alpine Region. *Scientific Reports, 9*(1), 1–8. https://doi.org/10.1038/s41598–019–49974–5

Napolitano, P., Fabbri, A., Napolitano, P., & Fabbri, A. G. (1996). *Single–Parameter Sensitivity Analysis for Aquifer Vulnerability Assessment Using DRASTIC and SINTACS*. (235), 559–566. Diakses 4 Juni 2026, dari https://www.researchgate.net/publication/289273227

Naranjo, E., Moulatlet, G. M., Hirata, R., & Conicelli, B. (2023). Assessing the Napo Karst Formation Vulnerability in the Western Amazon River Basin. *Research Square*, 1–31. https://doi.org/10.21203/rs.3.rs–3202914/v1

Nigam, N. (2025). Groundwater Quality Assessment Around Industrial Area of Gautam Budh Nagar, U.P., India. *International Journal for Research in Applied Science and Engineering Technology, 13*(1), 1385–1393. https://doi.org/10.22214/ijraset.2025.66578

Noori, R., Ghahremanzadeh, H., Kløve, B., Adamowski, J. F., & Baghvand, A. (2019). Modified–DRASTIC, Modified–Sintacs and SI Methods for Groundwater Vulnerability Assessment in the Southern Tehran Aquifer. *Journal of Environmental Science and Health–Part A Toxic/Hazardous Substances and Environmental Engineering, 54*(1), 89–100. https://doi.org/10.1080/10934529.2018.1537728

Odeh, T., Geyer, S., Rödiger, T., Siebert, C., & Schirmer, M. (2013). Groundwater Chemistry of Strike Slip Faulted Aquifers: The Case Study of Wadi Zerka Ma'in Aquifers, North East of the Dead Sea. *Environmental Earth Sciences, 70*(1), 393–406. https://doi.org/10.1007/s12665–012–2135–8

Oke, S. A. (2020). Regional Aquifer Vulnerability and Pollution Sensitivity Analysis of DRASTIC Application to Dahomey Basin of Nigeria. (7), 1–17. https://doi.org/10.3390/ijerph17072609

Olea–Olea, S., Escolero, O., Mahlknecht, J., Ortega, L., Taran, Y., Moran–Zenteno, D. J., Zamora–Martinez, O., & Tadeo–Leon, J. (2020). Water–Rock Interaction and Mixing Processes of Complex Urban Groundwater Flow System Subject to Intensive Exploitation: The Case of Mexico City. *Journal of South American Earth Sciences, 103*. https://doi.org/10.1016/j.jsames.2020.102719

Oloruntola, M. O., Bayewu, O. O., Mosuro, G. O., Folorunso, A.F., & Ibikunle, S. O. (2017). Groundwater Occurrence and Aquifer Vulnerability Assessment of Magodo Area,

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lagos, Southwestern Nigeria. *Arabian Journal of Geosciences, 10*(5). https://doi.org/10.1007/s12517–017–2914–3

Panagopoulos, G. P., Katsanou, K. N., & Barouchas, P. E. (2023). Assessment of Groundwater Vulnerability to Nitrates Using the GIS–Based DRASTIC and SI Methods: A Case Study in Zacharo Area, Greece. *Environmental Monitoring and Assessment, 195*(2). https://doi.org/10.1007/s10661–022–10882–3

Pesenti, S. M., Millossovich, P., & Tsanakas, A. (2019). Reverse Sensitivity Testing: What DOEs It Take to Break the Model? *European Journal of Operational Research, 274*(2), 654–670. https://doi.org/10.1016/j.ejor.2018.10.003

Pramono, T., Arfiati, D., Widodo, M., & Yanuhar, U. (2018). Iktiofauna di Hilir Sungai Klawing Kabupaten Purbalingga, Jawa Tengah. *Samakia: Jurnal Ilmu Perikanan, 9*(2), 65–69.

Priadi, C. R., Suleeman, E., Darmajanti, L., Putri, G. L., Genter, F., Foster, T., & Willetts, J. (2024). Policy and Regulatory Context for Self–Supplied Drinking Water Services in Two Cities in Indonesia: Priorities for Managing Risks. *Environmental Development, 49*, 100940. https://doi.org/10.1016/j.envdev.2023.100940

Prince Raj, L., Siddique, P. M., & Charana, G. S. (2024). Sensitivity Analysis for Aerospace Engineering Applications. In *Computational Fluid Flow and Heat Transfer* (1st ed., p. 17). Boca Raton, FL: CRC Press.

Priyana, Y., & Sigit, A. (2002). Karakteristik Airtanah dan Sistem Penyediaan Air Bersih di Lereng Timur Gunungapi Merapi. *Forum Geografi, 16*(1), 80–91.

Purnama, S. (2010). Potensi Sumberdaya Air DAS Serayu. *Jurnal Rekayasa Lingkungan, 6*(3), 291–302.

Pusat Lingkungan Geologi. (2008*). Daftar Cekungan Airtanah di Indonesia*. Bandung: Pusat Lingkungan Geologi.

Putranto, T. T., & Marjuanto, A. A. (2021). Assessment of Contamination Vulnerability of Groundwater Using Susceptibility Index Method: Semarang City as Case Study. *Journal of Engineering Science and Technology, 16*(1), 438–454.

Qian, H., Li, P., Howard, K. W. F., Yang, C., & Zhang, X. (2012). Assessment of Groundwater Vulnerability in the Yinchuan Plain, Northwest China Using OREADIC. *Environmental Monitoring and Assessment, 184*(6), 3613–3628. https://doi.org/10.1007/s10661–011–2211–7

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ratman, N., Supriatna, I., Handoko, Samodra, H., Amin, T. C., Somantri, A., & Sukido. (1996). *Peta Geologi Lembar Purwokerto dan Tegal, Jawa.* Bandung: Pusat Penelitian dan Pengembangan Geologi.

Ribeiro, L. (2000). *SI: A New Index of Aquifer Susceptibility to Agricultural Pollution*. Lisbon: ER–SHA/CVRM, Instituto Superior Técnico.

Ribeiro, L., Pindo, J. C., & Dominguez–Granda, L. (2017). Assessment of Groundwater Vulnerability in the Daule Aquifer, Ecuador, Using the Susceptibility Index Method. *Science of The Total Environment, 574*, 1674–1683. https://doi.org/10.1016/j.scitotenv.2016.09.004

Riyanto, I., & Widyastuti, M. (2016). Kerentanan Intrinsik dan Spesifik Air Tanah terhadap Pencemaran di Kecamatan Banjarnegara dan Sekitarnya. 1–17.

Said, A., Mzee, M. A., & Forson, E. D. (2025). Modeling Groundwater Vulnerability to Pollution on the Southern Slopes of Kilimanjaro, Tanzania. *Scientific African, 29,* e02933. https://doi.org/10.1016/j.sciaf.2025.e02933

Saidi, S., Bouri, S., & Ben Dhia, H. (2011). Sensitivity Analysis in Groundwater Vulnerability Assessment Based on GIS in the Mahdia–Ksour Essaf Aquifer, Tunisia: A Validation Study. *Hydrological Sciences Journal, 56*(2), 288–304. https://doi.org/10.1080/02626667.2011.552886

Sankar, K., Karunanidhi, D., Kalaivanan, K., Subramani, T., Shanthi, D., & Balamurugan, P. (2023). Integrated Hydrogeophysical and GIS Based DEMarcation of Groundwater Potential and Vulnerability Zones in a Hard Rock and Sedimentary Terrain of Southern India. *Chemosphere, 316*, 137305. https://doi.org/10.1016/j.chemosphere.2022.137305

Santi, N., Putranto, T. T., Zahra, F. S., & Putri, M. A. S. (2024). Assessment of Groundwater Vulnerability Towards Contamination Using SI (Susceptibility Index) in DEMak Regency, Indonesia. *IOP Conference Series: Earth and Environmental Science, 1414*(1). https://doi.org/10.1088/1755–1315/1414/1/012046

Sasminto, R., Tunggul, A., & Rahadi, B. (2014). Analisis Spasial Penentuan Iklim Menurut Klasifikasi Schmidt–Ferguson dan Oldeman di Kabupaten Ponorogo. *Jurnal Sumberdaya Alam & Lingkungan, 1*(1), 51–56.

Sehah, Wihantoro, & Prabowo, U. N. (2021). Sosialisasi dan Realisasi Hasil Pengukuran Geolistrik untuk Eksplorasi Sumber Air Tanah di Desa Metenggeng, Kecamatan Bojongsari Kabupaten Purbalingga. *Jurnal PKM Serambi Abdimas, 2*(2), 83–88.

Shahab, A., Shihua, Q., Rad, S., Keita, S., Khan, M., & Adnan, S. (2019). Groundwater Vulnerability Assessment Using GIS–Based DRASTIC Method in the Irrigated and

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Coastal Region of Sindh Province, Pakistan. *Hydrology Research, 50*(1), 319–338. https://doi.org/10.2166/nh.2018.001

Shi, T., Liu, W., Yang, Y., Liu, Y., Li, M., Liu, T., Wu, Z., & Wang, Q. (2024). Low–Permeability Layered Clay Soil Hinders Organic Macromolecular Pollutant Migration in the Transition Zone of the Jianghan Plain–dabie Mountain Area. *Water, 16*(11), 1522. https://doi.org/10.3390/w16111522

Soemarto, C. D. (1987). *Hidrologi Teknik*. Surabaya: Usaha Nasional.

Sorichetta, A., Ballabio, C., Masetti, M., Robinson, G. R., & Sterlacchini, S. (2013). A Comparison of Data–Driven Groundwater Vulnerability Assessment Methods. *Groundwater, 51*(6), 866–879. https://doi.org/10.1111/gwat.12012

Sousa, R., & Fussi, F. (2021). The Role of International Cooperation in Sustainable Groundwater Development. *Advances in Science, Technology and Innovation*, 339–343. https://doi.org/10.1007/978–3–030–59320–9_70

Stadler, S., Talma, A. S., Tredoux, G., & Wrabel, J. (2012). Identification of Sources and Infiltration Regimes of Nitrate in the Semi–Arid Kalahari: Regional Differences and Implications for Groundwater Management. *Water SA, 38*(2), 213–224. https://doi.org/10.4314/wsa.v38i2.6

Su, Y., Huang, Y., & Shen, H. (2024). Experimental Study on Migration Characteristics of LNAPL in the Aquitard Under Pumping Conditions. *Environmental Science and Pollution Research, 31*(33), 46061–46072. https://doi.org/10.1007/s11356–024–34284–9

Sunardi, S., Ariyani, M., Withaningsih, S., Darma, A. P., Wikarta, K., Parikesit, P., Kamarudin, M. K. A., & Abdoellah, O. S. (2021). Peri–Urbanization and Sustainability of a Groundwater Resource. *Environment, Development and Sustainability, 23*(6), 8394–8404. https://doi.org/10.1007/s10668–020–00972–y

Tan, R. R., Aviso, K. B., & Uy, O. M. (2015). Comprehensive Sensitivity Analysis in NLP Models in PSE Applications Using Space–Filling DOE Strategy. *Chemical Engineering Transactions, 45*, 523–528. https://doi.org/10.3303/CET1545088

Timms, W. A., Acworth, R. I., Crane, R. A., Arns, C. H., Arns, J.–Y., McGeeney, D. E., Rau, G. C., & Cuthbert, M. O. (2018). The Influence of Syndepositional Macropores on the Hydraulic Integrity of Thick Alluvial Clay Aquitards. *Water Resources Research, 54*(4), 3122–3138. https://doi.org/10.1029/2017WR021681

Todd, D. K., & Mays, L. W. (2005). *Groundwater Hydrology (3rd ed.)*. Hoboken, NJ: John Wiley & Sons.

UNIVERSITAS GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tomer, T., Katyal, D., & Joshi, V. (2019). Sensitivity Analysis of Groundwater Vulnerability Using DRASTIC Method: A Case Study of National Capital Territory, Delhi, India. *Groundwater for Sustainable Development, 9*. https://doi.org/10.1016/j.gsd.2019.100271

Torkashvand, M., Neshat, A., Javadi, S., & Pradhan, B. (2021). New Hybrid Evolutionary Algorithm for Optimizing Index–Based Groundwater Vulnerability Assessment Method. *Journal of Hydrology, 598*, 126446. https://doi.org/10.1016/j.jhydrol.2021.126446

Umar, M., Khan, S. N., Arshad, A., Aslam, R. A., Khan, H. M. S., Rashid, H., Pham, Q. B., Nasir, A., Noor, R., Khedher, K. M., & Anh, D. T. (2022). A Modified Approach to Quantify Aquifer Vulnerability to Pollution Towards Sustainable Groundwater Management in Irrigated Indus Basin. *Environmental Science and Pollution Research, 29*(18), 27257–27278. https://doi.org/10.1007/s11356–021–17882–9

Van Zuidam, R. A. (1985). *Aerial Photo–Interpretation in Terrain Analysis and Geomorphological Mapping*. The Hague: Smits Publishers.

Wang, L., Mei, Y., Yu, K., Li, Y., Meng, X., & Hu, F. (2019). Anthropogenic Effects on Hydrogeochemical Characterization of the Shallow Groundwater in an Arid Irrigated Plain in Northwestern China. *Water (Switzerland), 11*(11). https://doi.org/10.3390/w11112247

Wang, Ziting, Li, D., Hou, G., & Zheng, J. (2024). Infiltration Characteristics and Hydrodynamic Parameters in Response to Topographic Factors in Bare Soil Surfaces, Laboratory Experiments Based on Cropland Fields of Purple Soil in Southwest China. *Agriculture, 14*(10), 1820. https://doi.org/10.3390/agriculture14101820

Widyastuti, M., Suprayogi, S., Hadi, M. P., Christanto, N., Tivianton, T. A., Fadilah, G. O., & Rahmawati, L. (2021). Study of Groundwater Vulnerability to Pollution in the Tambakbayan Watershed in 2006 and 2017. *Jurnal Geografi Gea, 21*(1). Diakses 4 Juni 2026, dari https://ejournal.upi.edu/index.php/gea

Winter, T. C., Harvey, J. W., Franke, O. L., & Alley, W. M. (1998). *Ground Water and Surface Water: A Single Resource (U.S. Geological Survey Circular 1139)*. Denver, CO: U.S. Geological Survey.

Wulandari, R., Iswara, A. P., Qadafi, M., Prayogo, W., Astuti, R. D. P., Utami, R. R., Jayanti, M., Awfa, D., Suryawan, I. W. K., Fitria, L., & Andhikaputra, G. (2024). Water Pollution and Sanitation in Indonesia: A Review on Water Quality, Health and Environmental Impacts, Management, and Future Challenges. *Environmental Science*

UNIVERSITAS
GADJAH MADA
AnalisKerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) di Sebagian Kecamatan Bojongsari, Kabupaten Purbalingga
Moudi Elviana, Dr. Margaretha Widyastuti, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

and Pollution Research, 31(58), 65967–65992. https://doi.org/10.1007/s11356–024–35567–x

Xiong, H., Wang, Y., Guo, X., Han, J., Ma, C., & Zhang, X. (2022). Current Status and Future Challenges of Groundwater Vulnerability Assessment: A Bibliometric Analysis. *Journal of Hydrology, 615,* 128694. https://doi.org/10.1016/j.jhydrol.2022.128694

Xu, J., Wei, J., Hou, M., Fu, X., Yang, Z., Zhang, T., Dong, D., & Li, T. (2025). Groundwater Dynamics and Renewal Responses in the Plain Section of the Yongding River, Exemplified by Extreme Precipitation Events. *Groundwater for Sustainable Development, 31*, 101522. https://doi.org/10.1016/j.gsd.2025.101522

Yu, J., Zhou, C., & Mu, Q. Y. (2022). Numerical Investigation on Light Non–aqueous Phase Liquid Flow in the Vadose Zone Considering Porosity Effects on Soil Hydraulic Properties. *Vadose Zone Journal, 21*(5). https://doi.org/10.1002/vzj2.20211

Zeidan, B. A. (2017). Groundwater Degradation and Remediation in the Nile Delta Aquifer. *Handbook of Environmental Chemistry, 55*, 159–232. https://doi.org/10.1007/698_2016_128

Zhang, S., Fan, G., Zhang, D., & Li, Q. (2018). Physical Simulation Research on Evolution Laws of Clay Aquifuge Stability During Slice Mining. *Environmental Earth Sciences, 77*(7). https://doi.org/10.1007/s12665–018–7401–y

Zhao, Z.–H., Wang, D., Tao, Z.–P., & Li, Y. (2008). Multi–Layer Circulation Model of Groundwater Flow Systems on the Ordos Plateau, China: Evidence from Water Head Measurements at Different Depths of a Deep Borehole by the Packer System. *Geological Bulletin of China, 27*(8), 1131–1137. Diakses 4 Juni 2026, dari https://www.scopus.com/inward/record.uri?eid=2–s2.0–79952050582&partnerID=40&md5=c6217ffe60cada4b05ae4634a6a49790

Zhuang, C., Zhou, Z.–F., Li, Z.–F., & Guo, Q.–N. (2017). A Method for Determining Hydraulic Parameters of an Overconsolidated Aquitard. *Yantu Lixue/Rock and Soil Mechanics, 38*(1), 61–66. https://doi.org/10.16285/j.rsm.2017.01.008