UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Benzena, Toluena, Xilena (BTX) dengan Kapasitas Total 62 Ribu Ton/Tahun dari Biomassa Lignoselulosik
Silma Naila Haya Tafidah Riyanto, Ir. Hanifrahmawan Sudibyo, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

American Petroleum Institute (1998). Welded Steel Tanks for Oil storage, API Standard 650. Washington: Api.

Apaydın Varol, E., & Mutlu, Ü. (2023). TGA-FTIR analysis of biomass samples based on the thermal decomposition behavior of hemicellulose, cellulose, and lignin. Energies, 16(9), 3674. https://doi.org/10.3390/en16093674

Aries, R. S., & Newton, R. D. (1955). Chemical Engineering Cost Estimation. Chemonomics.

Ayarde-Henríquez, L., Lupi, J., & Dooley, S. (2024). Hemicellulose pyrolysis: mechanism and kinetics of functionalized xylopyranose. Physical Chemistry Chemical Physics, 26(16), 12820–12837. https://doi.org/10.1039/d3cp06094b

Balaji, A. N., & Nagarajan, K. J. (2017). Characterization of alkali treated and untreated new cellulosic fiber from Saharan aloe vera cactus leaves. Carbohydr. Polym., 174, 200–208.

Badan Pusat Statistik Data Ekspor Impor Nasional. (n.d.). Data Ekspor dan Impor Benzena, Toluena, O-Xilena, M-Xilena, P-Xilena, dan Mixed Xilena Tahun 2022-2024. Retrieved from https://www.bps.go.id/id/exim

Badan Pusat Statistik Kabupaten Siak. (2023). Population by age groups and sex (thousand) in Siak Regency – 2023. Retrieved from https://siakkab.bps.go.id/en/statistics-table/3/WVc0MGEyMXBkVFUxY25KeE9HdDZkbTQzWkVkb1p6MDkjMw%3D%3D/population-by-age-groups-and-sex--thousand--in-siak-regency--2023.html?year=2024

Badan Pusat Statistik Provinsi Riau. (2023). Statistik perkebunan Provinsi Riau 2023. Badan Pusat Statistik Provinsi Riau. https://riau.bps.go.id/

Badan Pusat Statistik Provinsi Riau. (n.d.). Curah hujan (mm). Retrieved from https://riau.bps.go.id/id/statistics-table/2/MTQ1IzI=/curah-hujan--mm-.html

Badan Pusat Statistik Provinsi Riau. (n.d.). Jumlah penduduk menurut kabupaten/kota (ribu jiwa – jiwa). Retrieved from

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Benzena, Toluena, Xilena (BTX) dengan Kapasitas Total 62 Ribu Ton/Tahun dari Biomassa Lignoselulosik
Silma Naila Haya Tafidah Riyanto, Ir. Hanifrahmawan Sudibyo, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://riau.bps.go.id/id/statistics-table/2/NDU4IzI=/jumlah-penduduk-menurut-kabupaten-kota--ribu-jiwa---jiwa-.html

Badan Pusat Statistik Provinsi Riau. (n.d.). Jumlah penduduk menurut kelompok umur dan jenis kelamin (ribu jiwa) di Provinsi Riau, 2024. Retrieved from https://riau.bps.go.id/id/statistics-table/3/WVc0MGEyMXBkVFUxY25KeE9HdDZkbTQzWkVkb1p6MDkjMw==/jumlah-penduduk-menurut-kelompok-umur-dan-jenis-kelamin--ribu-jiwa--di-provinsi-riau--2024.html?year=2024

Badan Pusat Statistik Provinsi Riau. (n.d.). Kecepatan angin (m/det). Retrieved from https://riau.bps.go.id/id/statistics-table/2/MTQxIzI=/kecepatan-angin--m-det-.html

Baker, R.W. (2004). Membrane Technology and Applications, 2nd ed. John Wiley & Sons, Ltd., Chichester.

Biddy, M., et al. (2013). In-situ catalytic fast pyrolysis technology pathway. NREL Technical Report.

Brown, G. G. (1950). Unit Operations. John Wiley & Sons, Inc.

Brown, G.G., Boyaju, D., Lil, M., O, U.E., Brown, G.M., Brownell, L.E., La, D., et al. (1950). Unit Operations.

Brownell, L. E., & Young, E. H. (1959). Process Equipment Design: Vessel Design. John Wiley & Sons.

Buros, O.K. (2000). The ABCs of Desalting, 2nd ed. International Desalination Association, Topsfield, MA, USA.

Castellan, A., & Grelier, S. (2016). Color and color reversion of cellulosic and lignocellulosic fibers. In Lignocellulosic Fibers and Wood Handbook. Springer.

Chan, Y. J., Chong, M. F., Law, C. L., & Hassell, D. G. (2009). A review on anaerobic–aerobic treatment of industrial and municipal wastewater. Chemical Engineering Journal, 155(1–2), 1–18.

Chen, X., et al. (2019). Recent developments in lignocellulosic biomass catalytic fast pyrolysis. Fuel Processing Technology, 191, 106180. https://doi.org/10.1016/j.fuproc.2019.106180

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Benzena, Toluena, Xilena (BTX) dengan Kapasitas Total 62 Ribu Ton/Tahun dari Biomassa Lignoselulosik
Silma Naila Haya Tafidah Riyanto, Ir. Hanifrahmawan Sudibyo, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Čučulović, M., Saičić, A., & Stevanović, J. (2024). Hydrothermal carbonization of waste biomass: A review of hydrochar preparation and environmental application. Processes, 12(1), 207. https://doi.org/10.3390/pr12010207

Dutta, A., et al. (2020). Ex-situ catalytic fast pyrolysis of lignocellulosic biomass. NREL Technical Report.

Emerson Process Management. (2009). Baumann control valve primer: Chapter 5. Emerson. https://www.setmach.com/tech-material/Baumann-ControlValvePrimer_Chapter5.pdf

Energy and Environmental Analysis, Inc. (2005). Characterization of the U.S. industrial/commercial boiler population. Oak Ridge National Laboratory.

Evans, Jr. F. L. (1974). Equipment Design Handbook for Refineries and Chemical Plants, Volume 2, Second Edition. Gulf Publishing Company.

Fayol, H. General and Industrial Management. Martino Publishing.

Fearon, O., Kuitunen, S., Ruuttunen, K., Alopaeus, V., & Vuorinen, T. (2020). Detailed modeling of kraft pulping chemistry: Delignification. Industrial & Engineering Chemistry Research, 59(37), 12977–12985. https://doi.org/10.1021/acs.iecr.0c02110

Figueirêdo, L. S., Costa, A. O. S., & Costa Jr., E. F. (2011). Semi empirical modeling of the stationary state of a real causticizing system in a pulp mill. CENIBRA.

Hidayat, M. S., Hasibuan, A., Harahap, B., & Nasution, S. P. (2022). Pemanfaatan Tandan Kosong Kelapa Sawit Sebagai Bahan Pupuk di PT Karya Hevea Indonesia. Factory Jurnal Industri Manajemen Dan Rekayasa Sistem Industri, 1(2), 52–58. https://doi.org/10.56211/factory.v1i2.172

Hemberger, P., et al. (2017). Understanding the mechanism of catalytic fast pyrolysis by operando photoelectron photoion coincidence spectroscopy. Nature Communications, 8, 15946. https://doi.org/10.1038/ncomms15946

Jamaldheen, S. B., Kurade, M. B., Basak, B., Yoo, C. G., Oh, K. K., Jeon, B.-H., & Kim, T. H. (2022). A review on physico-chemical delignification. Bioresource Technology, 346, 126591. https://doi.org/10.1016/j.biortech.2021.126591

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Benzena, Toluena, Xilena (BTX) dengan Kapasitas Total 62 Ribu Ton/Tahun dari Biomassa Lignoselulosik
Silma Naila Haya Tafidah Riyanto, Ir. Hanifrahmawan Sudibyo, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jia, L. Y., et al. (2017). Catalytic fast pyrolysis of biomass. Green Chemistry, 19(22), 5442–5459. https://doi.org/10.1039/C7GC02309J

Kern, D. Q. (1965). Process Heat Transfer.

Liu, C., et al. (2014). Catalytic fast pyrolysis of lignocellulosic biomass. RSC Advances, 4(91), 48527–48539. https://doi.org/10.1039/C3CS60414D

Luna-Murillo, B., et al. (2020). Catalytic fast pyrolysis of biomass. ACS Sustainable Chemistry & Engineering, 8(48), 17649–17659. https://doi.org/10.1021/acssuschemeng.0c07153

Mahadevan, R., et al. (2016). Effect of alkali and alkaline earth metals. Energy & Fuels, 30(3), 1969–1977. https://doi.org/10.1021/acs.energyfuels.5b02984

Mathanker, A., et al. (2021). Hydrothermal liquefaction of biomass. Energies, 14(16), 4916. https://doi.org/10.3390/en14164916

Metcalf & Eddy et al. (2014). Wastewater Engineering: Treatment and Resource Recovery. McGraw Hill.

Mordor Intelligence. (2024). BTX Market Report. https://www.mordorintelligence.com/industry-reports/benzene-toluene-xylene-btx-market

Mujtaba, M., Sultan, M., & Ahmed, S. (2023). Lignocellulosic biomass review. Journal of Cleaner Production, 396, 136629. https://doi.org/10.1016/j.jclepro.2023.136629

Nasruddin. (2012). Delignifikasi tandan kosong kelapa sawit. Jurnal Dinamika Penelitian Industri, 23(1), 1–11.

Nusbah, S. S., et al. (2025). Microwave delignification EFB. Jurnal Sains dan Teknologi, 5(1), 22–32.

Onokwai, A. O., & Ojediran, J. O. (2022). Characterization of lignocellulosic biomass. International Journal of Renewable Energy Development, 11(3), 455–462.

Patwardhan, P. R., et al. (2009). Pyrolysis of glucose. Journal of Analytical and Applied Pyrolysis, 86(2), 323–330. https://doi.org/10.1016/j.jaap.2009.08.007

Patwardhan, P. R., et al. (2011). Pyrolysis of hemicellulose. ChemSusChem, 4(5), 636–643. https://doi.org/10.1002/cssc.201000425

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Benzena, Toluena, Xilena (BTX) dengan Kapasitas Total 62 Ribu Ton/Tahun dari Biomassa Lignoselulosik
Silma Naila Haya Tafidah Riyanto, Ir. Hanifrahmawan Sudibyo, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Perry, R.H. (2014). Perry's Chemical Engineers' Handbook, 9th ed. McGraw-Hill.

Persson, H., & Yang, W. (2019). Catalytic pyrolysis of biomass. Fuel, 252, 200–209. https://doi.org/10.1016/j.fuel.2019.04.087

Peters, M. S., et al. (2003). Plant Design and Economics for Chemical Engineers. McGraw-Hill.

Powell, S.T. (1954). Water Conditioning for Industry. McGraw-Hill.

Pudjiastuti, L., et al. (2021). Lignin removal optimization. AIP Conference Proceedings, 2349, 020062. https://doi.org/10.1063/5.0052179

Pusat Data dan Sistem Informasi Pertanian. (2024). Outlook kelapa sawit 2024. Kementerian Pertanian RI. https://satudata.pertanian.go.id/datasets/publikasi

Raj, A., et al. (2025). Catalytic pyrolysis biomass. Journal of Analytical and Applied Pyrolysis, 176, 107179. https://doi.org/10.1016/j.jaap.2025.107179

Roš, M., & Zupančič, G. D. (2002). Thermophilic aerobic digestion of sludge. Acta Chim. Slov., 49, 931–943.

Segers, B., et al. (2024). Biomass valorisation review. Green Chemistry, 26(21), 7532–7555. https://doi.org/10.1039/D4SU00342J

Sinnott, R. K. (2005). Coulson & Richardson's Chemical Engineering Vol. 6. Elsevier.

Sinnott, R & Towler, G. (2005). Chemical Engineering Design. Butterworth-Heinemann.

Sinnott, R & Towler, G. (2019). Chemical Engineering Design. Butterworth-Heinemann.

Sinnott, R & Towler, G. (2020). Chemical Engineering Design. Butterworth-Heinemann.

Sun, L., et al. (2020). Catalytic fast pyrolysis. Catalysts, 10(9), 1051. https://doi.org/10.3390/catal10091051

Susi, S., et al. (2022). Delignification EFB. IOP Conference Series, 1116, 012018. https://doi.org/10.1088/1755-1315/1116/1/012018

Tan, Y. T., et al. (2018). Deep eutectic solvent delignification. Industrial Crops and Products, 123, 271–277. https://doi.org/10.1016/j.indcrop.2018.06.091

UNIVERSITAS
GADJAH MADA
Prarancangan Pabrik Benzena, Toluena, Xilena (BTX) dengan Kapasitas Total 62 Ribu Ton/Tahun dari Biomassa Lignoselulosik
Silma Naila Haya Tafidah Riyanto, Ir. Hanifrahmawan Sudibyo, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Toor, S. S., et al. (2011). Hydrothermal liquefaction review. Energy, 36(5), 2328–2342. https://doi.org/10.1016/j.energy.2011.01.020

Ulrich, G. D. (1984). A Guide to Chemical Engineering Process Design and Economic. John Wiley & Sons.

Wusko, I. U., & Hidayah, N. (2020). OPEFB characterization. Traditional Medicine Journal, 25(3), 154–160. https://doi.org/10.22146/mot.52715

Yaws, C. L. (1999). Chemical Properties Handbook. McGraw-Hill.

Yiina, C. L., et al. (2019). Cellulose recovery EFB. Bioresource Technology, 290, 121797. https://doi.org/10.1016/j.biortech.2019.121797

Yi, L., et al. (2022). Aromatics catalytic pyrolysis. Journal of Analytical and Applied Pyrolysis, 167, 105675. https://doi.org/10.1016/j.jaap.2022.105675

Zhu, L., et al. (2019). Furan to p-xylene conversion. Journal of Chemical Technology & Biotechnology, 94(9), 2876–2887. https://doi.org/10.1002/jctb.6090