UNIVERSITAS
GADJAH MADA
**Analisis Pemecah Gelombang Terapung pada Beberapa Konfigurasi Tambatan Berbasis Model Dua Dimensi
dengan DualSPHysics (Studi Kasus: Bali Benoa Marina)**
Mikhael Nursetyo Selginanda, Prof. Ir. Radianta Triatmadja, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Al-Sairafi, F. A., Zhang, J., Jiang, C., Almansour, A. I., & Saleh, B. (2024). Enhancing Hydrodynamic Performance of Floating Breakwaters Using Wing Plates. *Water*, 16(13), 1779. https://doi.org/10.3390/w16131779.

Altomare, C., Domínguez, J. M., Crespo, A. J. C., González-Cao, J., Suzuki, T., Gómez-Gesteira, M., & Troch, P. (2017). Long-crested wave generation and absorption for SPH-based DualSPHysics model. *Coastal Engineering*, 127, 37–54. https://doi.org/10.1016/j.coastaleng.2017.06.004.

Armono, H. D., Yolanda, N., & Tjitrosiswoyo, W. (2026). Analysis of floating concrete breakwater mooring tension by DualSPHysics. *BIO Web of Conferences*, 216, 08005. https://doi.org/10.1051/bioconf/202621608005.

Becker, M., & Teschner, M. (2007). Weakly compressible SPH for free surface flows. *Proceedings of the 2007 ACM SIGGRAPH/Eurographics Symposium on Computer Animation*, 209–217. https://doi.org/10.2312/SCA/SCA07/209-218.

Bureau Veritas. (2021). *NR493: Classification of mooring systems for permanent and mobile offshore units*. Bureau Veritas Marine & Offshore.

Capasso, S., Tagliafierro, B., Martínez-Estévez, I., Domínguez, J. M., Crespo, A. J. C., & Viccione, G. (2022). A DEM approach for simulating flexible beam elements with the Project Chrono core module in DualSPHysics. Computational Particle Mechanics, 9(5), 969–985. https://doi.org/10.1007/s40571-021-00451-9.

Carmigniani, R. A., & Violeau, D. (2018). Optimal sponge layer for water waves numerical models. Ocean Engineering, 163, 169–182. https://doi.org/10.1016/j.oceaneng.2018.05.068.

Chen, Y.-K., Liu, Y., & Meringolo, D. D. (2022). Comparison of Hydrodynamic Performances Between Single Pontoon and Double Pontoon Floating Breakwaters Through the SPH Method. China Ocean Engineering, 36(6), 894–910. https://doi.org/10.1007/s13344-022-0078-8.

Cheng, X., Liu, C., Zhang, Q., He, M., & Gao, X. (2021). Numerical Study on the Hydrodynamic Characteristics of a Double-Row Floating Breakwater Composed of a Pontoon and an Airbag. *Journal of Marine Science and Engineering*, 9(9), 983. https://doi.org/10.3390/jmse9090983.

Christensen, E. D., Bingham, H. B., Friis, A. P. S., Larsen, A. K., & Jensen, K. L. (2018). An experimental and numerical study of floating breakwaters. *Coastal Engineering*, 137, 43–58. https://doi.org/10.1016/j.coastaleng.2018.03.002.

Crespo, A. J. C., Domínguez, J. M., Rogers, B. D., Gómez-Gesteira, M., Longshaw, S., Canelas, R., Vacondio, R., Barreiro, A., & García-Feal, O. (2015). DualSPHysics: Open-source parallel

UNIVERSITAS GADJAH MADA
Analisis Pemecah Gelombang Terapung pada Beberapa Konfigurasi Tambatan Berbasis Model Dua Dimensi dengan DualSPHysics (Studi Kasus: Bali Benoa Marina)
Mikhael Nursetyo Selginanda, Prof. Ir. Radianta Triatmadja, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

CFD solver based on Smoothed Particle Hydrodynamics (SPH). *Computer Physics Communications*, 187, 204–216. https://doi.org/10.1016/j.cpc.2014.10.004.

Cui, J., Liu, H., Deng, X., Tao, S., & Li, Q. (2020). An experimental study on hydrodynamic performance of a box-floating breakwater in different terrains. *Journal of Marine Science and Technology*, 25, 991–1009. https://doi.org/10.1007/s00773-019-00695-4.

Dai, J., Wang, C. M., Utsunomiya, T., & Duan, W. (2018). Review of recent research and developments on floating breakwaters. *Ocean Engineering*, 158, 132–151. https://doi.org/10.1016/j.oceaneng.2018.03.083.

Dalrymple, R. A., & Rogers, B. D. (2006). Numerical modeling of water waves with the SPH method. *Coastal Engineering*, 53, 141–147. https://doi.org/10.1016/j.coastaleng.2005.10.004.

Dehnen, W., & Aly, H. (2012). Improving convergence in smoothed particle hydrodynamics simulations without pairing instability. *Monthly Notices of the Royal Astronomical Society*, 425(2), 1068–1082. https://doi.org/10.1111/j.1365-2966.2012.21439.x.

DNV. (2021). DNV-OS-E301: Position mooring. Det Norske Veritas.

Domínguez, J. M., Crespo, A. J. C., Hall, M., Altomare, C., Wu, M., Stratigaki, V., Troch, P., Cappietti, L., & Gómez-Gesteira, M. (2019). SPH simulation of floating structures with moorings. *Coastal Engineering*, 153, 103560. https://doi.org/10.1016/j.coastaleng.2019.103560.

Domínguez, J. M., Fourtakas, G., Altomare, C., Canelas, R. B., Tafuni, A., García-Feal, O., Martínez-Estévez, I., Mokos, A., Vacondio, R., Crespo, A. J. C., Rogers, B. D., Stansby, P. K., & Gómez-Gesteira, M. (2022). DualSPHysics: from fluid dynamics to multiphysics problems. *Computational Particle Mechanics*, 9, 867–895. https://doi.org/10.1007/s40571-021-00404-2.

English, A., Domínguez, J. M., Vacondio, R., Crespo, A. J. C., Stansby, P. K., Lind, S. J., Chiapponi, L., & Gómez-Gesteira, M. (2022). Modified dynamic boundary conditions (mDBC) for general-purpose smoothed particle hydrodynamics (SPH): application to tank sloshing, dam break and fish pass problems. *Computational Particle Mechanics*, 9, 1–15. https://doi.org/10.1007/s40571-021-00403-3.

Fenton, J. D. (1985). A fifth-order Stokes theory for steady waves. *Journal of Waterway, Port, Coastal, and Ocean Engineering*, 111(2), 216–234. https://doi.org/10.1061/(ASCE)0733-950X(1985)111:2(216).

Fourtakas, G., Dominguez, J. M., Vacondio, R., & Rogers, B. D. (2019). Local uniform stencil (LUST) boundary condition for arbitrary 3-D boundaries in parallel smoothed particle hydrodynamics (SPH) models. *Computers and Fluids*, 190, 346–361. https://doi.org/10.1016/j.compfluid.2019.06.009.

UNIVERSITAS
GADJAH MADA
**Analisis Pemecah Gelombang Terapung pada Beberapa Konfigurasi Tambatan Berbasis Model Dua Dimensi
dengan DualSPHysics (Studi Kasus: Bali Benoa Marina)**
Mikhael Nursetyo Selginanda, Prof. Ir. Radianta Triatmadja, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Freeman, E. L., Splinter, K. D., Cox, R. J., & Flocard, F. (2022). Dynamic Motions of Piled Floating Pontoons Due to Boat Wake and Their Impact on Postural Stability and Safety. *Journal of Marine Science and Engineering*, 10(11), 1633. https://doi.org/10.3390/jmse10111633.

Goda, Y., & Suzuki, Y. (1976). Estimation of incident and reflected waves in random wave experiments. Proceedings of the 15th Coastal Engineering Conference, 828–845.

Gomez-Gesteira, M., Rogers, B. D., Crespo, A. J. C., Dalrymple, R. A., Narayanaswamy, M., & Dominguez, J. M. (2012). SPHysics – development of a free-surface fluid solver – Part 1: Theory and formulations. *Computers & Geosciences*, 48, 289–299. https://doi.org/10.1016/j.cageo.2012.02.029.

Guo, W., Zou, J., He, M., Mao, H., & Liu, Y. (2022). Comparison of hydrodynamic performance of floating breakwater with taut, slack, and hybrid mooring systems: An SPH-based preliminary investigation. *Ocean Engineering*, 258, 111818. https://doi.org/10.1016/j.oceaneng.2022.111818.

Hall, M. (2017). MoorDyn User's Guide. School of Sustainable Design Engineering, University of Prince Edward Island.

Han, X., & Dong, S. (2023). Interaction between regular waves and floating breakwater with protruding plates: Laboratory experiments and SPH simulations. *Ocean Engineering*, 287, 115906. https://doi.org/10.1016/j.oceaneng.2023.115906.

Housner, S., Lozon, E., Martin, B., Brefort, D., & Hall, M. (2022). Seabed bathymetry and friction modeling in MoorDyn. *Journal of Physics: Conference Series*, 2362, 012018. https://doi.org/10.1088/1742-6596/2362/1/012018.

Ji, C.-Y., Chen, X., Cui, J., Gaidai, O., & Incecik, A. (2016). Experimental study on configuration optimization of floating breakwaters. *Ocean Engineering*, 117, 302–310. http://dx.doi.org/10.1016/j.oceaneng.2016.03.002.

Ji, Q., Jia, X., Xu, Y., Cheng, Y., Zhang, G., & Li, Z. (2025). Experimental study on hydrodynamic characteristics of a taut moored floating box. *Frontiers in Mechanical Engineering*, 11, 1495704. https://doi.org/10.3389/fmech.2025.1495704.

Liang, J.-M., Liu, Y., Chen, Y.-K., & Li, A.-J. (2022). Experimental study on hydrodynamic characteristics of the box-type floating breakwater with different mooring configurations. *Ocean Engineering*, 254, 111296. https://doi.org/10.1016/j.oceaneng.2022.111296.

Liu, Z., & Wang, Y. (2020). Numerical studies of submerged moored box-type floating breakwaters with different shapes of cross-sections using SPH. *Coastal Engineering*, 158, 103687. https://doi.org/10.1016/j.coastaleng.2020.103687.

Loukogeorgaki, E., & Angelides, D. C. (2005b). Stiffness of mooring lines and performance of floating breakwater in three dimensions. *Applied Ocean Research*, 27(4-5), 187–208. https://doi.org/10.1016/j.apor.2005.12.002.

UNIVERSITAS
GADJAH MADA
**Analisis Pemecah Gelombang Terapung pada Beberapa Konfigurasi Tambatan Berbasis Model Dua Dimensi
dengan DualSPHysics (Studi Kasus: Bali Benoa Marina)**
Mikhael Nursetyo Selginanda, Prof. Ir. Radianta Triatmadja, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Lu, H., Zheng, Y., Shi, H., Rubinato, M., & Shao, S. (2025). DualSPHysics simulations of various wave-structure interactions. Results in Engineering, 28, 106927. https://doi.org/10.1016/j.rineng.2025.106927.

Luo, K., Dong, Y., & Yuan, J. (2025). Impact of mooring configurations on wave attenuation of porous floating breakwater: A comparative experimental study. *Coastal Engineering*, 202, 104823. https://doi.org/10.1016/j.coastaleng.2025.104823.

Martínez-Estévez, I., Tagliafierro, B., Domínguez, J. M., Marzeddu, A., deCastro, M., & Crespo, A. J. C. (2026). Coupling between an SPH-based fluid solver and mooring dynamics for floating offshore devices: DualSPHysics and MoorDynPlus. *Journal of Ocean Engineering and Science*, 11, 381–405. https://doi.org/10.1016/j.joes.2025.12.001.

Moghim, M. N., & Botshekan, M. (2017). Analysis of the performance of pontoon-type floating breakwaters. *HKIE Transactions*, 24(1), 9–16. https://doi.org/10.1080/1023697X.2016.1262292.

Nguyen, H. P., Park, J. C., Han, M., Wang, C. M., Abdussamie, N., Penesis, I., & Howe, D. (2021). Representative Transmission Coefficient for Evaluating the Wave Attenuation Performance of 3D Floating Breakwaters in Regular and Irregular Waves. *Journal of Marine Science and Engineering*, 9(4), 388. https://doi.org/10.3390/jmse9040388.

Peña, E., Ferreras, J., & Sanchez-Tembleque, F. (2011). Experimental study on wave transmission coefficient, mooring lines and module connector forces with different designs of floating breakwaters. *Ocean Engineering*, 38(10), 1150–1160. https://doi.org/10.1016/j.oceaneng.2011.05.005.

PT ITS Kemitraan. (2024). Laporan draft final: Jasa konsultansi pembuatan detailed engineering design (DED) floating pontoon untuk breakwater di Kolam Area Pengembangan Pelabuhan Benoa. PT Pelabuhan Indonesia (Persero).

Rahman, S., Paroka, D., Muhammad, A. H., Paotonan, C., Putra, T. P., & Kurniawan, A. (2022). Experimental study of wave transmission in slope crest floating breakwater. *The Fourth International Conference on Sustainable Infrastructure and Built Environment*.

Ren, B., He, M., Li, Y., & Dong, P. (2017). Application of smoothed particle hydrodynamics for modeling the wave-moored floating breakwater interaction. *Applied Ocean Research*, 67, 277–290. https://doi.org/10.1016/j.apor.2017.07.011.

Rijnsdorp, D. P., Wolgamot, H., & Zijlema, M. (2022). Non-hydrostatic modelling of the wave-induced response of moored floating structures in coastal waters. *Coastal Engineering*, 177, 104195. https://doi.org/10.1016/j.coastaleng.2022.104195.

Salman, M., & Sujantoko. (2025). Literature review on the hydrodynamic performance of floating breakwaters with various mooring systems. *E3S Web of Conferences*, 674, 03005. https://doi.org/10.1051/e3sconf/202567403005.

UNIVERSITAS
GADJAH MADA
**Analisis Pemecah Gelombang Terapung pada Beberapa Konfigurasi Tambatan Berbasis Model Dua Dimensi
dengan DualSPHysics (Studi Kasus: Bali Benoa Marina)**
Mikhael Nursetyo Selginanda, Prof. Ir. Radianta Triatmadja, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sannasiraj, S. A., Sundar, V., & Sundaravadivelu, R. (1998). Mooring forces and motion responses of pontoon-type floating breakwaters. *Ocean Engineering*, 25(1), 27–48. https://doi.org/10.1016/S0029-8018(96)00044-3.

Triatmadja, R., & Yuwono, N. (2024). Manual Analisis Dimensi (ASISI). Nafiri Publication.

Trimulyono, A., Dhanureski, B. R., Samuel, S., & Jokosisworo, S. (2024). Numerical simulation of water wave propagation using DualSPHysics. *IOP Conference Series: Earth and Environmental Science*, 1298, 012002. https://doi.org/10.1088/1755-1315/1298/1/012002.

Vishwakarma, R. D., & Karmakar, D. (2024). Hydrodynamic Analysis of Different Shapes of Moored Hybrid Floating Breakwater. *Journal of Marine Science and Application*, 23, 743–761. https://doi.org/10.1007/s11804-024-00519-x.

Wenneker, I., & Hofland, B. (2014). Optimal wave gauge spacings for separation of incoming and reflected waves. Coastlab14.

Zang, Z., Fang, Z., Qiao, K., Zhao, L., & Zhou, T. (2024). Numerical Study on Wave Dissipation and Mooring Force of a Horizontal Multi-Cylinder Floating Breakwater. *Journal of Marine Science and Engineering*, 12(3), 449. https://doi.org/10.3390/jmse12030449.

Zhang, F., Crespo, A. J. C., Altomare, C., Domínguez, J. M., Gómez-Gesteira, M., & Shang, S. P. (2018). DualSPHysics: A numerical tool to simulate real breakwaters. *Journal of Hydrodynamics*, 30(1), 95–105. https://doi.org/10.1007/s42241-018-0010-0.

Zhong, W., Zhao, W., Wan, D., & Zhao, Y. (2024). Comparison study on mooring line models for hydrodynamic performances of floating offshore wind turbines. *Ocean Engineering*, 296, 117083. https://doi.org/10.1016/j.oceaneng.2024.117083.