

DAFTAR PUSTAKA

- [1] I. Staffell *et al.*, “The role of hydrogen and fuel cells in the global energy system,” *Energy Environ. Sci.*, vol. 12, no. 2, pp. 463–491, 2019, doi: 10.1039/c8ee01157e.
- [2] M. Miri, I. Tolj, and F. Barbir, “Review of Proton Exchange Membrane Fuel Cell-Powered Energy Sources,” 2024.
- [3] S. Mo *et al.*, *Recent Advances on PEM Fuel Cells: From Key Materials to Membrane Electrode Assembly*, vol. 6, no. 1. Springer Nature Singapore, 2023. doi: 10.1007/s41918-023-00190-w.
- [4] H. Saputra and M. M. Yusuf, “Sistem Fuel Cell Pengaplikasian Pada Moda Transportasi (Portable Device),” *Pros. Semin. Nas. Terap. Ris. Inov.*, vol. 6, no. 1, pp. 153–161, 2020.
- [5] N. Xiao and H. Wu, “Optimization-enhanced stacked ensemble for predicting proton exchange membrane fuel cell degradation under dynamic load conditions,” *Appl. Therm. Eng.*, vol. 281, no. September, 2025, doi: 10.1016/j.applthermaleng.2025.128691.
- [6] R. Taccani and N. Zuliani, “Effect of flow field design on performances of high temperature PEM fuel cells: Experimental analysis,” *Int. J. Hydrogen Energy*, vol. 36, no. 16, pp. 10282–10287, 2011, doi: 10.1016/j.ijhydene.2010.10.026.
- [7] F. Hashemi, S. Rowshanzamir, and M. Rezakazemi, “CFD simulation of PEM fuel cell performance : Effect of straight and serpentine flow fields,” *Math. Comput. Model.*, vol. 55, no. 3–4, pp. 1540–1557, 2012, doi: 10.1016/j.mcm.2011.10.047.
- [8] S. T. Bunyan, H. A. Dhahad, D. S. Khudhur, and T. Yusaf, “The Effect of Flow Field Design Parameters on the Performance of PEMFC: A Review,” *Sustain.*, vol. 15, no. 13, 2023, doi: 10.3390/su151310389.
- [9] X. D. Wang, Y. Y. Duan, W. M. Yan, and X. F. Peng, “Local transport phenomena and cell performance of PEM fuel cells with various serpentine flow field designs,” *J. Power Sources*, vol. 175, no. 1, pp. 397–407, 2008, doi: 10.1016/j.jpowsour.2007.09.009.
- [10] A. S. Salman, O. Jahanian, M. A. Almaliki, and T. J. Alwan, “Optimizing Proton Exchange Membrane Fuel Cell Performance Through Flow Field Design Analysis,” *Int. J. Comput. Methods Exp. Meas.*, vol. 13, no. 2, pp. 331–341, 2025, doi: 10.18280/ijcmem.130210.
- [11] J. Kone, X. Zhang, Y. Yan, and G. Hu, “Three-dimensional multiphase flow computational fluid dynamics models for proton exchange membrane fuel cell: A theoretical development,” vol. 9, no. 1, pp. 3–25, 2017, doi:

- [12] H. Edwards, M. P. Pereira, S. Gharai, R. Omrani, and B. Shabani, "Computational fluid dynamics modelling of proton exchange membrane fuel cells: Accuracy and time efficiency," *Int. J. Hydrogen Energy*, vol. 50, pp. 682–710, 2024, doi: 10.1016/j.ijhydene.2023.09.004.
- [13] G. Zhang, L. Guo, B. Ma, and H. Liu, "Comparison of current distributions in proton exchange membrane fuel cells with interdigitated and serpentine flow fields," *J. Power Sources*, vol. 188, no. 1, pp. 213–219, 2009, doi: 10.1016/j.jpowsour.2008.10.074.
- [14] Q. Yang, Z. He, X. Wang, and G. Xiao, "Flow fields optimization for PEMFC performance improvement," *J. Energy*, vol. 337, no. August, pp. 1–12, 2025.
- [15] C. Lu, Y. Li, Z. Liu, H. Zhou, H. Zheng, and B. Chen, "Influence mechanisms of flow channel geometry on water transfer and pressure loss in planar membrane humidifiers for PEM fuel cells," *Int. J. Hydrogen Energy*, vol. 47, no. 91, pp. 38757–38773, 2022, doi: 10.1016/j.ijhydene.2022.09.049.
- [16] A. K. M. Mohiuddin, A. Rahman, M. F. Chemani, and M. B. Zakaria, "Investigation of Pem Fuel Cell for Automotive Use," *IJUM Eng. J.*, vol. 16, no. 2, pp. 69–78, 2015, doi: 10.31436/iiumej.v16i2.605.
- [17] X. Wu, S. Xing, J. Luo, H. Wang, F. Huang, and C. Zhao, "Progress and challenges on air-cooled open-cathode proton exchange membrane fuel cells: Materials, structures, and systems," *Energy Rev.*, vol. 4, no. 2, p. 100130, 2025, doi: 10.1016/j.enrev.2025.100130.
- [18] K. Gong, C. Tian, Z. Guo, L. Chen, W. Xu, and W. Q. Tao, "Experimental investigation on the open cathode air-cooled proton exchange membrane fuel cells: Optimum operating parameters and control strategies," *Int. J. Hydrogen Energy*, vol. 60, no. February, pp. 1134–1146, 2024, doi: 10.1016/j.ijhydene.2024.02.270.
- [19] S. Tzelepis, K. A. Kavadias, G. E. Marnellos, and G. Xydis, "A review study on proton exchange membrane fuel cell electrochemical performance focusing on anode and cathode catalyst layer modelling at macroscopic level," *Renew. Sustain. Energy Rev.*, vol. 151, no. July, p. 111543, 2021, doi: 10.1016/j.rser.2021.111543.
- [20] T. Pangaribowo, W. M. Utomo, A. H. Budiman, D. S. Khaerudini, and A. A. Bakar, "Improving the Efficiency of Open Cathode PEM Fuel Cell Through Hydrogen Flow Control Using Wavelet-Clipping," *J. Robot. Control*, vol. 5, no. 2, pp. 370–377, 2024, doi: 10.18196/jrc.v5i2.21227.
- [21] N. A. A. Qasem, "A recent overview of proton exchange membrane fuel cells:

- Fundamentals, applications, and advances,” *Appl. Therm. Eng.*, vol. 252, no. February, p. 123746, 2024, doi: 10.1016/j.applthermaleng.2024.123746.
- [22] B. R. Winarto, N. Firdaus, and S. Wiyanto, “Rancang Bangun Pembangkit Listrik Portable Berbentuk Ransel Menggunakan Sistem Fuel Cell Dengan Memanfaatkan Gas Hidrogen Dan Oksigen,” *BESIRU J. Pengabd. Masy.*, vol. 2, no. 1, pp. 93–97, 2025, doi: 10.62335/j1yj9841.
- [23] C. Rocha, T. Knöri, P. Ribeirinha, and P. Gazdzicki, “A review on flow field design for proton exchange membrane fuel cells: Challenges to increase the active area for MW applications,” *Renew. Sustain. Energy Rev.*, vol. 192, no. January, 2024, doi: 10.1016/j.rser.2023.114198.
- [24] F. B. Weng, M. M. Dlamini, and J. J. Hwang, “Evaluation of flow field design effects on proton exchange membrane fuel cell performance,” *Int. J. Hydrogen Energy*, vol. 48, no. 39, pp. 14866–14884, 2023, doi: 10.1016/j.ijhydene.2023.01.005.
- [25] L. Peng, J. Mai, P. Hu, X. Lai, and Z. Lin, “Optimum design of the slotted-interdigitated channels flow field for proton exchange membrane fuel cells with consideration of the gas diffusion layer intrusion,” *Renew. Energy*, vol. 36, no. 5, pp. 1413–1420, 2011, doi: 10.1016/j.renene.2010.11.031.
- [26] L. M. Pant, S. K. Mitra, and M. Secanell, “Absolute permeability and Knudsen diffusivity measurements in PEMFC gas diffusion layers and micro porous layers,” *J. Power Sources*, vol. 206, pp. 153–160, 2012, doi: 10.1016/j.jpowsour.2012.01.099.
- [27] E. Su, “Experimental Investigation and CFD Analysis of Pressure Drop in an ORC Boiler for a WHRS Implementation,” 2022.
- [28] F. C. Walsh, “Faraday and his laws of electrolysis an appreciation,” *Bull. Electrochem.*, vol. 7, no. 11, pp. 481–484, 1991.
- [29] A. H. A. Rahim, A. S. Tijani, F. H. Shukri, S. Hanapi, and K. I. Sainan, “Mathematical modelling and simulation analysis of PEM electrolyzer system for hydrogen production,” no. 3, pp. 1–7, 2014.
- [30] A. Polak, G. Grzeczka, and T. Piłat, “Influence of cathode stoichiometry on operation of PEM fuel cells’ stack supplied with pure oxygen,” *J. Mar. Eng. Technol.*, vol. 4177, no. 4, pp. 283–290, 2017, doi: 10.1080/20464177.2017.1381061.
- [31] Z. Yang *et al.*, “International Journal of Hydrogen Energy Investigation of current density and temperature distribution characteristics under transient conditions based on a 108 cm² segmented proton exchange membrane fuel cell,” *Int. J. Hydrogen Energy*, vol. 80, no. April, pp. 125–136, 2024, doi: 10.1016/j.ijhydene.2024.07.043.

- [32] A. Omran *et al.*, “Mathematical model of a proton-exchange membrane (PEM) fuel cell,” *Int. J. Thermofluids*, vol. 11, pp. 1–10, 2021, doi: 10.1016/j.ijft.2021.100110.
- [33] T. Pangaribowo, W. Utomo, and D. S. Khaerudini, “Modeling Of Control System for Hydrogen and Oxygen Gas Flow into PEMFC Based on Load Demand by Using Fuzzy Controller,” *angaribowo al., Int. J. Adv. Trends Comput. Sci. Eng.*, vol. 9, no. 1, pp. 606–611, 2020.
- [34] B. P. Abraham and K. K. Murugavel, “Pressure drop reduction in proton exchange membrane fuel cell using novel hybrid reactant flow channels,” *Case Stud. Therm. Eng.*, vol. 77, no. October 2025, p. 107621, 2026, doi: 10.1016/j.csite.2025.107621.
- [35] Z. Wu and B. M. B, “Investigation of Energy Consumption During the Cold Start Process of Proton Exchange Membrane Fuel Cells,” in *Proceedings of the 1st Electrical Artificial Intelligence Conference, Volume 1*, 2025, pp. 183–191.
- [36] A. Iranzo, M. Mun, F. Rosa, and J. Pino, “Numerical model for the performance prediction of a PEM fuel cell . Model results and experimental validation,” *Int. J. Hydrogen Energy*, vol. 35, pp. 11533–11550, 2010, doi: 10.1016/j.ijhydene.2010.04.129.
- [37] K. M. Almohammadi, D. B. Ingham, L. Ma, and M. Pourkashan, “Computational fl uid dynamics (CFD) mesh independency techniques for a straight blade vertical axis wind turbine,” *J. Energy*, vol. 58, pp. 483–493, 2013, doi: 10.1016/j.energy.2013.06.012.
- [38] Y. Wook and M. S. Kim, “The pressure drop in microtubes and the correlation development,” vol. 49, pp. 1804–1812, 2006, doi: 10.1016/j.ijheatmasstransfer.2005.10.040.
- [39] I. Ansys, *ANSYS Meshing User ’ s Guide*, no. January. 2025.
- [40] M. Ahmed and X. Shusheng, “Heliyon Comprehensive review of serpentine flow fields for effective thermal management of proton exchange membrane fuel cell,” *Heliyon*, vol. 10, no. 21, p. e39793, 2024, doi: 10.1016/j.heliyon.2024.e39793.
- [41] A. D. Canonsburg, “Ansys Fluent User ’ s Guide,” no. March, 2026.
- [42] L. Duque *et al.*, “Study of Mass Transport in the Anode of a Proton Exchange Membrane Fuel Cell with a New Hydrogen Flow-Rate Modulation Technique,” vol. 202400100, pp. 1–7, 2024, doi: 10.1002/celc.202400100.
- [43] C. Co., *Flow of Fluids Through Valve, Fittings, and Pipe*, Metric Edi. Joliet, IL, USA, 1999.