

DAFTAR PUSTAKA

- Allen, M.P. and Tildesley, D.J., 2017, *Introduction in Computer Simulation of Liquids, 2nd Edition*. Oxford University Press.
- Altmaier, M., Gaona, X., and Fanghänel, T., 2013, Recent Advances in Aqueous Actinide Chemistry and Thermodynamics, *Chem. Rev.*, 113, 901–943.
- Amador, D.H.T., Sambrano, J.R., Gargano, R., and de Macedo, L.G.M., 2017, Computational study of Th⁴⁺ and Np⁴⁺ hydration and hydrolysis of Th⁴⁺ from first principles, *J. Mol. Model.*, 23, 1–7.
- Aravena, D., Neese, F., and Pantazis, D.A., 2016, Improved Segmented All-Electron Relativistically Contracted Basis Sets for the Lanthanides, *J. Chem. Theory Comput.*, 12, 1148–1156.
- Atta-Fynn, R., Johnson, D.F., Bylaska, E.J., Ilton, E.S., Schenter, G.K., and de Jong, W.A., 2012, Structure and Hydrolysis of the U(IV), U(V), and U(VI) Aqua Ions from Ab Initio Molecular Simulations, *Inorg. Chem.*, 51, 3016–3024.
- Autschbach, J., 2012, Perspective: Relativistic effects, *J. Chem. Phys.*, 136, 1–16.
- Banik, N. Ial, Vallet, V., Réal, F., Belmecheri, R.M., Schimmelpfennig, B., Rothe, J., Marsac, R., Lindqvist-Reis, P., Walther, C., Denecke, M.A., and Marquardt, C.M., 2016, First Structural Sharacterization of Pa(IV) in Aqueous Solution and Quantum Chemical Investigations of the Tetravalent Actinides up to Bk(IV): The Evidence of a Curium Break, *Dalton Trans.*, 45, 453–457.
- Berendsen, H.J.C., Grigera, J.R., and Straatsma, T.P., 1987, The Missing Term in Effective Pair Potentials, *J. Phys. Chem.*, 91, 6269–6271.
- Bhattacharjee, A., Hofer, T.S., and Rode, B.M., 2008, Local Density Corrected Three-Body Distribution Functions for Probing Local Structure Reorganization in Liquids, *Phys. Chem. Chem. Phys.*, 10, 6653–6657.
- Canaval, L.R., Weiss, A.K.H., and Rode, B.M., 2013, Structure and Dynamics of the Th⁴⁺-Ion in Aqueous Solution - An ab Initio QMCF-MD Study, *Comput. Theor. Chem.*, 1022, 94–102.
- Chaboy, J. and Díaz-Moreno, S., 2011, Ab Initio X-ray Absorption Spectroscopy Study of the Solvation Structure of Th(IV), U(IV), and Np(IV) in Aqueous Solution, *J. Phys. Chem. A*, 115, 2345–2349.
- Denecke, M.A., Dardenne, K., and Marquardt, C.M., 2005, Np(IV)/Np(V) Valence Determinations From Np L3 Edge XANES/EXAFS, *Talanta*, 65, 1008–1014.
- Fathurrahman, F. and Haryono, S., 2011, Simulasi Dinamika Molekular Proses Adhesi pada Model Nanopartikel 2D, Seminar Kontribusi Fisika, 5-6.
- Frick, R.J., Pribil, A.B., Hofer, T.S., Randolph, B.R., Bhattacharjee, A., and Rode, B.M., 2009, Structure and Dynamics of the U⁴⁺ Ion in Aqueous Solution: An ab Initio Quantum Mechanical Charge Field Molecular Dynamics Study, *Inorg. Chem.*, 48, 3993–4002.
- Gilson, S.E. and Burns, P.C., 2021, The Crystal and Coordination Chemistry of Neptunium in All its Oxidation States: An Expanded Structural Hierarchy of Neptunium Compounds, *Coord. Chem. Rev.*, 445, 1–58.

- Grimme, S., Hansen, A., Brandenburg, J.G., and Bannwarth, C., 2016, Dispersion-Corrected Mean-Field Electronic Structure Methods, *Chem. Rev.*, 116, 5105–5154.
- He, Y., Lu, J.-B., Zhang, Y.-Y., Hu, H.-S., and Li, J., 2024, Structures of Th^{4+} aqueous solutions: insights from AIMD and metadynamics simulations, *Phys. Chem. Chem. Phys.*, 26, 24447–24454.
- Hitzenberger, M., Hofer, T.S., and Weiss, A.K.H., 2013, Solvation Properties and Behaviour of Lutetium(III) in Aqueous Solution - A Quantum Mechanical Charge Field (QMCF) study, *J. Chem. Phys.*, 139, 1–8.
- Hofer, T.S., Tran, H.T., Schwenk, C.F., and Rode, B.M., 2004, Characterization of Dynamics and Reactivities of Solvated Ions by *ab Initio* Simulations, *J. Comput. Chem.*, 25, 211–217.
- Hofer, T.S., Weiss, A.K.H., Randolph, B.R., and Rode, B.M., 2011, Hydration of Highly Charged Ions, *Chem. Phys. Lett.*, 512, 139–145.
- Humphrey, W., Dalke, A., and Schulten, K., 1996, VMD: Visual Molecular Dynamics, *J. Mol. Graph.*, 14, 33–38.
- Jensen, F., 2017, *Introduction to computational chemistry*, John Wiley & sons, New York.
- Knope, K.E. and Soderholm, L., 2013, Solution and Solid-State Structural Chemistry of Actinide Hydrates and Their Hydrolysis and Condensation Products, *Chem. Rev.*, 113, 944–994.
- Kräutler, V., van Gunsteren, W.F., and Hünenberger, P.H., 2001, A Fast SHAKE Algorithm to Solve Distance Constraint Equations for Small Molecules in Molecular Dynamics Simulations, *J. Comput. Chem.*, 22, 501–508.
- Li, N., Duan, X., Cheemaa, N., Nazish, H.T., and Peng, G., 2026, Stability and Transformation of Neptunium (Np) Species Under Geological Disposal Conditions of High-Level Radioactive Waste (HLW), *J. Contam. Hydrol.*, 276, 1–9.
- Li, P. and Merz, K.M., 2017, Metal Ion Modeling Using Classical Mechanics, *Chem. Rev.*, 117, 1564–1686.
- Li, P., Song, L.F., and Merz, K.M., 2015, Parameterization of Highly Charged Metal Ions Using the 12-6-4 LJ-type Nonbonded Model in Explicit Water, *J. Phys. Chem. B.*, 119, 883–895.
- Liakos, D.G. and Neese, F., 2011, Interplay of Correlation and Relativistic Effects in Correlated Calculations on Transition-Metal Complexes: The $(\text{Cu}_2\text{O}_2)^{2+}$ Core Revisited, *J. Chem. Theory Comput.*, 7, 1511–1523.
- Lutz, O.M.D., Hofer, T.S., Randolph, B.R., Weiss, A.K.H., and Rode, B.M., 2012, A QMCF-MD Investigation of the Structure and Dynamics of Ce^{4+} in Aqueous Solution, *Inorg. Chem.*, 51, 6746–6752.
- Maher, K., Bargar, J.R., and Brown, G.E., 2013, Environmental Speciation of Actinides, *Inorg. Chem.*, 52, 3510–3532.
- Martyna, G.J., Klein, M.L., and Tuckerman, M., 1992, Nosé-Hoover chains: The Canonical Ensemble via Continuous Dynamics, *J. Chem. Phys.*, 97, 2635–2643.
- Moll, H., Denecke, M.A., Jalilehvand, F., Sandström, M., and Grenthe, I., 1999, Structure of the Aqua Ions and Fluoride Complexes of Uranium(IV) and

- Thorium(IV) in Aqueous Solution an EXAFS Study, *Inorg. Chem.*, 38, 1795–1799.
- Morales, N., Galbis, E., Martínez, J.M., Pappalardo, R.R., and Sánchez Marcos, E., 2016, Identifying Coordination Geometries of Metal Aquaions in Water: Application to the Case of Lanthanoid and Actinoid Hydrates, *J. Phys. Chem. Lett.*, 7, 4275–4280.
- Mulliken, R.S., 1955, Electronic Population Analysis on LCAO–MO Molecular Wave Functions. I, *J. Chem. Phys.*, 23, 1833–1840.
- Muzaki, Z., Arkundato, A., and Supriyanto, E., 2015, Performa Komputasi Paralel Multicore Program LAMMPS: Studi Titik Leleh Logam Murni, Seminar Nasional Mahasiswa Fisika, 376–378.
- Nakajima, T. and Hirao, K., 2012, The Douglas-Kroll-Hess Approach, *Chem. Rev.*, 112, 385–402.
- Neese, F., 2025, Software Update: The ORCA Program System—Version 6.0, *Wiley Interdiscip. Rev. Comput. Mol. Sci.*, 15, 1–10.
- Pantazis, D.A. and Neese, F., 2011, All-Electron Scalar Relativistic Basis Sets for the Actinides, *J. Chem. Theory Comput.*, 7, 677–684.
- Papp, I., Vajda, N., Bokori, E., and Molnár, Z., 2024, Determination of ⁹³Zr, ²³⁷Np and Th Radionuclides in Radioactive Waste and Mineral Samples: Extension of the Method for Determination of Actinides, *J. Radioanal. Nucl. Chem.*, 333, 3639–3653.
- Rajput, N.N., Seguin, T.J., Wood, B.M., Qu, X., and Persson, K.A., 2018, Elucidating Solvation Structures for Rational Design of Multivalent Electrolytes—A Review, *Top. Curr. Chem.*, 376, 1–46.
- Rode, B.M., Hofer, T.S., Randolph, B.R., Schwenk, C.F., Xenides, D., and Vchirawongkwin, V., 2006, Ab Initio Quantum Mechanical Charge Field (QMCF) Molecular Dynamics: A QM/MM - MD Procedure for Accurate Simulations of Ions and Complexes, *Theor. Chem. Acc.*, 115, 77–85.
- Rode, B.M., Schwenk, C.F., Hofer, T.S., and Randolph, B.R., 2005, Coordination and Ligand Exchange Dynamics of Solvated Metal Ions, *Coord. Chem. Rev.*, 249, 2993–3006.
- Rolfes, J.D., Neese, F., and Pantazis, D.A., 2020, All-Electron Scalar Relativistic Basis Sets for the Elements Rb–Xe, *J. Comput. Chem.*, 41, 1842–1849.
- Shor, A.M., Ivanova-Shor, E.A., Chiorescu, I., Krüger, S., and Rösch, N., 2020, Hydration Structure and Hydrolysis of U(IV) and Np(IV) Ions: A Comparative Density Functional Study Using a Modified Continuum Solvation Approach, *J. of Phys. Chem. A.*, 124, 3805–3814.
- Takeyama, T., Tsushima, S., Gericke, R., Kaden, P., März, J., and Takao, K., 2023, Fate of Oxidation States at Actinide Centers in Redox-Active Ligand Systems Governed by Energy Levels of 5 f Orbitals, *Chem. Eur. J.*, 29, 1–7.
- Townsend, L.T., Smith, K.F., Winstanley, E.H., Morris, K., Stagg, O., Mosselmans, J.F.W., Livens, F.R., Abrahamsen-Mills, L., Blackham, R., and Shaw, S., 2022, Neptunium and Uranium Interactions with Environmentally and Industrially Relevant Iron Minerals, *Minerals*, 12, 1–13.

- Veliscek-Carolan, J., 2016, Separation of Actinides from Spent Nuclear Fuel: A Review, *J. Hazard. Mater.*, 318, 266–281.
- Weiss, A.K.H. and Hofer, T.S., 2013, Exploiting the Capabilities of Quantum Chemical Simulations to Characterise the Hydration of Molecular Compounds, *RSC Adv.*, 3, 1606–1635.
- Xenides, D., Randolph, B.R., and Rode, B.M., 2005, Structure and Ultrafast Dynamics of Liquid Water: A Quantum Mechanics/Molecular Mechanics Molecular Dynamics Simulations Study, *J. of Chem. Phys.*, 122, 1–11.
- Young, D.C., 2001, Computational chemistry: a practical guide for applying techniques to real world problems, Wiley.
- Zhang Y., Lee, T., and Yang, W., 1999, A pseudobond approach to combining quantum mechanical and molecular mechanical methods. *J. Chem. Phys.*, 110, 46–54.