UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abanyie, S. K., Apea, O. B., Abagale, S. A., Amuah, E. E. Y., & Sunkari, E. D. (2023). Sources and factors influencing groundwater quality and associated health implications: A review. *Emerging Contaminants, 9*(2), 100207.

Abduljaleel, Y., Amiri, M., Amen, E. M., Salem, A., Ali, Z. F., Awd, A., ... & Ghzal, M. (2024). Enhancing groundwater vulnerability assessment for improved environmental management: addressing a critical environmental concern. *Environmental Science and Pollution Research, 31*(13), 19185-19205.

Ahmed, I., Nazzal, Y., & Zaidi, F. (2018). Groundwater pollution risk mapping using modified DRASTIC model in parts of Hail region of Saudi Arabia. *Environmental Engineering Research, 23*(1), 84-91.

Al Saleh, H. A. A., & Nehaba, S. S. (2024). Evaluating groundwater vulnerability and assessing its quality for sustainable management. *South African Journal of Chemical Engineering, 50*, 291-298.

Aller, L., Bennet, T., Lehr, J. H., Petty, R. J., Hackett, G. (1987). *DRASTIC: A Standardized System for Evaluating Ground Water Pollution Potential Using Hydrogeologic Settings: Oklahoma, U.S*. Environmental Protection Agency.

Al-Amoush, H., Hammouri, N.A., Zunic, F., Salameh, E. (2010). Intrinsic vulnerability assessment for the alluvial aquifer in the Northern part of Jordan Valley. *Water Resource Management. 24* (13), 3461–3485.

Anane, M., Abidi, B., Lachal, F., Limam, A., dan Jellali, S. (2013). GIS-based DRASTIC, Pesticide DRASTIC and the Susceptibility Index (SI): Comparative Study for Evaluation of Pollution. *Hydrogeology Journal, 21*, hal: 715-731.

Appelo, C.A.J and Postma, D. (2005). *Geochemistry, Groundwater and Pollution, 2nd edn*. Rotterdam: Balkema Publishers

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Asdak, C. (2010). *Hidrologi dan Pengelolaan Daerah Aliran Aliran Sungai*. Yogyakarta : Gadjah Mada University Press.

Ashagrie, W. A., Tarkegn, T. G., Ray, R. L., Tefera, G. W., Demessie, S. F., Tsegaye, L., ... & Chukalla, A. D. (2025). Assessing the vulnerability of groundwater to pollution under different land management scenarios using the modified DRASTIC model in Bahir Dar City, Ethiopia. *Heliyon*.

Aubert, M., Camus, G., & Fournie, C. (1984). Resistivity and magnetic surveys in groundwater prospecting in volcanic areas: Case history maar of Beaunit, Puy de Dome, France. *Geophysical Prospecting, 32*: 554–563.

Barbulescu, A. (2020). Assessing Groundwater Vulnerability: DRASTIC and DRASTIC-Like Methods: A Review. *Water, 12*(1356), hal: 1-22.

Bastida, J.J.M., M. Arauzo, dan M. Valladolid. (2009). Intrinsic and Specific Vulnerability of Groundwater in Central Spain: The Risk of Nitrate Pollution. *Hydrogeology Journal 18*: 681 – 698.

Bianchi, M. dan T. Harter. (2002). *Nonpoint Sources of Pollution in Irrigated Agriculture. Farm Water Quality Planning (FWQP) series 8055*. California: University of California, Division of Agriculture and Natural Resources.

BSN (Badan Standarisasi Nasional). (2002). *Standar Nasional Indonesia (SNI) 196728.1-2002 Tentang Penyusunan Sumberdaya Bagian 1 : Sumberdaya Air Spasial*. Jakarta : Badan Standarisasi Nasional.

Christakos, G., dan Olea, R. A. (1992). Sampling design for spatially distributed hydrogeologic and environmental processes. *Advances in Water Resources, 15*(4), 219-237.

Civita M. (1994). *Aquifer Vulnerability to Pollution: Theory and Practice*. Bologna: Pitagola Editrice.

Civita, M. dan M. De Maio. (2004). Assessing and Mapping Groundwater Vulnerability to Contamination: The Italian “Combined” Approach. *Geofisica Internacional 4*3: 513-532.

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Civita, M.V. (2010). The Combined Approach When Assesing and Mapping Groundwater Vulnerability to Contamination. *Jurnal Water Resources and Protection,* Vol.2, pp : 14 – 28.

Corazza, A., Giordano, G., & de Rita, D. (2006). *Hydrogeology of the city of Rome. In Tuffs: Their properties, uses, hydrology, and resources*. Geological Society of America.

Costudio, E. (2011). *Trends in Groundwater Pollution: Loss of Groundwater Quality and Related Services. Thematic Paper of Groundwater Governance*. Barcelona: Dept. of Geo–Engineering and International Centre for Groundwater Hydrology, Technical University of Catalonia.

Darmanto, D. (2014). *Pencemaran Air Tanah Studi Kasus Kawasan Sekitar Peternakan Ayam Wedomartani Sleman*. Yogyakarta: Deepublish.

Darwis, H., & Sc, M. (2018). *Pengelolaan Air Tanah*. Yogyakarta: Pena Indis.

Devianto, L. A., Lusiana, N., & Ramdani, F. (2019). Analisis kerentanan pencemaran air tanah di Kota Batu menggunakan analisis multikriteria spasial dengan indeks DRASTIC. *Jurnal Wilayah dan Lingkungan, 7*(2), 90-104.

Everett, L.G. (1987). *Groundwater Monitoring*. New York: Genium.

Febriarta, E., Marfai, M. A., Hizbaron, D. R., & Larasati, A. (2020). Kajian spasial multi kriteria DRASTIC kerentanan air tanah pesisir akuifer batugamping di Tanjungbumi Madura. *Jurnal Ilmu Lingkungan, 18*(3), 476-487.

Fetter, C.W. (2000). *Applied Hydrogeology (Fourth Edition).* United States : Charles E. Merrill Publishing Company.

Fink, A. (1995). How to Sample in Surveys. The Survey Kit, Volume 6. How to Sample in Surveys. *The Survey Kit, Volume 6*.

Foster, S.S.D., R. Hirata, D. Gómez, M. D'Elia, M. Paris. (2002). *Groundwater Quality Protection: a Guide for Water Utilities*, Municipal Authorities and Environment Agencies. Washington D.C: The World Bank.

Freeze, R. A. dan Cherry, J. A. (1979). *Groundwater*. Englewood Cliffs, NJ: Prentice-Hall.

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gaieb, S. dan Hamza, M.H. (2013). Assessing Vulnerability to Agricultural Pollution of Groundwater Bou Arada-Laroussa According to SI Method Applied by GIS. *Journal of Research in Environmental and Earth Sciences, 10*, hal: 309 – 317

Gogu, R.C., V. Hallet, A. Dassargues. (2003). Comparison of Aquifer Vulnerability Assessment Techniques: Application to The Ne'blon River Basin (Belgium). *Environmental Geography 44*: 881-892.

Hardjowigeno, S. (2003). *Klasifikasi tanah dan pedogenesis*. Jakarta: Akademika Pressindo.

Harter, T., Davis, H., Matthews, M., dan Meyer, R. (2001). Shallow Groundwater Quality on Dairy Farms with Irrigated Forage Crops. *Journal of Contaminant Hydrology, 55*, hal: 287-315.

Hendrayana, H. (2011). *Pengantar Kerentanan Air Tanah Terhadap Pencemaran dan Pemompaan Air Tanah.* Yogyakarta: Fakultas Teknik Universitas Gadjah Mada.

Hidayati, A. N., Basuki, N. I., & Sayekti, B. (2022). Distribusi Unsur Uutama dan Unsur Tanah Jarang pada Pelapukan Batuan Granitoid di Daerah Pramonangan, Kabupaten Tapanuli Utara. *Buletin Sumber Daya Geologi, 17*(3), 149-162.

Huan, H., Wang, J., Teng, Y. (2012). Assessment and validation of groundwater vulnerability to nitrate based on a modified DRASTIC model: a case study in Jilin City of Northeast China. *Sci. Total Environ. 440*, 14–23

Irwana, D.E dan Puradimaja, D.J. (2015). *Hidrogeologi Umum*. Bandung : Ombak.

Kazakis, N., Voudouris, K.S. (2015). Groundwater vulnerability and pollution risk assessment of porous aquifers to nitrate: modifying the DRASTIC method using quantitative parameters. *J. Hydrol. 525* (525), 13–25.

Knapp, B. (2002). *Elements of Geographical Hydrology*. London: Routledge.

Kodoatie, R.J. (2012). *Tata Ruang Air Tanah*. Yogyakarta : Andi Offset

Koesuma, S., Rosidah, U., & Ramelan, A. H. (2022). Groundwater vulnerability zones mapping using DRASTIC and GOD methods in Krendowahono

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Village. Karanganyar Regency. *Earth and Environmental Science, 989*, 012002

Korom, S. F. (1992). Natural denitrification in the saturated zone: a review. *Water resources research, 28*(6), 1657-1668.

Liang, X. J., Xiao, C. L., Sheng, H. X., Meng, X. L., Li, S. H., & Zhao, F. (2007). Migration and transformation of ammonia-nitrite-nitrates in groundwater in the City of Jilin. *Journal of Jilin University (Earth Science Edition), 37*(2), 335-345.

Listianto, F. G., Peniwiratri, L., & Ratih, Y. W. (2023). Evaluasi Status Kesuburan Kimia Tanah Pada Kawasan Perbukitan Menoreh Di Desa Bigaran Kecamatan Borobudur Kabupaten Magelang Jawa Tengah. *Jurnal Pertanian Agros, 25*(4), 3423-3430.

Machiwal, D., Jha, M. K., Singh, V. P., & Mohan, C. (2018). Assessment and mapping of groundwater vulnerability to pollution: Current status and challenges. *Earth-Science Reviews, 185*, 901-927.

Manrulu, R. H., Nurfalaq, A., & Hamid, I. D. (2018). Pendugaan sebaran air tanah menggunakan metode geolistrik resistivitas konfigurasi wenner dan schlumberger di kampus 2 universitas cokroaminoto palopo. *Jurnal Fisika Flux: Jurnal Ilmiah Fisika FMIPA Universitas Lambung Mangkurat, 15*(1), 6-12.

Marinoschi, G. (2004). A free boundary problem describing the saturated-unsaturated flow in a porous medium. *Abstract and Applied Analysis* (Vol. 2004, No. 9, pp. 729-755). Hindawi Publishing Corporation.

Mazor, E. (2004). *Chemical and Isotopic Groundwater Hydrology Third Edition*. New York: Marcel Dekker, Inc.

Melissa, P dan L. Steppacher. (2010). *The Power to Protect: Three Stories about Ground Water.* U.S.E.P.A. Massachusetts Audubon Society and NEIWPCC.

Meyer, C. F. (1973). *Polluted groundwater: some causes, effects, controls, and monitoring (Vol. 600).* US Environmental Agency, Office of Research and Development.

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mohammadi, Z. (2013). Variogram-based approach for selection of grid size in groundwater modeling. *Applied Water Science, 3*(3), 597-602.

Morris, B.L., A.R. Lawrence, P. Chilton, B. Adam, R.C. Calow, B.A. Klinck. (2003). *Groundwater and Its Susceptibility to Degradation: a Global Assessment of The Problem and Options for Management. Report Series 3*. Nairobi: UNEP.

Neshat, A., Pradhan, B., dan Dadras, M. (2014). Groundwater Vulnerability Assessment Using an Improved DRASTIC Method in GIS. *Resources, Conservation, and Recycling, 86*, hal: 74-86.

Noori, R., Ghahremanzadeh, H., Kløve, B., Adamowski, J. F., & Baghvand, A. (2019). Modified-DRASTIC, modified-SINTACS and SI methods for groundwater vulnerability assessment in the southern Tehran aquifer. *Journal of Environmental Science and Health, Part A, 54*(1).

Panagopoulos, G.P., Antonakos, A.K., Lambrakis, N.J. (2006). Optimization of the DRASTIC method for groundwater vulnerability assessment via the use of simple statistical methods and GIS. *Hydrogeol. J. 14* (6), 894–911.

Pavlis, M., Cummins, E., McDonnell, K., 2010. Groundwater vulnerability assessment of plant protection products: a review. Hum. Ecol. *Risk. Assess. 16*, 621–650. https://doi.org/10.1080/10807031003788881.

Pearson, A., & Aitchison-Earl, P. (2022). Groundwater: Discovering Our Hidden Resource. Front. *Young Minds, 10*, 723116.

Purnama, S. (2010). Potensi Sumberdaya Air DAS Serayu. *JRL, Vol.6*, No.3, hal : 291-302.

Purnama, I. S. (2010). Stratigrafi Batuan dan Kondisi Akuifer di Kawasan Wisata Candi Borobudur dan Prambanan. *Jurnal Rekayasa Lingkungan, 6*(1).

Purnama, S. (2016). *Hidrologi Air Tanah*. Yogyakarta: Kanisius.

Purnama, S., & Cahyadi, A. (2019). Groundwater Vulnerability to Pollution in Kasihan District, Bantul Regency, Indonesia. *Forum Geografi (Vol. 33*, No. 2, pp. 140-152).

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Putra. (2023). Kerentanan Air Tanah terhadap Pencemaran di Kecamatan Borobudur, Kabupaten Magelang, Provinsi Jawa Tengah. *Skripsi*. Universitas Gadjah Mada.

Putranto, T.T. (2013). *Hydrological and Numerical Groundwater Flow Model in Semarang, Indonesia*, Germany: RWTH Aachen University

Putranto, & Kuswoyo, B. (2008). Zona Kerentanan Air tanah Terhadap Kontaminan Dengan Metode DRASTIC. *TEKNIK, 29*(2), 110–119.

Putranto, T. T., Ali, R. K., & Putro, A. B. (2019). Studi Kerentanan Air tanah terhadap Pencemaran dengan Menggunakan Metode DRASTIC pada Cekungan Air tanah (CAT) Karanganyar-Boyolali, Provinsi Jawa Tengah. *Jurnal Ilmu Lingkungan, 17*(1), 159.

Ramadani, S. N. A. (2022). Kerentanan Air Tanah Terhadap Pencemaran Di Desa Borobudur dan Sekitarnya, Kecamatan Borobudur, Kabupaten Magelang, Provinsi Jawa Tengah. *Skripsi*. Universitas Gadjah Mada.

Ramli, M., Djamaluddin, D., Thamrin, M., & Qaidahiyani, N. F. (2023) Model Hidrogeologi Konseptual Untuk Estimasi Kapasitas Akuifer Pantai Gowa-Takalar, Sulawesi Selatan. *TEKNIK, 44*(1), 85-96.

Rejekiningrum, P., Pawitan, H., Setiawan, B.I., dan Kartiwa, B. (2010). Identifikasi Potensi Air tanah untuk Keberlanjutan Sumber Daya Air : Studi Kasus di DAS Cicatih-Cimandiri Kabupaten Sukabumi Jawa Barat. *Jurnal Sumber Daya Air, Vol.6* , No.1, hal : 1-15.

Ribeiro, L., Pindo, J.C., dan Dominguez-Granda, L.(2017). Assessment of Groundwater Vulnerability in the Daule Aquifer, Ecuador using the Susceptibility Index Method. *Science of the Total Environment, 574*, hal: 1674-1683.

Riyanto, I. A., & Widyastuti, M. (2016). Kerentanan intrinsik dan spesifik air tanah terhadap pencemaran di kecamatan banjarnegara dan sekitarnya. *Jurnal Bumi Indonesia, 5*(4).

Santosa, L.W. and Adji, T.N. (2014). *Karakteristik Akuifer dan Potensi Air tanah Graben Bantul.* Yogyakarta: Gadjah Mada University Press.

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Shirazi, S.M., Imran, H.M., Akib, S., Yusop, Z., dan Harun, Z.B. (2013). Groundwater Vulnerability Assessment in the Melaka State of Malaysia Using DRASTIC and GIS Techniques. *Environmental Earth Sciences, 70*, hal: 2293-2304.

Singh, V.S. (2007). *Groundwater Resource Evaluation, Augmentation, Contamination, Restoration, Modelling, and Management: Parameterization of Groundwater Aquifer System*. New Delhi: Capital Publishing Company, Copublished by Springer.

Simlandy, S. (2015). Importance of groundwater as compatible with environment. *International Journal of Ecosystem, 5*(3), 89-92.

Soeharto, B. (2018). *Aliran Air Tanah*. Bandung: Institut Teknologi Bandung Press.

Soil Science Division Staff (2018). *Soil Survey Manual: United States Departments of Agriculture Handbook No.18*, hal 125.

Srivastava, S.K and Ramanathan, A.L. (2008). Hydrochemical Studies Around the Bhalswa landfill in Dehli, India. In *Groundwater for Sustainable Development* (pp : 69- 85). London : Taylor and Francis Group.

Stigter, T.Y., Ribeiro, L., Dill, A.M.M.C. (2006). Evaluation of an Intrinsic and a Spesific Vulnerability Assessment Method in Comparison with Groundwater Salinization and Nitrate Contamination Levels in Two Agricultural Regions in the South of Portugal. *Hydrogeology Journal, 14*, hal: 79-99.

Subardja, D., Ritung, S., Anda, M., Sukarman, E. S., & Subandiono, R. E. (2014). *Petunjuk teknis klasifikasi tanah nasional*. Bogor: Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian.

Sudarmadji. (2013). *Mata Air*. Yogyakarta : Sekolah Pasca Sarjana UGM

Sukarman dan Dariah, A. (2014). *Tanah Andosol di Indonesia : Karakteristik, Potensi, Kendala, dan Pengelolaannya untuk Pertanian*. Bogor: Balai Besar Penelitian dan Pengembangan Sumberdaya Lahan Pertanian.

Suprayogi, S., Purnama, L.S., Darmant, D. 2014. *Pengelolaan Daerah Aliran Sungai.* Yogyakarta :Gadjah Mada University Press.

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sutasoma, M., Azhari, A. P., & Arisalwadi, M. (2018). Identifikasi air tanah dengan metode geolistrik resistivitas konfigurasi Schlumberger di Candi Dasa Provinsi Bali. *Konstan-Jurnal Fisika Dan Pendidikan Fisika, 3*(2), 58-65.

Talabi, A.O. and Kayode, T.J. (2019) Groundwater Pollution and Remediation. *Journal of Water Resource and Protection, 11*, 1-19.

Thiuone, P. B. D., Ndao, S., Alassanse, B. A., & Diaw, E. H. B. (2017). Assessment of groundwater vulnerability by Susceptibility Index (SI) method in the Niayes Area, Senegal. *The Journal of Scientific and Engineering Research, 4*.

Todd, D.K. (1980). *Groundwater Hydrology*. United State : John Wiley and Sons Inc.

Todd, D.K. (2005). *Groundwater Hydrology. 3rd Edition*. Hoboken: John Wiley & Sons, Inc.

UNESCO. (2022). *The United Nations World Water Development Report 2022: Groundwater: Making the invisible visible*. UNESCO.

Utami, N. D. (2019). Pemanfaatan Metode SINTACS untuk Mengkaji Kerentanan Air tanah terhadap Pencemaran di DAS Opak Hilir, Kabupaten Bantul. *Tesis*. Universitas Gadjah Mada.

Verstappen, H.Th. (1983). *Applied Geomorphology: Geomorphological Surveys for Environmental Developments*. Elsivier. Amsterdam.

Vrba, J. dan Zoporosec, A. (1994). *Guidebook on Mapping Groundwater Vulnerability. Vol. 16.* Hannover: International Association of Hydrogeologist.

Wandari, K. A. & Purnama, I. L. S. (2021). Studi Kerentanan Air tanah Menggunakan Metode SINTACS di Kecamatan Banguntapan Kabupaten Bantul. *Jurnal Bumi Indonesia, 10*(1).

Widyastuti, M., Notosiswoyo, S., dan Anggayana, K. (2006). Pengembangan Metode "DRASTIC" untuk Prediksi Kerentanan Air tanah Bebas terhadap Pencemaran di Sleman. *Majalah Geografi Indonesia, 20*(1), hal: 32—51.

UNIVERSITAS
GADJAH MADA
**Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di
Kecamatan Borobudur Kabupaten Magelang**
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Widyastuti, A. P. (2012). Zonasi Kerentanan Air tanah Bebas terhadap Pencemaran dengan Metode APLIS di Kecamatan Wonosari Kabupaten Gunungkidul. *Jurnal Bumi Indonesia, 1*(2), 238140.

Widyastuti, M., Nurfahmi, P., dan Riyanto, I.A. (2015). Potensi Air tanah Bebas dan Kerentanannya Terhadap Pencemaran di Kawasan Perkotaan Banjarnegara. *Seminar Nasional Geofisika (SNG) 2015*, 21 November 2015. Universitas Negeri Semarang.

Widyastuti, M., Suprayogi, S., Hadi, M. P., Christanto, N., Tivianton, T. A., Fadilah, G. O., & Rahmawati, L. (2021). Study of Groundwater Vulnerability to Pollution in the Tambakbayan Watershed in 2006 And 2017. *Jurnal Geografi Gea, 21*(1).

Wijaya, K. A., & Purnama, I. L. S. (2018). Kajian Kerentanan Air tanah Terhadap Potensi Pencemaran di Kecamatan Kasihan Kabupaten Bantul. *Jurnal Bumi Indonesia, 7*(1).

Wijnen, M., Augeard, B., Hiller, B., Ward, C., Huntjens, P. (2012). Managing the Invisible–Understanding and Improving Groundwater Governance. *Water Papers*. World Bank.

Wilis, R. (2025). Analisis Karakteristik Lahan di Kawasan Lereng Marapi Kabupaten Agam: Karakteristik Lahan. Pendas: *Jurnal Ilmiah Pendidikan Dasar, 10*(04), 259-269.

Yusuf, W. A., Susilawati, H. L., Wihardjaka, A., Harsanti, E. S., Adriany, T. A., Dewi, T., ... & Husaini, M. (2023). *Kerusakan dan pencemaran lingkungan pertanian: karakteristik dan penanggulangannya*. UGM PRESS.

Zalwa, C. A., Bukhori, D., Pratama, F. P., Nasution, A. R., Ginting, J. I., & Pastika, M. A. (2025). Analisis Penetapan Tekstur Tanah Dengan Metode Hidrometer Pada Tanah Di Kecamatan Galang. PUCUK: *Jurnal Ilmu Tanaman, 5*(1), 1-4.

Zaporozec, A. (1981). Groundwater Pollution and Its Sources. *Geo Journal 5 (5)*: 457–471.

UNIVERSITAS
GADJAH MADA
Kerentanan Air Tanah terhadap Pencemaran Menggunakan Metode Susceptibility Index (SI) dan SINTACS di Kecamatan Borobudur Kabupaten Magelang
Dwi Kharisma Wijaya, Dr. Tjahyo Nugroho Adji, S.Si., M.Sc.Tech.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zaporozec, A. dan J.C. Miller. (2000). *Groundwater Pollution*. Paris: UNESCO–PH.

Zuidam, R. V. (1979). *Terrain analysis and classification using aerial photographs: a geomorphological approach*. International Institute for Aerial Survey and Earth Sciences (ITC).