UNIVERSITAS
GADJAH MADA
Analisis Manajemen Daya Baterai Lithium-ion dan Konsumsi Energi melalui Variasi Duty Cycle pada Sistem Pemantau Gas Metana Berbasis PLTS
Ferdy Alrahman Cahyatama, Dr. Fitri Puspasari, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] R. T. Wahyuningsih *et al.*, "Rancang bangun pengaturan intensitas lampu led menggunakan teknik modulasi lebar pulsa (pwm)," *VERTEX ELEKTRO*, vol. 17, no. 1, pp. 50–60, 2025, doi: 10.26618/jte.v17i1.17064.

[2] A. HR A and M. Kamal, "Rancang bangun alat pengukur kadar gas berbahaya untuk galian tambang berbasis wireless," *Jurnal Tektro*, vol. 1, no. 1, pp. 9–15, 2017, doi: 10.30811/tektro.v1i1.1416.

[3] B. Xia, B. Ye, and J. Cao, "Polarization voltage characterization of lithium-ion batteries based on a lumped diffusion model and joint parameter estimation algorithm," *Energies*, vol. 15, no. 3, p. 1150, 2022, doi: 10.3390/en15031150.

[4] C. D. Lewis, "Industrial and business forecasting methods: A practical guide to exponential smoothing and curve fitting," 1982.

[5] R. C. Carrano, D. Passos, L. C. Magalhaes, and C. V. Albuquerque, "Survey and taxonomy of duty cycling mechanisms in wireless sensor networks," *IEEE Communications Surveys & Tutorials*, vol. 16, no. 1, pp. 181–194, 2013, doi: 10.1109/SURV.2013.052213.00116.

[6] Y. Preger, H. M. Barkholtz, A. Fresquez, D. L. Campbell, B. W. Juba, J. Romàn-Kustas, S. R. Ferreira, and B. Chalamala, "Degradation of commercial lithium-ion cells as a function of chemistry and cycling conditions," *Journal of The Electrochemical Society*, vol. 167, no. 12, p. 120532, 2020, doi: 10.1149/1945-7111/abae37.

[7] T. Rahman and T. Alharbi, "Exploring lithium-ion battery degradation: A concise review of critical factors, impacts, data-driven degradation estimation techniques, and sustainable directions for energy storage systems," *Batteries*, vol. 10, no. 7, p. 220, 2024, doi: 10.3390/batteries10070220.

[8] Q. Hou, Y. Yu, E. Du, H. He, N. Zhang, C. Kang, G. Liu, and H. Zhu, "Embedding lithium-ion battery scrapping criterion and degradation model in optimal operation of peak-shaving energy storage," *arXiv preprint arXiv:1910.04028*, 2019, doi: 0.1016/j.apenergy.2020.115601.

[9] G. Krishna, R. Singh, A. Gehlot, V. A. Shaik, B. Twala, and N. Priyadarshi, "Iot-based real-time analysis of battery management system with long range

UNIVERSITAS
GADJAH MADA
Analisis Manajemen Daya Baterai Lithium-ion dan Konsumsi Energi melalui Variasi Duty Cycle pada Sistem Pemantau Gas Metana Berbasis PLTS
Ferdy Alrahman Cahyatama, Dr. Fitri Puspasari, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

communication and flora," *Results in Engineering*, vol. 23, p. 102770, 2024, doi: 10.1016/j.rineng.2024.102770.

[10] J. Wang, Z. Cao, X. Mao, X.-Y. Li, and Y. Liu, "Towards energy efficient duty-cycled networks: Analysis, implications and improvement," *IEEE Transactions on Computers*, vol. 65, no. 1, pp. 270–280, 2015, doi: 10.1109/TC.2015.2417558.

[11] S. Suradhanwiar, S. S. Durbha, and J. Adinarayana, "Energy optimization in wireless sensor networks using duty-cycling approach," in *2017 6th International Conference on Agro-Geoinformatics*, 2017, pp. 1–6, doi: 10.1109/Agro-Geoinformatics.2017.8047043.

[12] J. Burgués and S. Marco, "Low power operation of temperature-modulated metal oxide semiconductor gas sensors," *Sensors*, vol. 18, no. 2, p. 339, 2018, doi: 10.3390/s18020339.

[13] H. V. Sampaio, F. Koch, C. B. Westphall, R. d. N. Boing, and R. N. S. Cruz, "Autonomic management of power consumption with iot and fog computing," *arXiv preprint arXiv:2105.03009*, 2021, doi: 10.48550/arXiv.2105.03009.

[14] T. Kim, Y. Kim, W. Cho, J.-H. Kwak, J. Cho, Y. Pyeon, J. J. Kim, and H. Shin, "Ultralow-power single-sensor-based e-nose system powered by duty cycling and deep learning for real-time gas identification," *ACS sensors*, vol. 9, no. 7, pp. 3557–3572, 2024, doi: 10.1021/acssensors.4c00471.

[15] M. Gerndt, M. Ispir, I. Nunez, and S. Benedict, "Energy-aware duty cycle management for solar-powered iot devices," *Sensors*, vol. 25, no. 14, p. 4500, 2025, doi: 10.3390/s25144500.

[16] V. Talla, M. Hessar, B. Kellogg, A. Najafi, J. R. Smith, and S. Gollakota, "Lora backscatter: Enabling the vision of ubiquitous connectivity," *Proceedings of the ACM on interactive, mobile, wearable and ubiquitous technologies*, vol. 1, no. 3, pp. 1–24, 2017, doi: 10.1145/313097.

[17] B. B. Sinha and R. Dhanalakshmi, "Recent advancements and challenges of internet of things in smart agriculture: A survey," *Future Generation Computer Systems*, vol. 126, pp. 169–184, 2022, doi: 10.1016/j.future.2021.08.006.

[18] A. Kansal, J. Hsu, S. Zahedi, and M. B. Srivastava, "Power management in energy harvesting sensor networks," *ACM Transactions on Embedded Computing Systems (TECS)*, vol. 6, no. 4, pp. 32–es, 2007, doi: 10.1145/1274858.127487.

UNIVERSITAS
GADJAH MADA
Analisis Manajemen Daya Baterai Lithium-ion dan Konsumsi Energi melalui Variasi Duty Cycle pada Sistem Pemantau Gas Metana Berbasis PLTS
Ferdy Alrahman Cahyatama, Dr. Fitri Puspasari, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[19] G. Anastasi, M. Conti, M. Di Francesco, and A. Passarella, "Energy conservation in wireless sensor networks: A survey," *Ad hoc networks*, vol. 7, no. 3, pp. 537–568, 2009, doi: 10.1016/j.adhoc.2008.06.003.

[20] C. Alexander and M. Sadiku, *Fundamentals of electric circuits*. McGraw-Hill, Inc., 2008.

[21] J. Zhu, Y. Im, S. Mishra, and S. Ha, "Calibrating time-variant, device-specific phase noise for cots wifi devices," in *Proceedings of the 15th ACM Conference on Embedded Network Sensor Systems*, 2017, pp. 1–12, doi: 10.1145/3131672.313169.

[22] R. L. Boylestad, *Introductory circuit analysis*. Prentice Hall Press, 2010.

[23] R. RAKHMAWATI, S. SUTEDJO, F. N. OKTAVIANI, I. IRIANTO, D. S. YANARATRI, and A. F. ADILA, "Estimasi state of charge pada baterai lead acid menggunakan elman recurrent neural network," *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, vol. 11, no. 4, p. 864, 2023, doi: 10.26760/elkomika.v11i4.864.

[24] D. Rahmawati, M. A. Alfian, H. Setiawan, R. Setiawibawa *et al.*, "Rancang bangun wireless sensor network untuk battery management system pada penerangan jalan umum tenaga surya," *TESLA: Jurnal Teknik Elektro*, vol. 26, no. 1, pp. 49–58, 2024, doi: 10.24912/tesla.v26i1.29444.

[25] I. Baccouche, S. Jemmali, A. Mlayah, B. Manai, and N. E. B. Amara, "Implementation of an improved coulomb-counting algorithm based on a piecewise soc-ocv relationship for soc estimation of li-ionbattery," *arXiv preprint arXiv:1803.10654*, 2018, doi: 10.48550/arXiv.1803.10654.

[26] W. S. PAMBUDI, R. A. FIRMANSYAH, T. SUHETA, and N. K. WICAKSONO, "Analisis penggunaan baterai lead acid dan lithium ion dengan sumber solar panel," *ELKOMIKA: Jurnal Teknik Energi Elektrik, Teknik Telekomunikasi, & Teknik Elektronika*, vol. 11, no. 2, p. 392, 2023, doi: 10.26760/elkomika.v11i2.392.

[27] K. Davis and J. G. Hayes, "Comparison of lithium-ion battery pack models based on test data from idaho and argonne national laboratories," in *2020 IEEE Energy Conversion Congress and Exposition (ECCE)*. IEEE, 2020, pp. 5626–5632, doi: 10.1109/ECCE44975.2020.9236373.

[28] Y. N. Hilal, P. Muliandhi, and E. N. Ardina, "Analisa balancing bms (battery management system) pada pengisian baterai lithium-ion tipe inr 18650 dengan

UNIVERSITAS
GADJAH MADA
Analisis Manajemen Daya Baterai Lithium-ion dan Konsumsi Energi melalui Variasi Duty Cycle pada Sistem Pemantau Gas Metana Berbasis PLTS
Ferdy Alrahman Cahyatama, Dr. Fitri Puspasari, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

metode cut off," *Simetris: Jurnal Teknik Mesin, Elektro Dan Ilmu Komputer*, vol. 14, no. 2, pp. 367–374, 2023, doi: 10.24176/simet.v14i2.9852.

[29] H. Nuha, "Mean absolute percentage error (mape) dan penggunaannya," *Jurnal Pemanfaatan Teknologi Untuk Masyarakat (JAPATUM)*, vol. 3, no. 4, pp. 2–3, 2024, doi: 10.59328/ /JAPATUM.2024.3.4.107.

[30] G. F. Fine, L. M. Cavanagh, A. Afonja, and R. Binions, "Metal oxide semiconductor gas sensors in environmental monitoring," *sensors*, vol. 10, no. 6, pp. 5469–5502, 2010, doi: 10.3390/s100605469.

[31] N. Barsan and U. Weimar, "Conduction model of metal oxide gas sensors," *Journal of electroceramics*, vol. 7, no. 3, pp. 143–167, 2001, doi: 10.1023/A:1014405811371Authors.

[32] J. Fraden, *Handbook of modern sensors: physics, designs, and applications*. Springer, 2004.

[33] H. Eren, "Measurement, instrumentation, and sensors handbook: spatial, mechanical, thermal, and radiation measurement," 2017.

[34] I. G. A. I. F. Ramadhani, W. Indrasari, H. Suhendar, and M. A. Marpaung, "Karakterisasi dan pengujian sensor mq-4 dan mg-811 untuk pengembangan sistem monitoring konsentrasi gas metana dan karbon dioksida di udara," in *Joint Prosiding IPS dan Seminar Nasional Fisika*, vol. 12, 2024, doi: 10.21009/03.1201.FA12.

[35] B. J. S. Bayu, G. A. P. Gurum, A. R. Agus, and A. Surtono, "Design and build voltage and current monitoring parameters device of rechargeable batteries in real-time using the ina219 gy-219 sensor," *Journal of Energy, Material, and Instrumentation Technology*, vol. 4, no. 2, pp. 58–71, 2023, doi: 10.23960/jemit.v4i2.137.

[36] Z. Zul, A. O. Pristisahida, R. Mardhiyyah, B. K. Prasaja, A. Fakhrurrozi, T. S. Amiyanto, and A. A. Machfud, "Rancang bangun sistem pemantauan baterai plts berbasis iot pada lahan pertanian," *Jurnal Riset Rekayasa Elektro*, vol. 7, no. 2, pp. 181–192, 2025, doi: 10.30595/jrre.v7i2.24681.

[37] G. Campobello, S. Serrano, A. Leonardi, and S. Palazzo, "Trade-offs between energy saving and reliability in low duty cycle wireless sensor networks using a packet splitting forwarding technique," *EURASIP Journal on Wireless*

UNIVERSITAS
GADJAH MADA
Analisis Manajemen Daya Baterai Lithium-ion dan Konsumsi Energi melalui Variasi Duty Cycle pada Sistem Pemantau Gas Metana Berbasis PLTS
Ferdy Alrahman Cahyatama, Dr. Fitri Puspasari, S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Communications and Networking, vol. 2010, no. 1, p. 932345, 2010, doi: 10.1155/2010/932345.

[38] G. Krishna, R. Singh, A. Gehlot, and S. V. Akram, "An iot-based predictive model for improved battery management system using advanced lstm model," *Journal of Energy Storage*, vol. 101, p. 113694, 2024, doi: 10.1016/j.est.2024.113694.

[39] C. C. Chan, S. A. Alvi, X. Zhou, S. Durrani, N. Wilson, and M. Yebra, "A survey on iot ground sensing systems for early wildfire detection: technologies, challenges, and opportunities," *IEEe Access*, vol. 12, pp. 172 785–172 819, 2024, doi: 10.1109/ACCESS.2024.3501336.