

DAFTAR PUSTAKA

- Aebi, H.E. 1985. *Catalase*. pp. 273-286. In Bergmeyer, H.U., J. Bergmeyer and M. Grabi (Eds). *Methods of Enzymatic Analysis*. Weinheim: Verlag Chemie.
- Ahimsya, M.B., Basunanda, P., dan Supriyanta. 2018. Karakterisasi Morfologi dan Fotoperiodisme Padi Lokal (*Oryza sativa* L.) Indonesia. *Vegetalika*. 7(1): 52-65.
- Alia, F.J., Shamsuddin, J., Fauziah, C.I., Husni, M.H.A., and Panhwar, Q.A. 2015. Effects of aluminum, iron and/or low pH on rice seedlings grown in solution culture. *Int. J. Agric. Biol.* 17: 702-710.
- Alihamisyah. 2002. Optimalisasi Pendayagunaan Lahan Rawa Pasang Surut. *Seminar Nasional Optimalisasi Pendayagunaan Sumberdaya Lahan di Cisarua tanggal 6-7 Agustus 2002*. Puslitbang Tanah dan Agroklimat.
- Alwi, M. 2014. Prospek Lahan Pasang Surut Untuk Tanaman Padi. *Prosiding Seminar Nasional "Inovasi Teknologi Pertanian Spesifik Lokasi"*. Banjarbaru: Balai Penelitian Pertanian Lahan Rawa.
- Anjum, N.A., Singh, H.P., Khan, M.I.R., Mason, A., Per, T.S., Negi, A., Batish, D.R., Khan, N.A., Duarte, A.C., Pereira, E., and Ahmad, I. 2015. Too much is bad—an appraisal of phytotoxicity of elevated plant-beneficial heavy metal ions. *Environ. Sci. Pollut. Res. Int.* 22(5): 3361-3382.
- Anwar, K., Alwi, M., Saragih, S., Supriyo, A., Nazemi, D., dan Sari, K. 2001. Karakterisasi Dinamika Tanah dan Air untuk Perbaikan Pengelolaan Lahan Pasang Surut. *Lap. Hasil Penelitian. Balittra Lahan Rawa. Banjarbaru*. pp. 27-28.
- Arsyad, D.M., Saidi, B.B., dan Enrizal. 2014. Pengembangan inovasi pertanian di lahan rawa pasang surut mendukung kedaulatan pangan. *Pengembangan Inovasi Pertanian*. 7(4): 169–176.
- Ashraf, M., and Foolad, M.R. 2007. Roles of glycine betaine and proline in improving plant abiotic stress resistance. *Environ. Exp. Bot.* 59(2): 206-216.
- Audebert, A., and Sahrawat, K.L. 2000. Mechanisms for iron toxicity tolerance in lowland rice. *J. Plant Nutr.* 23(11): 1877–1885.
- Audebert, A. 2006. Iron Toxicity in Rice: Environmental Conditions and Symptoms. Cotonou, Benin: Africa Rice Center (WARDA). pp. 18–33.
- Audebert, A., Narteh L.T., Kiepe P., Millar D., and Beks B. 2006. Iron toxicity in rice: based systems in West Africa. Cotonou, Benin: Africa Rice Center (WARDA). pp. 96-111.
- Audebert, A., and Fofana, M. 2009. Rice yield gap due to iron toxicity in West Afrika. *J. Agron. Crop. Sci.* 195(1): 66-76.
- Aung, M.S., and Masuda, H. 2020. How Does Rice Defend Against Excess Iron?: Physiological and Molecular Mechanisms. *Front Plant Sci.* 11: 1102.
- Aung, M.S., Masuda, H., Kobayashi, T., and Nishizawa, N.K. 2018. Physiological and transcriptomic analysis of responses to different levels of iron excess stress in various rice tissues. *Soil Sci. Plant Nutr.* 64: 370–385.
- Aung, M.S., Masuda, H., Nozoye, T., Kobayashi, T., Jeon, J.S., An, G., and Nishizawa, N.K. 2019. Nicotianamine synthesis by *OsNAS3* is important for mitigating iron excess stress in rice. *Front. Plant Sci.* 10:1–16.

- Badan Pusat Statistik (BPS). 2022. *Luas Panen dan Produksi Padi di Indonesia 2021: Hasil Kegiatan Pendataan Statistik Pertanian Tanaman Pangan Terintegrasi dengan Metode Kerangka Sampel Area*. Jakarta: Badan Pusat Statistik.
- Badan Pusat Statistik (BPS). 2018. *Rice productivity*. Jakarta: Badan Pusat Statistik.
- Bahar, N.H.A., Lo, M., Sanjaya, M., Van Vianen, J., Alexander, P., Ickowitz, A., and Sunderland, T. 2020. Meeting the food security challenge for nine billion people in 2050: What impact on forests? *Glob. Environ. Change*. 62:102056.
- Balk, J., and Schaedler, T.A. 2014. Iron cofactor assembly in plants. *Annu. Rev. Plant Biol.* 65: 125–153.
- Banerjee, S., and Chandel, G. 2011. Understanding the role of metal homeostasis related candidate genes in Fe/Zn uptake, transport and redistribution in rice using semi-quantitative RT-PCR. *PMBB*. 2(1): 33-4.
- Bashir, K., Ishimaru, Y., Shimo, H., Nagasaka, S., Fujimoto, M., Takanashi, H., Tsutsumi, N., An, G., Nakanishi, H., and Nishizawa, N.K. 2011. The rice mitochondrial iron transporter is essential for plant growth. *Nat. Commun.* 2: 322.
- Bashir, K., Hanada, K., Shimizu, M., Seki, M., Nakanishi, H., and Nishizawa, N.K. 2014. Transcriptomic analysis of rice in response to iron deficiency and excess. *Rice*. 7: 1–15.
- Bates, L.S., Waldren R.P., and Teare I.D. 1973. Rapid determination of free proline for water-stress studies. *Plant Soil*. 39(1): 205-207.
- Becker, M., and Asch, F. 2005. Iron toxicity in rice – Conditions and management concepts. *J. Plant Nutr. Soil Sci.* 168(4): 558–573.
- Bouazizi, H., Jouili, H., Geitmann, A., and Ferjani, E. 2008. Effect of copper excess on H₂O₂ accumulation and peroxidase activities in bean roots. *Acta Biol. Hung.* 59(2): 233–245.
- Bronswijk, J.J.B., Nugroho, K., Aribawa, I.B., Groenenberg, J.E., and Ritsema, C.J. 1993. Modeling of Oxygen Transport and Pyrite Oxidation in Acid Sulphate Soils. *J. Environ. Qual.* 22(3): 544-554.
- Brumbarova, T., and Bauer, P. 2009. Iron uptake and transport in plants. *Chem. Rev.* 109: 4553–4567.
- Brumbarova, T., Bauer, P., and Ivanov, R. 2015. Molecular mechanisms governing *Arabidopsis* iron uptake. *Trends Plant Sci.* 20: 124–133.
- Budiarti. 2006. Evaluasi Toleransi Plasma Nutfah Padi, Jagung dan Kedelai pada Lahan Bermasalah (Lahan masam, Keracunan Al dan Fe). *Prosiding Seminar Hasil Penelitian Hasil Rintisan dan Bioteknologi Tanaman*. Balai Penelitian Bioteknologi dan Sumberdaya Genetik Pertanian. pp. 1-9.
- Caine, R.S., Harrison, E.L., Sloan, J., Flis, P.M., Fischer, S., Khan, M.S., Nguyen, P.T., Nguyen, L.T., Gray, J.E., and Croft, H. 2023. The influences of stomatal size and density on rice abiotic stress resilience. *New Phytol.* 237(6): 2180–2195.
- Carding, S.R., Lu, D., and Bottomly, K. 1992. A polymerase chain reaction assay for the detection and quantification of cytokine gene expression in small number of cells. *J. Immunol. Methods*. 151(1-2): 277-287.
- Chen, W.R., Feng, Y., and Chao, Y.E. 2008. Genomic analysis and expression

- pattern of *OsZIP1*, *OsZIP3*, and *OsZIP4* in two rice (*Oryza sativa* L.) genotypes with different zinc efficiency. *Russ. J. Plant Physiol.* 55: 400–409.
- Cheng, H., Chen, D.-T., Tam, N. F.-Y., Chen, G.-Z., Li, S.-Y., and Ye, Z.-H. 2012. Interactions among Fe^{2+} , S^{2-} , and Zn^{2+} tolerance, root anatomy, and radial oxygen loss in mangrove plants. *J. Exp. Bot.* 63(7): 2619–2630.
- Cheng, H., Jiang, Z.-Y., Liu, Y., Ye, Z.-H., Wu, M.-L., Sun, C.-C., Sun, F.-L., Fei, J., and Wang, Y.-S. 2014. Metal (Pb, Zn and Cu) uptake and tolerance by mangroves in relation to root anatomy and lignification/suberization. *Tree Physiol.* 34(6): 646–656.
- Chérif, M., Audebert, A., Fofana, M., and Zouzou, M. 2009. Evaluation of iron toxicity on lowland irrigated rice in West Africa. *Tropicultura.* 27(2): 88–92.
- Chrisnawati, L., Miftahudin, and Utami, D.W. 2016. STS Marker Associated with Iron Toxicity Tolerance in Rice. *J. Trop. Life Sci.* 6(1): 59–64.
- Colmer, T.D., Gibberd, M.R., and Thomson, C.J. 2011. Root aeration in rice and adaptation to soil flooding. *New Phytol.* 190(1): 11–22.
- Connorton, J.M., Balk, and J., Rodríguez-Celma, J. 2017. Iron homeostasis in plants: A brief overview. *Metallomics.* 9: 813–823.
- Deng, H., Ye, Z.H., and Wong, M.H. 2009. Lead, zinc and iron (Fe^{2+}) tolerances in wetland plants and relation to root anatomy and spatial pattern of ROL. *Environ. Exp. Bot.* 65(3): 353–362.
- Dent, D.L. 1986. *Acid Sulphate Soils: A Baseline for Research and Development*. ILRI Publication. Wageningen, The Netherlands.
- Dirgasari, K.D.E., Hasmeda, M., dan Harun, U. 2019. Pengujian berbagai varietas padi (*Oryza sativa* L.) terhadap kondisi cekaman Fe^{2+} di lahan pasang surut. *Agrosainstek: J. Ilmu dan Teknol. Pertan.* 3(1): 30–35.
- Dos Santos, R.S., de Araujo Júnior, A.T., Pegoraro, C., de Oliveira, A.C. 2017. Dealing with iron metabolism in rice: From breeding for stress tolerance to biofortification. *Genet. Mol. Biol.* 40: 312–325.
- Dramé, K.N., Saito, K., Koné, B., Chabi, A., Dakouo, D., Annan-Afful, E., Monh, S., Abo, E., and Sié, M. 2010. Coping with iron toxicity in the lowlands of sub-Saharan Africa: Experience from Africa Rice Center. In *AfricaRice (Ed.), Innovation and Partnerships to Realize Africa's Rice Potential. Proc. 2nd Africa Rice Congress*. 22–26 March 2010. Bamako, Mali. 1.9.1–1.9.8.
- Druschel, G., and Borda, M. 2006. Comment on 'Pyrite dissolution in acidic media' by M. Descotes, P. Votarge, and C. Beaucaire. *Geochim. Cosmochim. Acta.* 70: 5246–5250.
- Elec, V., Quimio, C.A., Mendoza, R., Sajise, A.G.C., Beebout, S.E.J., Gregorio, G.B., and Singh, R.K. 2013. Maintaining elevated Fe^{2+} concentration in solution culture for the development of a rapid and repeatable screening technique for iron toxicity tolerance in rice (*Oryza sativa* L.). *Plant Soil.* 372(1–2): 253–264.
- Elavarthi, S., and Martin, B. 2010. Spectrophotometric assays for antioxidant enzymes in plants. pp. 273–290. In R. Sunkar (Ed.), *Plant stress tolerance: Methods in molecular biology*. Heidelberg-London: Springer Science+ Business Media.
- Engel, K., Asch, F., and Becker, M. 2012. Classification of rice genotypes based on

- their mechanisms of adaptation to iron toxicity. *J. Plant Nutr. Soil Sci.* 175: 871–881.
- Fageria, N.K. 2007. Yield physiology of rice. *J. Plant Nutr.* 30(6): 843–879.
- Fageria, N.K., Santos, A.B., Filho, M.P.B., and Guimarães, C.M. 2008. Iron toxicity in lowland rice. *J. Plant Nutr.* 31(9): 1676–1697.
- Fahmi, A., dan Wakhid, N. 2018. *Karakteristik Lahan Rawa*. Balai Penelitian Pertanian Lahan Rawa.
- Fairhurst, T.H., Witt, C., Buresh, R.J., and Dobermann, A. 2007. *Rice: A Practical Guide to Nutrient Management (2nd Ed.)*. International Rice Research Institute (IRRI), International Plant Nutrition Institute (IPNI), and International Potash Institute (IPI).
- Fan, J.-B., Zhang, Y.-L., Turner, D., Duan, Y.-H., Wang, D.-S., and Shen, Q.-R. 2010. Root physiological and morphological characteristics of two rice cultivars with different nitrogen-use efficiency. *Pedosphere*. 20(4): 446–455.
- Feyissa, D.N., Løvdal, T., Olsen, K.M., Slimstad, R., and Lillo, C. 2009. The endogenous *GL3*, but not *EGL3*, gene is necessary for anthocyanin accumulation as induced by nitrogen depletion in *Arabidopsis* rosette stage leaves. *Planta*. 230: 747–754.
- Finatto, T., Oliveira, A.C.D., Chaparro, C., Maia, L.C.D., Farias, D.R., Woyann, L.G., Mistura, C.C., Soares-Bresolin, A.P., Llauro, C., Panaud, O., and Picault, N. 2015. Abiotic stress and genome dynamics: specific genes and transposable elements response to iron excess in rice. *Rice*. 8: 1–18.
- Fischer, R.A and Maurer, R. 1978. Drought resistance in spring wheat cultivars: I. Grain yield responses. *Aust. J. Agric. Res.* 29: 897–912.
- Fowke, L.C., and Rennie, P.J. 1995. *Botanical Microtechnique for Plant Cultures*. pp. 217–228. In Gamborg, O.L., and Phillips, G.C. (Eds.). *Plant Cell, Tissue and Organ Culture: Fundamental Methods*. Springer-Verlag.
- Foyer, C.H., and Noctor, G. 2003. Redox sensing and signaling associated with reactive oxygen in chloroplast, peroxisomes and mitochondria. *Physiol. Plant*. 119: 355–364.
- Frei, M., Tetteh, R.N., Razafindrazaka, A.L., Fuh, M.A., Wu, L.B., and Becker, M. 2016. Responses of rice to chronic and acute iron toxicity: genotypic differences and biofortification aspects. *Plant Soil*. 408(1–2): 149–161.
- Fukao, T., and Bailey-Serres, J. 2004. Plant responses to hypoxia—is survival a balancing act? *Trends Plant Sci.* 9(9): 449–456.
- Gao, J.F. 2000. *Experiment Technique of Plant Physiology*. World Books Press Xi'an company, Xi'an.
- Gridley, H.E., Efisue, A., Tolou, B., and Bakayako, T. 2006. *Breeding for tolerance to iron toxicity at WARDA*. pp. 96–111. In A. Audebert, L.T. Narteh, P. Kiepe, D. Millar and B. Beks (Eds.). *Iron Toxicity in Rice-Based System in West Africa*. WARDA, Cotonou.
- Grist, D.H., 1960. *Rice*. Longmans, Green and Co. Ltd., London.
- Gross, J., Stein, R.J., Fett-neto, A.G., and Fett, J.P. 2003. Iron homeostasis related genes in rice. *Genet. Mol. Biol.* 26(4): 477–497.
- Hanhart, K., and Ni, D.V. 1992. *Water Management on Rice Field at Hoa An, Mekong Delta, Vietnam*. pp. 161–175. In Dent DL and Van Mesvoort (Eds).

- Selected papers on the Ho Chi Minh City Symposium on Acid Sulphate Soils.*
ILRI Pub. No. 53. Wageningen. The Netherland.
- Hansel, C.M., Fendorf, S., Sutton, S., and Newville, M. 2001. Characterization of Fe Plaque and Associated Metals on the Roots of Mine-Waste Impacted Aquatic Plants. *Environ. Sci. Technol.* 35(19): 3863-3868.
- Harborne, J.B. 1987. *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*. 2th ed. Kosasih Padmawinata dan Iwang Soedira. ITB Press, Bandung. pp. 69-76.
- Hayat, S., Hayat, Q., Alyemeni, M.N., Wani, A.S., Pitchel, J., and Ahmad, A. 2012. Role of proline under changing environments: a review. *Plant Signal. Behav.* 7(11): 1456-1466.
- He, Z., Chen, J., Yuan, S., Chen, S., Hu, Y., Zheng, Y., and Li, D. 2024. Iron Plaque: A Shield against Soil Contamination and Key to Sustainable Agriculture. *Plants*. 13:1476.
- Hu, H., Bi, L., Wang, L., Zhan, F., Liang, X., Qin, L., and Li, Y. 2024. The effects of different iron and phosphorus treatments on the formation and morphology of iron plaque in rice roots (*Oryza sativa* L.). *Front. Plant Sci.* 14: 1304505.
- Huang, H.C., and Kao, C.H. 2006. Relationship between antioxidant enzymes and lipid peroxidation in leaves of rice seedlings exposed to cadmium. *Plant Growth Regul.* 49(1): 1-9.
- Inoue, H., Higuchi, K., Takahashi, M., Nakanishi, H., Mori, S., and Nishizawa, N. K. 2003. Three rice nicotianamine synthase genes, *OsNAS1*, *OsNAS2*, and *OsNAS3* are expressed in cells involved in long-distance transport of iron and differentially regulated by iron. *Plant J.* 36: 366-381.
- International Rice Research Institute (IRRI). 2002. *Standard Evaluation System (SES) for rice*. Los Baños, Philippines: International Rice Research Institute. pp. 1-65.
- Jaggard, K.W., Qi, A., and Ober, E.S. 2010. Possible changes to arable crop yields by 2050. *Philos. Trans. R. Soc. Lond. B Biol. Sci.* 365: 2835-2851.
- Jing, Y.-D., He, Z.-L., and Yang, X.-E. 2007. Role of soil rhizobacteria in phytoremediation of heavy metal contaminated soils. *J. Zhejiang Univ. Sci. B.* 8(3): 192-207.
- Kage, H., Kochler, M., & Stützel, H. 2004. Root growth and dry matter partitioning of cauliflower under drought stress conditions: Measurement and simulation. *Eur. J. Agron.* 20(4): 379-394.
- Kamaluddin, M., and Zwiazek, J.J. 2004. Effects of root medium pH on water transport in paper birch (*Betula papyrifera*) seedlings in relation to root temperature and abscisic acid treatments. *Tree Physiol.* 24(10): 1173-1180.
- Kar, S., Mai, H.J., Khalouf, H., Ben Abdallah, H., Flachbart, S., Fink-Straube, C., and Wissuwa, M. 2021. Comparative transcriptomics of lowland rice varieties uncovers novel candidate genes for adaptive iron excess tolerance. *Plant Cell Physiol.* 62(4): 624-640.
- Kazemi, H., Mortazavian, S.M.M., and Ghorbani-Javid, M. 2018. Breeding cumin landraces (*Cucumin cyminum* L.) for drought tolerance based on physiological and genetical traits. *J. Appl. Res. Med. Aromat. Plants.* 9: 78-90.

- Kementerian Pertanian. 2015. *Data statistik ketahanan pangan 2014*. Badan Ketahanan Pangan, Kementerian Pertanian.
- Kementerian Pertanian. 2018. *Data lima tahun terakhir*. ([https://www.pertanian.go.id/Data5tahun/TPATAP-2017\(pdf\)/00-PadiNasional.pdf](https://www.pertanian.go.id/Data5tahun/TPATAP-2017(pdf)/00-PadiNasional.pdf)). Diakses pada 14 Januari 2020 pk. 05.48 WIB.
- Khairullah, I., Humairie, R., Imberan, M., Subowo, S., dan Sulaiman, S. 2004. Varietas lokal padi pasang surut Kalimantan Selatan: karakterisasi dan pemanfaatan. *Prosiding Lokakarya Perhimpunan Ilmu Pemuliaan Indonesia (PERIPI) VII. PERIPI-Balai Penelitian Tanaman Kacang-kacangan dan Ubi-ubian*. Malang.
- Khairullah, Izhar. 2012. *Gatra Fisiologis dan Agronomis Pengaruh Pengendalian Keracunan Besi Padi Sawah di Lahan Rawa Pasang Surut Sulfat Masam*. Disertasi S3. Fakultas Pertanian, Universitas Gadjah Mada. Yogyakarta.
- Khairullah, I., dan Nurita. 2018. *Optimalisasi pemanfaatan lahan rawa pasang surut sulfat masam untuk meningkatkan produksi padi*. Balai Penelitian Pertanian Lahan Rawa (Balittra).
- Kim, Y.X., Ranathunge, K., Lee, S., Lee, Y., Lee, D., and Sung, J. 2018. Composite Transport Model and Water and Solute Transport across Plant Roots: An Update. *Front. Plant Sci.* 9:193.
- Kim, Y.H., Mun, B.G., Khan, A.L., Waqas, M., Kim, H.H., Shahzad, R., Imran, M., and Yun, B.W. 2017. Regulation of reactive oxygen and nitrogen species by salicylic acid in rice plants under salinity stress conditions. *PLoS ONE*. 13(3): e0192650.
- Kolaka, L.A., Ghulamahdi, M., dan Miftahudin. 2015. Pertumbuhan dan produksi galur-galur padi toleran Fe generasi F8 hasil persilangan IR64 × Hawara Bunar di lahan pasang surut, Banyuasin, Sumatera Selatan. *J. Sumberd. Hayati*. 1(2): 47-53.
- Kyuma, K. 2004. *Paddy Soil Science*. Kyoto University Press (Japan) and Trans Pacific Press (Australia). pp. 279.
- Laenoi, S., Phattarakul, N., Jamjod, S., Yimyam, N., Dell, B., and Rerkasem, B. 2015. Genotypic variation in adaptation to soil acidity in local upland rice varieties. *Plant Genet. Resour.* 13(3): 206–212.
- Lafitte, R., Blum, A., and Atlin, G. 2003. Using secondary traits to help identify drought-tolerant genotypes. pp. 37-48. In K.S. Fischer, R. Lafitte, S. Fukai, G. Atlin, and B. Hardy (Eds). *Breeding Rice for Drought-Prone Environments*. IRRI, Los Banos.
- Lakunthod, P., Nounjan, N., Siangliw, J.L., Toojinda, T., Sanitchon, J., Jongdee, B., and Theerakulpisut, P. 2018. Physiological responses under drought stress of improved drought-tolerant rice lines and their parents. *Not. Bot. Horti Agrobi.* 46(2): 679-687.
- Lapaz, A.M., Camargos, L.S., Yoshida, C.H.P., Firmino, A.C., Figueiredo, P.A.M., Agilar, J.V., Nicolai, A.B., Paiva, W.S., Cruz, V.H., and Tomaz, R.S. 2020. Response of soybean to soil waterlogging associated with iron excess in the reproductive stage. *Physiol. Mol. Biol. Plants*. 26: 1635–1648.

- Lapaz, A.M., Yoshida, C.H.P., Gorni, P.H., Silva, L.F., Araújo, T.O., and Ribeiro, C. 2022. Iron toxicity: effects on the plants and detoxification strategies. *Acta Bot. Bras.* 36: 1-10.
- Lee, S., and An, G. 2009. Over-expression of *OsIRT1* leads to increased iron and zinc accumulations in rice. *Plant Cell Environ.* 32(4): 408–416.
- Li, G., Kronzucker, H.J., and Shi, W. 2016. Root developmental adaptation to Fe toxicity: Mechanisms and management. *Plant Signal. Behav.* 11: e1117722.
- Li, X., Zeng, R., and Liao, H. 2016. Improving crop nutrient efficiency through root architecture modifications. *J. Integr. Plant Biol.* 58(3): 193–202.
- Li, K., Wang, H., Hu, X., Ma, F., Wu, Y., Wang, Q., Liu, Z., and Huang, C. 2017. Genetic and quantitative trait locus analysis of cell wall components and forage digestibility in the Zheng58 x HD568 maize RIL population at anthesis stage. *Front. Plant Sci.* 8: 1–10.
- Li, L., Ye, L., Kong, Q., and Shou, H. 2019. A vacuolar membrane ferric-chelate reductase, *OsFRO1*, alleviates Fe toxicity in rice (*Oryza sativa* L.). *Front. Plant Sci.* 10: 700.
- Long, A., Zhang, J., Yang, L., Ye, X., Lei, N., Tan, L., Lin, D., Chen, L. 2017. Effects of Low pH on Photosynthesis, Related Physiological Parameters, and Nutrient Profiles of *Citrus*. *Front. Plant Sci.* 8: 185.
- Lorenz, T.C. 2012. Polymerase Chain Reaction: Basic Protocol Plus Troubleshooting and Optimization Strategies. *J. Vis. Exp.* 63 (e3998): 1-15.
- Lotkowska, M.E., Tohge, T., Fernie, A.R., Xue, G.P., Balazadeh, S., and Mueller-Roeber, B. 2015. The *Arabidopsis* transcription factor *MYB112* promotes anthocyanin formation during salinity and under high light stress. *Plant Physiol.* 169 (3):1862-1880.
- Lubis, I., Noor, A., Ghulamahdi, M., Chozin, M.A., Anwar, K., and Wirnas, D. 2016. Screening method for iron tolerant rice suited for tidal swamp area. *J. ISSAAS.* 22(1): 30–41.
- Maas, A. 2003. *Peluang dan konsekuensi pemanfaatan lahan rawa pada masa mendatang*. Makalah Pidato Pengukuhan Jabatan Guru Besar pada Fakultas Pertanian UGM. Yogyakarta, 19 Juli 2003.
- Majerus, V., Bertin, P., and Lutts, S. 2009. Absciscic acid and oxidative stress implications in overall ferritin synthesis by African rice (*Oryza glaberrima* Steud.) seedlings exposed to short term iron toxicity. *Plant Soil.* 324(1-2): 253-265.
- Makarim, A.K., dan Suhartatik, E. 2009. *Morfologi dan Fisiologi Tanaman Padi*. Sukamandi: Balai Besar Penelitian Tanaman Padi.
- Marklund, S., and Marklund, G. 1974. Involvement of the Superoxide Anion Radical in the Autoxidation of Pyrogallol and a Convenient Assay for Superoxide Dismutase. *Eur. J. Biochem.* 47(3): 469–474.
- Marschner, H. 2012. *Mineral Nutrition of Higher Plants 3rd ed. Functions of Mineral Nutrients: Micronutrients: Iron*. Academic Press, London. pp.200.
- Mittler, R. 2002. Oxidative stress, antioxidants and stress tolerance. *Trends Plant Sci.* 7(9): 405–410.
- Moldenhauer, K., Wilson, C.E., Counce, P., and Hardke, J. 2013. *Arkansas Rice Production Handbook*. Little Rock, Arkansas: University of Arkansas,

Division of Agriculture.

- Mouradov, A., and Spangenberg, G. 2014. Flavonoids: a metabolic network mediating plants adaptation to their real estate. *Front Plant Sci.* 5: 620.
- Müller, C., Kuki, K.N., Pinheiro, D.T., de Souza, L.R., Silva, A.I.S., Loureiro, M.E., Oliva, M.A., and Almeida, A.M. 2015. Differential physiological responses in rice upon exposure to excess distinct iron forms. *Plant Soil.* 391(1-2): 123–138.
- Munsell Color Company. 1994. *Munsell Soil Color Charts*. Departement Agriculture. New Windsor, NY: Macbeth Division of Kollmorgen Instruments Corporation.
- Nakano, Y., and Asada, K. 1981. Hydrogen Peroxide is Scavenged by Ascorbate-specific Peroxidase in Spinach Chloroplasts. *Plant Cell Physiol.* 22(5): 867–880.
- Naufal, Irfan. 2016. *Tanggapan Fisiologis dan Pertumbuhan Delapan Hibrida Kelapa Sawit (Elaeis guineensis Jacq.) Terhadap Keracunan Besi*. Skripsi. Fakultas Pertanian, Universitas Gadjah Mada. Yogyakarta.
- National Center for Biotechnology Information (NCBI). 2020a. *OsNAS1*. ([https://www.ncbi.nlm.nih.gov/nucleotide/AB021746.2?report=genbank&log\\$=nucltop&blast_rank=10&RID=K48C93K0014](https://www.ncbi.nlm.nih.gov/nucleotide/AB021746.2?report=genbank&log$=nucltop&blast_rank=10&RID=K48C93K0014)). Diakses tanggal 24 Agustus 2020.
- National Center for Biotechnology Information (NCBI). 2020b. *OsNAS2*. ([https://www.ncbi.nlm.nih.gov/nucleotide/AB023818.1?report=genbank&log\\$=nucltop&blast_rank=9&RID=K49U5NNY016](https://www.ncbi.nlm.nih.gov/nucleotide/AB023818.1?report=genbank&log$=nucltop&blast_rank=9&RID=K49U5NNY016)). Diakses tanggal 24 Agustus 2020.
- National Center for Biotechnology Information (NCBI). 2020c. *OsNAS3*. ([https://www.ncbi.nlm.nih.gov/nucleotide/AB023819.1?report=genbank&log\\$=nucltop&blast_rank=8&RID=KZS7YYDW014](https://www.ncbi.nlm.nih.gov/nucleotide/AB023819.1?report=genbank&log$=nucltop&blast_rank=8&RID=KZS7YYDW014)). Diakses tanggal 24 Agustus 2020.
- National Center for Biotechnology Information (NCBI). 2021a. *OsIRT1*. (https://www.ncbi.nlm.nih.gov/tools/primer-blast/primertool.cgi?ctg_time=1616478042&job_key=SUOWANRa2fL-zNzJ0an4-6uy6cmGofLUhw). Diakses tanggal 13 April 2021.
- National Center for Biotechnology Information (NCBI). 2021b. *OsIRT2*. (https://www.ncbi.nlm.nih.gov/tools/primer-blast/primertool.cgi?ctg_time=1616508846&job_key=Iij8HVMjVAtzNU4wQ1BqAjlLezAUWGAtFQ). Diakses tanggal 13 April 2021.
- National Center for Biotechnology Information (NCBI). 2021c. *OsFRO2*. (https://www.ncbi.nlm.nih.gov/tools/primer-blast/primertool.cgi?ctg_time=1616596788&job_key=UVuOGH3rcENXfXV4eBhRSgIDQHgvEFtLg). Diakses tanggal 13 April 2021.
- Nenova, V.R. 2009. Growth and photosynthesis of pea plants under different iron supply. *Acta Physiol. Plant.* 31(2): 385–391.
- Noor, A., Lubis, I., Ghulamahdi, M., Chozin, M.A., Anwar, K., dan Wirnas, D. 2012. Pengaruh konsentrasi besi dalam larutan hara terhadap gejala keracunan besi dan pertumbuhan tanaman padi. *J. Agron. Indonesia.* 40(2): 91 – 98.

- Novianti, V., Indradewa, D., Maryani, and Rachmawati, D. 2020a. The effect of low pH on physiological characters in vegetative phase of Kalimantan local swamp rice (*Oryza sativa* L.). *AIP Conference Proceedings*. 2260: 030019.
- Novianti, V., Indradewa, D., Maryani, and Rachmawati, D. 2020b. Selection of local swamp rice cultivars from Kalimantan (Indonesia) tolerant to iron stress during vegetative stage. *Biodiversitas*. 21: 5595–5606.
- Novianti, V., Indradewa, D., Maryani, and Rachmawati, D. 2023. Enzymatic antioxidant activity and physiological responses of local swamp rice cultivars from Kalimantan-Indonesia under iron toxicity during vegetative stage. *J. Crop Sci. Biotechnol.* 26(3): 369–386.
- Nugraha, Y., Ardie, S.W., Ghulamahdi, M., Suwarno, S., and Aswidinnoor, H. 2016b. Nutrient culture media with agar is effective for early and rapid screening of iron toxicity tolerant in rice. *J. Crop Sci. Biotech.* 19(1): 61-70.
- Nugraha, Y., Rumanti, I.A., Guswara, A., Ardie, S.W., Suwarno, Ghulamahdi, M., and Aswidinnoor, H. 2016c. Responses of Selected Indonesian Rice Varieties under Excess Iron Condition in Media Culture at Seedling Stage. *J. Penelit. Pertan. Tanam. Pangan.* 35(3): 181–190.
- Nugraha, Y., Ardie, S.W., Ghulamahdi, M., Suwarno, and Aswidinnoor, H. 2016. Generation mean analysis of leaf bronzing associated with iron toxicity in rice seedlings using digital imaging methods. *SABRAO J. Breed. Genet.* 48: 453–464.
- Nugraha, Y., dan Rumanti, I.A. 2017. Breeding for Rice Variety Tolerant to Iron Toxicity. *Iptek Tanaman Pangan*. 12(1): 9-24.
- Nurhasanah, H.S., Lestari, W., and Suharyo. 2019. The response of East Kalimantan, Indonesia local rice cultivars against iron stress. *Biodiversitas*. 20(1): 273-282.
- Nurlelasani, Nela. 2017. *Pertumbuhan dan Daya Hasil Tiga Galur Padi Rawa Potensial Terhadap Cekaman Pirit Tinggi (300 ppm) dan pH Rendah (pH 4) Dalam Kondisi Tergenang*. Skripsi. Fakultas Matematika dan Ilmu Pengetahuan Alam, Program Studi Biologi, Universitas Negeri Jakarta. Jakarta.
- Nurmalasari, A.I. 2016. *Tanggapan Perakaran Delapan Hibrida Kelapa Sawit Terhadap Keracunan Besi Pada Tahap Pembibitan Utama*. Thesis S2. Fakultas Pertanian, Universitas Gadjah Mada. Yogyakarta.
- Olembo, M., and Mmboyi, O. 2010. *Success Stories in Crop Improvement in Africa*. Nairobi, Kenya: African Biotechnology Stakeholders Forum (ABSF).
- Olson, N.D., and Morrow, J.B. 2012. DNA extract characterization process for microbial detection methods development and validation. *BMC Res. Notes*. 5: 668.
- Onaga, G., Edema, R., and Asea, G. 2013. Tolerance of rice germplasm to iron toxicity stress and the relationship between tolerance, Fe^{2+} , P, and K content in the leaves and roots. *Arch. Agron. Soil Sci.* 59(2): 213-229.
- Onyango, D.A., Entila, F., Dida, M.M., Ismail, A.M., and Drame, K.N. 2019. Mechanistic understanding of iron toxicity tolerance in contrasting rice varieties from Africa: 1. Morpho-physiological and biochemical responses. *Funct. Plant Biol.* 46(1): 93-105.

- Pazini, J. de B., Martins, J. F. da S., Dorneles, K. da R., Crizel, R.L., da Silva, F.F., Chaves, F.C., Fernando, J.A., Dallagnol, L.J., Seidel, E.J., Stout, M.J., and Grützmaier, A.D. 2022. Morphoanatomical and biochemical factors associated with rice resistance to the South American rice water weevil, *Oryzophagus oryzae* (Coleoptera: Curculionidae). *Nature*. 12: 22480.
- Pereira, E.G., Oliva, M.A., Rosado-Souza, L., Mendes, G.C., Colares, D.S., Stopato, C.H., and Almeida, A.M. 2013. Iron excess affects rice photosynthesis through stomatal and non-stomatal limitations. *Plant Sci*. 201–202: 81–92.
- Pereira, M.P., Santos, C., Gomes, A., and Vasconcelos, M.W. 2014. Cultivar variability of iron uptake mechanisms in rice (*Oryza sativa* L.). *Plant Physiol. Biochem*. 85: 21–30.
- Ponnamperuma, F.N. 1972. The chemistry of submerged soils. *Adv. Agron*. 24: 29–96.
- Pons, L.J., Van Breemen, N., and Driessen, P.M. 1982. Physiography of coastal sediment and development of potential soil acidity. pp.1-18. In J.A. Kittrick, D.S. Fanning, & L.R. Hossner (Eds). *Acid Sulphate Weathering*. SSSA Special Publ. No. 10. Madison, Wisconsin. USA.
- Prabhandaru, I., dan Saputro, T.B. 2017. Respon perkecambahan benih padi (*Oryza sativa* L.) varietas lokal SiGadis hasil iradiasi sinar gamma. *J. Sains Seni ITS*. 6(2): 2337-3520.
- Puig, S., and Peñarrubia, L. 2009. Placing metal micronutrients in context: transport and distribution in plants. *Curr. Opin. Plant Biol*. 12(3): 299–306.
- Quinet, M., Vromman, D., Clippe, A., Bertin, P., Lequeux, H., Dufey, I., Lutts, S., and Lefevre, I. 2012. Combined transcriptomic and physiological approaches reveal strong differences between short-and long-term response of rice (*Oryza sativa*) to iron toxicity. *Plant Cell Environ*. 35(10): 1837–1859.
- Rachmawati, D., dan Retnaningrum, E. 2013. Pengaruh tinggi dan lama penggenangan terhadap pertumbuhan padi kultivar sintanur dan dinamika populasi rhizobakteri pemfiksasi nitrogen non simbiosis. *Bionatura J. Ilmu-Ilmu Hayati Fis*. 15(2): 117–125.
- Ratmini, N.P.S. 2018. Kajian provitas lahan sulfat masam Sumatera Selatan: Studi kasus Desa Mulya Sari Kecamatan Tanjunglago. *Agroecotenia*. 1(1): 52-62.
- Raza, A., Razzaq, A., Mehmood, S.S., Zou, X., Zhang, X., Lv, Y., and Xu, J. 2019. Impact of climate change on crops adaptation and strategies to tackle its outcome: a review. *Plants*. 8(2): 34.
- Regon, P., Dey, S., Rehman, M., Pradhan, A.K., Chowra, U., Tanti, B., and Sarma, R.N. 2022. Transcriptomic analysis revealed reactive oxygen species scavenging mechanisms associated with ferrous iron toxicity in aromatic Keteki Joha rice. *Front. Plant Sci*. 13: 1–18.
- Ritung, S., Suryani, E., Subardja, D., Sukarman, N.K., Suparto, H., Mulyani, A., Tafakresnanto, C., Sulaeman, Y., Subandiono, R.E., and Wahyunto. 2015. *Agricultural land resources of indonesia: area, distribution, and potential availability*. Jakarta, Indonesia: IAARD Press.
- Rout, G.R., and Sahoo, S. 2015. Role of iron in plant growth and metabolism. *Rev. Agric. Sci*. 3: 1–24.

- Ruzin, S.E. 1999. *Plant Microtechnique and Microscopy*. New York. Oxford. Oxford University Press.
- Sahrawat, K.L. 2005. Iron toxicity in wetland rice and the role of other nutrients. *J. Plant Nutr.* 27(8): 1471–1504.
- Saikia, T., and Baruah, K.K. 2012. Iron toxicity tolerance in rice (*Oryza sativa*) and its association with anti-oxidative enzyme activity. *J. Crop Sci.* 3(3): 90–94.
- Salsinha, Y.C.F., Indradewa, D., Purwestri, Y.A., Rachmawati, D. 2021. Physiological and oxidative defense responses of local rice cultivars “Nusa Tenggara Timur-Indonesia” during vegetative drought stress. *Aust. J. Crop Sci.* 15(03): 394–400.
- Shamshuddin, J., Muhrizal, S., Fauziah, I., and Van Ranst, E. 2004. A laboratory study of pyrite oxidation in acid sulfate soils. *Commun. Soil Sci. Plant Anal.* 35(1–2): 117–129.
- Shamshuddin, J. 2006. *Acid Sulfate Soils in Malaysia*. 1st Ed. UPM Press, Serdang. Pp: 127.
- Shamshuddin, J., Elisa, A.A., Shazana, M.A.R.S., and Fauziah, C.I. 2013. Rice defense mechanisms against the presence of excess amount of Al^{3+} and Fe^{2+} in the water. *Aust. J. Crop Sci.* 7(3): 314–320.
- Shamshuddin, J., Elisa, A.A., Shazana, M.A.R.S., Fauziah, C.I., Panhwar, Q.A., and Naher, U.A. 2014. Properties and management of acid sulfate soils in Southeast Asia for sustainable cultivation of rice, oil palm, and cocoa. *Adv. Agron.* 124: 91–142.
- Sikirou, M., Saito, K., Dramé, K.N., Saidou, A., Dieng, I., Ahanchédé, A., and Venuprasad, R. 2016. Soil-based screening for iron toxicity tolerance in rice using pots. *Plant Prod. Sci.* 19(4): 489–496.
- Sikirou, M., Saito K., Achigan-Dako E.G., Dramé K.N., Adam A., and Venuprasad R. 2015. Genetic Improvement of Iron Toxicity Tolerance in Rice-Progress, Challenges and Prospects in West Africa. *Plant Prod. Sci.* 18(4): 423–434.
- Singh, B., Reddy, K.R., Redoña, E.D., and Walker, T. 2017. Screening of rice cultivars for morpho-physiological responses to early season soil moisture stress. *Rice Sci.* 24(6): 322–335.
- Slama, I., Abdelly, C., Bouchereau, A., Flowers, T., and Savouré, A. 2015. Diversity, distribution and roles of osmoprotective compounds accumulated in halophytes under abiotic stress. *Ann. Bot.* 115(3): 433–447.
- Sofo, A., Scopa, A., Nuzzaci, M., and Vitti, A. 2015. Ascorbate Peroxidase and Catalase Activities and Their Genetic Regulation in Plants Subjected to Drought and Salinity Stresses. *Int. J. Mol. Sci.* 16(6): 13561–13578.
- Soil Survey Staff. 2022. *Keys to Soil Taxonomy*. 13th ed. Washington DC: NSCS-USDA.
- Sonu, N., Nandakumar, S., Singh, V.J., Pandey, R., Gopala Krishnan, S., Bhowmick, P.K., Ellur, R.K., Bollinedi, H., Harshitha, B.S., Yadav, S., Beniwal, R., Nagarajan, M., Singh, A.K., and Vinod, K.K. 2024. Implications of tolerance to iron toxicity on root system architecture changes in rice (*Oryza sativa* L.). *Front. Sustain. Food Syst.* 7: 1334487.
- Sopandie, D. 2013. *Fisiologi Adaptasi Tanaman terhadap Cekaman Abiotik pada Agroekosistem Tropika*. Bogor, Indonesia: IPB Press.

- Staal, M., De Cnodder, T., Simon, D., Vandenbussche, F., Van Der Straeten, D., Verbelen, J.-P., Elzenga, T., and Vissenberg, K. 2011. Apoplastic alkalisation is instrumental for the inhibition of cell elongation in the *Arabidopsis thaliana* root by the ethylene precursor 1-aminocyclopropane-1-carboxylic acid (ACC). *Plant Physiol.* 155(4): 2049–2055.
- Stein, R.J., Ricachenevsky, F.K., and Fett, J.P. 2009. Differential regulation of the two rice ferritin genes (*OsFER1* and *OsFER2*). *Plant Sci.* 177(6): 563–569.
- Stein, R.J., Duarte, G.L., Scheunemann, L., Spohr, M.G., de Araújo Júnior, A.T., Ricachenevsky, F.K., Rosa, L.M.G., Zanchin, N.I.T., Santos, R.P., and Fett, J.P. 2019. Genotype variation in rice (*Oryza sativa* L.) tolerance to Fe toxicity might be linked to root cell wall lignification. *Front. Plant Sci.* 10: 1–20.
- Strzałka, K., Kostecka-Gugała, A., and Latowski, D. 2003. Carotenoids and environmental stress in plants: significance of carotenoid-mediated modulation of membrane physical properties. *Russ. J. Plant Physiol.* 50(2): 168–172.
- Subagyo, H. 1997. Potensi pengembangan dan tata ruang lahan rawa untuk pertanian. pp. 17-55. Dalam A.S. Karama et al. (penyunting). *Prosiding Simposium Nasional dan Kongres VI PERAGI*. Makalah Utama. Jakarta, 25-27 Juni 1996.
- Sujinah dan Diniaty, R. 2022. Oxydative barrier of rice roots against iron toxicity. Dalam Herlinda S et al. (Eds.). *Prosiding Seminar Nasional Lahan Suboptimal ke-10 Tahun 2022*. Palembang, 27 Oktober 2022. pp. 495-503. Palembang: Penerbit & Percetakan Universitas Sriwijaya (UNSRI).
- Sulaiman, A.A., Sulaeman, Y., and Minasny, B. 2019. A Framework for the Development of Wetland for Agricultural Use in Indonesia. *Resources.* 8(1): 34.
- Sunkar, R. 2010. *Plant Stress Tolerance, Methods in Molecular Biology (Vol. 639)*. Springer Science+Business Media. LLC.
- Supriyanti, A., Supriyanta, dan Kristamini. 2015. Karakterisasi dua puluh padi (*Oryza sativa* L.) lokal di Daerah Istimewa Yogyakarta. *Vegetalika.* 4(3): 29-41.
- Suhaeti, T. 1988. *Metode Pengujian dan Perawatan Mutu Benih*. Bogor: Pusat Penelitian dan Pengembangan Hutan dan Proyek Pendidikan dan Latihan dalam Rangka Peng-Indonesiaan Tenaga Kerja Perusahaan Hutan. pp. 32.
- Takahashi, R., Ishimaru, Y., Senoura, T., Shimo, H., Ishikawa, S., Arao, T., Nakanishi, H., and Nishizawa, N.K. 2011. The *OsNRAMP1* iron transporter is involved in Cd accumulation in rice. *J. Exp. Bot.* 62(14): 4843–4850.
- Tanaka, A., and Yoshida, S. 1972. Potassium in relation to iron toxicity of the rice plant. *Potash. Rev.* 21: 1-12.
- Tripathi, D.K., Singh, S., Singh, S., Mishra, S., Chauhan, D.K., and Dubey, N.K. 2015. Micronutrients and their diverse role in agricultural crops: advances and future prospective. *Acta Physiol. Plant.* 37: 1-14.
- Utama, Z.H. 2015. *Rice cultivation on marginal land: tips on increasing rice production*. Andi Press. Yogyakarta, Indonesia.
- Utami, D.W., dan Hanarida, I. 2014. Evaluasi lapang dan identifikasi molekuler plasma nutfah padi terhadap keracunan Fe. *J. AgroBiogen.* 10(1): 9–17.

- Vaculík, M., Konlechner, C., Langer, I., Adlassnig, W., Puschenreiter, M., Lux, A., and Hauser, M.-T. 2011. Root anatomy and element distribution vary between two *Salix caprea* isolates with different Cd accumulation capacities. *Environ. Pollut.* 163: 117–126.
- Viana, V.E., Marini, N., Finatto, T., Ezquer, I., Busanello, C., Dos Santos, R.S., Pegoraro, C., Colombo, L., & de Oliveira, A.C. 2017. Iron excess in rice: From phenotypic changes to functional genomics of *WRKY* transcription factors. *Genet. Mol. Res.* 16(3): gmr16039694.
- Wairich, A., de Oliveira, B.H.N., Arend, E.B., Duarte, G.L., Ponte, L.R., Sperotto, R.A., and Fett, J.P. 2019. The combined strategy for iron uptake is not exclusive to domesticated rice (*Oryza sativa*). *Sci. Rep.* 9: 1–17.
- Wairich, A., De Oliveira, B.H.N., Wu, L.B., Murugaiyan, V., Margis-Pinheiro, M., Fett, J.P., and Härtel, H. 2021. Chromosomal introgressions from *Oryza meridionalis* into domesticated rice *Oryza sativa* result in iron tolerance. *J. Exp. Bot.* 72: 2242–2259.
- Wairich, A., Aung, M.S., Ricachenevsky, F.K., and Masuda, H. 2024. You can't always get as much iron as you want: how rice plants deal with excess of an essential nutrient. *Front. Plant Sci.* 15:1381856.
- Wang, X., Pang, Y., Zhang, J., Wu, Z., Chen, K., Ali, J., Ye, G., Xu, J., and Li, Z. 2017. Genome-wide and gene-based association mapping for rice eating and cooking characteristics and protein content. *Sci. Rep.* 7: 17203.
- Wibisono, K., Adisyahputra, dan Azrai, E. P. 2015. Seleksi toleransi padi rawa terhadap pH rendah dan pirit tinggi pada tahap vegetatif awal. *BIOMA- Jurnal Biologi Indonesia*. 11(1): 2010–2014.
- Widjaja-Adhi, I.P.G. 1986. Pengelolaan lahan rawa pasang surut dan lebak. *J. Litbang Pertanian*. 5(1): 1-9.
- Widjaja-Adhi, I.P.G., Nugroho, K., Ardi, D.S., dan Karama, S. 1992. Sumberdaya lahan rawa: potensi, keterbatasan dan pemanfaatan. *Dalam* S. Partoharjono & M. Syam (Eds). *Pengembangan terpadu lahan rawa pasang surut dan lebak*. SWAMPS II. Pusat Penelitian dan Pengembangan Tanaman Pangan (Puslitbangtan), Bogor.
- Wilfinger, W.W., Mackey, K., and Chomczynski, P. 2006. Assessing the quantity, purity, and integrity of RNA and DNA following nucleic acid purification. *In* K. J. Kieleczawa (Ed). pp. 291–312. *DNA Sequencing II: Optimizing Preparation and Cleanup*. Jones and Bartlett Publishers.
- Wu, L.B., Shhadi, M.Y., Gregorio, G., Matthus, E., Becker, M., and Frei, M. 2014. Genetic and physiological analysis of tolerance to acute iron toxicity in rice. *Rice*. 7(1): 8.
- Wu, L.B., Ueda, Y., Lai, S.K., and Frei, M. 2017. Shoot tolerance mechanisms to iron toxicity in rice (*Oryza sativa* L.). *Plant Cell Environ.* 40(4): 570–584.
- Xie, X., He, Z., Chen, N., Tang, Z., Wang, Q., and Cai, Y. 2019. The Roles of Environmental Factors in Regulation of Oxidative Stress in Plants. *BioMed Research International*. 2019: 1–11.
- Yang, M., Huang, S.X., Fang, S.Z., and Huang, X.L. 2011. Response of seedling growth of four *Eucalyptus* clones to acid and aluminum stress. *Plant Nutr. Fert. Sci.* 17: 195–201.

- Yoshida, S., Forno, D.A., Cock, J.H., and Gomez, K.A. 1976. *Laboratory Manual for Physiological Studies of Rice*. International Rice Research Institute (IRRI), Los Baños, Filipina. pp. 62.
- Yoshida, S. 1981. *Fundamentals of Rice Crop Science*. International Rice Research Institute (IRRI), Los Baños, Filipina. pp.7.
- Zandi, P., Yang, J., Darma, A., Bloem, E., Xia, X., Wang, Y., Li, Q., and Schnug, E. 2022. Iron plaque formation, characteristics, and its role as a barrier and/or facilitator to heavy metal uptake in hydrophyte rice (*Oryza sativa* L.). *Environ. Geochem. Health*. 44(4): 1229–1250.
- Zanzibar, M., and Sudrajat, D.J. 2016. Effect of Gamma Irradiation on Seed Germination, Storage, and Seedling Growth of *Magnolia champaca* L. *Indones. J. For. Res.* 3(2): 95–106.
- Zhai, S., Xia, X., and He, Z. 2016. Carotenoids in staple cereals: metabolism, regulation, and genetic manipulation. *Front Plant Sci.* 7: 1197.
- Zhang, Y., Xu, Y.-H., Yi, H.-Y., and Gong, J.-M. 2012. Vacuolar membrane transporters *OsVIT1* and *OsVIT2* modulate iron translocation between flag leaves and seeds in rice. *Plant J.* 72(3): 400-410.
- Zhang, Y.K., Zhu, D.F., Zhang, Y.P., Chen, H.Z., Xiang, J., and Lin, X.Q. 2015. Low pH-induced changes of antioxidant enzyme and ATPase activities in the roots of rice (*Oryza sativa* L.) seedlings. *PLoS ONE*. 10(2): e0116971.