Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adnan, M. L., Pramaningtyas, M. D., Islamiana, D., & Sudarto. H. A. (2022). Hyperlipidemia Diet Reduces Superoxide Dismutase Inhibition Rate in the Brain Organ of *Rattus norvegicus*. *Mutiara Medika: Jurnal Kedokteran dan Kesehatan*, 22(1), 14-19. DOI:10.18196/mmjkk.v21i2.8167

Anumas, S. & Inagi, R. (2025). Mitigating Lipotoxicity: A Potential Mechanism to Delay Chronic Kidney Disease Progression Using Current Pharmacological Therapies. *Nephrology,* 30(7). https://doi.org/10.1111/nep.70098.

Araujo, J. A., Zhang, M., & Yin, F. (2012). Heme Oxygenase-1, Oxidation, Inflammation, and Atherosclerosis. *Frontiers in Pharmacology*, 3. doi:10.3389/fphar.2012.00119

Artiss, J. D. & Zak, B. (1997). Measurement of cholesterol concentration. In: Rifai N, Warnick GR, Dominiczak MH, eds. *Handbook of lipoprotein testing*. Washington: AACC Press, p. 99-114.

Athyros, V., Tziomalos, K., Karagiannis, A., & Mikhailidis, D. (2011). Dyslipidaemia of Obesity, Metabolic Syndrome and Type 2 Diabetes Mellitus: the Case for Residual Risk Reduction After Statin Treatment . *Open Cardiovascular Medicine J*, 5. DOI: http://dx.doi.org/10.2174/1874192401105010024

Bae, S., Lee, J. H., Kim, S. J., Yun, J. H., Park, J., & Jun, W. (2025). Neoagarooligosaccharides improve non-alcoholic fatty liver disease by modulating lipid metabolism and Nrf2-related pathways. *Journal of Functional Foods*, 127. https://doi.org/10.1016/j.jff.2025.106737.

Bao, J., Zhao, Y., Xu, X., & Ling, S. (2025). Advances in the Use of Metformin for Liver Disease. *Current Medicinal Chemistry*, 32(18). DOI: 10.2174/0109298673274268231215110330

Bardini, G., Rotella, C. M. & Giannini, S. (2012). Dyslipidemia and Diabetes: Reciprocal Impact of Impaired Lipid Metabolism and Beta-Cell Dysfunction

Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

on Micro- and Macrovascular Complications. *The Review of Diabetic Studies*, 9(2-3), 82–93. doi:10.1900/RDS.2012.9.82

Bell, D. S. H. (2003). Dyslipidemia in Type 2 Diabetes and the Effects of Thiazolidinediones. *The Endocrinologist*, 13(6), 496–504. doi:10.1097/01.ten.0000098612.88907.4b

Bernardi, S., Marcuzzi, A., Pisciansz, E., Tommasini, A., & Fabris, B. (2018). The Complex Interplay between Lipids, Immune System and Interleukins in Cardio-Metabolic Diseases. *International Journal of Molecular Sciences*, 19(12). DOI:10.3390/ijms19124058

Brito, A. K. d. S., Mendes, A. V. d. S., Timah Acha, B., Santos Oliveira, A. S. d. S., Lopes Macedo, J., Suzuki Cruzio, A., Prianti, M. d. G., Abreu, R. R. d., Lucarini, M., Durazzo, A., do Carmo de Carvalho e Martins, M., & Arcanjo, D. D. R. (2025). Experimental Models of Type 2 Diabetes Mellitus Induced by Combining Hyperlipidemic Diet (HFD) and Streptozotocin Administration in Rats: An Integrative Review. *Biomedicines*, *13*(5), 1158. https://doi.org/b10.3390/biomedicines13051158

Cao, J., Inoue, K., Sodhi, K., Puri, N., Peterson, S. J., Rezzani, R., & Abraham, N. G. (2011). High-Fat Diet Exacerbates Renal Dysfunction in SHR: Reversal by Induction of HO-1–Adiponectin Axis. *Obesity*, 20(5), 945–953. doi:10.1038/oby.2011.365

Casper, E. (2023). The crosstalk between Nrf2 and NF-κB pathways in coronary artery disease: Can it be regulated by SIRT6?. *Life Sciences*, 330. https://doi.org/10.1016/j.lfs.2023.122007

Chaudière, J. & Ferrari-Iliou, R. (1999). Intracellular Antioxidants: from Chemical to Biochemical Mechanisms. *Food and Chemical Toxicology*, 37, 949–962. doi:10.1016/s0278-6915(99)00090-3

Chiang, S. K., Chen, S. E., & Chang, L. C. (2021). The Role of HO-1 and Its Crosstalk with Oxidative Stress in Cancer Cell Survival. *Cells*, 10(9), 2401. https://doi.org/10.3390/cells10092401

UNIVERSITAS GADJAH MADA
Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dehkordi, A. H., Abbaszadeh, A., Mir, S., & Hasanvand, A. (2019). Metformin and its anti-inflammatory and anti-oxidative effects; new concepts. *Journal of Renal Injury Prevention*. 8(1), 54-61. DOI: 10.15171/jrip.2019.11.

Delarue, J. & Magnan, C. (2007). Free fatty acids and insulin resistance. *Current Opinion in Clinical Nutrition and Metabolic Care*, 10(2), 142–148. doi:10.1097/mco.0b013e328042ba90

Do, M. T., Kim, H. G., Choi, J. H., & Jeong, H. G. (2014). Metformin induces microRNA-34a to downregulate the Sirt1/Pgc-1α/Nrf2 pathway, leading to increased susceptibility of wild-type p53 cancer cells to oxidative stress and therapeutic agents. *Free Radical Biology and Medicine*, 74, 21-34. https://doi.org/10.1016/j.freeradbiomed.2014.06.010.

Durrington, P., & Soran, H. (2014). Hyperlipidemia. *Metabolism of Human Diseases*, 295–302. doi:10.1007/978-3-7091-0715-7_43

Fachi, J. L., Corrêa, R. O., Sato, F. T., Vieira, A. T., Rodrigues, H. G., & Vinolo, M. A. R. (2017). Short-chain fatty acids, G protein-coupled receptors, and immune cells. *Nutrition, Immunity, and Infection*, 279-294. DOI: 10.1201/9781315118901

Fatima, F. & Zakaria, M. (2024). Oxidative stress and insulin resistance. *Fundamental Principles of Oxidative Stress in Metabolism and Reproduction (Prevention and Management)*, 123-137. DOI: https://doi.org/10.1016/B978-0-443-18807-7.00008-9

Fan, S., Yang, Y., Li, X., Liu, J., Qiu, Y., Yan, L., & Ren, M. (2024). Association between heme oxygenase-1 and hyperlipidemia in pre-diabetic patients: a cross-sectional study. *Frontiers in Endocrinology*, 15:1380163. doi: 10.3389/fendo.2024.1380163

Feng, Y., Gao, S., Zhu, T., Sun, G., Zhang, P., Huang, Y., Qu, S., Du, X., & Mou, D. (2022). Hawthorn fruit acid consumption attenuates hyperlipidemia-associated oxidative damage in rats. *Frontiers in Nutrition*, 9. DOI:10.3389/fnut.2022.936229.

UNIVERSITAS
GADJAH MADA
**Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2**
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gao, R., Yuan, Z., Zhao, Z., & Gao, X. (1998). Mechanism of pyrogallol autoxidation and determination of superoxide dismutase enzyme activit. *Bioelectrochemistry and Bioenergetics,* 45(1), 41–45. doi:10.1016/s0302-4598(98)00072-5

Gheibi, S., Kashfi, K., & Ghasemi, A. (2017). A practical guide for induction of type-2 diabetes in rat: Incorporating a high-fat diet and streptozotocin. *Biomedicine & pharmacotherapy*, *95*, 605-613.

Gordts, P. L.S.M., Nock, R., Son, N. H., Ramms, B., Lew, I., Gonzales, J. C., Thacker, B. E., Basu, D., Lee, R. G., Mullick, A. E., Graham, M. J., Goldberg, I. J., Crooke, R. M., Witztum, J. L., & Esko, J. D. (2016). ApoC-III inhibits clearance of triglyceride-rich lipoproteins through LDL family receptors. The *Journal of Clinical Investigation*, 126(8), 2855-2866. https://doi.org/10.1172/JCI86610

Griffin, B. A. (2013). Lipid metabolism. *Surgery (Oxford)*, 31(6), 267-272. https://doi.org/10.1016/j.mpsur.2013.04.006

Guo, J., Jiang, X., Lian, J., Li, H., Zhang, F., Xie, J., Deng, J., Hou, X., Du, Z., & Hao, E. (2024). Evaluation of the effect of GSK-3β on liver cancer based on the PI3K/AKT pathway. *Frontiers in Cell and Developmental Biology*, 12:1431423. doi: 10.3389/fcell.2024.1431423

Hadwan M. H. (2018). Simple spectrophotometric assay for measuring catalase activity in biological tissues. *BMC biochemistry*, *19*(1), 7. https://doi.org/10.1186/s12858-018-0097-5

Hill, R. W., Wyse, G. A., & Anderson, M. (2012). *Animal Physiology: Third Edition*. USA: Sinaeur Associates.

Hong, S. J., Lee, J.-H., Kim, E. J., Yang, H. J., Park, J.-S., & Hong, S.-K. (2017). Toxicological evaluation of neoagarooligosaccharides prepared by enzymatic hydrolysis of agar. *Regulatory Toxicology and Pharmacology*, 90, 9–21. doi:10.1016/j.yrtph.2017.08.001

UNIVERSITAS
GADJAH MADA
**Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2**
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, D., Guo, Y., Wu, R., Shao, T., Long, J., Yu, B., Wang, H., Luo, Y., Lu, H., Zhang, J., Chen, Y. E., & Peng, D. (2021). New Insight Into Metformin-Induced Cholesterol Lowering Effect: Crosstalk Between Glucose and Cholesterol Homeostasis via ChREBP (Carbohydrate-Responsive Element-Binding Protein)-Mediated PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9) Regulation. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 41: e208–e223. DOI: 10.1161/ATVBAHA.120.315708

Huang, Y., Lin, F., Zheng, B., Yang, Y., Zhang, N., Zhang, X., Hong, Q., Xiao, M., & Ye, J. (2024). Protective effects of neoagarotetraose against oxidative stress via Nrf2/HO-1 signaling pathway in hydrogen peroxide-induced HepG2 cells. *Arabian Journal of Chemiztry*. doi: 10.1016/j.arabjc.2024.105607

Hyder, M., Raja, D., Varma, V., & Ponnusankar, S. (2020). Oxidative stress during insulin resistance in prediabetes: a review on role of antioxidants. International Journal of Research in Pharmaceutical Sciences, 11(3), 3511-3520. DOI: https://doi.org/10.26452/ijrps.v11i3.2503

Ito, F., Sono, Y., & Ito, T. (2019). Measurement and Clinical Significance of Lipid Peroxidation as a Biomarker of Oxidative Stress: Oxidative Stress in Diabetes, Atherosclerosis, and Chronic Inflammation. *Antioxidants*, 8(3), 72. https://doi.org/10.3390/antiox8030072

Jain, K. S., Kathiravan, M. K., Somani, R. S., & Shishoo, C. J. (2007). The biology and chemistry of hyperlipidemia. *Bioorganic & Medicinal Chemistry*, 15(14), 4674–4699. doi:10.1016/j.bmc.2007.04.031

Jeelani, M. & Isa, AI. (2025) Resveratrol alleviates hyperlipidemia, inflammation, and oxidative stress in poloxamer 407-induced hyperlipidemic adult Wistar rats. *Archives of Biological Sciences*, 77(3), 273-83. DOI: 10.2298/ABS250611022J

Jomova, K., Alomar, S.Y., Alwasel, S.H., Nepovimova, E., Kuca, K., & Valko, M. (2024). Several lines of antioxidant defense against oxidative stress: antioxidant enzymes, nanomaterials with multiple enzyme-mimicking

UNIVERSITAS GADJAH MADA
Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

activities, and low-molecular-weight antioxidants. *Archives of Toxicology,* 98, 1323–1367. https://doi.org/10.1007/s00204-024-03696-4

Khan, S. A. & Vanden Heuvel, J. P. (2003). Reviews: Current topics role of nuclear receptors in the regulation of gene expression by dietary fatty acids (review). *Journal of Nutritional Biochemistry*, 14(10), 554-567. DOI: 10.1016/S0955-2863(03)00098-6

Kim, K., Whitin, J., Sukhova, N., & Cohen, H. J. (1999). Increase in Extracellular Glutathione Peroxidase in Plasma and Lungs of Mice Exposed to Hyperoxia. *Pediatric Research,* 46, 715 (1999). https://doi.org/10.1203/00006450-199912000-00016

La, A. L. T. Z., Li, D., Cheng, Z., Wen, Q., Hu, D., Jin, X., Liu, D., Feng, Y., Guo, Y., Cheng, G., & Hu, Y. (2024). Enzymatically prepared neoagarooligosaccharides improve gut health and function through promoting the production of spermidine by Faecalibacterium in chickens. *Science of The Total Environment*, 912. DOI: https://doi.org/10.1016/j.scitotenv.2023.169057.

Lee, W. H., Kipp, Z. A., Pauss, S. N., Martinez, G. J., Bates, E. A., Badmus, O. O., Stec, D. E., & Hinds, T. D., Jr (2025). Heme oxygenase, biliverdin reductase, and bilirubin pathways regulate oxidative stress and insulin resistance: a focus on diabetes and therapeutics. *Clinical science (London, England: 1979)*, *139*(2), 171–198. https://doi.org/10.1042/CS20242825.

Li, X., Liu, Q., Pan, Y., Chen, S., Zhao, Y., & Hu, Y. (2023), New insights into the role of dietary triglyceride absorption in obesity and metabolic diseases. *Frontiers in Pharmacology*, 14:1097835. doi: 10.3389/fphar.2023.1097835

Lin, F., Yang, D., Huang, Y., Zhao, Y., Ye, J., & Xiao, M. (2019). The Potential of Neoagaro-Oligosaccharides as a Treatment of Type II Diabetes in Mice. *Marine Drugs*, *17*(10), 541. doi: https://doi.org/10.3390/md17100541

Macfarlane, S., & Macfarlane, G. (2011). Fermentation in the Human Large Intestine: Its Physiologic Consequences and the Potential Contribution of

UNIVERSITAS GADJAH MADA
Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Prebiotics. *Journal of Clinical Gastroenterology*, 45, S120-S127. DOI: https://doi.org/10.1097/MCG.0b013e31822fecfe

Magri-Tomaz, L., Melbouci, L., Mercier, J., Ou, Y., Auclair, N., Lira, F. S., Lavoie, J. M., & St-Pierre, D. H. (2018). Two weeks of high-fat feeding disturb lipid and cholesterol molecular markers. *Cell Biochemistry & Function*, 1-7. https://doi.org/10.1002/cbf.3358

Mahmudah, R., Himaniarwati, Imran, S. A. A. (2024). Standarisasi dan Uji Aktivitas Antikolesterol Ekstrak Etanol Daun Labu Kuning (Cucurbita moschataDuch.).Jurnal Mandala *PharmaconIndonesia*, 10(1), 111-121.https://doi.org/10.35311/jmpi.v10i1.486

Medina, M. V., Sapochnik, D., Sola´, M. G., & Coso, O. (2020). Regulation of the Expression of Heme Oxygenase-1: Signal Transduction, Gene Promoter Activation, and Beyond. *Antioxidants & Redox Signaling*, 32(14), 1033-1044. DOI: 10.1089/ars.2019.7991

Miao, L., & St Clair, D. K. (2009). Regulation of superoxide dismutase genes: implications in disease. *Free radical biology & medicine*, *47*(4), 344–356. https://doi.org/10.1016/j.freeradbiomed.2009.05.018

Mohammedi, K., Bellili-Muñoz, N., Marklund, S. L., Driss, F., Le Nagard, H., Patente, T. A., Fumeron, F., Roussel, R., Hadjadj, S., Marre, M., & Velho, G. (2015). Plasma extracellular superoxide dismutase concentration, allelic variations in the SOD3 gene and risk of myocardial infarction and all-cause mortality in people with type 1 and type 2 diabetes. *Cardiovascular diabetology*, *14*, 845. https://doi.org/10.1186/s12933-014-0163-2

Nagasawa, R., Hara, Y., Murohashi, K., Aoki, A., Kobayashi, N., Takagi, S., Hashimoto, S., Kawana, A., & Kaneko, T. (2020). Serum heme oxygenase-1 measurement is useful for evaluating disease activity and outcomes in patients with acute respiratory distress syndrome and acute exacerbation of interstitial lung disease. *BMC Pulmonary Medicine*, 20, 310. https://doi.org/10.1186/s12890-020-01341-1

UNIVERSITAS
GADJAH MADA
**Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2**
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nelson, D. L., Cox, M. M., & Hoskins, A. A. (2021). *Lehninger: Principles of Biochemistry (Eight Edition)*. New York: W. H. Freeman and Company.

Ning, J., Mo, L., & Lai, X. (2010). Low- and high-dose hydrogen peroxide regulation of transcription factor NF-E2-related factor 2. *Chinese Medical Journal*, 123(8), 1063—1069. DOI: 10.3760/cma.j.issn.0366-6999.2010.08.016

Oh, J. K., Vasquez, R., Kim, S. H., Lee, J. H., Kim, E. J., Hong, S. H., Lee, J. H., Kim, E, J., Hong, S. K., & Kang, D. K. (2022). Neoagarooligosaccharides modulate gut microbiota and alleviate body weight gain and metabolic syndrome in high-fat diet-induced obese rats. *Journal of Functional Foods*, 88. DOI: https://doi.org/10.1016/j.jff.2021.104869

Pizzino, G., Irrera, N., Cucinotta, M., Pallio, G., Mannino, F., Arcoraci, V., Squadrito, F., Altavilla, D., & Bitto, A. (2017). Oxidative Stress: Harms and Benefits for Human Health. *Oxidative medicine and cellular longevity*, 2017, 8416763. https://doi.org/10.1155/2017/8416763

Raju, D.S.S.K., Lalitha, D. L., & Kiranmayi, P. (2013). A Study of Lipid Profile and Lipid Peroxidation in Chronic Kidney Disease with Special Reference to Hemodialysis. *Journal of Clinical Research & Bioethic*, 4(143). DOI:10.4172/2155-9627.1000143

Roessner, A., Kuester, D., Malfertheiner, P., & Schneider-Stock, R. (2008). Oxidative stress in ulcerative colitis-associated carcinogenesis. *Pathology - Research and Practice*. 204(7), 511-524, https://doi.org/10.1016/j.prp.2008.04.011.

Rousset, F., Nguyen, M. V., Grange, L., Morel, F., & Lardy, B. (2013). Heme oxygenase-1 regulates matrix metalloproteinase MMP-1 secretion and chondrocyte cell death via Nox4 NADPH oxidase activity in chondrocytes. *PloS one*, *8*(6). https://doi.org/10.1371/journal.pone.0066478

Roy, Z., Bansal, R., Siddiqui, L., & Chaudhary, N. (2023). Understanding the Role of Free Radicals and Antioxidant Enzymes in Human Diseases. *Current*

Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pharmaceutical Biotechnology, 24(10), 1265-1276. DOI: 10.2174/1389201024666221121160822

Ruiz-Ojeda FJ, Gomez-Llorente C, Aguilera CM, Gil A, Rupérez AI (2016) Impact of 3-Amino-1,2,4-Triazole (3-AT)-Derived Increase in Hydrogen Peroxide Levels on Inflammation and Metabolism in Human Differentiated Adipocytes. *PLoS ONE,* 11(3): e0152550. https://doi.org/10.1371/journal.pone.0152550

Schade, D., Shey, L., & Eaton, R. (2020). Cholesterol Review: A Metabolically Important Molecule. *Endocrine Practice*, 26, 1514-1523. DOI: 10.4158/EP-2020-0347

Sekhar M, S., Marupuru, S., Reddy, B. S., Kurian, S. J., & Rao, M. (2020). Physiological role of cholesterol in human body. *Dietary Sugar, Salt and Fat in Human Health*, 453-481. DOI: https://doi.org/10.1016/B978-0-12-816918-6.00021-4

Shattat G. F. (2014). A Review Article on Hyperlipidemia: Types, Treatments and New Drug Targets. *Biomedical Pharmacology Journal*, 7(2). DOI : https://dx.doi.org/10.13005/bpj/504

Singh, S., Zahoor, I., Sharma, N., Behl, T., Kanojia, N., Sehgal, A., Mohan, S., Almoshari, Y., Salawi, A., Aleya, L., & Bungau, S. (2022). Insights into the pivotal role of statins and its nanoformulations in hyperlipidemia. *Environmental Science and Pollution Research,* 29, 76514–76531. https://doi.org/10.1007/s11356-022-23043-3

Song, T., Liu, L., Tang, Q., Xiang, S., Wang, B., Zhang, S., Wang, X., Chu, Y., Luo, D., & Lin, J. (2022). Antioxidant neoagarooligosaccharides (NAOs) and dietary fiber production from red algae Gracilariopsis lemaneiformis using enzyme assisted one-step process. *Food Hydrocolloids*, 125. https://doi.org/10.1016/j.foodhyd.2021.107382

Sooch, B. S., Kauldhar, B. S., & Puri, M. (2014). Recent insights into microbial catalases: Isolation, production and purification. *Biotechnology Advances*, 32(8), 1429-1447. https://doi.org/10.1016/j.biotechadv.2014.09.003.

UNIVERSITAS GADJAH MADA
Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tan, M. H., Alquraini, H., Mizokami-Stout, K., & MacEachern, M. (2016). Metformin: From Research to Clinical Practice. Endocrinology and Metabolism Clinics of North America. http://dx.doi.org/10.1016/j.ecl.2016.06.008

Tan, B. L., & Norhaizan, M. E. (2019). Effect of High-Fat Diets on Oxidative Stress, Cellular Inflammatory Response and Cognitive Function. *Nutrients*, 11(11), 2579. https://doi.org/10.3390/nu11112579

Twala, P. P., Mitema, A., Baburam, C., & Feto, N. A. (2020). Breakthroughs in the discovery and use of different peroxidase isoforms of microbial origin[J]. *AIMS Microbiology*, 6(3): 330-349. doi: 10.3934/microbiol.2020020

Vallejo, S. J. H., Alqub, M., Luquet, S., Cruciani-Guglielmacci, C., Delerive, P., Lobaccaro, J. M., Kalopissis, A. D., Chambaz, J., Rousset, M., & Lacorte, J. M. (2009). Short-term adaptation of postprandial lipoprotein secretion and intestinal gene expression to a high-fat diet. *American Journal of Physiology Gastrointestinal and Liver Physiology,* 296. doi:10.1152/ajpgi.90324.2008.

Vanmathi, S. M., Star, M. M., Jishala, M. I., & Sundaram, R. S. (2019). A Pathophysiological Approach of Macrovascular Complication in Diabetes Mellitus with Hypertension: A Systematic Review. Research Journal of *Pharmacy and Technology*, 12(2), 901-906. DOI: 10.5958/0974-360X.2019.00154.9

Wagener, F. A. D. T. G., Volk, H. D., Willis, D., Abraham, N. G., Soares, M. P., Adema, G. J., & Figdo, C. G. (2003). Different Faces of the Heme-Heme Oxygenase System in Inflammation. *Pharmacological Reviews,* 55(3), 551–571. doi:10.1124/pr.55.3.5

Watson, A. D. (2006). Lipidomics: a global approach to lipid analysis in biological systems. *Journal of Lipid Research*, 47, 2101-2111. DOI 10.1194/jlr.R600022-JLR200

Wu, N., Sarna, L. K., Hwang, S. Y., Zhu, Q., Wang, P., Siow, Y. L., & Karmin O. (2013). Activation of 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA)

Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

reductase during high fat diet feeding. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1832(10), 1560-1568. https://doi.org/10.1016/j.bbadis.2013.04.024.

Wu, Y. Q. & Xu, R. A. (2018). Research advances on hypolipidemic effect of polysaccharides. *Zhongguo Zhongyao Zazhi*, 43(17), 3451 – 3459. DOI: 10.19540/j.cnki.cjcmm.20180419.008

Xu, S. Y., Kan, J., Hu, Z., Liu, Y., Du, H., Pang, G. C., & Cheong, K. L. (2018). Quantification of Neoagaro-Oligosaccharide Production through Enzymatic Hydrolysis and Its Anti-Oxidant Activities. *Molecules (Basel, Switzerland)*, *23*(6), 1354. https://doi.org/10.3390/molecules23061354

Yang, J. H., Na, C. S., Cho, S. S., Kim, K. M., Lee, J. H., Chen, X. Q., Ku, S. K., Cho, I. J., Kim, E. J., Lee, J. H., & Ki, S. H. (2020). Hepatoprotective Effect of Neoagarooligosaccharide *via* Activation of Nrf2 and Enhanced Antioxidant Efficacy. *Biological and Pharmaceutical Bulletin*, 43(4), 619-628. Doi: https://doi.org/10.1248/bpb.b19-00697

Yang, J. H., Cho, S. S., Kim, K. M., Kim, J. Y., Kim, E. J., Park, E. Y., Lee, J. H., & Ki, S. H. (2017). Neoagarooligosaccharides enhance the level and efficiency of LDL receptor and improve cholesterol homeostasis. *Journal of Functional Foods*, 38, 529–539. doi:10.1016/j.jff.2017.09.053

Yang, L., Xi, Y., Luo, X. Y., Ni, H., & Li, H. H. (2019). Preparation of peroxidase and phenolics using discarded sweet potato old stems. *Scientific reports*, *9*(1), 3769. https://doi.org/10.1038/s41598-019-40568-9

Yang, R. L., Shi, Y. H., Hao, G., Li, W., & Le, G. W. (2008). Increasing Oxidative Stress with Progressive Hyperlipidemia in Human: Relation between Malondialdehyde and Atherogenic Index. *Journal of clinical biochemistry and nutrition*, 43(3), 154–158. https://doi.org/10.3164/jcbn.2008044

Yang, S., Ji, L., Que, L., Wang, K., & Yu, S. (2014). Metformin activates Nrf2 signaling and induces the expression of antioxidant genes in skeletal muscle and C2C12 myoblasts. *Journal of Chinese Pharmaceutical Sciences*. DOI: 10.5246/jcps.2014.12.106

UNIVERSITAS
GADJAH MADA
**Efek Antihiperlipidemia dan ANtioksidan Neoagaro-oligosakarida (NAOS) pada Mencit (Mus musculus
Linnaeus, 1758) Diabetes Melitus Tipe 2**
Safina Suci Samara, Dr.biol.hom. Nastiti Wijayanti, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yen, C. L. E., Stone, S. J., Koliwad, S., Harris, C., & Farese Jr., R. V. (2008). DGAT enzymes and triacylglycerol biosynthesis. *Journal of Lipid Research*, 49, 2283-2301. DOI 10.1194/jlr.R800018-JLR200

Younus H. (2018). Therapeutic potentials of superoxide dismutase. *International journal of health sciences*, 12(3), 88–93.

Zhang, M., Zhang, B. H., Chen, L., & An, W. (2002). Overexpression of heme oxygenase-1 protects smooth muscle cells against oxidative injury and inhibits cell proliferation. *Cell Research*, 12(2), 123–132. doi:10.1038/sj.cr.7290118

Zilda, D. S., Patantis, G., Dewi, A. S., Khatulistiani, T. S., Sibero, M. T., & Li, J. (2024). Characterization of β-agarase produced by Alteromonas macleodii BC7.1 and its oligosaccharide products. *Case Studies in Chemical and Environmental Engineering*, 10, 100865. https://doi.org/10.1016/j.cscee.2024.100865.