UNIVERSITAS
GADJAH MADA
Pengaruh Sonikasi dan Penambahan Bromelin terhadap Sifat Teknofungsional Hidrolisat Protein Okara
Muhammad Dava Pradana, Dr. Andriati Ningrum, S.TP. M.Agr; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Aiello, G., Pugliese, R., Rueller, L., Bollati, C., Bartolomei, M., Li, Y., Robert, J., Arnoldi, A., & Lammi, C. (2021). Assessment of the Physicochemical and Conformational Changes of Ultrasound-Driven Proteins Extracted from Soybean Okara Byproduct. *Foods*, *10*(3), 562. https://doi.org/10.3390/foods10030562

Arshad, Z. I. M., Amid, A., Yusof, F., Jaswir, I., & Et., A. (2014). Bromelain: An overview of industrial application and purification strategies. *Applied Microbiology and Biotechnology*. https://doi.org/10.1007/s00253-014-5889-y

Asghar, A., Afzaal, M., Saeed, F., Ahmed, A., Ateeq, H., Shah, Y. A., Islam, F., Hussain, M., Akram, N., & Shah, M. A. (2023). Valorization and food applications of okara (soybean residue): A concurrent review. *Food Science & Nutrition*, *11*(7), 3631–3640. https://doi.org/10.1002/fsn3.3363

Barozzi, L., Plazzotta, S., Nucci, A., & Manzocco, L. (2025). Elucidating the role of compositional and processing variables in tailoring the technological functionalities of plant protein ingredients. *Current Research in Food Science*, *10*, 100971. https://doi.org/10.1016/j.crfs.2025.100971

Badan Pusat Statistik Indonesia. (2023). Rata-Rata Konsumsi per Kapita Seminggu Beberapa Macam Bahan Makanan Penting, 2007-2023. https://www.bps.go.id/id/statisticstable/1/OTUwIzE=/rata-rata-konsumsi per-kapita-seminggu-beberapa-macam-bahanmakanan-penting-2007 2023.html

Chen, L., Chen, J., Ren, J., & Zhao, M. (2011). Effects of Ultrasound Pretreatment on the Enzymatic Hydrolysis of Soy Protein Isolates and on the Emulsifying Properties of Hydrolysates. *Journal of Agricultural and Food Chemistry*. https://doi.org/10.1021/jf103771x

Chen, M., Ma, A., Sun, Z., Xie, B., Shi, L., Chen, S., Chen, L., Xiong, G., Wang, L., & Wu, W. (2023). Enhancing activity of food protein-derived peptides: An overview of pretreatment, preparation, and modification methods. *Comprehensive Reviews in Food Science and Food Safety*, *22*(6), 4698–4733. https://doi.org/10.1111/1541-4337.13238

Dey, S. S., & Dora, K. C. (2014). Antioxidative activity of protein hydrolysate produced by alcalase hydrolysis from shrimp waste (Penaeus monodon and Penaeus indicus). *Journal of Food Science and Technology*, *51*(3), 449–457. https://doi.org/10.1007/s13197-011-0512-z

Elias, R. J., Kellerby, S. S., & Decker, E. A. (2008). Antioxidant Activity of Proteins and Peptides. *Critical Reviews in Food Science and Nutrition*. https://doi.org/10.1080/10408390701425615

Gao, K., Rao, J., & Chen, B. (2024). Plant protein solubility: A challenge or insurmountable obstacle. *Advances in Colloid and Interface Science*, *324*, 103074. https://doi.org/10.1016/j.cis.2023.103074

UNIVERSITAS
GADJAH MADA
Pengaruh Sonikasi dan Penambahan Bromelin terhadap Sifat Teknofungsional Hidrolisat Protein Okara
Muhammad Dava Pradana, Dr. Andriati Ningrum, S.TP. M.Agr; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Guo, C., Zhao, X., Yang, Y., Li, M., & Yu, L. (2022). Effect of Limited Enzymatic Hydrolysis on Structural and Functional Properties of Elaeagnus mollis Oil Meal Protein. *Foods*, *11*(21), 3393. https://doi.org/10.3390/foods11213393

Guo, W., Xu, Y., Ma, Y., Chen, Z., & Wu, Y. (2026). Effects of Ultrasonication Combined with Enzymatic Treatment on the Structure and Function of Soy Protein Isolate. *Foods*, *15*(4), 793. https://doi.org/10.3390/foods15040793

He, R., & Kim, Y. (2025). Structural and functional enhancement of okara (soybean residue) proteins using microwave- and ultrasound-assisted enzymatic hydrolysis. *Food Bioscience*, *71*, 107165. https://doi.org/10.1016/j.fbio.2025.107165

Hou, Y., Wu, Z., Dai, Z., Wang, G., & Wu, G. (2017). Protein hydrolysates in animal nutrition: Industrial production, bioactive peptides, and functional significance. *Journal of Animal Science and Biotechnology*, *8*(1), 24. https://doi.org/10.1186/s40104-017-0153-9

Islam, M. S., Hongxin, W., Admassu, H., Noman, A., & Et., A. (2021). Degree of hydrolysis, functional and antioxidant properties of protein hydrolysates from Grass Turtle (*Chinemys reevesii*) as influenced by enzymatic hydrolysis conditions. *Food Science & Nutrition*. https://doi.org/10.1002/fsn3.1903

Klompong, V., Benjakul, S., Kantachote, D., & Shahidi, F. (2007). Antioxidative activity and functional properties of protein hydrolysate of yellow stripe trevally (Selaroides leptolepis) as influenced by the degree of hydrolysis and enzyme type. *Food Chemistry*. https://doi.org/10.1016/j.foodchem.2006.07.016

Kuehler, C. A., & Stine, C. M. (1974). EFFECT OF ENZYMATIC HYDROLYSIS ON SOME FUNCTIONAL PROPERTIES OF WHEY PROTEIN. *Journal of Food Science*. https://doi.org/10.1111/j.1365-2621.1974.tb02899.x

Kumaunang, M., & Kamu, V. (2011). AKTIVITAS ENZIM BROMELIN DARI EKSTRAK KULIT NENAS (Anenas comosus). *JURNAL ILMIAH SAINS*, *15*(1), 198. https://doi.org/10.35799/jis.11.2.2011.207

Loveday, S. M. (2019). Food Proteins: Technological, Nutritional, and Sustainability Attributes of Traditional and Emerging Proteins. *Annual Review of Food Science and Technology*, *10*(1), 311–339. https://doi.org/10.1146/annurev-food-032818-121128

Lowry, OliverH., Rosebrough, NiraJ., Farr, A. L., & Randall, RoseJ. (1951). PROTEIN MEASUREMENT WITH THE FOLIN PHENOL REAGENT. *Journal of Biological Chemistry*, *193*(1), 265–275. https://doi.org/10.1016/S0021-9258(19)52451-6

Ma, K. K., Greis, M., Lu, J., Nolden, A. A., McClements, D. J., & Kinchla, A. J. (2022). Functional Performance of Plant Proteins. *Foods*, *11*(4), 594. https://doi.org/10.3390/foods11040594

Manninen, A. H. (2009). Protein hydrolysates in sports nutrition. *Nutrition & Metabolism*, *6*(1), 38. https://doi.org/10.1186/1743-7075-6-38

Ningrum, A., Wardani, D. W., Vanidia, N., Manikharda, Sarifudin, A., Kumalasari, R., Ekafitri, R., Kristanti, D., Setiaboma, W., & Munawaroh, H. S. H. (2023). Evaluation of Antioxidant Activities from a Sustainable Source of

UNIVERSITAS
GADJAH MADA
Pengaruh Sonikasi dan Penambahan Bromelin terhadap Sifat Teknofungsional Hidrolisat Protein Okara
Muhammad Dava Pradana, Dr. Andriati Ningrum, S.TP. M.Agr; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Okara Protein Hydrolysate Using Enzymatic Reaction. *Molecules*, *28*(13), 4974. https://doi.org/10.3390/molecules28134974

Nura Ruhaya, A. H., & Sarbon, N. (2019). Characterization of Asian swamp eel (Monopterus sp.) protein hydrolysate functional properties prepared using Alcalase® enzyme. *Food Research*, *4*, 207–215. https://doi.org/10.26656/fr.2017.4(1).205

Nurhidayah, Masriany, M., Jurusan Biologi, Fakultas Sains dan Teknologi, UIN Alauddin Makassar, Masri, M., & Jurusan Biologi, Fakultas Sains dan Teknologi, UIN Alauddin Makassar. (2013). Isolasi dan Pengukuran Aktivitas Enzim Bromelin dari Ekstrak Kasar Batang Nanas (Ananas comosus) Berdasarkan Variasi pH. *Biogenesis: Jurnal Ilmiah Biologi*, *1*(2), 116–122. https://doi.org/10.24252/bio.v1i2.457

Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2014). Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases. *Indian Journal of Clinical Biochemistry*. https://doi.org/10.1007/s12291-014-0446-0

Prayudi, A., & Yuniarti, T. (2023). KARAKTERISTIK KIMIA HIDROLISAT PROTEIN DAN PENGUAT RASA DARI HASIL SAMPING FILLET IKAN KAKAP (Lutjanus sp) YANG DIHIDROLISIS SECARA ENZIMATIS. *Buletin Jalanidhitah Sarva Jivitam*, *4*(2), 103–111. https://doi.org/10.15578/bjsj.v4i2.11322

Puspawati, N., Dewi, P., Bogoriani, N. W., & Ariati, N. (2020). PRODUKSI HIDROLISAT PROTEIN ANTIOKSIDAN MELALUI HIDROLISIS ENZIMATIK PROTEIN KULIT AYAM BROILER DENGAN ENZIM PAPAIN. *Jurnal Kimia*, 206. https://doi.org/10.24843/JCHEM.2020.v14.i02.p16

Rahmawati, L., Susilo, B., & Yulianingsih, R. (2014). *Pengaruh Variasi Blanching dan Lama Perendaman Asam Asetat (CH3COOH) Terhadap Karakteristik Tepung Labu Kuning Termodifikasi*. *2*(2).

Ratnayani, O., Rahayu, M. R. D., Ratnayani, K., & Ariati, N. K. (2023). HIDROLISIS PROTEIN KECAMBAH KACANG MERAH MENGGUNAKAN ENZIM PAPAIN DENGAN VARIASI RASIO ENZIM-SUBSTRAT. *Journal of Applied Chemistry*, *11*.

Rodhiyah, R., Rahmatulloh, A., & Firdaus, R. C. (2024). PERBANDINGAN ANALISIS PARAMETER MOISTURE CONTENT FLAVOUR POWDER MENGGUNAKAN MOISTURE ANALYZER DAN OVEN. *DISTILAT: Jurnal Teknologi Separasi*, *10*(1), 287–295. https://doi.org/10.33795/distilat.v10i1.4877

Rutherfurd, S. M. (2010). Methodology for Determining Degree of Hydrolysis of Proteins in Hydrolysates: A Review. *Journal of AOAC INTERNATIONAL*. https://doi.org/10.1093/jaoac/93.5.1515

Sulaiman, A., & Silva, F. V. M. (2026). Ultrasound Fundamentals and Ultrasound-Assisted Food Processing Applications. *Processes*, *14*(6), 884. https://doi.org/10.3390/pr14060884

Theafelicia, Z., & Wulan, S. N. (2023). PERBANDINGAN BERBAGAI METODE PENGUJIAN AKTIVITAS ANTIOKSIDAN (DPPH, ABTS DAN FRAP)

UNIVERSITAS
GADJAH MADA
Pengaruh Sonikasi dan Penambahan Bromelin terhadap Sifat Teknofungsional Hidrolisat Protein Okara
Muhammad Dava Pradana, Dr. Andriati Ningrum, S.TP. M.Agr; Dr. Manikharda, S.T.P., M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

PADA TEH HITAM (Camellia sinensis). *Jurnal Teknologi Pertanian*, *24*(1), 35–44. https://doi.org/10.21776/ub.jtp.2023.024.01.4

Vera Zambrano, M., Dutta, B., Mercer, D. G., MacLean, H. L., & Touchie, M. F. (2019). Assessment of moisture content measurement methods of dried food products in small-scale operations in developing countries: A review. *Trends in Food Science & Technology*, *88*, 484–496. https://doi.org/10.1016/j.tifs.2019.04.006

Xiao, T., Ma, X., Hu, H., Xiang, F., Zhang, X., Zheng, Y., Dong, H., Adhikari, B., Wang, Q., & Shi, A. (2025). Advances in emulsion stability: A review on mechanisms, role of emulsifiers, and applications in food. *Food Chemistry: X*, *29*, 102792. https://doi.org/10.1016/j.fochx.2025.102792