UNIVERSITAS GADJAH MADA
ANALYSIS OF Odd-skipped GENE FAMILY (Tc-sob, Tc-drm) FUNCTIONS ON T. castaneum SEGMENTATION AND LEG DEVELOPMENT
Felicia Zefania Rumimper, Sukirno S.Si., M.Sc., Ph.D ,Ganies Riza A., S.Si., M.Sc., Ph.D. , Drs. Hari Purwanto, M.F
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

REFERENCES

Al Tamimi, A. (2024). The economic Indicators of digitalization technologies in the agricultural production, food industry and marketing sectors - a review. *University of Thi-Qar Journal of agricultural research*, 13(1), pp.222–233. doi:https://doi.org/10.54174/utjagr.v13i1.323.

Angelini, D.R. and Jockusch, E.L. (2008). Relationships among pest flour beetles of the genus T. castaneum (Tenebrionidae) inferred from multiple molecular markers. *Molecular Phylogenetics and Evolution*, 46(1), pp.127–141. doi:https://doi.org/10.1016/j.ympev.2007.08.017.

Angelini, D.R., Smith, F.W., and Jockusch, E.L. 2012. Extent with modification: Leg patterning in the beetle T. castaneum and the evolution of serial homologs. *G3 (Bethesda, Md.)*. 2(2), pp.235–248

Buer, B., Jürgen Dönitz, Milner, M., Mehlhorn, S., Hinners, C., Siemanowski-Hrach, J., Ulrich, J.K., Großmann, D., Doga Cedden, Ralf Nauen, Geibel, S. and Bucher, G. (2024). Superior target genes and pathways for <scp>RNAi</scp>-mediated pest control revealed by genome-wide analysis in the beetle <scp>*T. castaneum*</scp>. *Pest Management Science*. doi:10.1002/ps.8505.

Campbell, J.F., Athanassiou, C.G., Hagstrum, D.W. and Zhu, K.Y. 2022. T. castaneum: A model insect for fundamental and applied research. *Annual Review of Entomology*. 67(1), pp.347–365.

Cao, M., Gatehouse, J.A. and Fitches, E.C. 2018. A Systematic Study of RNAi Effects and dsRNA Stability in *T. castaneum* and *Acyrthosiphon pisum,* Following Injection and Ingestion of Analogous dsRNAs. *International Journal of Molecular Sciences*. 19(4), p.1079.

Choe, C.P. and Brown, S.J. 2009. Genetic regulation of engrailed and wingless in T. castaneum segmentation and the evolution of pair-rule segmentation. *Developmental Biology*. 325(2), pp.482–491

Choe, C.P., Miller, S.C. and Brown, S.J. 2006. A pair-rule gene circuit defines segments sequentially in the short-germ insect T. castaneum. *Proceedings of the National Academy of Sciences of the United States of America*. 103(17), pp.6560–6564

ANALYSIS OF Odd-skipped GENE FAMILY (Tc-sob, Tc-drm) FUNCTIONS ON T. castaneum SEGMENTATION AND LEG DEVELOPMENT
Felicia Zefania Rumimper, Sukirno S.Si., M.Sc., Ph.D ,Ganies Riza A., S.Si., M.Sc., Ph.D. , Drs. Hari Purwanto, M.F
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Clark, E. and Peel, A.D. 2018. Evidence for the temporal regulation of insect segmentation by a conserved sequence of transcription factors. *Development (Cambridge, England)*.

Dahmann, C. (ed). 2009, *Drosophila: Methods and Protocols.* Totowa, NJ: Humana Press

Hao, I., Green, R.B., Dunaevsky, O., Lengyel, J.A. and Rauskolb, C. 2003. The odd-skipped family of zinc finger genes promotes Drosophila leg segmentation. *Developmental Biology*. 263(2), pp.282–295.

Herndon, N., Shelton, J., Gerischer, L., Ioannidis, P., Ninova, M., Dönitz, J., Waterhouse, R. M., Liang, C., Damm, C., Siemanowski, J., Kitzmann, P., Ulrich, J., Dippel, S., Oberhofer, G., Hu, Y., Schwirz, J., Schacht, M., Lehmann, S., Montino, A., ... Bucher, G. (2020). Enhanced genome assembly and a new official gene set for T. castaneum. *BMC Genomics*, *21*(1), 1–13.

Horn, T., Narov, K.D. and Panfilio, K.A. 2022. Persistent parental RNAi in the beetle T. castaneum involves maternal transmission of long double-stranded RNA. *Advanced Genetics (Hoboken, N.J.)*. 3(3), p.2100064.

Janssen, R. 2014. Gene expression suggests double-segmental and single-segmental patterning mechanisms during posterior segment addition in the beetle T. castaneum. *The International Journal of Developmental Biology*. 58(5), pp.343–347

Jeon, H., Gim, S., Na, H. and Choe, C.P. 2020. A pair-rule function of odd-skipped in germband stages of T. castaneum development. *Developmental Biology*. 465(1), pp.58–65

Joga, M.R., Zotti, M.J., Smagghe, G. and Christiaens, O. 2016. RNAi efficiency, systemic properties, and novel delivery methods for pest insect control: What we know so far. *Frontiers in Physiology*. 7, p.553

Kazmierczak, M., Farré I Díaz, C., Ofenbauer, A., Herzog, S. and Tursun, B. 2021. The CONJUDOR pipeline for multiplexed knockdown of gene pairs identifies RBBP-5 as a germ cell reprogramming barrier in C. elegans. *Nucleic Acids Research*. 49(4), p.e22

UNIVERSITAS GADJAH MADA
ANALYSIS OF Odd-skipped GENE FAMILY (Tc-sob, Tc-drm) FUNCTIONS ON T. castaneum SEGMENTATION AND LEG DEVELOPMENT
Felicia Zefania Rumimper, Sukirno S.Si., M.Sc., Ph.D ,Ganies Riza A., S.Si., M.Sc., Ph.D. , Drs. Hari Purwanto, M.F
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Klingler, M. and Bucher, G. 2022. The red flour beetle *T. castaneum*: elaborate genetic toolkit and unbiased large scale RNAi screening to study insect biology and evolution. *EvoDevo*. 13(1), p.14

Knorr, E., Bingsohn, L., Kanost, M.R. and Vilcinskas, A. 2013. *T. castaneum* as a model for high-throughput RNAi screening. *Advances in Biochemical Engineering/Biotechnology*. **136**, pp.163–178.

Leese, J.D. 2023. *Investigating the Hes/Hey and odd family genes for roles in sequential segment patterning in the red flour beetle, T. castaneum*. University of Leeds.

Mendoza-Alatorre, M., Julian-Chávez, B., Solano-Ornelas, S., Siqueiros-Cendón, T.S., Torres-Castillo, J.A., Sugey Ramona Sinagawa-García, María Jazmín Abraham-Juárez, González-Barriga, C.D., Quintín Rascón-Cruz, Siañez-Estrada, L.I. and Espinoza-Sánchez, E.A. (2025). RNAi in Pest Control: Critical Factors Affecting dsRNA Efficacy. *PubMed*, [online] 16(7). doi:https://doi.org/10.3390/insects16070737.

Miller, S.C., Miyata, K., Brown, S.J. and Tomoyasu, Y. 2012. Dissecting systemic RNA interference in the red flour beetle *T. castaneum:* parameters affecting the efficiency of RNAi. *PloS One*. 7(10), p.e47431.

Naturespot.org. (2020). *Rust-red Flour Beetle | NatureSpot*. [online] Available at: https://www.naturespot.org/node/119104 [Accessed 19 Jun. 2026].

Peng, Y., Wang, K., Chen, J., Wang, J., Zhang, H., Ze, L., Zhu, G., Zhao, C., Xiao, H. and Han, Z. 2020. Identification of a double-stranded RNA-degrading nuclease influencing both ingestion and injection RNA interference efficiency in the red flour beetle T. castaneum. *Insect Biochemistry and Molecular Biology*. 125(103440), p.103440

Perkin, L.C. and Oppert, B. (2019). Gene expression in T. castaneum life stages: Identifying a species-specific target for pest control applications. *PeerJ*, 7, p.e6946. doi:10.7717/peerj.6946.

Pointer, M.D., Gage, M.J.G. and Spurgin, L.G. 2021. T. castaneum beetles as a model system in evolution and ecology. *Heredity*. 126(6), pp.869–883.

UNIVERSITAS
GADJAH MADA
ANALYSIS OF Odd-skipped GENE FAMILY (Tc-sob, Tc-drm) FUNCTIONS ON T. castaneum SEGMENTATION AND LEG DEVELOPMENT
Felicia Zefania Rumimper, Sukirno S.Si., M.Sc., Ph.D ,Ganies Riza A., S.Si., M.Sc., Ph.D. , Drs. Hari Purwanto, M.F
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Posnien, N., Schinko, J., Grossmann, D., Shippy, T.D., Konopova, B. and Bucher, G. 2009. RNAi in the red flour beetle (*T. castaneum*). *Cold Spring Harbor Protocols*. 2009(8).

Saini, A. and Sharma, N. 2025. Parental RNA interference (pRNAi) in insects: mechanisms, applications, and challenges in pest management. *Molecular Biology Reports*. 52(1), p.610

Thümecke, S. and Schröder, R. 2021. The odd-skipped related gene drumstick is required for leg development in the beetle T. castaneum. *Developmental Dynamics*. 251(9), pp.1456–1471

Trematerra, P. and Throne, J. 2012. Insect and mite pests of durum wheat *In*: *Durum Wheat*. Elsevier, pp.73–83.

Uller, T., Moczek, A.P., Watson, R.A., Brakefield, P.M. and Laland, K.N. 2018. Developmental bias and evolution: A regulatory network perspective. *Genetics*. 209(4), pp.949–966