UNIVERSITAS GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Afafi, S. N., Supartha, K. I., Fatmawati, H., Sari, N. H. E., Rissaldy, J. D., Al-Husna, F. Y., Himawan, F. D., Aulia, M., Ardiansyah, M. B., & Mulyana, B. (2022). Simpanan karbon tegakan jati Mega di Kawasan Hutan Dengan Tujuan Khusus Wanagama, Daerah Istimewa Yogyakarta. *Jurnal Galam*, 2(2), 66–76. https://doi.org/10.20886/GLM.2022.2.2.66-76

Anderson, K. E., Glenn, N. F., Spaete, L. P., Shinneman, D. J., Pilliod, D. S., Arkle, R. S., McIlroy, S. K., & Derryberry, D. R. (2017). Methodological considerations of terrestrial laser scanning for vegetation monitoring in the sagebrush steppe. *Environmental Monitoring and Assessment, 189*, 1–12. https://doi.org/10.1007/s10661-017-5871-1

Bakri, N. F., Abd Rahman, M. Z., & Fauzi, O. F. (2025). Individual tree aboveground carbon stock estimation using terrestrial laser scanning (TLS). *Jurnal Kejuruteraan, Teknologi and Sains Sosial, 11*(2), 233–249.

Bauwens, S., Bartholomeus, H., Calders, K., & Lejeune, P. (2016). Forest inventory with terrestrial LiDAR: A comparison of static and hand-held mobile laser scanning. *Forests, 7*(6), 127. https://doi.org/10.3390/f7060127

Brown, S. (1997). *Estimating biomass and biomass change of tropical forest: A primer* (FAO Forestry Paper No. 134). FAO.

Calders, K., Newnham, G., Burt, A., Murphy, S., Raumonen, P., Herold, M., Culvenor, D., Avitabile, V., Disney, M., Armston, J., & Kaasalainen, M. (2015). Nondestructive estimates of above-ground biomass using terrestrial laser scanning. *Methods in Ecology and Evolution, 6*(2), 198–208. https://doi.org/10.1111/2041-210X.12301

Chave, J., Réjou-Méchain, M., Búrquez, A., Chidumayo, E., Colgan, M. S., Delitti, W. B. C., ... Vieilledent, G. (2014). *Improved allometric models to estimate the aboveground biomass of tropical trees*. *Global Change Biology, 20*(10), 3177–3190. https://doi.org/10.1111/gcb.12629

UNIVERSITAS GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Chayaporn, P., Sasaki, N., Venkatappa, M., & Abe, I. (2021). *Assessment of the overall carbon storage in a teak plantation in Kanchanaburi Province, Thailand: Implications for carbon-based incentives*. Cleaner Environmental Systems, 2, 100023. https://doi.org/10.1016/j.cesys.2021.100023

Darmawan, W., Nandika, D., Sari, R. K., Sitompul, A., Rahayu, I., & Gardner, D. (2015). Juvenile and mature wood characteristics of short and long rotation teak in Java. *IAWA Journal, 36*(4), 428–442. https://doi.org/10.1163/22941932-20150112

Demol, M., Calders, K., Verbeeck, H., & Gielen, B. (2021). Forest above-ground volume assessments with terrestrial laser scanning: A ground-truth validation experiment in temperate, managed forests. *Annals of Botany, 128*(6), 805–819. https://doi.org/10.1093/aob/mcab110

Dutcă, I., McRoberts, R. E., Næsset, E., & Blujdea, V. N. B. (2019). A practical measure for determining if diameter (D) and height (H) should be combined into $D^2H$ in allometric biomass models. *Forestry, 92*(5), 627–634. https://doi.org/10.1093/forestry/cpz041

Franklin, S. E. (2001). *Remote sensing for sustainable forest management*. CRC Press.

Griscom, B. W., Adams, J., Ellis, P. W., Houghton, R. A., Lomax, G., Miteva, D. A., Schlesinger, W. H., Shoch, D., Siikamäki, J. V., Smith, P., Woodbury, P., Zganjar, C., Blackman, A., Campari, J., Conant, R. T., Delgado, C., Elias, P., Gopalakrishna, T., Hamsik, M. R., ... Fargione, J. (2017). *Natural climate solutions*. *Proceedings of the National Academy of Sciences, 114*(44), 11645–11650. https://doi.org/10.1073/pnas.1710465114

Heritage, G. L., & Large, A. R. G. (2009). *Laser scanning for the environmental sciences*. Wiley-Blackwell.

Hossain, M. S., Oluwajuwon, T. V., Ludgen, A. N., Hasert, D. P., Sitanggang, M., & Offiah, C. (2023). Formulating biomass allometric model for

UNIVERSITAS GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

*Paraserianthes falcataria* (L.) Nielsen (Sengon) in smallholder plantations, Central Kalimantan, Indonesia. *Southern Forests: A Journal of Forest Science, 85*(4), 268–284. https://doi.org/10.1080/21580103.2023.2256355

Intergovernmental Panel on Climate Change. (2006). *2006 IPCC Guidelines for National Greenhouse Gas Inventories* (Vol. 4: Agriculture, Forestry and Other Land Use). Institute for Global Environmental Strategies.

Laino, D., Cabo, C., Prendes, C., Janvier, R., Ordonez, C., Nikonovas, T., & Santin, C. (2024). 3DFin: A software for automated 3D forest inventories from terrestrial point clouds. *Forestry: An International Journal of Forest Research, 97*(4), 479–496. https://doi.org/10.1093/forestry/cpae016

LaRue, E. A., Wagner, F. W., Fei, S., Atkins, J. W., Fahey, R. T., Gough, C. M., & Hardiman, B. S. (2020). Compatibility of aerial and terrestrial LiDAR for quantifying forest structural diversity. *Remote Sensing, 12*(9), 1407. https://doi.org/10.3390/rs12091407

Li, Z., Qiao, Q., Han, Z., Liu, X., Wang, Y., Tang, H., & Deng, L. (2024). Terrestrial laser scanning in forestry: Accuracy and efficiency in measuring individual tree parameters. *PLOS ONE, 20*(9), e0331126. https://doi.org/10.1371/journal.pone.0331126

Liang, X., Hyyppä, J., Kaartinen, H., et al. (2016). Terrestrial laser scanning in forest inventories. *ISPRS Journal of Photogrammetry and Remote Sensing, 115*, 63–77. https://doi.org/10.1016/j.isprsjprs.2016.01.006

Liu, G., Wang, J., Dong, P., Chen, Y., & Liu, Z. (2019). Estimating individual tree height and DBH from TLS data. *Forests, 9*(7), 398. https://doi.org/10.3390/f9070398

Mascaro, J., Litton, C. M., Hughes, R. F., Uowolo, A., & Schnitzer, S. A. (2011). Minimizing bias in biomass allometry: Model selection and log-transformation of data. *Biotropica, 43*(6), 649–653. https://doi.org/10.1111/j.1744-7429.2011.00798.x

UNIVERSITAS GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Martawijaya, A., Kartasujana, I., Kadir, K., & Prawira, S. A. (2005). *Atlas kayu Indonesia* (Jilid I). Badan Penelitian dan Pengembangan Kehutanan, Departemen Kehutanan.

Mawardi P. 2012. Kaya dari Investasi Jati Barokah. PT Agro Media Pustaka, Jakarta.

Molina-Valero, J. A., Martínez-Calvo, A., Ginzo Villamayor, M. J., Novo Pérez, M. A., Álvarez-González, J. G., Montes, F., & Pérez Cruzado, C. (2022). Operationalizing the use of TLS in forest inventories: The R package FORTLS. *Environmental Modelling & Software, 150*, 105337. https://doi.org/10.1016/j.envsoft.2022.105337

Na'iem, M., Rudiana, P. A., Hasibuan, S. M., Idhom, A. M., Mustaqim, A., Sutriyati, & Cahyono, M. F. (2020). *WANAGAMA: Kisah Terciptanya Hutan Pendidikan, Konservasi, dan Kesejahteraan Sosial Ekonomi bagi Rakyat Sekitar*. Yogyakarta: Samudra Biru.

Niklas, K. J. (1994). *Plant Allometry: The Scaling of Form and Process*.

Parresol, B. R. (1999). *Assessing tree and stand biomass: A review with examples and critical comparisons*. Forest Science, 45(4), 573–593.

Paudel, S., Holmström, E., Gobakken, T., & Næsset, E. (2021). Sources of uncertainty in forest inventory measurements. *Forest Ecology and Management, 482*, 118844. https://doi.org/10.1016/j.foreco.2020.118844

Peng, X., Liu, X., Wang, H., et al. (2021). Tree height estimation from TLS point clouds. *Remote Sensing, 13*(5), 945. https://doi.org/10.3390/rs13050945

Picard, N., Saint-André, L., & Henry, M. (2012). *Manual for Building Tree Volume and Biomass Allometric Equations: From Field Measurement to Prediction*. Rome: Food and Agriculture Organization of the United Nations (FAO) & Centre de Coopération Internationale en Recherche Agronomique pour le Développement (CIRAD).

UNIVERSITAS GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Prokop, A., & Panholzer, H. (2009). Assessing the capability of terrestrial laser scanning for monitoring slow moving landslides. *Natural Hazards and Earth System Sciences, 9*, 1921–1928. https://doi.org/10.5194/nhess-9-1921-2009

Purwanto, R. H., & Silaban, M. (2011). Inventore biomasa dan karbon jenis jati (*Tectona grandis* L.f.) di hutan rakyat Desa Jatimulyo, Karanganyar. *Jurnal Ilmu Kehutanan, 5*(1), 40–53.

Raumonen, P., Kaasalainen, M., Åkerblom, M., Kaasalainen, S., Kaartinen, H., Vastaranta, M., Holopainen, M., Disney, M., & Lewis, P. (2013). Fast automatic precision tree models from terrestrial laser scanner data. *Remote Sensing, 5*(2), 491–520. https://doi.org/10.3390/rs5020491

Singhal, J., Srivastava, G., Reddy, C. S., Rajashekar, G., Jha, C. S., Rao, P. N., & Roy, P. S. (2021). Assessment of carbon stock at tree level using terrestrial laser scanning vs. traditional methods in tropical forest, India. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 14*, 5064–5071. https://doi.org/10.1109/JSTARS.2021.3076195

Soraya, E., Umarhadi, D. A., Wardhana, W., Senawi, & Ardiansyah, F. (2025). Aerial imagery and UAV-LiDAR data fusion for quantifying aboveground carbon stock of teak plantation. *Ecological Engineering & Environmental Technology*, 26(2), 178–192. https://doi.org/10.12912/27197050/197151

Stovall, A. E. L., Vorster, A., Anderson, R., & Evangelista, P. (2023). Developing nondestructive species-specific tree allometry with terrestrial laser scanning. *Methods in Ecology and Evolution, 14*(2), 280–290. https://doi.org/10.1111/2041-210X.14027

Telling, J., Lyda, A., Hartzell, P., & Glennie, C. (2017). Review of Earth science research using terrestrial laser scanning. *Earth-Science Reviews, 169*, 35–68. https://doi.org/10.1016/j.earscirev.2017.04.007

UNIVERSITAS
GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter
Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Wade, L. (2022). *Deriving novel allometric equations for northern Sierra Nevada trees using terrestrial laser scanning* (Master's thesis). University of Nevada, Reno.

Wahyudi I, Priadi T, & Rahayu IS. 2014. Karakteristik dan sifat-sifat dasar kayu jati unggul umur 4 dan 5 tahun asal Jawa Barat. Jurnal Ilmu Pertanian Indonesia 19, 50-56.

Wang, D., Zhang, Z., Zhang, D., & Huang, X. (2023). Biomass allometric models for *Larix rupprechtii* based on Kosak's taper curve equations and nonlinear seemingly unrelated regression. *Frontiers in Plant Science, 13*, 1056837. https://doi.org/10.3389/fpls.2022.1056837

Wang, Y., Xi, Z., Huang, J., Wang, Y., & Hao, Z. (2020a). LeWoS: A universal leaf-wood classification method to facilitate the 3D modelling of large tropical trees using terrestrial LiDAR. *Methods in Ecology and Evolution, 11*(3), 376–388. https://doi.org/10.1111/2041-210X.13342

Wang, Y., Fang, H., Tang, H., Lin, Y., Chen, Y., & Wan, H. (2019b). Is field-measured tree height as reliable as believed? A comparison study of tree height estimates from field measurement, airborne laser scanning and terrestrial laser scanning in a boreal forest. *ISPRS Journal of Photogrammetry and Remote Sensing, 147*, 132–145. https://doi.org/10.1016/j.isprsjprs.2018.11.008

Wardani, B. E., Na'iem, M., & Indrioko, S. (2008). *Evaluasi uji klon jati (Tectona grandis L.f.) umur 9 tahun di KPH Ciamis dan KPH Cepu Perum Perhutani* (Tesis tidak dipublikasikan). Universitas Gadjah Mada.

White, J. C., Wulder, M. A., Varhola, A., Vastaranta, M., Coops, N. C., Cook, B. D., Pitt, D., & Woods, M. (2016). Remote Sensing Technologies for Enhancing Forest Inventories: A Review. *Canadian Journal of Remote Sensing*, 42(5), 619–641.

UNIVERSITAS
GADJAH MADA
**Pengembangan Model Alometrik Penduga Biomassa dan Karbon di Tegakan Jati Klon menggunakan Parameter
Terrestrial Laser Scanning di Hutan Wanagama 1**
Febrian Dwi Saputra, Bekti Larasati, S.Hut., M.Sc., M.Agr.Sc. ; Ir. Budi Mulyana, S.Hut., M.Si. Ph.D., IPM
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Wu, L., Shen, G., & Cao, L. (2022). Estimating carbon stocks using terrestrial laser scanning. *Forests, 13*(9), 1389. https://doi.org/10.3390/f13091389

Wu, Y., Gan, X., Zhou, Y., & Yuan, X. (2024). Estimation of diameter at breast height in tropical forests based on terrestrial laser scanning and shape diameter function. *Sustainability, 16*(6), 2275. https://doi.org/10.3390/su16062275

Xi, Z., & Hopkinson, C. (2022). *3D Graph-Based Individual-Tree Isolation (TreeIso) from Terrestrial Laser Scanning Point Clouds*. Remote Sensing, 14(23), 6116. https://doi.org/10.3390/rs14236116

Xie, Y., Tian, J., & Zhu, X. X. (2020). Linking points with labels in 3D: A review of point cloud semantic segmentation. *IEEE Geoscience and Remote Sensing Magazine, 8*(4), 38–59. https://doi.org/10.1109/MGRS.2020.3005664

Yunita SAW, Soraya E, Maryudi A. 2018. "We are just cheerleaders": Youth's views on their participation in international forest-related decision-making for a. Forest Policy and Economics 88: 52-58.

Zianis, D., Muukkonen, P., Mäkipää, R., & Mencuccini, M. (2005). *Biomass and stem volume equations for tree species in Europe*. Silva Fennica Monographs 4. Finnish Society of Forest Science.