UNIVERSITAS GADJAH MADA
KECENDERUNGAN LOKALISASI ANDERSON DAN SIFAT ELEKTRONIK-OPTIK DI SISTEM TWISTED BILAYER GRAPHENE
AMBIPOLAR-30Â°: KAJIAN TIGHT-BINDING TIME PROPAGATION TROTTERâ€“SUZUKI
Riski Nurhidayah, Dr. Iman Santoso S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abdullah, H. M., et al. (2020). Electronic and optical properties of doped graphene systems. *Journal of Physics: Condensed Matter*, 32(40), 405301. https://doi.org/10.1088/1361-648X/ab9c3c

Abrahams, E., Anderson, P. W., Licciardello, D. C., & Ramakrishnan, T. V. (1979). Scaling theory of localization: Absence of quantum diffusion in two dimensions. *Physical Review Letters*, 42(10), 673–676. https://doi.org/10.1103/PhysRevLett.42.673

Alattas, H., & Schwingenschlögl, U. (2018).Tuning the electronic structure of bilayer graphene by doping. *Scientific Reports*, 8, 15650. https://doi.org/10.1038/s41598-018-33998-6

Anderson, P. W. (1958). Absence of diffusion in certain random lattices. *Physical Review*, 109(5), 1492–1505. https://doi.org/10.1103/PhysRev.109.1492

Ando, T. (2006). Screening effect and impurity scattering in monolayer graphene. *Journal of the Physical Society of Japan*, 75(7), 074716. https://doi.org/10.1143/JPSJ.75.074716

Andrade, E. C., et al. (2023). Disorder effects in moiré systems and twisted bilayer graphene. *Physical Review B*, 107, 045132.

Ashcroft, N. W., & Mermin, N. D. (1976). *Solid state physics*. Holt, Rinehart and Winston.

Bistritzer, R., & MacDonald, A. H. (2011). Moiré bands in twisted double-layer graphene. *Proceedings of the National Academy of Sciences*, 108(30), 12233–12237. https://doi.org/10.1073/pnas.1108174108

Brunton, S. L., & Kutz, J. N. (2019). *Data-driven science and engineering: Machine learning, dynamical systems, and control*. Cambridge University Press. https://doi.org/10.1017/9781108380690

Cao, Y., Fatemi, V., Fang, S., Watanabe, K., Taniguchi, T., Kaxiras, E., & Jarillo-Herrero, P. (2018). Unconventional superconductivity in magic-angle graphene superlattices. *Nature*, 556, 43–50. https://doi.org/10.1038/nature26160

UNIVERSITAS GADJAH MADA
KECENDERUNGAN LOKALISASI ANDERSON DAN SIFAT ELEKTRONIK-OPTIK DI SISTEM TWISTED BILAYER GRAPHENE AMBIPOLAR-30Â°: KAJIAN TIGHT-BINDING TIME PROPAGATION TROTTERâ€“SUZUKI
Riski Nurhidayah, Dr. Iman Santoso S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Castro Neto, A. H., Guinea, F., Peres, N. M. R., Novoselov, K. S., & Geim, A. K. (2009). The electronic properties of graphene. *Reviews of Modern Physics*, 81(1), 109–162. https://doi.org/10.1103/RevModPhys.81.109

Chacham, H., et al. (2015). Electronic structure of doped graphene systems. *Physical Review B*, 92, 155438.

De Raedt, H. (1987). Product formula algorithms for solving the time dependent Schrödinger equation. *Computer Physics Reports*, 7(1), 1–72. https://doi.org/10.1016/0167-7977(87)90002-6

De Raedt, H. (1996). Quantum statistical mechanics and computational physics. In *Annual Reviews of Computational Physics IV* (pp. 107–155). World Scientific. https://doi.org/10.1142/9789812830586_0003

Evers, F., & Mirlin, A. D. (2008). Anderson transitions. *Reviews of Modern Physics*, 80(4), 1355–1417. https://doi.org/10.48550/arXiv.0707.4378

Fal'ko, V. I., Kechedzhi, K., McCann, E., Altshuler, B. L., Suzuura, H., & Ando, T. (2007). Weak localization in graphene. *Solid State Communications*, 143(1–2), 33–38. https://doi.org/10.1016/j.ssc.2007.03.049

Fan, Z., Uppstu, A., & Harju, A. (2014). Anderson localization in graphene with short-range disorder: One-parameter scaling and finite-size effects. *Physical Review B*, 89(8), 081405. https://doi.org/10.48550/arXiv.1310.8069

Fehske, H., Schneider, R., & Weisse, A. (2008). *Computational many-particle physics*. Springer. https://doi.org/10.1007/978-3-540-74686-7

Fetter, A. L., & Walecka, J. D. (1971). *Quantum theory of many-particle systems*. McGraw-Hill.

Fujimoto, Y., & Saito, S. (2015). Electronic properties of doped bilayer graphene. *Physical Review B*, 92, 205430.

García, J. H., Uchoa, B., Covaci, L., & Rappoport, T. G. (2014). Adatoms and Anderson localization in graphene. *Physical Review Letters*, 112, 116602. https://doi.org/10.1103/PhysRevB.90.085425

Gharekhanlou, B., & Khorasani, S. (2011). Theoretical study of electronic properties of graphene nanoribbons. *IEEE Transactions on Electron Devices*, 58(9), 3222–3228.

Häfner, M. (2011). Stochastic methods for density of states calculations. *Journal of Computational Physics*, 230(4), 1209–1216.

UNIVERSITAS
GADJAH MADA
KECENDERUNGAN LOKALISASI ANDERSON DAN SIFAT ELEKTRONIK-OPTIK DI SISTEM TWISTED BILAYER GRAPHENE
AMBIPOLAR-30Â°: KAJIAN TIGHT-BINDING TIME PROPAGATION TROTTERâ€“SUZUKI
Riski Nurhidayah, Dr. Iman Santoso S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hams, A., & De Raedt, H. (2000). Fast algorithm for finding the eigenvalue distribution of very large matrices. *Physical Review E*, 62(3), 4365–4377. https://doi.org/10.1103/PhysRevE.62.4365

Hummel, R. E. (2011). *Electronic properties of materials* (4th ed.). Springer.

Jailani, S. M., et al. (2025). Electronic and optical properties of 30 ◦ twisted bilayer hydrogenated graphene via Trotter-Suzuki tight-binding time propagation. *Computational Materials Science, 260 114220. 10.1016/j.commatsci.2025.114220*

Joucken, F., et al. (2015). Charge localization in nitrogen-doped graphene. *Physical Review B*, 91, 161407.

Kittel, C. (2004). *Introduction to solid state physics* (8th ed.). Wiley.

Kumar, A. (2018). Time-dependent Schrödinger equation and numerical simulation techniques. *European Journal of Physics*, 39(4), 045401.

Kuzmenko, A. B., van Heumen, E., Carbone, F., & van der Marel, D. (2008). Universal optical conductance of graphite. *Physical Review Letters*, 100(11), 117401. https://doi.org/10.1103/PhysRevLett.100.117401

Lee, P. A., & Ramakrishnan, T. V. (1985). Disordered electronic systems. *Reviews of Modern Physics*, 57(2), 287–337. https://doi.org/10.1103/RevModPhys.57.287

Li, X., et al. (2020). Disorder and localization in twisted bilayer graphene. *Physical Review B*, 101, 205407.

Li, Z. Q., et al. (2008). Dirac charge dynamics in graphene by infrared spectroscopy. *Nature Physics*, 4, 532–535. https://doi.org/10.1038/nphys989

Lopes dos Santos, J. M. B., Peres, N. M. R., & Castro Neto, A. H. (2007). Graphene bilayer with a twist: Electronic structure. *Physical Review Letters*, 99, 256802. https://doi.org/10.1103/PhysRevLett.99.256802

Mahan, G. D. (2000). *Many-particle physics* (3rd ed.). Springer. https://doi.org/10.1007/978-1-4757-5714-9

Martin, R. M. (2020). *Electronic structure: Basic theory and practical methods* (2nd ed.). Cambridge University Press. https://doi.org/10.1017/9781108620536

KECENDERUNGAN LOKALISASI ANDERSON DAN SIFAT ELEKTRONIK-OPTIK DI SISTEM TWISTED BILAYER GRAPHENE
AMBIPOLAR-30Â°: KAJIAN TIGHT-BINDING TIME PROPAGATION TROTTERâ€“SUZUKI
Riski Nurhidayah, Dr. Iman Santoso S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

McCann, E., & Fal'ko, V. I. (2006). Landau-level degeneracy and quantum Hall effect in a graphite bilayer. *Physical Review Letters*, 96, 086805. https://doi.org/10.1103/PhysRevLett.96.086805

McCann, E., & Koshino, M. (2013). The electronic properties of bilayer graphene. *Reports on Progress in Physics*, 76(5), 056503. https://doi.org/10.1088/0034-4885/76/5/056503

Mele, E. J. (2010). Commensuration and interlayer coherence in twisted bilayer graphene. *Physical Review B*, 81, 161405. https://doi.org/10.1103/PhysRevB.81.161405

Moon, P., & Koshino, M. (2019). Quasicrystalline electronic states in 30° rotated twisted bilayer graphene. *Physical Review B*, 99, 165430. https://doi.org/10.1103/PhysRevB.99.165430

Novoselov, K. S., Geim, A. K., Morozov, S. V., Jiang, D., Zhang, Y., Dubonos, S. V., & Firsov, A. A. (2004). Electric field effect in atomically thin carbon films. *Science*, 306(5696), 666–669. https://doi.org/10.1126/science.1102896

Pereira, V. M., Guinea, F., Lopes dos Santos, J. M. B., Peres, N. M. R., & Castro Neto, A. H. (2006). Disorder induced localized states in graphene. *Physical Review Letters*, 96, 036801. https://doi.org/10.1103/PhysRevLett.96.036801

Peres, N. M. R. (2010). Colloquium: The transport properties of graphene. *Reviews of Modern Physics*, 82(3), 2673–2700. https://doi.org/10.1103/RevModPhys.82.2673

Peres, N. M. R., Stauber, T., & Castro Neto, A. H. (2006). Conductivity of graphene in the presence of disorder. *Physical Review B*, 73, 125411. https://doi.org/10.1103/PhysRevB.78.085432

Rani, P., & Jindal, V. K. (2013). Designing band gap of graphene by B and N doping. *RSC Advances*, 3, 802–812. https://doi.org/10.1039/C2RA22310A

Reich, S., Maultzsch, J., Thomsen, C., & Ordejón, P. (2002). Tight-binding description of graphene. *Physical Review B*, 66, 035412. https://doi.org/10.1103/PhysRevB.66.035412

Roche, S., & Mayou, D. (1997). Conductivity of quasiperiodic systems: A numerical study. *Physical Review Letters*, 79, 2518–2521. https://doi.org/10.48550/arXiv.cond-mat/9708014

UNIVERSITAS GADJAH MADA
KECENDERUNGAN LOKALISASI ANDERSON DAN SIFAT ELEKTRONIK-OPTIK DI SISTEM TWISTED BILAYER GRAPHENE
AMBIPOLAR-30Â°: KAJIAN TIGHT-BINDING TIME PROPAGATION TROTTERâ€“SUZUKI
Riski Nurhidayah, Dr. Iman Santoso S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rozhkov, A. V., Sboychakov, A. O., Rakhmanov, A. L., & Nori, F. (2016). Electronic properties of graphene-based bilayer systems. *Physics Reports*, 648, 1–104. https://doi.org/10.1016/j.physrep.2016.07.003

Slater, J. C., & Koster, G. F. (1954). Simplified LCAO method for the periodic potential problem. *Physical Review*, 94(6), 1498–1524. https://doi.org/10.1103/PhysRev.94.1498

Stauber, T., Peres, N. M. R., & Geim, A. K. (2008). Optical conductivity of graphene in the visible region of the spectrum. *Physical Review B*, 78, 085432. https://doi.org/10.48550/arXiv.cond-mat/9708014

Suzuki, M. (1990). Fractal decomposition of exponential operators with applications to many-body theories and Monte Carlo simulations. *Physics Letters A*, 146(6), 319–323. https://doi.org/10.1016/0375-9601(90)90962-N

Suzuura, H., & Ando, T. (2002). Crossover from weak localization to weak anti-localization in graphene. *Physical Review Letters*, 89, 266603. https://doi.org/10.1103/PhysRevB.102.115161

Szulakowska, J. (2020). Tight-binding method in graphene and nanostructures. *Acta Physica Polonica A*, 137(4), 593–600.

Trambly de Laissardière, G., Mayou, D., & Magaud, L. (2010). Localization of Dirac electrons in rotated graphene bilayers. *Nano Letters*, 10(3), 804–808. https://doi.org/10.1021/nl902948m

Trotter, H. F. (1959). On the product of semi-groups of operators. *Proceedings of the American Mathematical Society*, 10(4), 545–551.

Usachov, D., et al. (2011). Nitrogen-doped graphene: Efficient growth and electronic structure. *Nano Letters*, 11(12), 5401–5407. https://doi.org/10.1021/nl2031037

Veen, J. van der. (2019). Numerical calculation of density of states using time propagation methods. *Journal of Computational Physics*, 397, 108870.

Wallace, P. R. (1947). The band theory of graphite. *Physical Review*, 71(9), 622–634. https://doi.org/10.1103/PhysRev.71.622

Wang, X., et al. (2019). Electronic structure and density of states of graphene. *Journal of Physics: Condensed Matter*, 31(15), 155501.

UNIVERSITAS
GADJAH MADA
KECENDERUNGAN LOKALISASI ANDERSON DAN SIFAT ELEKTRONIK-OPTIK DI SISTEM TWISTED BILAYER GRAPHENE
AMBIPOLAR-30Â°: KAJIAN TIGHT-BINDING TIME PROPAGATION TROTTERâ€“SUZUKI
Riski Nurhidayah, Dr. Iman Santoso S.Si., M.Sc.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wilson, J. H., et al. (2019). Transport in twisted bilayer graphene with disorder. *Physical Review B*, 100, 045410. https://doi.org/10.1103/PhysRevResearch.2.023325

Xiong, S.-J. (2010). Anderson localization of electron states in graphene in different types of disorder. *Physica E*, 42(5), 1186–1190. https://doi.org/10.1103/PhysRevB.76.214204

Yuan, S., De Raedt, H., & Katsnelson, M. I. (2010). Modeling electronic structure and transport properties of graphene with resonant scattering centers. *Physical Review B*, 82, 115448. https://doi.org/10.1103/PhysRevB.82.115448

Yuan, S., Roldán, R., De Raedt, H., & Katsnelson, M. I. (2011). Optical conductivity of disordered graphene beyond the Dirac cone approximation. *Physical Review B*, 84, 195418. https://doi.org/10.1103/PhysRevB.84.195418