UNIVERSITAS
GADJAH MADA
Karakteristik Kuat Tekan Material Bata Berbasis Mortar dengan Variasi Vermiculite dan Fiberglass Menggunakan Benda Uji Silinder
Rama Mahadika Kusuma Putra, Angga Fajar Setiawan, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahmad, J., González-Lezcano, R. A., Majdi, A., Ben Kahla, N., Deifalla, A. F., & El-Shorbagy, M. A. (2022). Glass fibers reinforced concrete: Overview on mechanical, durability and microstructure analysis. *Materials, 15*(15), 5111. doi:10.3390/ma15155111

Assis Neto, P. C. d., Sales, L. P. B., Oliveira, P. K. S., Silva, I. C. d., Barros, I. M. d. S., Nóbrega, A. F. d., & Carneiro, A. M. P. (2023). Expanded *vermiculite*: A short review about its production, characteristics, and effects on the properties of lightweight mortars. *Buildings, 13*(3), 823. doi:10.3390/buildings13030823

Baasankhuu, B., Choi, D., & Ha, S. (2020). Behavior of small-scale concrete cylinders in compression laterally confined by basalt fiber and PEN fiber reinforced polymer composites. *International Journal of Concrete Structures and Materials, 14*, 8. doi:10.1186/s40069-019-0384-6

Badan Standardisasi Nasional. (2002a). *SNI 03-6817-2002: Metode pengujian mutu air untuk digunakan dalam beton*. Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional. (2002b). *SNI 03-6820-2002: Spesifikasi agregat halus untuk pekerjaan adukan dan plesteran dengan bahan dasar semen*. Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional. (2002c). *SNI 03-6825-2002: Metode pengujian kekuatan tekan mortar semen portland untuk pekerjaan sipil*. Jakarta: Badan Standardisasi Nasional.

Badan Standardisasi Nasional. (2022). *SNI 7064:2022: Semen portland komposit*. Jakarta: Badan Standardisasi Nasional.

Balbuena, J., Sánchez, M., Sánchez, L., & Cruz-Yusta, M. (2024). Lightweight mortar incorporating expanded perlite, *vermiculite*, and aerogel: A study on the thermal behavior. *Materials, 17*(3), 711. doi:10.3390/ma17030711

Bhosale, A., Zade, N. P., Sarkar, P., & Davis, R. (2020). Mechanical and physical properties of cellular lightweight concrete block masonry. *Construction and Building Materials, 248*, 118621. doi:10.1016/j.conbuildmat.2020.118621

UNIVERSITAS
GADJAH MADA
Karakteristik Kuat Tekan Material Bata Berbasis Mortar dengan Variasi Vermiculite dan Fiberglass Menggunakan Benda Uji Silinder
Rama Mahadika Kusuma Putra, Angga Fajar Setiawan, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Blazy, J., Blazy, R., & Drobiec, Ł. (2022). Glass fiber reinforced concrete as a durable and enhanced material for structural and architectural elements in smart city: A review. *Materials, 15*(8), 2754. doi:10.3390/ma15082754

Chen, X., & Wu, S. (2013). Influence of water-to-cement ratio and curing period on pore structure of cement mortar. *Construction and Building Materials, 38*, 804–812. doi:10.1016/j.conbuildmat.2012.09.058

Gouda, O., Hassanein, A., Youssef, T., & Galal, K. (2021). Stress-strain behaviour of masonry prisms constructed with glass fibre-reinforced grout. *Construction and Building Materials, 267*, 120984. doi:10.1016/j.conbuildmat.2020.120984

Hosseini, S.-M.-M., Ranjbar, M., Maroof, H., Zabihi, R., Ostadhassan, M., & Schaffie, M. (2026). A comprehensive review of the characteristics associated with lightweight cement. *ACS Omega, 11*, 19921–19942. doi:10.1021/acsomega.5c09092

Kasagani, H., & Rao, C. B. K. (2018). Effect of graded fibers on stress strain behaviour of glass fiber reinforced concrete in tension. *Construction and Building Materials, 183*, 592–604. doi:10.1016/j.conbuildmat.2018.06.193

Khajeh Samani, A., & Attard, M. M. (2012). A stress-strain model for uniaxial and confined concrete under compression. *Engineering Structures, 41*, 335–349. doi:10.1016/j.engstruct.2012.03.027

Kohees, M., Sanjayan, J., & Rajeev, P. (2019). Stress-strain relationship of cement mortar under triaxial compression. *Construction and Building Materials, 220*, 456–463. doi:10.1016/j.conbuildmat.2019.05.146

Lasino, Rachman, D., & Sugiharto, B. (2012). Kajian penggunaan semen portland komposit untuk beton. *Jurnal Teknologi Bahan dan Barang Teknik, 2*(2), 41–50.

Li, T., Nogueira, R., de Brito, J., & Liu, J. (2023). Quantitative analysis of the influence of fine aggregate's grading on mortar's rheology. *Journal of Materials Research and Technology, 25*, 310–318. doi:10.1016/j.jmrt.2023.05.236

Małek, M., Jackowski, M., Łasica, W., Kadela, M., & Wachowski, M. (2021). Mechanical and material properties of mortar reinforced with glass fiber: An experimental study. *Materials, 14*(3), 698. doi:10.3390/ma14030698

UNIVERSITAS
GADJAH MADA
Karakteristik Kuat Tekan Material Bata Berbasis Mortar dengan Variasi Vermiculite dan Fiberglass Menggunakan Benda Uji Silinder
Rama Mahadika Kusuma Putra, Angga Fajar Setiawan, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mo, K. H., Lee, H. J., Liu, M. Y. J., & Ling, T. C. (2018). Incorporation of expanded *vermiculite* lightweight aggregate in cement mortar. *Construction and Building Materials, 179*, 302–306. doi:10.1016/j.conbuildmat.2018.05.219

Nasr, Y., El Bachawati, M., El Amine Hamami, A., El Zakhem, H., & Belarbi, R. (2026). Composition effects on microstructure and mechanical performance of lightweight cementitious mortars incorporating recycled glass powder. *Developments in the Built Environment, 26*, 100922. doi:10.1016/j.dibe.2026.100922

Poloju, K. K., Rahul, C., & Anil, V. (2018). Glass fiber reinforced concrete (GFRC) - strength and stress strain behavior for different grades of concrete. *International Journal of Engineering & Technology, 7*(4.5), 707–712.

Reddy, B. V. V., & Gupta, A. (2008). Influence of sand grading on the characteristics of mortars and soil-cement block masonry. *Construction and Building Materials, 22*, 1614–1623. doi:10.1016/j.conbuildmat.2007.06.014

Schackow, A., Effting, C., Folgueras, M. V., Güths, S., & Mendes, G. A. (2014). Mechanical and thermal properties of lightweight concretes with *vermiculite* and EPS using air-entraining agent. *Construction and Building Materials, 57*, 190–197. doi:10.1016/j.conbuildmat.2014.02.009

Setiawan, A. F., Dasar, A., Juliafad, E., & Patah, D. (n.d.). *Integrated performance assessment of lightweight mortar incorporating expanded vermiculite as partial sand replacement and polypropylene fiber reinforcement*. Manuscript draft submitted to *Materials and Structures*.

Shi, T., Zhang, X., Hao, H., & Chen, C. (2021a). Experimental and numerical investigation on the compressive properties of interlocking blocks. *Engineering Structures, 228*, 111561. doi:10.1016/j.engstruct.2020.111561

Shi, T., Zhang, X., Hao, H., & Xie, G. (2021b). Experimental and numerical studies of the shear resistance capacities of interlocking blocks. *Journal of Building Engineering, 44*, 103230. doi:10.1016/j.jobe.2021.103230

Shoukry, H., Kotkata, M. F., Abo-El-Enein, S. A., Morsy, M. S., & Shebl, S. S. (2016). Enhanced physical, mechanical and microstructural properties of lightweight *vermiculite*

UNIVERSITAS
GADJAH MADA
Karakteristik Kuat Tekan Material Bata Berbasis Mortar dengan Variasi Vermiculite dan Fiberglass Menggunakan Benda Uji Silinder
Rama Mahadika Kusuma Putra, Angga Fajar Setiawan, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

cement composites modified with nano metakaolin. *Construction and Building Materials, 112*, 276–283. doi:10.1016/j.conbuildmat.2016.02.209

Singh, S. B., Munjal, P., & Thammishetti, N. (2015). Role of water/cement ratio on strength development of cement mortar. *Journal of Building Engineering, 4*, 94–100. doi:10.1016/j.jobe.2015.09.003

Tan, Y., Gu, Q., Ning, J., Liu, X., Jia, Z., & Huang, D. (2019). Uniaxial compression behavior of cement mortar and its damage-constitutive model based on energy theory. *Materials, 12*(8), 1309. doi:10.3390/ma12081309

Tekin, I., Kotan, T., Osmanson, A. T., Brostow, W., Gencel, O., & Martinez-Barrera, G. (2020). Properties of lightweight concrete blocks with waste zeolitic tuff. *Materials Science (Medžiagotyra), 26*(4), 463–471. doi:10.5755/j01.ms.26.4.22777

Thienel, K.-C., Haller, T., & Beuntner, N. (2020). Lightweight concrete: From basics to innovations. *Materials, 13*(5), 1120. doi:10.3390/ma13051120

Vandhiyan, R., Vijay, T. J., & Kumar, M. M. (2021). Effect of fine aggregate properties on cement mortar strength. *Materials Today: Proceedings, 37*, 2019–2026. doi:10.1016/j.matpr.2020.07.498

Xu, Y., Ye, F., Xiong, B., & Demartino, C. (2024). Mortar with natural light-weight expanded *vermiculite* aggregate: Physical and mechanical properties. *Construction and Building Materials, 440*, 137226. doi:10.1016/j.conbuildmat.2024.137226

Yankelevsky, D. Z. (2024). The uniaxial compressive strength of concrete: Revisited. *Materials and Structures, 57*, 144. doi:10.1617/s11527-024-02422-x