UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Ahnan-Winarno, A. D., Cordeiro, L., Winarno, F. G., Gibbons, J., & Xiao, H. (2021). Tempeh: A semicentennial review on its health benefits, fermentation, safety, processing, sustainability, and affordability. *Comprehensive Reviews in Food Science and Food Safety*, *20*(2), 1717–1767. https://doi.org/10.1111/1541-4337.12710

Akande, K. E., Abubakar, M. M., Adegbola, T. A., Bogoro, S. E., & Doma, U. D. (2010). Chemical evaluation of the nutritive quality of pigeon pea [*Cajanus cajan* (L.) Millsp.]. *International Journal of Poultry Science*, *9*(1), 63–65. https://doi.org/10.3923/ijps.2010.63.65

Singh, U. (1988). Antinutritional factors of chickpea and pigeonpea and their removal by processing. *Plant Foods for Human Nutrition*, 38(3), 251–261. https://doi.org/10.1007/BF01092864

Astawan, M., Adurrasyid, Z., Novita, R. R., Damayanti, A. F., Saraswati, S., Wresdiyati, T., Saithong, P., Chitisankul, W. T., & Putri, S. P. (2025). Exploring the hypoglycemic potential of fresh, semangit, and bosok tempe: A comparative metabolite profile. *Narra J*, *5*(2), e2327. https://doi.org/10.52225/narra.v5i2.2327

A'yuni, N. R. L., Marsono, Y., Marseno, D. W., & Triwitono, P. (2022). Physical characteristics, nutrients, and antinutrients composition of pigeon pea (*Cajanus cajan* (L.) Millsp.) grown in Indonesia. *Food Research*, *6*(2), 53–63. https://doi.org/10.26656/fr.2017.6(2).172

Azad, S. Al, Madadi, M., Song, G., Sun, C., & Sun, F. (2024). New trends in microbial lipid-based biorefinery for fermentative bioenergy production from lignocellulosic biomass. *In Biofuel Research Journal*, *11(1)*, 2040–2064. https://doi.org/10.18331/BRJ2024.11.1.5

Bao, L., Sun, H., Zhao, Y., Feng, L., Wu, K., Shang, S., Xu, J., Shan, R., Duan, S., Qiu, M., Zhang, N., Hu, X., Zhao, C., & Fu, Y. (2023). Hexadecanamide

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

alleviates *Staphylococcus aureus*-induced mastitis in mice by inhibiting inflammatory responses and restoring blood-milk barrier integrity. *PLoS Pathogens*, *19(11*), e1011764. https://doi.org/10.1371/journal.ppat.1011764

Barus, T., Halim, R., Hartanti, A. T., & Saputra, P. K. (2019). Genetic diversity of *Rhizopus microsporus* from traditional inoculum of tempeh in Indonesia based on ITS sequences and RAPD marker. *Biodiversitas*, *20*(3), 847–852. https://doi.org/10.13057/biodiv/d200331

Barus, T., Suwanto, A., Wahyudi, A. T., & Wijaya, H. (2008). Role of bacteria in tempe bitter taste formation: Microbiological and molecular biological analysis based on 16S rRNA gene. *Microbiology Indonesia*, 2(1), 17–21. https://doi.org/10.5454/mi.2.1.4.

Barus, T., Wati, L., Melani, Suwanto, A., & Yogiara. (2017). Diversity of protease-producing *Bacillus* spp. from fresh indonesian tempeh based on 16S rRNA gene sequence. *HAYATI Journal of Biosciences*, *24*(1), 35–40. https://doi.org/10.1016/j.hjb.2017.05.001

Bethke, P. C., & Jansky, S. H. (2008). The effects of boiling and leaching on the content of potassium and other minerals in potatoes. *Journal of Food Science*, *73(5),* 80-85. https://doi.org/10.1111/j.1750-3841.2008.00782.x

Bunmadee, S., Teeka, J., Lomthong, T., Kaewpa, D., Areesirisuk, P., & Areesirisuk, A. (2022). Isolation and identification of a newly isolated lipase-producing bacteria (*Acinetobacter baumannii* RMUTT3S8-2) from oily wastewater treatment pond in a poultry processing factory and its optimum lipase production. *Bioresource Technology Reports*, *20*, 101267. https://doi.org/10.1016/j.biteb.2022.101267

Caplice, E., & Fitzgerald, G. F. (1999). Food fermentations: role of microorganisms in food production and preservation. *International Journal of Food Microbiology*, 50(1–2), 131–149. https://doi.org/10.1016/S0168-1605(99)00082-3

Dhanya Raj, C. T., Kandaswamy, S., Suryavanshi, M. V., Ramasamy, K. P.,

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rajasabapathy, R., & Arthur James, R. (2023). Genomic and metabolic properties of *Staphylococcus gallinarum* FCW1 MCC4687 isolated from naturally fermented coconut water towards GRAS assessment. *Gene*, *867,* 147356. https://doi.org/10.1016/j.gene.2023.147356

Díaz, B. H. C., Aparicio, A. J., Chanona-Pérez, J. J., Calderón-Domínguez, G., Alamilla-Beltrán, L., Hernández-Sánchez, H., & Gutiérrez-López, G. F. (2010). Morphological characterization of the growing front of *Rhizopus oligosporus* in solid media. *Journal of Food Engineering*, *101*(3), 309–317. https://doi.org/10.1016/j.jfoodeng.2010.06.028

Efriwati, Suwanto, A., Rahayu, G., & Nuraida, L. (2013). Population dynamics of yeasts and lactic acid bacteria (LAB) during tempeh production. *HAYATI Journal of Biosciences*, *20*(2), 57–64. https://doi.org/10.4308/hjb.20.2.57

Elhalis, H., See, X. Y., Osen, R., Chin, X. H., & Chow, Y. (2023). The potentials and challenges of using fermentation to improve the sensory quality of plant-based meat analogs. *Frontiers in Microbiology*, 14, 1267227. https://doi.org/10.3389/fmicb.2023.1267227

Erna Kustyawati, M., Pratama, F., Saputra, D., & Wijaya, A. (2014). Modifikasi warna, tektur dan aroma tempe setelah diproses dengan karbon dioksida superkritik. *Jurnal Teknologi Dan Industri Pangan*, *25*(2), 168–175. https://doi.org/10.6066/jtip.2014.25.2.168

Gabrielli, N., Maga-Nteve, C., Kafkia, E., Rettel, M., Loeffler, J., Kamrad, S., Typas, A., & Patil, K. R. (2023). Unravelling metabolic cross-feeding in a yeast–bacteria community using ^{13}C-based proteomics . *Molecular Systems Biology*, *19*(4), e11501. https://doi.org/10.15252/msb.202211501

Gao, X., Pujos-Guillot, E., & Sebedio, J. L. (2021). Metabolomics approaches for the comprehensive evaluation of fermented foods: A review. *Foods*, *10*(10), 2294. https://doi.org/10.3390/foods10102294

Goldstein, J.I., et al. (2018). *Scanning Electron Microscopy and X-Ray Microanalysis*

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

(4th ed.). Springer.

Haji, A., Teka, T. A., Yirga Bereka, T., Negasa Andersa, K., Desalegn Nekera, K., Geleta Abdi, G., Lema Abelti, A., & Makiso Urugo, M. (2024). Nutritional composition, bioactive compounds, food applications, and health benefits of pigeon pea (*Cajanus cajan* L. Millsp.): A Review. *Legume Science*, *6 (2*), e233. https://doi.org/10.1002/leg3.233

Handoyo, T., & Morita, N. (2006). Structural and functional properties of fermented soybean (tempeh) by using *Rhizopus oligosporus*. *International Journal of Food Properties*, *9*(2), 347–355. https://doi.org/10.1080/10942910500224746

Hansen, H. S. (2014). Role of anorectic N-acylethanolamines in intestinal physiology and satiety control with respect to dietary fat. *Pharmacological Research*, *86*, 18–25. https://doi.org/10.1016/j.phrs.2014.03.006

Huang, Y. C., Wu, B. H., Chu, Y. L., Chang, W. C., & Wu, M. C. (2018). Effects of tempeh fermentation with *Lactobacillus plantarum* and *Rhizopus oligosporus* on streptozotocin-induced type II diabetes mellitus in rats. *Nutrients*, *10*(9), 1143. https://doi.org/10.3390/nu10091143

Husein Hasibuan, S., Asben, A., & Andhika Permata, D. (2024). Analysis of the comparison of saga seed tempeh with soybean tempeh on the proximate quality value of the product. *Asian Journal of Applied Research for Community Development and Empowerment*, *8*(3), 128-131. https://doi.org/10.29165/ajarcde.v8i3

Jeleń, H., Majcher, M., Ginja, A., & Kuligowski, M. (2013). Determination of compounds responsible for tempeh aroma. *Food Chemistry*, *141*(1), 459–465. https://doi.org/10.1016/j.foodchem.2013.03.047

Jung, J. Y., Lee, S. H., Lee, H. J., & Jeon, C. O. (2013). Microbial succession and metabolite changes during fermentation of saeu-jeot: traditional korean salted seafood. *Food Microbiology*, *34*(2), 360–368. https://doi.org/10.1016/j.fm.2013.01.009

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Karaman, E. E., & Ceyhun Sezgin, A. (2024). Effect of marination process with different formulation applied to beef on physio-chemical quality parameters and sensory properties of meat themed thesis. *International Journal of Gastronomy and Food Science*, *38*. https://doi.org/10.1016/j.ijgfs.2024.101005

Kato, S., Shimizu-Ibuka, A., Mura, K., Takeuchi, A., Tokue, C., & Arai, S. (2007). Molecular cloning and characterization of an α-amylase from *Pichia burtonii* 15-1. *Bioscience, Biotechnology and Biochemistry*, *71*(12), 3007–3013. https://doi.org/10.1271/bbb.70407

Khrisanapant, P., Kebede, B., Leong, S. Y., & Oey, I. (2019). A comprehensive characterisation of volatile and fatty acid profiles of legume seeds. *Foods*, *8*(12), 521. https://doi.org/10.3390/foods8120651

Kim, J. S., Kim, J., Kim, S. H., & Moon, K. D. (2025). Development of chickpea tempeh using *Rhizopus oryzae* for dysphagia diet: Effect of fermentation time and heat treatment. *Innovative Food Science and Emerging Technologies*, *100,* 103940. https://doi.org/10.1016/j.ifset.2025.103940

Klanian, M. G., Solís, M. J. S., & Di Gianluca, S. O. (2025). Optimization of enzymatic production of *Rhizopus oligosporus* using response surface methodology. *Journal of Microbiology, Biotechnology and Food Sciences*, *15*(1), e10790. https://doi.org/10.55251/jmbfs.10790

Kocharekar, A., & Dukhande., M. (2017). Optimization of lipase activity from *Staphylococcus gallinarum* and its partial purification. *International Journal of Advanced Research*, *5*(10), 1052–1060. https://doi.org/10.21474/IJAR01/5625

Kuligowski, M., Pawłowska, K., Jasińska-Kuligowska, I., & Nowak, J. (2017). Composición de isoflavonas, contenido de polifenoles y actividad antioxidante de las semillas de soja durante fermentación de tempeh. *CYTA - Journal of Food*, *15*(1), 27–33. https://doi.org/10.1080/19476337.2016.1197316

Kurtzman, C. P., Fell, J. W., & Boekhout, T. (Eds.). (2011). *The yeasts: A taxonomic study* (5th ed., 3 vols.). Elsevier.

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Kustyawati, M. E., Pratama, F., Saputra, D., & Wijaya, A. (2018). Viability of molds and bacteria in tempeh processed with supercritical carbon dioxides during storage. *International Journal of Food Science*, *2018,* 8591015. https://doi.org/10.1155/2018/8591015

Lane, D.J. (1991). 16S/23S rRNA sequencing. In E. Stackebrandt & M. Goodfellow (Eds.), *Nucleic Acid Techniques in Bacterial Systematics* (pp. 115–175). Wiley.

Liu, W., Tang, Y., Zhang, J., Bai, J., Zhu, Y., Zhu, L., Zhao, Y., Daglia, M., Xiao, X., & He, Y. (2025). Microbial interactions in food fermentation: interactions, analysis strategies, and quality enhancement. *Foods, 14(14),* 2515. https://doi.org/10.3390/foods14142515

Lund, M.N., Williamson, G., & Laursen, R.S. (2017). Control of Maillard Reactions in Foods: Strategies and Chemical Mechanisms. *Journal of Agricultural and Food Chemistry*, 65(23), 4537–4552.

Mahapatra, P., Kumari, A., Kumar Garlapati, V., Banerjee, R., & Nag, A. (2009). Enzymatic synthesis of fruit flavor esters by immobilized lipase from *Rhizopus oligosporus* optimized with response surface methodology. *Journal of Molecular Catalysis B: Enzymatic*, *60*(1–2), 57–63. https://doi.org/10.1016/j.molcatb.2009.03.010

Matlock, B. (2015). *Assessment of Nucleic Acid Purity*. Retrieved www.thermoscientific.com

Mei Feng, X., Ostenfeld Larsen, T., & Schnürer, J. (2007). Production of volatile compounds by *Rhizopus oligosporus* during soybean and barley tempeh fermentation. *International Journal of Food Microbiology*, *113*(2), 133–141. https://doi.org/10.1016/j.ijfoodmicro.2006.06.025

Meletiadis, J., Meis, J. F. G. M., Mouton, J. W., & Verweij, P. E. (2001). Analysis of growth characteristics of filamentous fungi in different nutrient media. *Journal of Clinical Microbiology*, *39*(2), 478–484. https://doi.org/10.1128/JCM.39.2.478-484.2001

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Nout, M. J. R., & Kiers, J. L. (2005). Tempe fermentation, innovation and functionality: update into the third millenium. *Journal of Applied Microbiology, 98(4),* 789–805. https://doi.org/10.1111/j.1365-2672.2004.02471.x

Nout, M. J. R., & Rombouts, F. M. (1990). Recent developments in tempe research. *Journal of Applied Bacteriology*, *69(5),* 609–633. https://doi.org/10.1111/j.1365-2672.1990.tb01555.x

Odeniyi, O., & Ajileye, O. (2021). Enhancement of lipolytic characteristics of a palm-oil mill effluent-sourced *Kodamaea ohmeri* PL2. *Fungal Territory*, 4(3), 360. https://doi.org/10.36547/ft.360

Ohisa, N., Suzuki, N., & Mohri, S. (2023). Making sugar-free bread with wheat flour and halotolerant *Hyphopichia burtonii* enriched Culture. *Food Science and Technology Research*, *29*(1), 123–128. https://doi.org/10.3136/fstr.FSTR-D-22-00163

Pangastuti, A., Alfisah, R. K., Istiana, N. I., Sari, S. L. A., Setyaningsih, R., Susilowati, A., & Purwoko, T. (2019). Metagenomic analysis of microbial community in over-fermented tempeh. *Biodiversitas*, *20*(4), 1106–1114. https://doi.org/10.13057/biodiv/d200423

Papagianni, M., Avramidis, N., & Filiousis, G. (2007). Glycolysis and the regulation of glucose transport in *Lactococcus lactis* spp. *Microbial Cell Factories*, *6*. https://doi.org/10.1186/1475-2859-6-16

Park, S., & Kim, S. (2021). Mass spectrometry based metabolomics approach on the elucidation of volatile metabolites formation in fermented foods: A mini review. *Molecules*, *26*(16), 4967. https://doi.org/10.3390/molecules26164967

Permana, I. D. G. M., Duniaji, A. S., Wisaniyasa, N. W., & Gunam, I. B. W. (2020). The effect of inoculation of *Aspergillus oryzae* and *Rhizopus oligosporus* in molds fermentation on the characteristics of pigeon pea sauce (*Cajanus cajan* (L.) Millsp.). *EurAsian Journal of BioSciences*, 14, 3527–3535.

Ponomarova, O., Gabrielli, N., Sévin, D. C., Mülleder, M., Zirngibl, K., Bulyha, K.,

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Andrejev, S., Kafkia, E., Typas, A., Sauer, U., Ralser, M., & Patil, K. R. (2017). Yeast creates a niche for symbiotic lactic acid bacteria through nitrogen overflow. *Cell Systems*, *5*(4), 345-357.e6. https://doi.org/10.1016/j.cels.2017.09.002

Prativi, M. B. N., Astuti, D. I., Putri, S. P., Laviña, W. A., Fukusaki, E., & Aditiawati, P. (2023). Metabolite changes in indonesian tempe production from raw soybeans to over-fermented tempe. *Metabolites*, *13*(2), 300. https://doi.org/10.3390/metabo13020300

Putri, D. A., Lei, J., Rossiana, N., & Syaputri, Y. (2024). Biopreservation of food using bacteriocins from lactic acid bacteria: classification, mechanisms, and commercial applications. *International Journal of Microbiology*, *2024(1),* 8723968. https://doi.org/10.1155/ijm/8723968

Radita, R., Suwanto, A., Kurosawa, N., Wahyudi, A. T., & Rusmana, I. (2017). Metagenome analysis of tempeh production: Where did the bacterial community in tempeh come from? *Malaysian Journal of Microbiology*. 13(4), 280–288. https://doi.org/10.21161/mjm.101417

Rahmawati, D., Astawan, M., Putri, S. P., & Fukusaki, E. (2021). Gas chromatography-mass spectrometry-based metabolite profiling and sensory profile of Indonesian fermented food (tempe) from various legumes. *Journal of Bioscience and Bioengineering*, *132*(5), 487–495. https://doi.org/10.1016/j.jbiosc.2021.07.001

Rizal, S., Kustyawati, M. E., Sartika, D., Sasriany, R., Hidayat, R., & Suyantohadi, A. (2024). Innovation of tempeh from jack bean (*Canavalia ensiformis*) fermented with Mosaccha inoculum. *Food Bioscience*, *62,* 105564. https://doi.org/10.1016/j.fbio.2024.105564

Rizzo, G. (2024). Soy-based tempeh as a functional food: evidence for human health and future perspective. *Frontiers in Bioscience,* 16(1), 1–16. https://doi.org/10.31083/j.fbe1601003

Rollero, S., Bloem, A., Ortiz-Julien, A., Camarasa, C., & Divol, B. (2018). Altered

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

fermentation performances, growth, and metabolic footprints reveal competition for nutrients between yeast species inoculated in synthetic grape juice-like medium. *Frontiers in Microbiology*, *9,* 196. https://doi.org/10.3389/fmicb.2018.00196

Romulo, A., & Surya, R. (2021). Tempe: A traditional fermented food of Indonesia and its health benefits. In *International Journal of Gastronomy and Food Science 26,* 100413. https://doi.org/10.1016/j.ijgfs.2021.100413

Saeed, N. M., El-Demerdash, E., Abdel-Rahman, H. M., Algandaby, M. M., Al-Abbasi, F. A., & Abdel-Naim, A. B. (2012). Anti-inflammatory activity of methyl palmitate and ethyl palmitate in different experimental rat models. *Toxicology and Applied Pharmacology*, *264*(1), 84–93. https://doi.org/10.1016/j.taap.2012.07.020

Sambrook, J., & Russell, D.W. (2001). *Molecular Cloning: A Laboratory Manual* (3rd ed.). Cold Spring Harbor Laboratory Press.

Santos, A., van Aerle, R., Barrientos, L., & Martinez-Urtaza, J. (2020). Computational methods for 16S metabarcoding studies using Nanopore sequencing data. *Computational and Structural Biotechnology Journal*, 18, 296–305. https://doi.org/10.1016/j.csbj.2020.01.005

Schoch, C.L., Seifert, K.A., Huhndorf, S., Robert, V., Spouge, J.L., Levesque, C.A., Chen, W., Bolchacova, E., Voigt, K., Crous, P.W., Miller, A.N., Wingfield, M.J., Aime, M.C., An, K.-D., Bai, F.-Y., Barreto, R.W., Begerow, D., Bergeron, M.-J., Blackwell, M., … Fungal Barcoding Consortium. (2012). Nuclear ribosomal internal transcribed spacer (ITS) region as a universal DNA barcode marker for Fungi. *Proceedings of the National Academy of Sciences*, *109*(16), 6241–6246. https://doi.org/10.1073/pnas.1117018109

Setyawan, B., Rahman, A. Y., & Istiadi. (2023). Detection of tempeh maturity quality using YOLO Tiny V4. *ICCoSITE 2023 - International Conference on Computer Science, Information Technology and Engineering: Digital Transformation Strategy in Facing the VUCA and TUNA Era*, 456–460.

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

https://doi.org/10.1109/ICCoSITE57641.2023.10127692

Sibuea, F. A., Sibuea, Mhd. B., & Safitri, S. A. (2024). Indonesian Soybean Import in International Trade. *Jurnal Manajemen Dan Agribisnis*, 21(1), 122. https://doi.org/10.17358/jma.21.1.122

Singh, M., Upadhyaya, H. D., & Bisht, I. S. (Eds.). (2013). *Genetic and genomic resources of grain legume improvement*. Elsevier. https://doi.org/10.1016/C2012-0-06459-9

Song, A. A. L., In, L. L. A., Lim, S. H. E., & Rahim, R. A. (2017). A review on *Lactococcus lactis:* from food to factory. *Microbial Cell Factories*, 16 *(1),* 55. https://doi.org/10.1186/s12934-017-0669-x

Starzyńska-Janiszewska, A., Stodolak, B., & Wikiera, A. (2015). Proteolysis in tempeh-type products obtained with *Rhizopus* and *Aspergillus* strains from grass pea (*Lathyrus sativus*) seed. *Acta Scientiarum Polonorum Technologia Alimentaria*, *14*(2), 125–132. https://doi.org/10.17306/J.AFS.2015.2.14

Surya, R., Petsong, K., Romulo, A., Nugroho, D., Tedjakusuma, F., & Rombot, O. (2025). Microbial profile of agar-supplemented tempeh: A strategy towards enhancing the values of tempeh as a functional food. *IOP Conference Series: Earth and Environmental Science*, *1445*(1), 012005. https://doi.org/10.1088/1755-1315/1445/1/012005

Tamang, J. P., Watanabe, K., & Holzapfel, W. H. (2016). Review: Diversity of microorganisms in global fermented foods and beverages. *Frontiers in Microbiology*, 7, 377. https://doi.org/10.3389/fmicb.2016.00377

Torres, A., Frias, J., Granito, M., & Vidal-Valverde, C. (2006). Fermented pigeon pea (Cajanus cajan) ingredients in pasta products. *Journal of Agricultural and Food Chemistry*, *54*(18), 6685–6691. https://doi.org/10.1021/jf0606095

Tovar, R., de Ceglia, M., Ubaldi, M., Rodríguez-Pozo, M., Soverchia, L., Cifani, C., Rojo, G., Gavito, A., Hernandez-Folgado, L., Jagerovic, N., Ciccocioppo, R., Baixeras, E., Rodríguez de Fonseca, F., & Decara, J. (2023). Administration of

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Linoleoylethanolamide Reduced Weight Gain, Dyslipidemia, and Inflammation Associated with High-Fat-Diet-Induced Obesity. *Nutrients*, *15(20),* 4448. https://doi.org/10.3390/nu15204448

Valério, R. B. R., Cavalcante, A. L. G., Mota, G. F., de Sousa, I. G., Souza, J. E. da S., Cavalcante, F. T. T., Moreira, K. da S., Falcão, I. R. de A., Neto, F. S., & Dos Santos, J. C. S. (2022). Understanding the biocatalytic potential of lipase from rhizopus chinensis. *Biointerface Research in Applied Chemistry*, *12*(3), 4230–4260. https://doi.org/10.33263/BRIAC123.42304260

Visessanguan, W., Benjakul, S., Potachareon, W., Panya, A., & Riebroy, S. (2005). Accelerated proteolysis of soy proteins during fermentation of thua-nao inoculated with bacillus subtilis. In *Journal of Food Biochemistry*, 29(4), 349–366.

Walsh, A. M., Crispie, F., Claesson, M. J., & Cotter, P. D. (2023). Integrated molecular approaches for fermented food microbiome research. *FEMS Microbiology Reviews*, *47*(2), fuad001. https://doi.org/10.1093/femsre/fuad001

White, T.J., Bruns, T., Lee, S., & Taylor, J. (1990). Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In M.A. Innis et al. (Eds.), *PCR Protocols: A Guide to Methods and Applications* (pp. 315–322). Academic Press.

Wilfinger, W. W., Mackey, K., & Chomczynski, P. (1997). Effect of pH and ionic strength on the spectrophotometric assessment of nucleic acid purity. *BioTechniques*, 22(3), 474–481. https://doi.org/10.2144/97223st01

Wiloso, E. I., Sinke, P., Muryanto, Setiawan, A. A. R., Sari, A. A., Waluyo, J., Putri, A. M. H., & Guinée, J. (2019). Hotspot identification in the Indonesian tempeh supply chain using life cycle assessment. *International Journal of Life Cycle Assessment*, *24*(11), 1948–1961. https://doi.org/10.1007/s11367-019-01617-7

Wu, J., Zhou, Q., Zhou, C., Cheng, K. W., & Wang, M. (2024). Strategies to promote the dietary use of pigeon pea (*Cajanus cajan* L.) for human nutrition and health.

UNIVERSITAS
GADJAH MADA
Karakterisasi Mikrobiota dan Metabolit Tempe Gude Gunungkidul melalui Analisis Metabarcoding, Metabolomik, dan Fisikokimia
Ade Riyana Pangestika, Dr. Miftahul Ilmi, S.Si., M.Si.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Food Frontiers, 5(3), 1014–1030. https://doi.org/10.1002/fft2.381

Yarlina, V. P., Nabilah, F., Zaida, Nurhasanah, S., & Lani, M. N. (2024). Optimal fermentation time for jack bean (*Canavalia Ensiformis*) tempeh: a comprehensive pattern analysis of chemical and enzyme changes. *Current Research in Nutrition and Food Science*, *12*(3), 1143–1153. https://doi.org/10.12944/CRNFSJ.12.3.12

Yarlina, V. P., Tandra, J. L., Indiarto, R., Andoyo, R., Harlina, P. W., Ubaidillah, N. H. N., & Lani, M. N. (2026). Unraveling tempeh through omics: a scoping review of fermentation pathways and functional health benefits. *NPJ Science of Food*, *10,* 122. https://doi.org/10.1038/s41538-026-00754-2

Yu, X. W., Xu, Y., & Xiao, R. (2016). Lipases from the genus Rhizopus: Characteristics, expression, protein engineering and application. *Progress in Lipid Research*, 64, 57–68. https://doi.org/10.1016/j.plipres.2016.08.001

Yuniastuti, E., Sukaya, Dewi, L. C., & Delfianti, M. N. I. (2020). The characterization of black pigeon pea (*Cajanus cajan*) in Gunungkidul, Yogyakarta. *Caraka Tani: Journal of Sustainable Agriculture*, *35*(1), 78–88. https://doi.org/10.20961/carakatani.v35i1.28400

Zahidah, H. L., & Lo, D. (2022). The physicochemical properties of soy sauce made from tempeh. *IOP Conference Series: Earth and Environmental Science*, *1115*(1), 012094. https://doi.org/10.1088/1755-1315/1115/1/012094

Zamora, R., & Hidalgo, F. J. (2005). Coordinate Contribution of Lipid Oxidation and Maillard Reaction to the Nonenzymatic Food Browning. *Critical Reviews in Food Science and Nutrition*, *45*(1), 49–59. https://doi.org/10.1080/10408690590900117