UNIVERSITAS
GADJAH MADA
Populasi Bakteri Pelarut Fosfat dan Kadar P-Tersedia di Bawah Tegakan Acacia Auriculiformis di Bleberan, Playen, Gunungkidul, Yogyakarta
Ken Falah Syahnur, Dr. Ir. Handojo Hadi Nurjanto, M.Agr.Sc. ; Ir. Arom Figyantika, S.Hut., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adinata, H. A. (2025). *Perbedaan karakteristik perakaran Acacia auriculiformis A. Cunn. ex Benth. dari tiga sumber benih sampai umur dua tahun di Namberan Gunungkidul* (Skripsi). Fakultas Kehutanan, Universitas Gadjah Mada.

Alori, E. T., Glick, B. R., & Babalola, O. O. (2017). Microbial phosphorus solubilization and its potential for use in sustainable agriculture. *Frontiers in Microbiology*, 8, 971. https://doi.org/10.3389/fmicb.2017.00971

Badri, D. V., & Vivanco, J. M. (2009). Regulation and function of root exudates. *Plant, Cell & Environment*, *32*(6), 666–681. https://doi.org/10.1111/j.1365-3040.2009.01926.x

Balai Penelitian Tanah. (2005). *Petunjuk teknis analisis kimia tanah, tanaman, air, dan pupuk*. Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian.

Bardgett, R. D., & van der Putten, W. H. (2014). *Belowground biodiversity and ecosystem functioning*. *Nature*, *515*(7528), 505–511. https://doi.org/10.1038/nature13855

Bashan, Y., Kamnev, A. A., & de-Bashan, L. E. (2013). Tricalcium phosphate solubilization by microorganisms: Mechanisms and applications. *Applied Microbiology and Biotechnology*, *97*(22), 9771–9782. https://doi.org/10.1007/s00253-013-5229-z

Budiharsi, R. P. (2025). *Perakaran Acacia auriculiformis provenans Queensland dari materi perbanyakan stek pucuk dan biji di lahan karst Gunungkidul* (Skripsi). Fakultas Kehutanan, Universitas Gadjah Mada.

Canarini, A., Kaiser, C., Merchant, A., Richter, A., & Wanek, W. (2019). Root exudation of primary metabolites: Mechanisms and their roles in plant responses to environmental stimuli. *Frontiers in Plant Science*, 10, 157. https://doi.org/10.3389/fpls.2019.00157

Chen, W. J., Li, P. P., Wen, Q., Huang, K. M., Wang, M. Y., Xu, H., Hua, D. L., & Han, Y. L. (2022). Characteristics of acidification and the distribution of available phosphorus along soil depths in heavy clay soils in southern Henan Province, China. *Ying Yong Sheng Tai Xue Bao*, *33*(1), 126–132. https://doi.org/10.13287/j.1001-9332.202201.025

UNIVERSITAS
GADJAH MADA
Populasi Bakteri Pelarut Fosfat dan Kadar P-Tersedia di Bawah Tegakan Acacia Auriculiformis di Bleberan, Playen, Gunungkidul, Yogyakarta
Ken Falah Syahnur, Dr. Ir. Handojo Hadi Nurjanto, M.Agr.Sc. ; Ir. Arom Figyantika, S.Hut., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, Y., Farooq, A., Wei, X., Qin, L., Wang, Y., Zhang, L., Xiang, Q., Zhao, K., Yu, X., Chen, Q., Gao, X., Nyima, T., Penttinen, P., & Gu, Y. (2025). Transcriptomic and metabolomic analysis of recalcitrant phosphorus solubilization mechanisms in Trametes gibbosa. *Frontiers in Microbiology*, *16*. https://doi.org/10.3389/fmicb.2025.1520459

Duchaufour, P. (1982). *Pedology: Pedogenesis and classification*. London: George Allen & Unwin.

Duncan, D. B. (1955). Multiple range and multiple F tests. *Biometrics*, *11*(1), 1–42. https://doi.org/10.2307/3001478

El-Agrodi, M., Mosa, A., & El-Sherpiny, M. A. (2011). Inorganic Phosphorus Forms in Alluvial and Calcareous Soils as Affected by Different Phosphorus Application Levels and Incubation Periods. *Journal of Soil Sciences and Agricultural Engineering*, *2*(12), 1195–1206. https://doi.org/10.21608/jssae.2011.56464

Food and Agriculture Organization of the United Nations. (2025). *Soil fertility*. Global Soil Partnership. https://www.fao.org/global-soil-partnership/areas-of-work/soil-fertility/en/

Geiger, R., Aron, R. H., & Todhunter, P. (2009). *The climate near the ground* (7th ed.). Rowman & Littlefield Publishers.

Goldstein, A. H. (1995). Recent progress in understanding the molecular genetics and biochemistry of calcium phosphate solubilization by gram-negative bacteria. *Biological Agriculture & Horticulture*, *12*(2), 185–193. https://doi.org/10.1080/01448765.1995.9754736

Hauka, F., Afify, A., & El-Sawah, A. M. (2017). Efficiency Evaluation of Some Rhizobacteria Isolated From Egyptian Soils, in Vitro as Biofertilizers. *Journal of Agricultural Chemistry and Biotechnology*, *8*(9), 231–235. https://doi.org/10.21608/jacb.2017.38779

Hinsinger, P. (2001). Bioavailability of soil inorganic P in the rhizosphere as affected by root-induced chemical changes. *Plant and Soil*, *237*(2), 173–195. https://doi.org/10.1023/A:1013351617532

Hinsinger, P., Bengough, A. G., Vetterlein, D., & Young, I. M. (2009). Rhizosphere: Biophysics, biogeochemistry and ecological relevance. *Plant and Soil*, *321*(1–2), 117–152. https://doi.org/10.1007/s11104-009-0030-5

https://dn720703.ca.archive.org/0/items/estimationofavai939olse/estimationofavai939olse.pdf

UNIVERSITAS
GADJAH MADA
Populasi Bakteri Pelarut Fosfat dan Kadar P-Tersedia di Bawah Tegakan Acacia Auriculiformis di Bleberan, Playen, Gunungkidul, Yogyakarta
Ken Falah Syahnur, Dr. Ir. Handojo Hadi Nurjanto, M.Agr.Sc. ; Ir. Arom Figyantika, S.Hut., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jia, S., Li, Y. D., Qu, H., Li, B., Juan, Y. H., Xing, Y. H., Liu, Y., Bao, H. J., & Sun, W. T. (2025). Straw retention drives microbial community succession to improve soil C/N cycling: insights from a multi-year rice-based system. *Frontiers in Microbiology*, *16*. https://doi.org/10.3389/fmicb.2025.1590788

Kachaka, E. Y., Poirier, V., Munson, A. D., & Khasa, D. P. (2023). *Acacia auriculiformis* agroforestry fallows of different ages improve soil physico-chemical properties and carbon stocks on the Batéké plateau, Democratic Republic of Congo. *Geoderma Regional*, *34*, e00691. https://doi.org/10.1016/j.geodrs.2023.e00691

Kasongo, R. K., Van Ranst, E., Verdoodt, A., Kanyankagote, P., & Baert, G. (2009). Impact of *Acacia auriculiformis* on the chemical fertility of sandy soils on the Batéké Plateau, D.R. Congo. *Soil Use and Management*, *25*(1), 21–27. https://doi.org/10.1111/j.1475-2743.2008.00188.x

Kunhamu, T. K., Kumar, B. M., Assif, P. K., & Jayadevan, C. N. (1994). *Litter yield and decomposition under Acacia auriculiformis*. *Nitrogen Fixing Tree Research Reports*, *12*, 29–32.

Legume Phylogeny Working Group (LPWG). (2017). A new subfamily classification of the Leguminosae based on a taxonomically comprehensive phylogeny. *Taxon*, 66(1), 44–77. https://doi.org/10.12705/661.3

Lestari, S. M., Soedradjad, R., Soeparjono, S., & Setiawati, T. C. (2019). Aplikasi bakteri pelarut fosfat dan *rock phosphate* terhadap karakteristik fisiologi tanaman tomat (*Solanum lycopersicum* L.). *Jurnal Bioindustri*, *2*(1), 319–333. https://doi.org/10.31326/jbio.v2i1.178

Levene, H. (1960). Robust tests for equality of variances. In I. Olkin *et al*. (Eds.), *Contributions to probability and statistics: Essays in honor of Harold Hotelling* (pp. 278–292). Stanford University Press.

Liu, Z., Li, Y. C., Zhang, S., Fu, Y., Fan, X., Patel, J. S., & Zhang, M. (2015). Characterization of phosphate-solubilizing bacteria isolated from calcareous soils. *Applied Soil Ecology*, *96*, 217–224. https://doi.org/10.1016/j.apsoil.2015.08.003

Mengesha, A. S., & Legesse, N. H. (2024). Isolation and characterization of phosphate solubilizing bacteria from the rhizosphere of lentil (*Lens culinaris M.*) collected from Hagere Mariam district, Central Ethiopia. PLOS ONE, 19(11), e0308915. https://doi.org/10.1371/journal.pone.0308915

UNIVERSITAS
GADJAH MADA
Populasi Bakteri Pelarut Fosfat dan Kadar P-Tersedia di Bawah Tegakan Acacia Auriculiformis di Bleberan, Playen, Gunungkidul, Yogyakarta
Ken Falah Syahnur, Dr. Ir. Handojo Hadi Nurjanto, M.Agr.Sc. ; Ir. Arom Figyantika, S.Hut., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Murphy, J., & Riley, J. P. (1962). A modified single solution method for the determination of phosphate in natural waters. *Analytica Chimica Acta*, *27*, 31–36. https://doi.org/10.1016/S0003-2670(00)88444-5

Nahas, E. (2007). Phosphate solubilizing microorganisms: Effect of carbon, nitrogen, and phosphorus sources. *Journal of Applied Microbiology*, *103*(6), 1651–1660. https://doi.org/10.1111/j.1365-2672.2007.03419.x

Niswati, A., Nugroho, S. G., & Handayanto, E. (2007). Populasi bakteri pelarut fosfat pada rizosfer tanaman jagung (*Zea mays* L.) di tanah Ultisol. *Jurnal Tanah Tropika*, *13*(2), 123–131.

Olsen, S. R., Cole, C. V., Watanabe, F. S., & Dean, L. A. (1954). Estimation of available phosphorus in soils by extraction with sodium bicarbonate. USDA Circular No. 939.

Orwa, C., Mutua, A., Kindt, R., Jamnadass, R., & Simons, A. (2009). *Agroforestree Database: A tree reference and selection guide* (Version 4.0). World Agroforestry Centre (ICRAF). https://www.worldagroforestry.org/output/agroforestree-database

Paul, E. A. (2015). *Soil Microbiology, Ecology and Biochemistry* (4th ed.). Academic Press.

Purwaningsih, S. (2016). Isolasi, Populasi Dan Karakterisasi Bakteri Pelarut Fosfat Pada Daerah Perakaran Dan Tanah Dari Bengkulu, Sumatra. *Jurnal Teknologi Lingkungan*, *13*(1), 101. https://doi.org/10.29122/jtl.v13i1.1410

Pusat Penelitian Tanah. (1983). *Petunjuk Teknis Analisis Kimia Tanah*. Publikasi No. 59.

Richardson, A. E., & Simpson, R. J. (2011). Soil microorganisms mediating phosphorus availability. *Plant Physiology*, *156*(3), 989–996. https://doi.org/10.1104/pp.111.175448

Rodríguez, H., & Fraga, R. (1999). Phosphate solubilizing bacteria and their role in plant growth promotion. *Biotechnology Advances*, *17*(4–5), 319–339. https://doi.org/10.1016/S0734-9750(99)00014-2

Shapiro, S. S., & Wilk, M. B. (1965). An analysis of variance test for normality (complete samples). *Biometrika*, *52*(3–4), 591–611. https://doi.org/10.1093/biomet/52.3-4.591

Sharon, J. A., Hathwaik, L. T., Glenn, G. M., Imam, S. H., & Lee, C. C. (2016). Isolation of efficient phosphate solubilizing bacteria capable of enhancing tomato plant growth. Journal of Soil Science and Plant Nutrition, 16(2), 525–536. https://doi.org/10.4067/S0718-95162016005000043

UNIVERSITAS
GADJAH MADA
Populasi Bakteri Pelarut Fosfat dan Kadar P-Tersedia di Bawah Tegakan Acacia Auriculiformis di Bleberan, Playen, Gunungkidul, Yogyakarta
Ken Falah Syahnur, Dr. Ir. Handojo Hadi Nurjanto, M.Agr.Sc. ; Ir. Arom Figyantika, S.Hut., M.Sc., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Sun, X., Tian, X., Jia, M., Hu, X., Zhang, C., & Zhao, L. (2026). Phosphate-solubilizing bacteria: A review of diversity, mechanisms, and applications in sustainable agriculture. *Frontiers in Microbiology*, *17*, 1778470. https://doi.org/10.3389/fmicb.2026.1778470

Vance, C. P., Uhde-Stone, C., & Allan, D. L. (2003). Phosphorus acquisition and use: Critical adaptations by plants for securing a nonrenewable resource. *New Phytologist*, *157*(3), 423–447. https://doi.org/10.1046/j.1469-8137.2003.00695.x

Vikram, A., Alagawadi, A. R., Hamzehzarghani, H., & Krishnaraj, P. U. (2007). Factors related to the occurrence of phosphate solubilizing bacteria and their isolation in Vertisols. *International Journal of Agricultural Research*, *2*, 571–580. https://doi.org/10.3923/ijar.2007.571.580

Wang, Y., Zhang, Z., Tian, Z., Lu, Y., Ren, T., & Peng, X. (2022). Determination of soil bulk density dynamic in a Vertisol during wetting and drying cycles using combined soil water content and thermal property sensors. *Geoderma*, *428*, 116149. https://doi.org/10.1016/j.geoderma.2022.116149

Widawati, S., & Suliasih, S. (2006). The population of phosphate solubilizing bacteria (PSB) from Cikaniki, Botol Mountain, and Ciptarasa Area, and the ability of PSB to solubilize insoluble P in solid pikovskaya medium. *Biodiversitas, Journal of Biological Diversity*, *7*, 109–113. https://doi.org/10.13057/biodiv/d070203

World Flora Online. (2025). *Acacia auriculiformis* A.Cunn. ex Benth. https://www.worldfloraonline.org/