UNIVERSITAS
GADJAH MADA
POTENSI Beauveria bassiana YANG DIINKORPORASIKAN DALAM UMPAN PROTEIN SEBAGAI BIOINSEKTISIDA UNTUK PENGENDALIAN Bactrocera carambolae (Diptera: Tephritidae)
Eva Monica Wibisono, Dr. Suputa, S.P., M.P. ; Ahmad Suparmin, S.P., M.AgrSc, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abendroth, J.A., T.W. Moural, Hongshuang W, and Fang Z. 2023. Roles of insect odorant binding proteins in communication and xenobiotic adaptation. 3: 1-13.

Agustina, D.K., A.S. Leksono, B. Yanuwiadi, A. Rizali, S.A. Abdullah, dan M. Abdullah. 2025. Effects of seasonal transitions on population dynamics of fruit flies in *Capsicum annuum* and *Solanum lycopersicumin* Batu City, Indonesia. Biosaintifika. 17(1):143-155.

Amin, N. N. A. 2015. Perilaku oviposisi lalat buah *Bactrocera papayae* Drew & Hancock dan *B. carambolae* Drew & Hancock pada tingkat kematangan buah jambu biji (*Psidium guajava* L.).

Andrews, K.J. R. Bester, A. Manrakhan, and H.J. Maree. 2022. A multiplex PCR assay for the identification of fruit flies (Diptera: Tephritidae) of economic importance in South Africa. Scientific Reports. 12(1): 1-8.

Ardiyati, A.T., G. Mudjiono, dan T. Himawan. 2015. Uji patogenisitas jamur entomopatogen *Beauveria bassiana* (Balsamo) Vuillemin pada jangkrik (*Gryllus* sp.) (Orthoptera: Gryllidae). Jurnal HPT. 3(3): 43-51.

Aror, A.P.F., C.S. Rante dan N.N. Wanta. 2017. Pemanfaatan jamur entomopatogen *Beauveria bassiana* (Balsamo) Vuillemin terhadap larva *Plutella xylostella* (L.) di Laboratorium. Jurnal Cocos. 1 (2): 1-12.

Bareta, A. R., Widiastuti, E. L., & Nurcahyani, N. 2023. Uji sitotoksisitas taurin dan ekstrak etanol makroalga cokelat dengan metode BSLT (Brine Shrimp Lethality Test). Berita Biologi. 22(2): 153-157.

Bedini, S., S. Sarrocco, R. Baroncelli, G. Vannacci, and B. Conti. 2018. Pathogenic potential of *Beauveria pseudobassiana* as bioinsectiside in protein baits for the control of the medfly *Ceratitis capitata*. Buletin of Insectology 71(1): 31-38.

Behar, A., E. Jurkevitch, and B. Yuval. 2008. Bringing back the fruit into fruit fly–bacteria interactions. Molecular Ecology. 17(5): 1375–1386.

Bich, G.A., M.L. Castrillo, F.L. Kramer, L.L. Villalba, and P.D. Zapata. 2021. Morphological and molecular identification of entomopathogenic fungi from agricultural and forestry crops. Floresta e Ambiente. 28(2): 1-11.

Cahyanti T. 2019. Mortalitas larva *Oryctes rhinoceros* akibat perlakuan larutan metabolit sekunder *Beauveria Bassiana* dan *Beauveria Bassiana* dalam formulasi kaoli. Skripsi. Universitas Negeri Semarang.

Caruso, M. A., Piermaria, J. A., Abraham, A. G., and Medrano, M. 2022. β-glucans obtained from beer spent yeasts as functional food grade additive: Focus on biological activity. Food Hydrocolloids. 133: 107963.

Castilho, A.P., J. Pasinato, J.E.V.D. Santos, A.E.S.D. Costa, D.E. Nava, C.R.D. Jesus, and R. Adaime. 2019. Biology of *Bactrocera carambolae* (Diptera: Tephritidae) on four hosts. Revista Brasileira de Entomologia. 63: 302–307.

Chinajariyawong, A., Kritsaneepaiboon, S., and Drew, R. A. I. 2003. Efficacy of protein bait sprays in controlling fruit flies (Diptera: Tephritidae) infesting angled luffa and bitter gourd in Thailand. Raffles Bulletin of Zoology. 51(1): 7-16.

Danjuma, S., N. Thaochan, S. Permkam, and C. Satasook. 2014. Effect of temperature on the development and survival of immature stages of the carambola fruit fly,

UNIVERSITAS
GADJAH MADA
POTENSI Beauveria bassiana YANG DIINKORPORASIKAN DALAM UMPAN PROTEIN SEBAGAI BIOINSEKTISIDA UNTUK PENGENDALIAN Bactrocera carambolae (Diptera: Tephritidae)
Eva Monica Wibisono, Dr. Suputa, S.P., M.P. ; Ahmad Suparmin, S.P., M.AgrSc, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bactrocera carambolae, and the Asian papaya fruit fly, *Bactrocera papayae*, reared on guava diet. Journal of Insect Science. 14(1): 1-16.

Demirgul, F., Simsek, O., Sagdic, O., 2022. Amino acid, mineral, vitamin B contents and bioactivities of extracts of yeasts isolated from sourdough. Food Biosci. 50: 102040.

Dias, N. P., Nava, D. E., Garcia, M. S., Silva, F. F., and Valgas, R. A. 2017. Oviposition of fruit flies (Diptera: Tephritidae) and its relation with the pericarp of citrus fruits. Brazilian Journal of Biology. 78(03): 443-448.

Dimbi, S., Maniania, N. K., & Ekesi, S. (2013). Horizontal transmission of *Metarhizium anisopliae* in fruit flies and effect of fungal infection on egg laying and fertility. Insects. 4(2): 206-216.

Djatmiadi & Djatnika. 2001. Petunjuk Teknis Surveilans Lalat Buah. Pusat Teknik dan Metode Karantina Hewan dan Tumbuhan. Jakarta : Badan Karantina Pertanian.

Drew, R. A., and Hancock, D. L. 1994. The *Bactrocera dorsalis* complex of fruit flies (Diptera: Tephritidae: Dacinae) in Asia. Bulletin of entomological research supplement series. *2*: 1-68.

Fauzi, U. 2025. Uji efikasi ekstrak etanol bunga *Elaeis guineensis* Jacq. sebagai biolarvasida terhadap larva *Aedes aegypti*. Future Academia: The Journal of Multidisciplinary Research on Scientific and Advanced. 3(2): 879-890.

Fitriani, H., J. Ngangi, and H.J. Lawalata. 2023. *Beauveria bassiana* fungus as a biological alternative for the control of *Bactrocera carambolae* on chili plants. Indonesian Biodiversity Journal. 4(1): 34-40.

Fitriyani, R. 2023. Frekuensi, dosis aplikasi, tingkat kerusakan, dan kadar residu insektisida golongan piretroid pada tanaman cabai merah dan kacang panjang di Kecamatan Adiluwih, Kabupaten Pringsewu. Fakultas Pertanian. Universitas Lampung. Skripsi

Ganie, S. A., Rehman, S. A., Nisar, T., Paray, M. A., Bano, P., and Khurshid, R. 2022. Fruit fly management and control strategies: A Review. Biopesticides International: 18(2).

Giang V N., Quynh A N, Phan H H., and V.V. Pylnev. 2024. Characterization of the *Beauveria bassiana* ga fungal strain isolated from the muscardine infected silkworms (*Bombyx mori* L.). In E3S Web of Conferences. 539:1-14.

Gokulakrishnan, M., Kumar, R., Pillai, B.R., *et al.,* 2022. Dietary brewer's spent yeast enhances growth, hematological parameters, and innate immune responses at reducing fishmeal concentration in the diet of climbing perch, Anabas testudineus f ingerlings. Front. Nutr. 9: 982572

Hardiansyah, M., Anshary, A., and Nasir, B. 2023. Uji efektifitas jamur *Beauveria bassiana* Terhadap Pupa *Conopomorpha cramerella* Snellen (Lepidoptera: Gracillariidae) di Laboratorium. Agrotekbis: Jurnal Ilmu Pertanian (E-Journal).11(3): 768-776.

Harun, Y., Parawansa, A. K., and Haris, A. 2022. Kajian patogenisitas *Beauveria bassiana* dan *Metarhizium* sp terhadap larva ulat grayak (*Spodoptera frugiperda*) pada tanaman jagung. AGROTEK: Jurnal Ilmiah Ilmu Pertanian. 6(2): 81-93.

Hasnain, M., S. Saeed, U. Naeem Ullah, and S. Ullah. 2022. Development of synthetic food baits for mass trapping of *Bactrocera zonata* S. (Diptera: Tephritidae). Journal of King Saud University– Science. 34:1-13.

UNIVERSITAS
GADJAH MADA
POTENSI Beauveria bassiana YANG DIINKORPORASIKAN DALAM UMPAN PROTEIN SEBAGAI BIOINSEKTISIDA UNTUK PENGENDALIAN Bactrocera carambolae (Diptera: Tephritidae)
Eva Monica Wibisono, Dr. Suputa, S.P., M.P. ; Ahmad Suparmin, S.P., M.AgrSc, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Hasnain, M., Saeed, S., Ullah, U. N., Ullah, S., and Zaka, S. M. 2023. Synergist response of the Peach fruit fly, *Bactrocera zonata* (Saunders) to some ammonium based proteinaceous food bait attractants. BMC zoology. 8(1): 17.

Husamah, H., Fatah, M. A., Ardelia, A. M., Azalia, P. A., and Saputri, A. R. 2023. The effectiveness of attractants for fruit fly in orange garden. Jurnal Penelitian dan Pengkajian Ilmu Pendidikan: E-Saintika. 7(2): 176-184.

Indriyanti, D. R., Martono, E., & Trisyono, A. 2013. Ketertarikan *Bactrocera carambolae* (Diptera: Tephritidae) pada senyawa volatil olahan limbah kakao. Biosaintifika: Journal of Biology & Biology Education. 5(1): 25-29.

Indriyanti, D.R., E. Martono, A. Trisyono, dan Witjaksono. 2008. Ketertarikan *Bactrocera carambolae* (Diptera: Tephritidae) pada berbagai limbah yang mengandung protein. Jurnal Perlindungan Tanaman Indonesia. 14(2): 86 – 91.

Joko, T., Sulistiyani, O. Setiani, M. Rahardjo, and I.S. Arumdani. 2023. Life cycle analysis on pesticide exposure and residues in the environment of brebes county shallot farms and farmers. Journal of Ecological Engineering. 24(3): 76–89.

Kaiser, D., Bacher, S., Mène-Saffrané, L., and Grabenweger, G. 2018. Efficiency of natural substances to protect *Beauveria bassiana* conidia from UV radiation. Pest management science. 75(2): 556-563.

Kameswaran, M., and Raghunandhan, S. 2010. Saprophytic mycotic infections of the nose and paranasal sinuses. An International Journal of Otorhinolaryngology Clinics. 1(1): 25-32.

Keiser, I., Khattak, S. U. K., Ashraf, M., and Silva, J. A. 1988. Enhanced longevity and species-specific resistance to malathion of adult mediterranean fruit flies, melon flies, and oriental fruit flies fed on diets with hydrolyzed protein. Journal of Environmental Science & Health Part A. 23(4): 299-310.

Koswanudin, D., Basukriadi, A., Samudra, I. M., and Ubaidillah, R. 2018. Host preference fruit flies *Bactrocera carambolae* (Drew & Hancock) and *Bactrocera dorsalis* (Drew and Hancock)(Diptera: Tephritidae). Jurnal Entomologi Indonesia. 15(1): 40-40.

Kumalasari, D., A. Aminudin., dan A. C. Fery. 2016. Isolasi jamur patogen serangga filoplan cabai merah keriting (*Capsicum annuum* Linnaeus) dan uji virulensi terhadap *Spodoptera litura* Fabricius (Lepidoptera: Noctuidae). Jurnal HPT, Jurusan Hama dan Penyakit Tumbuhan, Fakultas Pertanian, Universitas Brawijaya. 4(3): 115-124.

Lai, Y., Zheng, W., Zheng, Y., Lu, H., Qu, S., Wang, L., and Wang, S. 2024. Unveiling a novel entry gate: Insect foregut as an alternative infection route for fungal entomopathogens. The Innovation. 5(4).

Laili, N. H., Abida, I. W., & Junaedi, A. S. 2022. Nilai total plate count (TPC) dan jumlah jenis bakteri air limbah cucian garam (bittern) dari tambak garam Desa Banyuajuh Kecamatan Kamal Kabupaten Bangkalan. Juvenil: Jurnal Ilmiah Kelautan dan Perikanan. 3(1): 26-31.

Li, X. L., Zhang, J. J., Li, D. D., Cai, X. Y., Qi, Y. X., and Lu, Y. Y. 2024. Toxicity of *Beauveria bassiana* to *Bactrocera dorsalis* and effects on its natural predators. Frontiers in Microbiology. 15: 1362089.

Ma, M., Luo, J., Li, C., Eleftherianos, I., Zhang, W., and Xu, L. 2024. A life-and-death struggle: interaction of insects with entomopathogenic fungi across various infection stages. Frontiers in immunology. 14: 1329843.

UNIVERSITAS
GADJAH MADA
POTENSI Beauveria bassiana YANG DIINKORPORASIKAN DALAM UMPAN PROTEIN SEBAGAI BIOINSEKTISIDA UNTUK PENGENDALIAN Bactrocera carambolae (Diptera: Tephritidae)
Eva Monica Wibisono, Dr. Suputa, S.P., M.P. ; Ahmad Suparmin, S.P., M.AgrSc, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mantzoukas, S., A. Margaritis, T. Sourouni, V. Georgopoulo, C. Zarmakoupi, V. Papantzikos, I. Lagogiannis, P.A. Eliopoulos, and G. Patakioutas. 2025. Insecticidal action of local isolates of entomopathogenic fungi against *Bactrocera oleae* pupae. Biology. 14(5): 1-15.

Marleni, N., Swibawa, I. G., and Aeny, T. N. 2013. Efikasi *Beauveria bassiana* pada penggerek buah kopi (*Hypothenemus hampei*) dari sumberjaya. Jurnal Agrotek Tropika. 1(3).

Mascarin, G. M., and Jaronski, S. T. 2016. The production and uses of *Beauveria bassiana* as a microbial insecticide. World Journal of Microbiology and Biotechnology. 32(11): 177.

Muslimin. 2021. Kajian "mode of action" *Beauveria bassiana* (Bals.) Vuill. (Deuteromycota: HypomyceteS) terhadap *Tribolium castaneum* Herbst (Coleoptera: Tenebrionidae). Universitas Hasanuddin Makassar. Disertasi.

Nahas, A.E., T.S. Harini, R. Ludji, J.A. Londingkene, D.Y.L. Serangmo, M. Kasim, M.W.K. Katam and O. Agut. 2025. Identification of fruit fly species (Diptera:Tephritidae) on horticultural plants in Kupang City, East Nusa Tenggara. IOP Conference Series: Earth and Environmental Science. 1482(1): 1-10.

Naveen, G., and T. Devi. 2025. Emerging trends in insect pest eco-friendly approaches in insect pest management. Golden Leaf Publishers.

Norjmaa, U., Nasamdulam, D., Enkhjargal, B., and Banzragch, D. 2019. Morphological and molecular identification of *Beauveria bassiana* from agricultural soils. Mongolian Journal of Agricultural Sciences. 27(02): 20-24.

Oluwadara, A. B., Oni, M. O., Adebayo, R. A., Fayeun, L. S., and Ajayi, O. O. 2023. Characterization of isolates of *Beauveria bassiana* (Balsamo) Vuillemin collected from three states of Southwest Nigeria. Asian Journal of Microbiology, Biotechnology and Environmental Sciences. 8(2): 111-119.

Pelizza, S.A., Y. Mariottini, L.M. Russo, F.M. Vianna, A.C. Scorsetii, and C.E. Lange. 2019. Application of *Beauveria bassiana* using different baits for the control of grasshopper pest *Dichroplus maculipennis* under field cage conditions. Journal of King Saud University. 31(4): 1511-1515.

Phyoe, A., Nwet, T. T., and Maung, K. L. Attraction of brewer's waste-based protein bait on the female fruit flies, *Bactrocera dorsalis* and *Bactrocera correcta* (Diptera: Tephritidae).

Pi˜nero, J.C., Enkerlin, W., Epsky, N.D., 2014. Recent developments and applications of bait stations for integrated pest management of tephritid fruit flies. In: Shelly, T., Epsky, N., Jang, E.B., Reyes-Flores, J., Vargas, R. (Eds.), Trapping and the Detection, Control, and Regulation of Tephritid Fruit Flies: Lures, Area-wide Programs, and Trade Implications. Springer, Dordrecht, pp. 457–492.

Pramudi, M. I., and Soedijo, S. 2025. Identification of entomopathogenic fungi from the rhizosphere of oil palm plants (*Elaeis guineensis* J.). Jurnal Proteksi Tanaman Tropika. 8(3): 1276-1286.

Ramaoka, M.R., A. Manrakhan, and C.W. Weldon. 2025. Responses of fruit flies (Diptera: Tephritidae) to protein bait: Effects of tree canopy, species, physiological state and weather. Crop Protection. 107331: 1-11.

Reynolds, O.L., B.A. Orchard, S.R. Collins, and P.W. Taylor. 2014. Yeast hydrolysate supplementation increases field abundance and persistence of sexually mature

UNIVERSITAS
GADJAH MADA
POTENSI Beauveria bassiana YANG DIINKORPORASIKAN DALAM UMPAN PROTEIN SEBAGAI BIOINSEKTISIDA UNTUK PENGENDALIAN Bactrocera carambolae (Diptera: Tephritidae)
Eva Monica Wibisono, Dr. Suputa, S.P., M.P. ; Ahmad Suparmin, S.P., M.AgrSc, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

sterile Queensland fruit fly, Bactrocera tryoni (Froggatt). Bulletin of Entomological Research. 1(11): 1-11.

Riningrum, R.A.F., Nadrawati, dan E. Turmudi. 2020. Uji konsentrasi cendawan *Beauveria bassiana* (Bals.) Vuill terhadap mortalitas kepik polong (*Riptortus linearis* F.) pada tanaman kedelai. Jurnal Ilmu-Ilmu Pertanian Indonesia. 22(1): 9-15.

Ruswandi, A. 2017. Nilai ekonomi pengendalian lalat buah pada mangga gedong gincu: Studikasus di Desa Jembar Wangi Kecamatan Tomo, Sumedang. Creative Research Journal. 3(1): 25-36.

Santos, O.O.D., S.D.O. Ribeiro, M.A.L. Bittencourt, M.A. Castellani, R.P. Maluf, A.E.L. Ribeiro, and A.A. Moreira. 2016. Field assessment of baits for frugivorous flies (Tephritidae and Lonchaeidae). African Journal of Agricultural Research. 11(36): 3433-3439.

Sari, D. E., & Kumalasari, A. S. 2022. Pathogenicity of Entomopathogenic Fungus *Beauveria bassiana* Against *Leptocorisa acuta*. CROPSAVER-Journal of Plant Protection. 5(2): 84-90.

Sasaki, M., Kaneda, M., and Satoh, M. 2019. Attraction of female oriental fruit fly, *Bactrocera dorsalis* (Hendel)(Diptera: Tephritidae) to 1-butanol. Res. Bull. Pl. Prot. Japan. 55: 25-29.

Setlight MD, M Meray ER, Lengkong M. 2019. Jenis dan serangan hama lalat buah (*Bactrocera dorsalis*) pada tanaman tomat (*Solanum lycopersicum* L.) di Desa Tarattak Kecamatan Langowan Utara Kabupaten Minahasa. Cocos. 2(6):1–8.

Shahzad, M.U., M.A. Qayyum, M. Ishtiaq, R. M. Ikram, and M.A. Saleem. 2019. Entomopathogenicity of *Beauveria bassiana* against two Bactrocera species (Tephritidae: Diptera) under laboratory condition. Agricultural Sciences Journal 1: 19–24.

Simanjuntak R, dan I. Rahmadianti. 2019. Kehilangan hasil dan pendapatan usahatani jeruk manis akibat serangan lalat buah Nagori Purbatua Baru, Kecamatan Silimakuta, Kabupaten Simalungun. Jurnal Agrilink. 1(1):41–43.

Siwi, S.S., dan P. Hidayat. 2004. Taksonomi dan bioekologi lalat buah penting *Bactrocera* spp. (Diptera: Tephritidae) di Indonesia. Balai Besar Penelitian dan Pengembangan Bioteknologi dan Sumberdaya Genetik Pertanian, Bogor

Siwi, Sri S, Purnama H, dan Suputa, 2006. Taksonomi dan Bioekologi Lalat Buah Penting di Indonesia (Diptera: Tephritidae). Fakultas Pertanian UGM.

Soetopo, D., dan I. Igaa., 2007. Status teknologi dan prospek *Beauveria bassiana* untuk pengendalian serangga hama tanaman perkebunan yang ramah lingkungan. Jurnal Balai Penelitian Tanaman Tembakau dan Serat. (6)1: 29 - 46.

Suharto, Trisusilowati EB dan Purnomo H. 1998. Kajian aspek fisiologik *Beauveria bassiana* dan virulensinya terhadap *Helicoverpa armigera*. Jurnal Perlindungan Tanaman Indonesia 4(2): 112-119.

Suk L.W., and Keng H.T. 2000. Sexual maturity and intraspecific mating success of two sibling species of the *Bactrocera dorsalis* complex. Entomologia Experimentalis et Applicata. 94(2):133 – 139.

Tajuddin, N. S. A., Ali, S. R. A., Bakeri, S. A., and Kamaruzzaman, N. E. 2010. Effect of *Beauveria brongniartii* and *B. bassiana* on oil palm bagworm, Pteroma pendula (Joannis). Journal of Oil Palm Research. 22(1): 729-735.

UNIVERSITAS
GADJAH MADA
POTENSI Beauveria bassiana YANG DIINKORPORASIKAN DALAM UMPAN PROTEIN SEBAGAI BIOINSEKTISIDA UNTUK PENGENDALIAN Bactrocera carambolae (Diptera: Tephritidae)
Eva Monica Wibisono, Dr. Suputa, S.P., M.P. ; Ahmad Suparmin, S.P., M.AgrSc, Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Talanca, A. H. 2005. Bioekologi Cendawan *Beauveria bassiana* (Balsamo) Vuillemin. In Prosiding Seminar Nasional Jagung. *Hlm* (pp. 482-487).

Trisawa, I.M., and I.W. Laba. 2006. Keefektifan *Beauveria bassiana* dan *Spicaria* sp. terhadap kepik renda lada *Diconocoris hewetti* (Dist.) (Hemiptera: Tingidae*). Bull. Littro.* 17 (2): 99-106.

Ukhrowi, S.T.M., N. Rahmadhini, and W. Windriyanti. 2025. Temporal fluctuation of *Bactrocera dorsalis* emergence and its association with abiotic factors in Pomelo Agroecosystem. Bioeduscience. 9(1): 110-119.

Utami, W. P., and Syam, N. 2023. Perbanyakan jamur *Trichoderma* sp. pada beberapa jenis media tumbuh dengan metode terbuka dan tertutup. AGrotekMAS Jurnal Indonesia: Jurnal Ilmu Peranian. 4(1): 111-118.

Wang, B., Zongfang H., Deqing Y., Qinge J., and Pumo C. 2021. Improvement of protein bait produced from beer yeast waste for controlling *Bactrocera dorsalis* (Diptera: Tephritidae) in China. Journal of Asia-Pacific Entomology. 24(1):573–579.

Wang, H., Peng, H., Li, W., Cheng, P., and Gong, M. 2021. The toxins of *Beauveria bassiana* and the strategies to improve their virulence to insects. Frontiers in microbiology. 12: 705343.

Wicaksono, A. P., Abadi, A. L., and Afandhi, A. 2015. Uji efektivitas metode aplikasi jamur entomopatogen *Beauveria bassiana* (Bals.) Vuillemin terhadap pupa *Bactrocera carambolae* Drew & Hancock (Diptera: Tephritidae). Jurnal HPT (Hama Penyakit Tumbuhan). 3(2): 39-49.

Wijaya, I.N., W. Adiartayasa, dan I.G.B. Dwipananda. 2018. Kerusakan dan kerugian akibat seranga lalat buah (Diptera: Tephritidae) pada pertanaman jeruk. Agrotop. 8(1): 65-70.

Wirawan, L.Tantalu, dan G. Suliana. 2017. Efektivitas daun singkong (Manihot esculenta) Var. Malang 1 sebagai pereduksi kadar formalin pada udang putih (*Pennaeus vannamei*). Jurnal Penelitian Pertanian Terapan Vol. 17 (3): 170-175

Witsi, e., O.K. Yeboah, B.A. Eshun, D.O. Nyarko, C.K.M. Arthut, R.E. Amemo, E.U.Osisiogu, and P.K. Baidoo. 2025. Biological Control of *Sitophilus zeamais* in Stored Maize Using *Beauveria bassiana.* Scinence International. 13(1): 70-80.

Wowiling, S. S. C. A., Pelealu, J., and Maramis, R. T. D. 2015. Pemanfaatan cendawan *Beauveria bassiana* dalam mengendalikan hama *Paraeucosmetus* sp. pada tanaman padi sawah di Kabupaten Minahasa Selatan. Jurnal Bioslogos. 5(2): 59-66.

Yuantika, I., Rachmawati, J., and Sopyan, T. 2021. Perbedaan waktu aktivitas lalat buah terhadap atraktan ekstrak daun kemangi (*Ocimum americana* L.) di kebun mangga Kabupaten Majalengka.

Yuliadhi, K.A., I.W. Susila, I.W. Supartha, A. Sultan, I.K.W. Yudha, I.W.E.K. Utama, and P.A. Wiradana. 2022. Interaction of parasitoids associated with fruit flies attacking star fruit *(Averrhoa carambolae)* in Denpasar City, Bali Province, Indonesia. *IOP* Conference Series: Earth and Environmental Science. 980(1): 1-13.

Zhou, Y., Rodriguez, J., Fisher, N., and Catullo, R. A. 2020. Ecological drivers and sex-based variation in body size and shape in the Queensland fruit fly, *Bactrocera tryoni* (Diptera: Tephritidae). Insects. 11(6): 390.