STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO
BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

# DAFTAR PUSTAKA

Agilent Technologies. (2013). *FTIR Spectroscopy Reference Guide* (Nos. K8000-90009). Agilent Technologies.

Ahdiat, A. (2024). *Konsumsi Minyak Goreng per Kapita Indonesia Naik pada 2023 | Pusat Data Ekonomi dan Bisnis Indonesia | Databoks*. https://databoks.katadata.co.id/agroindustri/statistik/8bcbef964f3570c/konsumsi-minyak-goreng-per-kapita-indonesia-naik-pada-2023

Al-Rumaihi, A., Shahbaz, M., Mckay, G., Mackey, H., & Al-Ansari, T. (2022). A review of pyrolysis technologies and feedstock: A blending approach for plastic and biomass towards optimum biochar yield. *Renewable and Sustainable Energy Reviews*, *167*, 112715. https://doi.org/10.1016/j.rser.2022.112715

Anekwe, I. M. S., Oboirien, B., & Isa, Y. M. (2024). Effects of transition metal doping on the properties and catalytic performance of ZSM-5 zeolite catalyst on ethanol-to-hydrocarbons conversion. *Fuel Communications*, *18*, 100101. https://doi.org/10.1016/j.jfueco.2023.100101

Anis, S., Alhakim, R., Wahyudi, Khoiron, A. M., & Kusumastuti, A. (2021). Microwave-assisted pyrolysis and distillation of cooking oils for liquid bio-fuel production. *Journal of Analytical and Applied Pyrolysis*, *154*, 105014. https://doi.org/10.1016/j.jaap.2020.105014

Arvianto, R. I., Budiman, A. W., & Nugrahaningtyas, K. D. (2022). CuO, MgO, and $ZrO_2$ Loading on HZSM5 by Deposition-precipitation: Study of Crystallinity, Specific Surface Area, and Morphology. *Indonesian Journal of Chemistry*, *22*(1), 835. https://doi.org/10.22146/ijc.72255

Banchapattanasakda, W., Asavatesanupap, C., & Santikunaporn, M. (2023). Conversion of Waste Cooking Oil into Bio-Fuel via Pyrolysis Using Activated Carbon as a Catalyst. *Molecules*, *28*(8), 3590. https://doi.org/10.3390/molecules28083590

Ben Hassen Trabelsi, A., Zaafouri, K., Baghdadi, W., Naoui, S., & Ouerghi, A. (2018). Second generation biofuels production from waste cooking oil via

UNIVERSITAS
GADJAH MADA
STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO
BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

pyrolysis process. *Renewable Energy*, *126*, 888–896. https://doi.org/10.1016/j.renene.2018.04.002

Bensafi, B., Chouat, N., & Djafri, F. (2023). The universal zeolite ZSM-5: Structure and synthesis strategies. A review. *Coordination Chemistry Reviews*, *496*, 215397. https://doi.org/10.1016/j.ccr.2023.215397

Bhatia, S. K., Gurav, R., Choi, T.-R., Kim, H. J., Yang, S.-Y., Song, H.-S., Park, J. Y., Park, Y.-L., Han, Y.-H., Choi, Y.-K., Kim, S.-H., Yoon, J.-J., & Yang, Y.-H. (2020). Conversion of waste cooking oil into biodiesel using heterogenous catalyst derived from cork biochar. *Bioresource Technology*, *302*, 122872. https://doi.org/10.1016/j.biortech.2020.122872

Brame, J., & Griggs, C. (2016). *Surface Area Analysis Using the BrunauerEmmett-Teller (BET) Method* (ERDC/EL SR-16-3). U.S. Army Engineer Research and Development Center (ERDC).

Bridgwater, A. V. (2012). Review of fast pyrolysis of biomass and product upgrading. *Biomass and Bioenergy*, *38*, 68–94. https://doi.org/10.1016/j.biombioe.2011.01.048

Carlson, T. R., Tompsett, G. A., Conner, W. C., & Huber, G. W. (2009). Aromatic Production from Catalytic Fast Pyrolysis of Biomass-Derived Feedstocks. *Topics in Catalysis*, *52*(3), 241–252. https://doi.org/10.1007/s11244-008-9160-6

Čejka, J., Morris, R. E., & Nachtigall, P. (2017). *Zeolites in Catalysis: Properties and Applications*.

Chemtalk. (2021, Juni 14). Catalysts & Activation Energy. *ChemTalk*. https://chemistrytalk.org/catalysts-activation-energy/

Choe, E., & Min, D. B. (2007). Chemistry of Deep-Fat Frying Oils. *Journal of Food Science*, *72*(5). https://doi.org/10.1111/j.1750-3841.2007.00352.x

Coates, J. (2000). Interpretation of Infrared Spectra, A Practical Approach. Dalam R. A. Meyers (Ed.), *Encyclopedia of Analytical Chemistry* (1 ed.). Wiley. https://doi.org/10.1002/9780470027318.a5606

Darmansyah, A. P., Auvaria, S. W., & Agustina, E. (2024). Analisis Persepsi Masyarakat Terhadap Pengolahan Minyak Jelantah Skala Rumah Tangga

UNIVERSITAS
GADJAH MADA
**STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH**
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

Untuk Perwujudan SDGs. *ASPIRASI : Publikasi Hasil Pengabdian Dan Kegiatan Masyarakat*, *2*(5), 284–298. https://doi.org/10.61132/aspirasi.v2i5.1091

Degfie, T. A., Mamo, T. T., & Mekonnen, Y. S. (2019). Optimized Biodiesel Production from Waste Cooking Oil (WCO) using Calcium Oxide (CaO) Nano-catalyst. *Scientific Reports*, *9*(1), 18982. https://doi.org/10.1038/s41598-019-55403-4

Demirbas, A. (2009). Biorefineries: Current activities and future developments. *Energy Conversion and Management*, *50*(11), 2782–2801. https://doi.org/10.1016/j.enconman.2009.06.035

Dettmer-Wilde, K., & Engewald, W. (Ed.). (2014). *Practical Gas Chromatography: A Comprehensive Reference*. Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-54640-2

Elamin, N. Y., Mubarak, M. F., Elamin, M. R., Altalhi, A. A., Bendary, H. I., & Mohamed, E. A. (2026). Valorization of agro-industrial biomass into zeolite-supported nickel catalysts for green synthesis of biofuels via catalytic cracking of waste cooking oil. *Biomass and Bioenergy*, *211*, 109229. https://doi.org/10.1016/j.biombioe.2026.109229

Farah, E., Demianenko, L., Engvall, K., & Kantarelis, E. (2023). Controlling the Activity and Selectivity of HZSM-5 Catalysts in the Conversion of Biomass-Derived Oxygenates Using Hierarchical Structures: The Effect of Crystalline Size and Intracrystalline Pore Dimensions on Olefins Selectivity and Catalyst Deactivation. *Topics in Catalysis*, *66*(17–18), 1310–1328. https://doi.org/10.1007/s11244-023-01833-4

Ferreira, A. G. M., Carmen Talvera-Prieto, N. M., Portugal, A. A., & Moreira, R. J. (2021). REVIEW: Models for predicting viscosities of biodiesel fuels over extended ranges of temperature and pressure. *Fuel*, *287*, 119544. https://doi.org/10.1016/j.fuel.2020.119544

Gao, X., & Chang, C.-R. (2022). Characterizing the sequential effects toward the impregnations of supported bimetallic catalysts. *Molecular Catalysis*, *527*, 112411. https://doi.org/10.1016/j.mcat.2022.112411

UNIVERSITAS
GADJAH MADA
STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO
BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

GAPKI. (2024, Februari 28). Palm Oil Industry Performance In 2023 & Prospects For 2024. *Gabungan Pengusaha Kelapa Sawit Indonesia (GAPKI)*. https://gapki.id/en/news/2024/02/28/palm-oil-industry-performance-in-2023-prospects-for-2024/

Hanif, M. U., Capareda, S. C., Iqbal, H., Arazo, R. O., & Baig, M. A. (2016). Effects of Pyrolysis Temperature on Product Yields and Energy Recovery from Co-Feeding of Cotton Gin Trash, Cow Manure, and Microalgae: A Simulation Study. *PLOS ONE*, *11*(4), e0152230. https://doi.org/10.1371/journal.pone.0152230

He, Q., Akin, O., Ureel, Y., Yazdani, P., Li, L., Varghese, R. J., & Van Geem, K. M. (2024). Enhancing catalytic pyrolysis of polypropylene using mesopore-modified HZSM-5 catalysts: Insights and strategies for improved performance. *Frontiers in Chemical Engineering*, *6*, 1439400. https://doi.org/10.3389/fceng.2024.1439400

Isahak, W. N. R. W., & Al-Amiery, A. (2024). Catalysts driving efficiency and innovation in thermal reactions: A comprehensive review. *Green Technologies and Sustainability*, *2*(2), 100078. https://doi.org/10.1016/j.grets.2024.100078

Jahirul, M., Rasul, M., Chowdhury, A., & Ashwath, N. (2012). Biofuels Production through Biomass Pyrolysis—A Technological Review. *Energies*, *5*(12), 4952–5001. https://doi.org/10.3390/en5124952

Jessup, R. S. (1960). *Precise measurement of heat of combustion with a bomb calorimeter*.

Jin, T., Wang, H., Peng, J., Wu, Y., Huang, Z., Tian, X., & Ding, M. (2022). Catalytic pyrolysis of lignin with metal-modified HZSM-5 as catalysts for monocyclic aromatic hydrocarbons production. *Fuel Processing Technology*, *230*, 107201. https://doi.org/10.1016/j.fuproc.2022.107201

Knothe, G. (2005). Dependence of biodiesel fuel properties on the structure of fatty acid alkyl esters. *Fuel Processing Technology*, *86*(10), 1059–1070. https://doi.org/10.1016/j.fuproc.2004.11.002

UNIVERSITAS
GADJAH MADA
STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO
BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Knothe, G., & Steidley, K. R. (2005). Kinematic viscosity of biodiesel fuel components and related compounds. Influence of compound structure and comparison to petrodiesel fuel components. *Fuel*, *84*(9), 1059–1065. https://doi.org/10.1016/j.fuel.2005.01.016

Li, Y., Nishu, Yellezuome, D., Li, C., & Liu, R. (2022). Deactivation mechanism and regeneration effect of bi-metallic Fe-Ni/ZSM-5 catalyst during biomass catalytic pyrolysis. *Fuel*, *312*, 122924. https://doi.org/10.1016/j.fuel.2021.122924

Maia, A. J., Louis, B., Lam, Y. L., & Pereira, M. M. (2010). Ni-ZSM-5 catalysts: Detailed characterization of metal sites for proper catalyst design. *Journal of Catalysis*, *269*(1), 103–109. https://doi.org/10.1016/j.jcat.2009.10.021

McNair, H. M., Miller, J. M., & Snow, N. H. (2019). *Basic Gas Chromatography*.

Mehrabadi, B. A. T., Eskandari, S., Khan, U., White, R. D., & Regalbuto, J. R. (2017). A Review of Preparation Methods for Supported Metal Catalysts. Dalam *Advances in Catalysis* (Vol. 61, hlm. 1–35). Elsevier. https://doi.org/10.1016/bs.acat.2017.10.001

Mohan, D., Pittman, C. U., & Steele, P. H. (2006). Pyrolysis of Wood/Biomass for Bio-oil: A Critical Review. *Energy & Fuels*, *20*(3), 848–889. https://doi.org/10.1021/ef0502397

Mortensen, P. M., Grunwaldt, J.-D., Jensen, P. A., Knudsen, K. G., & Jensen, A. D. (2011). A review of catalytic upgrading of bio-oil to engine fuels. *Applied Catalysis A: General*, *407*(1–2), 1–19. https://doi.org/10.1016/j.apcata.2011.08.046

Nugrahaningtyas, K. D., Hidayat, Y., Patiha, Prihastuti, N., Yelvi, B., & Nur Kalimah, R. U. (2017). Synthesis of the supported catalysts by co-impregnation and sequential impregnation methods. *IOP Conference Series: Materials Science and Engineering*, *176*, 012024. https://doi.org/10.1088/1757-899X/176/1/012024

Palanivelrajan, A. R., & Feroskhan, M. (2023). Comparison of various catalysts in pyrolysis process: A review. *Materials Today: Proceedings*, *84*, 47–56. https://doi.org/10.1016/j.matpr.2023.04.676

UNIVERSITAS GADJAH MADA
STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO
BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Parvari, E., Mahajan, D., & Hewitt, E. L. (2025). A Review of Biomass Pyrolysis for Production of Fuels: Chemistry, Processing, and Techno-Economic Analysis. *Biomass*, *5*(3), 54. https://doi.org/10.3390/biomass5030054

Persson, H., Duman, I., Wang, S., Pettersson, L. J., & Yang, W. (2019). Catalytic pyrolysis over transition metal-modified zeolites: A comparative study between catalyst activity and deactivation. *Journal of Analytical and Applied Pyrolysis*, *138*, 54–61. https://doi.org/10.1016/j.jaap.2018.12.005

Plata, V., Ferreira-Beltrán, D., & Gauthier-Maradei, P. (2022). Effect of Cooking Conditions on Selected Properties of Biodiesel Produced from Palm-Based Waste Cooking Oils. *Energies*, *15*(3), 908. https://doi.org/10.3390/en15030908

REN21. (2024). *Renewables 2024 Global Status Report: Global Overview*. REN21.

Shaikh, I. R., Shaikh, R. A., Shaikh, A. A., War, J. A., Hangirgekar, S. P., Shaikh, A. L., Shaikh, P. R., & Shaikh, R. R. (2015). H-ZSM-5 Zeolite Synthesis by Sourcing Silica from the Wheat Husk Ash: Characterization and Application as a Versatile Heterogeneous Catalyst in Organic Transformations including Some Multicomponent Reactions. *Journal of Catalysts*, *2015*, 1–14. https://doi.org/10.1155/2015/805714

Sing, K. S. W., Everett, D. H., Haul, R. A. W., Moscou, L., Pierotti, R. A., Rouquerol, J., & Siemieniewska, T. (1982). Reporting Physisorption Data for Gas/Solid Systems. Dalam G. Ertl, H. Knözinger, F. Schüth, & J. Weitkamp (Ed.), *Handbook of Heterogeneous Catalysis* (1 ed., hlm. 1217–1230). Wiley. https://doi.org/10.1002/9783527610044.hetcat0065

Thommes, M., Kaneko, K., Neimark, A. V., Olivier, J. P., Rodriguez-Reinoso, F., Rouquerol, J., & Sing, K. S. W. (2015). Physisorption of gases, with special reference to the evaluation of surface area and pore size distribution (IUPAC Technical Report). *Pure and Applied Chemistry*, *87*(9–10), 1051–1069. https://doi.org/10.1515/pac-2014-1117

Tian, H., Liu, S., & Liu, Q. (2022). HZSM-5 zeolite modification and catalytic reaction mechanism in the reaction of cyclohexene hydration. *RSC Advances*, *12*(38), 24654–24669. https://doi.org/10.1039/D2RA04285A

UNIVERSITAS
GADJAH MADA
STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO
BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Trabelsi, A. B. H., Zaafouri, K., Baghdadi, W., Slim Naoui, & Ouerghi, A. (2018). Second generation biofuels production from waste cooking oil via pyrolysis process. *Renewable Energy*, *126*, 888–896. https://doi.org/10.1016/j.renene.2018.04.002

Twinomuhwezi, H., Wozeyi, P., Igwe, V. S., Amagwula, I. O., & Awuchi, C. G. (2021). Heat of Combustion of Coffee Pulp and Husks as Alternative Sources of Renewable Energy. *European Journal of Agriculture and Food Sciences*, *3*(2), 1–4. https://doi.org/10.24018/ejfood.2021.3.2.241

Wu, Q., Dai, A., Wang, T., Ke, L., Fan, L., Li, H., Ruan, R., & Wang, Y. (2026). Microwave-assisted catalytic pyrolysis of waste cooking oil into hydrocarbon-rich bio-oil: Optimization of dual-stage catalysis and techno-economic assessment. *Journal of Analytical and Applied Pyrolysis*, *194*, 107604. https://doi.org/10.1016/j.jaap.2026.107604

Wu, Q., Wang, Y., Peng, Y., Ke, L., Yang, Q., Jiang, L., Dai, L., Liu, Y., Ruan, R., Xia, D., & Jiang, L. (2020). Microwave-assisted pyrolysis of waste cooking oil for hydrocarbon bio-oil over metal oxides and HZSM-5 catalysts. *Energy Conversion and Management*, *220*, 113124. https://doi.org/10.1016/j.enconman.2020.113124

Xiong, J., Zhang, S., Fan, L., Zhang, Q., Cui, X., Ke, L., Zeng, Y., Wu, Q., Cobb, K., Liu, Y., Ruan, R., & Wang, Y. (2023). Production of bio-oil from waste cooking oil via microwave-assisted pyrolysis in the presence of waste eggshell CaO and HZSM-5: Process optimization and catalyst lifetime exploration. *Energy*, *283*, 128416. https://doi.org/10.1016/j.energy.2023.128416

Xu, L., Li, Y., Liao, M., Song, Q., Wang, C., Weng, J., Zhao, M., & Gao, N. (2023). Catalytic pyrolysis of waste cooking oil for hydrogen-rich syngas production over bimetallic Fe-Ru/ZSM-5 catalyst. *Fuel Processing Technology*, *247*, 107812. https://doi.org/10.1016/j.fuproc.2023.107812

Yan, P., Kennedy, E., & Stockenhuber, M. (2021). Hydrodeoxygenation of guaiacol over BEA supported bimetallic Ni-Fe catalysts with varied impregnation

UNIVERSITAS
GADJAH MADA
**STUDI EKSPERIMENTAL PENGARUH METODE CO-IMPREGNATION DAN SEQUENTIAL IMPREGNATION SERTA RASIO BIMETALIK Ni-Fe/HZSM-5 TERHADAP KINERJA PIROLISIS MINYAK JELANTAH**
Bintang Ardiya Wirayuda, Ir. Robertus Dhimas Dhewangga Putra, S.T., M.Eng., Ph.D.
**Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/**

sequence. *Journal of Catalysis*, *404*, 1–11. https://doi.org/10.1016/j.jcat.2021.08.033