UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbasi, M., Váz, P., Silva, J., & Martins, P. (2025). Head-to-Head Evaluation of FDM and SLA in Additive Manufacturing: Performance, Cost, and Environmental Perspectives. *Applied Sciences (Switzerland)*, *15*(4). https://doi.org/10.3390/app15042245

Ahmad, K. H., Mohamad, Z., Khan, Z. I., & Habib, M. (2025). Tailoring UV Penetration Depth in Photopolymer Nanocomposites: Advancing SLA 3D Printing Performance with Nanofillers. *Polymers*, *17*(1). https://doi.org/10.3390/polym17010097

Aksoy, M., Topsakal, K. G., Süküt, Y., & Duran, G. S. (2025). Post-curing protocols and dimensional accuracy of 3D-printed resin materials. *Clinical and Investigative Orthodontics*. https://doi.org/10.1080/27705781.2025.2512265

Albertini, E., Fragkogiannis, C., Tsantilis, L., Arrigo, R., Vitale, A., Bongiovanni, R., & Dalle Vacche, S. (2026). Liquid Deposition Modeling of Biobased Epoxy Composites: Natural Fillers as Rheology Modifiers and Reinforcements. *ACS Omega*, *11*(6), 9996–10007. https://doi.org/10.1021/acsomega.5c10820

Almuslamawy, H. A. J. (2025). Conversion of Vegetable Oils into Glycidyl Ethers: The Key Process Moving Towards Sustainability and Improved Performance in Epoxy Resins. *Asian Journal of Advanced Research and Reports*, *19*(5), 237–246. https://doi.org/10.9734/ajarr/2025/v19i51015

Altıparmak, S. C., Yardley, V. A., Shi, Z., & Lin, J. (2022). Extrusion-based additive manufacturing technologies: State of the art and future perspectives. In *Journal of Manufacturing Processes* (Vol. 83, pp. 607–636). Elsevier Ltd. https://doi.org/10.1016/j.jmapro.2022.09.032

Arduengo, J., Hascoet, N., Chinesta, F., & Hascoet, J. Y. (2025). CLOSED-LOOP CONTROL OF EXTRUSION-BASED BIOPRINTING THROUGH REAL-

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

TIME COMPUTER VISION. *Journal of Machine Engineering*, *25*(2), 28–42. https://doi.org/10.36897/jme/205422

Barkane, A., Jurinovs, M., Briede, S., Platnieks, O., Onufrijevs, P., Zelca, Z., & Gaidukovs, S. (2023). Biobased Resin for Sustainable Stereolithography: 3D Printed Vegetable Oil Acrylate Reinforced with Ultra-Low Content of Nanocellulose for Fossil Resin Substitution. *3D Printing and Additive Manufacturing*, *10*(6), 1272–1286. https://doi.org/10.1089/3dp.2021.0294

Barnes, H. A., Hutton, J. F., & Walters, K. (1989). *An Introduction to Rheology* (Vol. 3). Elsevier.

Beer, F. P. ., Johnston, E. Russell., DeWolf, J. T. ., & Mazurek, D. F. . (2015). *Mechanics of Materials* (7th ed.). McGraw-Hill Education.

Bek, M., Gonzalez-Gutierrez, J., Kukla, C., Črešnar, K. P., Maroh, B., & Perše, L. S. (2020). Rheological behaviour of highly filled materials for injection moulding and additive manufacturing: Effect of particle material and loading. *Applied Sciences (Switzerland)*, *10*(22), 1–23. https://doi.org/10.3390/app10227993

Bennett, J. (2017). Measuring UV curing parameters of commercial photopolymers used in additive manufacturing. *Additive Manufacturing*, *18*, 203–212. https://doi.org/10.1016/j.addma.2017.10.009

Bird, R. B., Dai, G. C., & Yarusso, B. J. (1983). The Rheology and Flow of Viscoplastic Materials. *Reviews in Chemical Engineering*, *1*(1), 1–70. https://doi.org/10.1515/revce-1983-0102

Bodaghi, M., Mobin, M., Ban, D., Lomov, S. V., & Nikzad, M. (2022). Surface quality of printed porous materials for permeability rig calibration. *Materials and Manufacturing Processes*, *37*(5), 548–558. https://doi.org/10.1080/10426914.2021.1960994

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Bodenschatz, U., & Rosenthal, M. (2024). 3D printing of a wood-based furniture element with liquid deposition modeling. *European Journal of Wood and Wood Products*, *82*(1), 241–244. https://doi.org/10.1007/s00107-023-01996-7

Bokobza, L. (2023). Elastomer Nanocomposites: Effect of Filler–Matrix and Filler–Filler Interactions. In *Polymers* (Vol. 15, Number 13). Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/polym15132900

Bove, A., Calignano, F., Galati, M., & Iuliano, L. (2022). Photopolymerization of Ceramic Resins by Stereolithography Process: A Review. In *Applied Sciences (Switzerland)* (Vol. 12, Number 7). MDPI. https://doi.org/10.3390/app12073591

Brighenti, R., Marsavina, L., Marghitas, M. P., Cosma, M. P., & Montanari, M. (2023). Mechanical characterization of additively manufactured photopolymerized polymers. *Mechanics of Advanced Materials and Structures*, *30*(9), 1853–1864. https://doi.org/10.1080/15376494.2022.2045655

Brillinger, M., & Pendl, K. A. (2020). Non newtonian material behaviour in extrusion based 3D printing: Investigation of critical process parameters. *Proceedings of the World Congress on Mechanical, Chemical, and Material Engineering*, 1–10. https://doi.org/10.11157/mmme20.117

Budynas, R. G. ., Nisbett, J. Keith., Tangchaichit, Kiatfa., & Shigley, J. Edward. (2021). *Shigley's Mechanical Engineering Design* (11th ed.). McGraw-Hill.

Calafel, M. I., Criado-Gonzalez, M., Aguirresarobe, R., Fernández, M., & Mijangos, C. (2025). From rheological concepts to additive manufacturing assessment of hydrogel-based materials for advanced bioprinting applications. In *Materials Advances* (Vol. 6, Number 14, pp. 4566–4597). Royal Society of Chemistry. https://doi.org/10.1039/d5ma00019j

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chaari, M. Z., Abdelfatah, M., & Loreno, C. (2022). A trial to convert a polymer FDM 3D printer to handle clay materials. *SN Applied Sciences*, *4*(3). https://doi.org/10.1007/s42452-022-04937-w

Chhabra, R. P., & Richardson, J. F. (2008). *Non-Newtonian Flow and Applied Rheology: Engineering applications (2nd ed.)* (2nd ed.). Butterworth-Heinemann. https://doi.org/https://doi.org/10.1016/B978-0-7506-8532-0.X0001-7

Cho, Y. I., & Kensey, K. R. (1991). Effects of the non-Newtonian viscosity of blood on flows in a diseased arterial vessel. Part 1: Steady flows. *Biorheology*, *28*(3–4), 241–262. https://doi.org/10.3233/BIR-1991-283-415

Choi, Y., Yoon, J., Kim, J., Lee, C., Oh, J., & Cho, N. (2022). Development of Bisphenol-A-Glycidyl-Methacrylate- and Trimethylolpropane-Triacrylate-Based Stereolithography 3D Printing Materials. *Polymers*, *14*(23). https://doi.org/10.3390/polym14235198

Cordova, D. J., Rodriguez, A. A., Woodward, S. C., & Crosby, C. O. (2024). The Enderstruder: An accessible open-source syringe extruder compatible with Ender series 3D printers Specifications table. *HardwareX*, *17*, 510. https://doi.org/10.17605/OSF.IO/9ARYM

Cosmi, F., & Dal Maso, A. (2019). A mechanical characterization of SLA 3D-printed specimens for low-budget applications. *Materials Today: Proceedings*, *32*, 194–201. https://doi.org/10.1016/j.matpr.2020.04.602

Diab, R. R., Enzi, A., & Hassoon, O. H. (2023). EFFECT OF PRINTING PARAMETERS AND POST-CURING ON MECHANICAL PROPERTIES OF PHOTOPOLYMER PARTS FABRICATED VIA 3D STEREOLITHOGRAPHY PRINTING. *IIUM Engineering Journal*, *24*(2), 225–238. https://doi.org/10.31436/iiumej.v24i2.2778

El-Hiti, G. A., Ahmed, D. S., Yousif, E., Al-Khazrajy, O. S. A., Abdallh, M., & Alanazi, S. A. (2022). Modifications of polymers through the addition of

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ultraviolet absorbers to reduce the aging effect of accelerated and natural irradiation. In *Polymers* (Vol. 14, Number 1). MDPI. https://doi.org/10.3390/polym14010020

Ferraris, C. F., & Martys, N. S. (2003). Relating Fresh Concrete Viscosity Measurements from Different Rheometers. *Journal of Research of the National Institute of Standards and Technology*, *108*(3), 229. https://doi.org/10.6028/jres.108.021

Gibson, I., Rosen, D., & Stucker, B. (2015). *Additive Manufacturing Technologies*. Springer New York. https://doi.org/10.1007/978-1-4939-2113-3

Gogotsi, G. A., & Galenko, V. Y. (2022). Sensitivity of Brittle Materials to Local Stress Concentrations on Their Fracture. *Strength of Materials*, *54*(2), 250–255. https://doi.org/10.1007/s11223-022-00398-z

Groover, M. P. . (2016). *Automation production systems and computer-integrated manufacturing*. Pearson.

Guo, C. F., Zhang, M., & Bhandari, B. (2019). A comparative study between syringe-based and screw-based 3D food printers by computational simulation. *Computers and Electronics in Agriculture*, *162*, 397–404. https://doi.org/10.1016/j.compag.2019.04.032

Ha, J., & Ko, J. W. (2025). Bio-Adhesive Lignin-Reinforced Epoxy Acrylate (EA)-Based Composite as a DLP 3D Printing Material. *Polymers*, *17*(21). https://doi.org/10.3390/polym17212833

Hibbeler, R. C. ., & Yap, K. Beng. (2018). *Mechanics of Materials* (10th ed.). Pearson Education.

Hu, F., Mikolajczyk, T., Pimenov, D. Y., & Gupta, M. K. (2021). Extrusion-based 3d printing of ceramic pastes: Mathematical modeling and in situ shaping retention approach. *Materials*, *14*(5), 1–22. https://doi.org/10.3390/ma14051137

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Iannone, M., Caccavo, D., Barba, A. A., & Lamberti, G. (2022). A low-cost push-pull syringe pump for continuous flow applications. *HardwareX*, *11*, e00295. https://doi.org/10.17632/75w37bsh8d.1

International Organization for Standardization. (2017). *Sterile hypodermic syringes for single use-Part 1: Syringes for manual use*. www.iso.org

Ji, C., Cha, A., & Shin, D. (2023). Design of Viscosity and Nozzle Path Using Food 3D Printer and Pneumatic Pressure Syringe-Type Dispensing System. *Applied Sciences (Switzerland)*, *13*(22). https://doi.org/10.3390/app132212234

Jirků, P., Urban, J., Müller, M., Kolář, V., Chandan, V., Svobodová, J., Mishra, R. K., & Jamshaid, H. (2023). Evaluation of Mechanical Properties and Filler Interaction in the Field of SLA Polymeric Additive Manufacturing. *Materials*, *16*(14). https://doi.org/10.3390/ma16144955

Kafkaslıoğlu Yıldız, B., Işık, E., & Yıldız, A. S. (2024). Compressive Strength Analysis of Additively Manufactured Zirconia Honeycomb Sandwich Ceramic Parts with Different Cellular Structures. *Black Sea Journal of Engineering and Science*, *7*(5), 939–945. https://doi.org/10.34248/bsengineering.1464381

Kang, M. J., Lim, J. H., Lee, C. G., & Kim, J. E. (2022). Effects of Post-Curing Light Intensity on the Mechanical Properties and Three-Dimensional Printing Accuracy of Interim Dental Material. *Materials*, *15*(19). https://doi.org/10.3390/ma15196889

Keya, K. N., Li, Z., Xu, L., & Xia, W. (2025). Exploring Cross-Link Density and Additive Effects on Mechanical and Morphological Behaviors of Cross-Linked Polymers. *Macromolecular Materials and Engineering*, *310*(5). https://doi.org/10.1002/mame.202400383

Kimmel, V., Gräfe, L., Grieser, L., Lips, A., Hennig, R., Winck, J., & Thommes, M. (2025). Modeling Shear-Thinning Flow in Twin-Screw Extrusion

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Processes. *Pharmaceutics*, *17*(3). https://doi.org/10.3390/pharmaceutics17030353

Lee, E., Sekizawa, T., Kobayashi-Miyajima, Y., Hirose, T., Himori, S., Yamada, A., & Gotoh, H. (2025). Silyloxy-substituted anthraquinones as Type I photoinitiators for visible light-induced radical polymerization. *Polymer Journal*, *57*(5), 513–526. https://doi.org/10.1038/s41428-024-01001-9

Lee, Kunwoo. (1999). *Principles of CAD/CAM/CAE systems*. Addison-Wesley.

Lee, T., Ng, C. S., & Su, P. C. (2025). Warpage correction for vat photopolymerization 3D printing. *Additive Manufacturing*, *102*. https://doi.org/10.1016/j.addma.2025.104740

Lewandowski, A., & Wilczyński, K. (2022). Modeling of Twin Screw Extrusion of Polymeric Materials. In *Polymers* (Vol. 14, Number 2). MDPI. https://doi.org/10.3390/polym14020274

Li, W., Ghazanfari, A., Leu, M., & Landers, R. (2015). *Methods of Extrusion On Demand for High Solids Loading Ceramic Paste in Freeform Extrusion Fabrication*. https://scholarworks.sjsu.edu/mech_eng_pub

Liu, S., Borjigin, T., Schmitt, M., Morlet-Savary, F., Xiao, P., & Lalevée, J. (2023). High-Performance Photoinitiating Systems for LED-Induced Photopolymerization. In *Polymers* (Vol. 15, Number 2). MDPI. https://doi.org/10.3390/polym15020342

Logan, D. L. . (2012). *A first course in the finite element method* (5th ed.). Cengage Learning.

Macosko, C. W. (1994). *RHEOLOGY : Principles, Measurements, and Applications*. WILEY-VCH.

Mamatha, S., Biswas, P., Ramavath, P., Das, D., & Johnson, R. (2021). Effect of parameters on 3D printing of alumina ceramics and evaluation of properties of

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

sintered parts. *Journal of Asian Ceramic Societies*, *9*(3), 858–864. https://doi.org/10.1080/21870764.2021.1920159

Manoel, J., Netto, J., Idogava, H. T., Luiz, &, Santos, E. F., De, Z., Silveira, C., Romio, P., & Alves, J. L. (2021). Screw-assisted 3D printing with granulated materials: a systematic review. *The International Journal of Advanced Manufacturing Technology*. https://doi.org/10.1007/s00170-021-07365-z/Published

Marín, G. A. T. (2023). *A Continuous Flow Extruder System Design for 3D printed Clay Structures*. Universidad Nacional Autónoma de México.

Marnot, A., Koube, K., Jang, S., Thadhani, N., Kacher, J., & Brettmann, B. (2023). Material extrusion additive manufacturing of high particle loaded suspensions: a review of materials, processes and challenges. *Virtual and Physical Prototyping*, *18*(1). https://doi.org/10.1080/17452759.2023.2279149

Mei, S.-M., He, B.-G., Li, Z.-W., Yang, C.-X., Zhang, W., & Mei, W.-Q. (2026). Comparative evaluation of the physical and mechanical properties of artificial rocks fabricated using four 3D printing technologies. *Rapid Prototyping Journal*, *32*(3), 730–747. https://doi.org/10.1108/RPJ-07-2025-0280

Mesbahi, J. EL, Buj-Corral, I., & Mesbahi, A. EL. (2021). Design of an innovative new extrusion system for a printing machine for ceramics. *The International Journal of Advanced Manufacturing Technology*. https://doi.org/10.1007/s00170-021-07431-6/Published

Mhmood, T. R., & AL-Karkhi, N. K. (2023). Multiobjective Optimization of Stereolithography for Dental Bridge Based on a Simple Shape Model Using Taguchi and Response Surface Methods. *Applied Sciences (Switzerland)*, *13*(19). https://doi.org/10.3390/app131910911

Miedzińska, D., Gieleta, R., & Popławski, A. (2020). Experimental study on influence of curing time on strength behavior of sla-printed samples loaded

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

with different strain rates. *Materials*, *13*(24), 1–16. https://doi.org/10.3390/ma13245825

Müller, M., Urban, J., Svobodová, J., & Mishra, R. K. (2025). Modification of the Mechanical Properties of Photosensitive Resin by Using Biobased Fillers During Stereolithography (SLA) 3D Printing. *Materials*, *18*(12). https://doi.org/10.3390/ma18122699

Naguib, G. H., Mazhar, J., Alnowaiser, A., Mira, A., Mously, H., Aljawi, R., Abuzinadah, S. H., & Hamed, M. T. (2025). Mechanical Behaviour of Novel Nanohybrid Resin Composite Using Two Light Cure Systems. *International Dental Journal*, *75*(2), 1136–1147. https://doi.org/10.1016/j.identj.2024.07.004

Nguyen, P., Stanislaus, I., McGahon, C., Pattabathula, K., Bryant, S., Pinto, N., Jenkins, J., & Meinert, C. (2023). Quality assurance in 3D-printing: A dimensional accuracy study of patient-specific 3D-printed vascular anatomical models. *Frontiers in Medical Technology*, *5*. https://doi.org/10.3389/fmedt.2023.1097850

O'Connor, L. (2025). Comparative analysis of the mechanical properties of FDM and SLA 3D printed components. *Journal of Micromanufacturing*. https://doi.org/10.1177/25165984251364689

Oliveira, G. C. R. de, Oliveira, V. A. R. de, Pinto, C. C., Marques, L. F. B., Santos, T. S. R. dos, Neto, A. dos R. de F., Silva, C. A. A., Martins, M. S., Silva, F. de A., & Guidi, E. S. (2025). Influence of Post-Curing Time and Print Orientation on the Mechanical Behavior of Photosensitive Resins in mSLA 3D Printing. *Applied Mechanics*, *6*(3). https://doi.org/10.3390/applmech6030071

Özen, A., Abali, B. E., Völlmecke, C., Gerstel, J., & Auhl, D. (2021). Exploring the Role of Manufacturing Parameters on Microstructure and Mechanical Properties in Fused Deposition Modeling (FDM) Using PETG. *Applied Composite Materials*, *28*(6), 1799–1828. https://doi.org/10.1007/s10443-021-09940-9

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Phillips, P. (2016). Syringe accuracy (TOGC) estimates for ISO 7886-1. In *Surgical Materials Testing Laboratory*. http://smtl.co.uk/pete-phillips/224-togc-from-iso-7886-1.html

Polychronopoulos, N. D., & Brouzgou, A. (2024). Direct Ink Writing for Electrochemical Device Fabrication: A Review of 3D-Printed Electrodes and Ink Rheology. In *Catalysts* (Vol. 14, Number 2). Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/catal14020110

Poudel, I., Mita, N., Scherer, J., Annaji, M., Kang, X., Fasina, O., Tiwari, A. K., & Babu, R. J. (2025). Comparative Formulation and Physicochemical Evaluation of Orodispersible Films Fabricated via Pneumatic and Syringe-Based 3D Printing. *Pharmaceutical Research*. https://doi.org/10.1007/s11095-025-03967-4

Ramesh, M., Rajeshkumar, L. N., Srinivasan, N., Kumar, D. V., & Balaji, D. (2022). Influence of filler material on properties of fiber-reinforced polymer composites: A review. In *E-Polymers* (Vol. 22, Number 1, pp. 898–916). Walter de Gruyter GmbH. https://doi.org/10.1515/epoly-2022-0080

Rao, M. A. (2007). *Rheology of Fluid and Semisolid Foods: Principles and Applications*. Springer US. https://doi.org/10.1007/978-0-387-70930-7

Rao, P. N. (2014). *CAD/CAM: PRINCIPLES AND APPLICATIONS* (3rd ed.). McGraw Hill Education (India) Private Limited.

Riccio, C., Civera, M., Grimaldo Ruiz, O., Pedullà, P., Rodriguez Reinoso, M., Tommasi, G., Vollaro, M., Burgio, V., & Surace, C. (2021). Effects of Curing on Photosensitive Resins in SLA Additive Manufacturing. *Applied Mechanics*, *2*(4), 0. https://doi.org/10.3390/applmech2040055

Rodríguez-Lagar, P., Reguera-García, A., Llamas-Unzueta, R., Blanco, C., Santamaría, R., Montes-Morán, M. A., Menéndez, J. A., & Rocha, V. G. (2024). Effective, versatile and inexpensive extruder system for direct ink writing of high-viscosity pastes. *International Journal of Advanced*

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Manufacturing Technology, *131*(9–10), 4739–4753. https://doi.org/10.1007/s00170-024-13250-2

Saksala, T., & Kouhia, R. (2023). A damage-plasticity model for brittle materials based on a smooth approximation of Rankine type of failure criterion. *Rakenteiden Mekaniikka*, *56*(4), 136–145. https://doi.org/10.23998/rm.137249

SAMPAIO, C. S., de ABREU, J. L. B., KORNFELD, B., da SILVA, E. M., GIANNINI, M., & HIRATA, R. (2024). Short curing time bulk fill composite systems: volumetric shrinkage, degree of conversion and Vickers hardness. *Brazilian Oral Research*, *38*. https://doi.org/10.1590/1807-3107bor-2024.vol38.0030

Shanmugasundaram, S. A., Razmi, J., Mian, M. J., & Ladani, L. (2020). Mechanical anisotropy and surface roughness in additively manufactured parts fabricated by stereolithography (SLA) using statistical analysis. *Materials*, *13*(11). https://doi.org/10.3390/ma13112496

Sianturi, L., Humaidi, S., Sembiring, T., Frida, E., & Sirait, M. (2024). UV Exposure Time Optimization for Enhanced Conversion, Hardness, and Flexural Strength in UDMA/TEG-DMA Composite Resins. *Trends in Sciences*, *21*(12). https://doi.org/10.48048/tis.2025.8603

Šimunović, L., Brenko, L., Marić, A. J., Meštrović, S., & Haramina, T. (2025). Rheology of Dental Photopolymers for SLA/DLP/MSLA 3D Printing. In *Polymers* (Vol. 17, Number 19). Multidisciplinary Digital Publishing Institute (MDPI). https://doi.org/10.3390/polym17192706

Sithiwichankit, C., Suthithanakom, S., Chaiprabha, K., Melde, K., & Chancharoen, R. (2025). Flexibly actuated pneumatic extrusion with in-situ monitoring for direct ink writing of heterogeneous and pressure-vulnerable materials. *Scientific Reports*, *15*(1). https://doi.org/10.1038/s41598-025-15164-9

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Song, S., Shi, J., Ren, Q., Miao, K., Tang, M., & Shi, H. (2025). Comparative Study on Extrusion 3D Printing of Solid Propellant Based on Plunger and Screw. *Materials*, *18*(4). https://doi.org/10.3390/ma18040777

Soon, C. W., Leong, C. K. J., Ho, T. Y. K., Du, Z., & Gan, C. L. (2026). Mitigation of warpage in stereolithography 3D printed ceramics via addition of sterically bulky acrylate monomer. *Journal of the American Ceramic Society*, *109*(1). https://doi.org/10.1111/jace.70266

Sun, T., Wang, J., Huang, H., Liu, X., Zhang, J., Zhang, W., Wang, H., & Li, Z. (2023). Low-temperature deposition manufacturing technology: a novel 3D printing method for bone scaffolds. In *Frontiers in Bioengineering and Biotechnology* (Vol. 11). Frontiers Media SA. https://doi.org/10.3389/fbioe.2023.1222102

Suntornnond, R., Tan, E. Y. S., An, J., & Chua, C. K. (2017). A highly printable and biocompatible hydrogel composite for direct printing of soft and perfusable vasculature-like structures. *Scientific Reports*, *7*(1). https://doi.org/10.1038/s41598-017-17198-0

Suthithanakom, S., Sithiwichankit, C., Chaiprabha, K., & Chancharoen, R. (2024). Flexible actuation with intrinsic sensing for ram extrusion 3D printing. *International Journal of Advanced Manufacturing Technology*, *131*(12), 5787–5799. https://doi.org/10.1007/s00170-024-13298-0

Suvanjumrat, C., Chansoda, K., & Chookaew, W. (2024). Additive manufacturing advancement through large-scale screw-extrusion 3D printing for precision parawood powder/PLA furniture production. *Cleaner Engineering and Technology*, *20*. https://doi.org/10.1016/j.clet.2024.100753

Tabakova, V., Klug, C., & Schmitz, T. H. (2023). Dynamic Extrusion Control in Spot Deposition Modeling for Porous 3D Clay Structures. *Ceramics*, *6*(4), 2018–2035. https://doi.org/10.3390/ceramics6040124

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Tashman, J. W., Shiwarski, D. J., & Feinberg, A. W. (2021). A high performance open-source syringe extruder optimized for extrusion and retraction during FRESH 3D bioprinting. *HardwareX*, *9*, e00170. https://doi.org/10.1016/J.OHX.2020.E00170

Trembecka-Wójciga, K., Jankowska, M., Lepcio, P., Sevriugina, V., Korčušková, M., Czeppe, T., Zubrzycka, P., & Ortyl, J. (2025). Optimization of Zirconium Oxide Nanoparticle-Enhanced Photocurable Resins for High-Resolution 3D Printing Ceramic Parts. *Advanced Materials Interfaces*, *12*(11). https://doi.org/10.1002/admi.202400951

Tu, J., Kashcooli, Y., Alvarez, N. J., & Palmese, G. R. (2022). A practical framework for predicting conversion profiles in vat photopolymerizations. *Additive Manufacturing*, *59*. https://doi.org/10.1016/j.addma.2022.103102

Usmanov, I. I. (2021). Influence of the material reverse flow process on the regularities of pressure formation along the length of the screw surface of extruders. *IOP Conference Series: Earth and Environmental Science*, *699*(1). https://doi.org/10.1088/1755-1315/699/1/012059

Verdier, C., Etienne, J., Duperray, A., & Preziosi, L. (2009). Review: Rheological properties of biological materials. In *Comptes Rendus Physique* (Vol. 10, Number 8, pp. 790–811). Elsevier Masson SAS. https://doi.org/10.1016/j.crhy.2009.10.003

Vidakis, N., Petousis, M., Michailidis, N., Kechagias, J. D., Mountakis, N., Argyros, A., Boura, O., & Grammatikos, S. (2022). High-performance medical-grade resin radically reinforced with cellulose nanofibers for 3D printing. *Journal of the Mechanical Behavior of Biomedical Materials*, *134*. https://doi.org/10.1016/j.jmbbm.2022.105408

Weng, Z., Huang, X., Peng, S., Zheng, L., & Wu, L. (2023). 3D printing of ultra-high viscosity resin by a linear scan-based vat photopolymerization system. *Nature Communications*, *14*(1). https://doi.org/10.1038/s41467-023-39913-4

UNIVERSITAS
GADJAH MADA
Perancangan dan Fabrikasi Prototipe Extruder Housing Menggunakan Metode Stereolithography (SLA)
Ahmad Subhan, Ir. Muhammad Akhsin Muflikhun, S.T., MSME., Ph.D
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Yan, K., Zhang, X., Liu, Y., Cheng, J., Zhai, C., Shen, K., Liang, W., & Fan, W. (2023). 3D-bioprinted silk fibroin-hydroxypropyl cellulose methacrylate porous scaffold with optimized performance for repairing articular cartilage defects. *Materials and Design*, *225*. https://doi.org/10.1016/j.matdes.2022.111531

Zeng, Y. S., Hsueh, M. H., & Hsiao, T. C. (2023). Effect of ultraviolet post-curing, laser power, and layer thickness on the mechanical properties of acrylate used in stereolithography 3D printing. *Materials Research Express*, *10*(2). https://doi.org/10.1088/2053-1591/acb751

Zhang, J., Wu, S., Wang, Z., Chen, Y., & You, H. (2023). Experimental Investigation of High-Viscosity Conductive Pastes and the Optimization of 3D Printing Parameters. *Applied Sciences (Switzerland)*, *13*(4). https://doi.org/10.3390/app13042389

Zhao, Z., Liu, W., & Liu, H. (2025). Flexible and Durable Direct Ink Writing 3D-Printed Conductive Fabrics for Smart Wearables. *ACS Omega*, *10*(14), 14138–14149. https://doi.org/10.1021/acsomega.4c11367

Zheng, Q., Xie, B., Xu, Z., & Wu, H. (2023). A systematic printability study of direct ink writing towards high-resolution rapid manufacturing. *International Journal of Extreme Manufacturing*, *5*(3). https://doi.org/10.1088/2631-7990/acd090

Zhou, L., & Su, S. (2025). Design and Validation of a Piston-Driven Syringe-Extrusion Bioprinter Using an FDM Frame. *Biomimetics*, *10*(12). https://doi.org/10.3390/biomimetics10120811