UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abd-Rabboh, H. S. M., Fawy, K. F., Hamdy, M. S., Elbehairi, S. I., Shati, A. A., Alfaifi, M. Y., Ibrahium, H. A., Alamri, S., & Awwad, N. S. (2022). Valorization of Rice Husk and Straw Agriculture Wastes of Eastern Saudi Arabia: Production of Bio-Based Silica, Lignocellulose, and Activated Carbon. *Materials*, *15*(11), 3746. https://doi.org/10.3390/ma15113746

Aboelela, D., Saleh, H., Attia, M., Elhenawy, Y., Majozi, T., & Bassyouni, M. (2023). Recent Advances in Biomass Pyrolysis Processes for Bioenergy Production: Optimization of Operating Conditions. *Sustainability*, *15*. https://doi.org/10.3390/su151411238

Ábrego, J., Atienza-Martínez, M., Plou, F., & Arauzo, J. (2019). Heat requirement for fixed bed pyrolysis of beechwood chips. *Energy*, *178*, 145–157. https://doi.org/https://doi.org/10.1016/j.energy.2019.04.078

Alatyar, A. M., Berrouk, A. S., & AlShehhi, M. S. (2023). CFD microscale modelling of flow behavior in different parts of a rotating packed bed. *Scientific Reports*, *13*(1), 22419. https://doi.org/10.1038/s41598-023-49905-5

Anca-Couce, A., Mehrabian, R., Scharler, R., & Obernberger, I. (2014). Kinetic scheme of biomass pyrolysis considering secondary charring reactions. *Energy Conversion and Management*, *87*, 687–696. https://doi.org/10.1016/j.enconman.2014.07.061

ANSYS, Inc. (2021). *ANSYS Fluent Theory Guide, Release 2021 R1* (Release 2021 R1). ANSYS, Inc.

ANSYS, Inc. (2023). *Ansys Fluent Theory Guide* (Release 2023 R1). ANSYS, Inc.

Awad, M., Makkawi, Y., & Hassan, N. (2024). Yield and Energy Modeling for Biochar and Bio-Oil Using Pyrolysis Temperature and Biomass Constituents. *ACS Omega*, *9*. https://doi.org/10.1021/acsomega.4c01646

Badan Pusat Statistik. (2026, February 2). *Luas panen padi pada tahun 2025 mencapai sekitar 11,32 juta hektare dengan produksi padi sebanyak 60,21 juta ton gabah kering giling (GKG)*. BPS-Statistics Indonesia. https://www.bps.go.id/id/pressrelease/2026/02/02/2545/luas-panen-padi-pada-tahun-2025-mencapai-sekitar-11-32-juta-hektare-dengan-produksi-padi-sebanyak-60-21-juta-ton-gabah-kering-giling--gkg-.html

Basu, P. (2010). *Biomass Gasification and Pyrolysis: Practical Design and Theory*. Academic Press (Elsevier).

Blank, M., Weiß, G., Mandl, C., Knautz, H., & Obernberger, I. (2020). Development of a transient CFD model for charcoal production in a batch reactor and validation with measurement data. *Biomass and Bioenergy*, *142*, 105810. https://doi.org/https://doi.org/10.1016/j.biombioe.2020.105810

Borello, D., Cedola, L., Frangioni, G. V., Meloni, R., Venturini, P., De Filippis, P., & de Caprariis, B. (2016). Development of a numerical model for biomass packed bed pyrolysis based on experimental validation. *Applied Energy*, *164*, 956–962. https://doi.org/10.1016/j.apenergy.2015.08.007

Bridgwater, A. V. (2012). Review of fast pyrolysis of biomass and product upgrading. *Biomass and Bioenergy*, *38*, 68–94. https://doi.org/https://doi.org/10.1016/j.biombioe.2011.01.048

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cengel, Y., & Cimbala, J. (2014). *Fluid mechanics Fundamentals and Applications* (3rd ed.). McGraw-Hill Education.

Chai, T., & Draxler, R. R. (2014). Root mean square error (RMSE) or mean absolute error (MAE)? – Arguments against avoiding RMSE in the literature. *Geoscientific Model Development*, *7*(3), 1247–1250. https://doi.org/10.5194/gmd-7-1247-2014

Chaney, J., Liu, H., & Li, J. (2012). An overview of CFD modelling of small-scale fixed-bed biomass pellet boilers with preliminary results from a simplified approach. *Energy Conversion and Management*, *63*, 149–156. https://doi.org/https://doi.org/10.1016/j.enconman.2012.01.036

Chen, Z., Xu, Y., & Shivkumar, S. (2017). Microstructure and Tensile Properties of Various Varieties of Rice Husk. *Journal of the Science of Food and Agriculture*, *98*. https://doi.org/10.1002/jsfa.8556

Cheng, G., Gan, J., Xu, D., & Yu, A. (2020). Evaluation of effective thermal conductivity in random packed bed: Heat transfer through fluid voids and effect of packing structure. *Powder Technology*, *361*, 326–336. https://doi.org/https://doi.org/10.1016/j.powtec.2019.07.106

David, P. H. R., & Adi, S. (2023). Potential biomass energy utilization (rice husk gasification) on Indonesia: A review. *AIP Conference Proceedings*, 030003. https://doi.org/10.1063/5.0135022

Devi, M., Rawat, S., & Sharma, S. (2020). A comprehensive review of the pyrolysis process: from carbon nanomaterial synthesis to waste treatment. *Oxford Open Materials Science*, *1*(1). https://doi.org/10.1093/oxfmat/itab014

Di Blasi, C. (2008). Modeling chemical and physical processes of wood and biomass pyrolysis. *Progress in Energy and Combustion Science*, *34*(1), 47–90. https://doi.org/10.1016/j.pecs.2006.12.001

Dixon, A. (2012). Fixed bed catalytic reactor modelling—the radial heat transfer problem. *The Canadian Journal of Chemical Engineering*, *90*. https://doi.org/10.1002/cjce.21630

Djurdjevic, M., Papuga, S., & Kolundzija, A. (2023). Analysis of the thermal behavior of a fixed bed reactor during the pyrolysis process. *Hemijska Industrija*, *78*, 29–40. https://doi.org/10.2298/HEMIND221217024D

Dong, Y., Sosna, B., Korup, O., Rosowski, F., & Horn, R. (2017). Investigation of radial heat transfer in a fixed-bed reactor: CFD simulations and profile measurements. *Chemical Engineering Journal*, *317*, 204–214. https://doi.org/10.1016/j.cej.2017.02.063

El-jummah, A. M., Adam, U. M., Kolo, M. B., & Musa, A. N. (2017). Modification, Development and Design Experimental Investigation of an Updraft Biomass Gasifier Stove with Sawdust as Fuel. *Continental J. Engineering Sciences* , *12*(2), 19–33.

El-Sayed, S., Mostafa, M., Khass, T., Noseir, E., & Ismail, M. (2023). Combustion and mass loss behavior and characteristics of a single biomass pellet positioning at different orientations in a fixed bed reactor. *Biomass Conversion and Biorefinery*, *14*. https://doi.org/10.1007/s13399-023-03767-z

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Ergun, S., & Orning, A. A. (1949). Fluid Flow through Randomly Packed Columns and Fluidized Beds. *Industrial & Engineering Chemistry*, *41*(6), 1179–1184. https://doi.org/10.1021/ie50474a011

Fatchurrohman, N., & Chia, S. (2017). Performance of hybrid nano-micro reinforced mg metal matrix composites brake calliper: simulation approach. *IOP Conference Series: Materials Science and Engineering*, *257*, 012060. https://doi.org/10.1088/1757-899X/257/1/012060

Gao, X., Li, T., Rogers, W. A., Smith, K., Gaston, K., Wiggins, G., & Parks, J. E. (2020). Validation and application of a multiphase CFD model for hydrodynamics, temperature field and RTD simulation in a pilot-scale biomass pyrolysis vapor phase upgrading reactor. *Chemical Engineering Journal*, *388*, 124279. https://doi.org/10.1016/j.cej.2020.124279

Ghaly, A. E., Li, B., & Zhang, Y. (2012). Physical Properties of Rice Residues as Affected by Variety and Climatic and Cultivation Conditions in Three Continents. *American Journal of Applied Sciences*, *9*(11), 1757–1768. https://doi.org/10.3844/ajassp.2012.1757.1768

Guo, X., Sun, Y., Li, R., & Yang, F. (2014). Experimental investigations on temperature variation and inhomogeneity in a packed bed CLC reactor of large particles and low aspect ratio. *Chemical Engineering Science*, *107*, 266–276. https://doi.org/10.1016/j.ces.2013.12.032

Han, F., Wang, M., Ma, X., Yin, L., Chen, D., Liu, Z., & Zhang, R. (2023). Numerical simulation of heat transfer properties of large-sized biomass particles during pyrolysis process. *Heliyon*, *9*(11), e21255. https://doi.org/https://doi.org/10.1016/j.heliyon.2023.e21255

Hasibuan, R., & Pardede, H. (2023). Pengaruh Suhu dan Waktu Pirolisis terhadap Karakteristik Arang dari Tempurung Kelapa. *Jurnal Teknik Kimia USU*, *12*, 46–53. https://doi.org/10.32734/jtk.v12i1.8534

Hincapie Rojas, D., Pineda Gómez, P., & Rivera, A. (2019). Production And Characterization Of Silica Nanoparticles From Rice Husk. *Advanced Materials Letters*, *10*, 67–73. https://doi.org/10.5185/amlett.2019.2142

Hoque, S., Islam, M., & U.H.Joardder (Omar), M. (2009). *Fixed Bed Pyrolysis of Date Seed Waste for Liquid Oil Production*.

Huang, W., Korba, D., Randhir, K., Petrasch, J., Klausner, J., AuYeung, N., & Li, L. (2022). Thermochemical reduction modeling in a high-temperature moving-bed reactor for energy storage: 1D model. *Applied Energy*, *306*, 118009. https://doi.org/https://doi.org/10.1016/j.apenergy.2021.118009

Incropera, F. P., DeWitt, D. P., Bergman, T. L., & Lavine, A. S. (2007). *Fundamentals of Heat and Mass Transfer* (6th ed.). John Wiley & Sons, Inc.

International Energy Agency. (2024, February 19). *Bioenergy*. International Energy Agency (IEA). https://www.iea.org/energy-system/renewables/bioenergy

Janse, A. M. C., de Jonge, H. G., Prins, W., & van Swaaij, W. P. M. (1998). Combustion Kinetics of Char Obtained by Flash Pyrolysis of Pine Wood. *Industrial & Engineering Chemistry Research*, *37*(10), 3909–3918. https://doi.org/10.1021/ie970705i

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Jha, S. K., & Singh, A. (2007). Physical and Thermal Properties of Untreated and Chemically Treated Rice Husk. *Journal of Agricultural Engineering (India)*, *44*(4), 48–53. https://doi.org/10.52151/jae2007444.1299

Kaczor, Z., Buliński, Z., & Werle, S. (2020). Modelling approaches to waste biomass pyrolysis: a review. *Renewable Energy*, *159*, 427–443. https://doi.org/10.1016/j.renene.2020.05.110

Kaniapan, S., Pasupuleti, J., Patma Nesan, K., Abubackar, H. N., Umar, H. A., Oladosu, T. L., Bello, S. R., & Rene, E. R. (2022). A Review of the Sustainable Utilization of Rice Residues for Bioenergy Conversion Using Different Valorization Techniques, Their Challenges, and Techno-Economic Assessment. *International Journal of Environmental Research and Public Health*, *19*(6), 3427. https://doi.org/10.3390/ijerph19063427

Kementerian Energi dan Sumber Daya Mineral Republik Indonesia. (2023, October 5). *Potensi Biomassa Menjanjikan, Indonesia Prediksi Hasilkan Listrik Setara 56,97 GW*. Direktorat Jenderal EBTKE. https://ebtke.esdm.go.id/post/2023/10/06/3619/

Khodaei Jalalabadi, H., Al-Abdeli, Y., Guzzomi, F., & Yeoh, G. (2015). An overview of processes and considerations in the modelling of fixed-bed biomass combustion. *Energy*, *88*. https://doi.org/10.1016/j.energy.2015.05.099

Kung, K. S., Thengane, S. K., Ghoniem, A. F., Lim, C. J., & Sokhansanj, S. (2021). Bulk permeability characteristics in a biomass moving bed and their effects on reactor design and scaling. *Chemical Engineering Journal*, *420*, 129979. https://doi.org/10.1016/j.cej.2021.129979

Kutscherauer, M., Reinold, P., Böcklein, S., Mestl, G., Turek, T., & Wehinger, G. D. (2023). How Temperature Measurement Impacts Pressure Drop and Heat Transport in Slender Fixed Beds of Raschig Rings. *ACS Engineering Au*, *3*(1), 45–58. https://doi.org/10.1021/acsengineeringau.2c00039

Kwong, K. Y., Mleczko, L., Moujar Bakhti, W., Dennis, J. S., & Marek, E. J. (2022). Predictions of burnout times of biomass char using experimentally determined CO to CO2 ratio. *Chemical Engineering Journal*, *450*, 138404. https://doi.org/10.1016/j.cej.2022.138404

Li, Y., Shao, H., Lv, P., Tang, C., He, Z., Zhou, Y., Shuai, M., Mei, J., & Lau, W.-M. (2018). Fast preparation of mechanically stable superhydrophobic surface by UV cross-linking of coating onto oxygen-inhibited layer of substrate. *Chemical Engineering Journal*, *338*, 440–449. https://doi.org/10.1016/j.cej.2018.01.044

Luo, H., Wang, X., Liu, X., Wu, X., Shi, X., & Xiong, Q. (2022). A review on CFD simulation of biomass pyrolysis in fluidized bed reactors with emphasis on particle-scale models. *Journal of Analytical and Applied Pyrolysis*, *162*, 105433. https://doi.org/https://doi.org/10.1016/j.jaap.2022.105433

Mahmoudi, A. H., Hoffmann, F., & Peters, B. (2016). Semi-resolved modeling of heat-up, drying and pyrolysis of biomass solid particles as a new feature in XDEM. *Applied Thermal Engineering*, *93*, 1091–1104. https://doi.org/10.1016/j.applthermaleng.2015.10.033

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Mahmoudi, A. H., Markovic, M., Peters, B., & Brem, G. (2015). An experimental and numerical study of wood combustion in a fixed bed using Euler–Lagrange approach (XDEM). *Fuel*, *150*, 573–582. https://doi.org/https://doi.org/10.1016/j.fuel.2015.02.008

Mansaray, K. G., & Ghaly, A. E. (1997). Physical and Thermochemical Properties of Rice Husk. *Energy Sources*, *19*(9), 989–1004. https://doi.org/10.1080/00908319708908904

Ma'ruf, A., Pramudono, B., & Aryanti, N. (2017). Lignin isolation process from rice husk by alkaline hydrogen peroxide: Lignin and silica extracted. *AIP Conference Proceedings*, *1823*, 020013. https://doi.org/10.1063/1.4978086

Masnadi, M. S., Grace, J. R., Bi, X. T., Lim, C. J., Ellis, N., Li, Y. H., & Watkinson, A. P. (2015). From coal towards renewables: Catalytic/synergistic effects during steam co-gasification of switchgrass and coal in a pilot-scale bubbling fluidized bed. *Renewable Energy*, *83*, 918–930. https://doi.org/https://doi.org/10.1016/j.renene.2015.05.044

Maulinda, L., Husin, H., Arahman, N., Rosnelly, C. M., Syukri, M., Nurhazanah, Nasution, F., & Ahmadi. (2023). The Influence of Pyrolysis Time and Temperature on the Composition and Properties of Bio-Oil Prepared from Tanjong Leaves (Mimusops elengi). *Sustainability*, *15*(18), 13851. https://doi.org/10.3390/su151813851

Mazilan, M. S. R., Sulaiman, S., Semawi, N. H., Fiona, N.-F., Abdul mudalip, S. kholijah, Che Man, R., Arshad, Z. I. M., & md shaarani, S. (2023). The effect of particle size on physicochemical and thermal analysis of rice husk for explosion studies. *Materials Today: Proceedings*, *107*. https://doi.org/10.1016/j.matpr.2023.08.143

Modest, M. F. (2013). Chapter 10 - The Radiative Transfer Equation in Participating Media (RTE). In *Radiative Heat Transfer (Third Edition)* (pp. 279–302). Academic Press. https://doi.org/https://doi.org/10.1016/B978-0-12-386944-9.50010-8

Mohan, D., Pittman, C., & Steele, P. (2006). Pyrolysis of Wood/Biomass for Bio-Oil: A Critical Review. *Energy*, *20*, 848. https://doi.org/10.1021/ef0502397

Nawaz, S., Jamil, F., Akhter, P., Hussain, M., Jang, H., & Park, Y.-K. (2023). Valorization of lignocellulosic rice husk producing biosilica and biofuels—a review. *Journal of Physics: Energy*, *5*(1), 012003. https://doi.org/10.1088/2515-7655/aca5b4

Nield, D. (2017). Convection in Porous Media, Fifth Edition. In *Convection in Porous Media*. https://doi.org/10.1007/978-3-319-49562-0

Nield, D. A., & Bejan, A. (2013). *Convection in Porous Media*. Springer New York. https://doi.org/10.1007/978-1-4614-5541-7

Nussbaumer, T. (2003). Combustion and Co-combustion of Biomass: Fundamentals, Technologies, and Primary Measures for Emission Reduction. *Energy & Fuels*, *17*(6), 1510–1521. https://doi.org/10.1021/ef030031q

Paethanom, A., & Yoshikawa, K. (2012). Influence of Pyrolysis Temperature on Rice Husk Char Characteristics and Its Tar Adsorption Capability. *Energies*, *5*, 4941–4951. https://doi.org/10.3390/en5124941

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Papuga, S., Savković, J., Djurdjevic, M., & Vecchio Ciprioti, S. (2024). Effect of Feed Mass, Reactor Temperature, and Time on the Yield of Waste Polypropylene Pyrolysis Oil Produced via a Fixed-Bed Reactor. *Polymers*, *16*, 1302. https://doi.org/10.3390/polym16101302

Patankar, S. V. (1980). *Numerical Heat Transfer and Fluid Flow*. Hemisphere Publishing Corporation.

Perera, S., Wickramasinghe, C., Samarasiri, K., & Narayana, M. (2021). Modeling of thermochemical conversion of waste biomass – a comprehensive review. *Biofuel Research Journal*, *8*, 1481–1528. https://doi.org/10.18331/BRJ2021.8.4.3

Pope, S. B. (2000). *Turbulent Flows*. Cambridge University Press. https://doi.org/10.1017/CBO9780511840531

Porteiro, J., Collazo, J., Patiño, D., Granada, E., Moran Gonzalez, J. C., & Míguez, J. L. (2009). Numerical Modeling of a Biomass Pellet Domestic Boiler. *Energy & Fuels*, *23*(2), 1067–1075. https://doi.org/10.1021/ef8008458

Prins, M. J., Lindén, J., Li, Z. S., Bastiaans, R. J. M., van Oijen, J. A., Aldén, M., & de Goey, L. P. H. (2009). Visualization of Biomass Pyrolysis and Temperature Imaging in a Heated-Grid Reactor. *Energy & Fuels*, *23*(2), 993–1006. https://doi.org/10.1021/ef800419w

PT PLN Energi Primer Indonesia. (2025, December 5). *Potensi Bioenergi RI Capai 83,4 Juta Ton per Tahun, PLN EPI Maksimalkan untuk Ketahanan Energi*. PLN Energi Primer Indonesia. https://www.plnepi.co.id/media-informasi/ruang-media/siaran-pers/potensi-bioenergi-ri-capai-834-juta-ton-per-tahun-pln-epi-maksimalkan-untuk-ketahanan-energi

Pujotomo, I. (2017). Potensi Pemanfaatan Biomassa Sekam Padi untuk Pembangkit Listrik Melalui Teknologi Gasifikasi. *Jurnal Energi & Kelistrikan*, *9*(2). https://media.neliti.com/media/publications/269599-potensi-pemanfaatan-biomassa-sekam-padi-8f6b6e63.

Qian, Y., Zhan, J., Yu, Y., Xu, G., & Liu, X. (2019). CFD model of coal pyrolysis in fixed bed reactor. *Chemical Engineering Science*, *200*, 1–11. https://doi.org/https://doi.org/10.1016/j.ces.2018.12.064

Ryu, C., Yang, Y. Bin, Khor, A., Yates, N. E., Sharifi, V. N., & Swithenbank, J. (2006). Effect of fuel properties on biomass combustion: Part I. Experiments—fuel type, equivalence ratio and particle size. *Fuel*, *85*(7–8), 1039–1046. https://doi.org/10.1016/j.fuel.2005.09.019

Sandu, M. R., Boldor, D., Macavei, M. G., Magdziarz, A., & Marculescu, C. (2025). Heat and flow dynamics in biomass reactors under pyrolysis conditions: Computational insights. *Renewable Energy*, *244*, 122691. https://doi.org/https://doi.org/10.1016/j.renene.2025.122691

Schober, P., Boer, C., & Schwarte, L. A. (2018). Correlation Coefficients: Appropriate Use and Interpretation. *Anesthesia & Analgesia*, *126*(5), 1763–1768. https://doi.org/10.1213/ANE.0000000000002864

Serial, M. R., Benders, S., Rotzetter, P., Brummerloh, D. L., Metzger, J. P., Gross, S. P., Nussbaum, J., Müller, C. R., Pruessmann, K. P., & Penn, A. (2023). Temperature distribution in a gas-solid fixed bed probed by rapid magnetic

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

resonance imaging. *Chemical Engineering Science*, *269*, 118457. https://doi.org/https://doi.org/10.1016/j.ces.2023.118457

Serrano-Ruiz, J. C. (2020). Biomass: A Renewable Source of Fuels, Chemicals and Carbon Materials. In *Molecules* (Vol. 25, Number 21). MDPI. https://doi.org/10.3390/molecules25215217

Steffen, V., Schmidt de Oliveira, M., & Antonio da Silva, E. (2026). Mathematical Modeling of Biomass Pyrolysis in Fixed-Bed Reactors: A Systematic Review of Trends, Challenges, and Perspectives. *Chem & Bio Engineering*, *3*(4), 428–447. https://doi.org/10.1021/cbe.6c00010

Tan, Y., Rackl, M., Fottner, J., & Kessler, S. (2022). Study on the importance of bed shape in combined DEM-CFD simulation of fixed-bed Biomass gasifiers. *Powder Technology*, *412*, 117971. https://doi.org/10.1016/j.powtec.2022.117971

Tesser, R., & Santacesaria, E. (2025). Kinetics of and Transport Phenomena in Gas–Solid Reactors. In R. Tesser & E. Santacesaria (Eds.), *The Chemical Reactor from Laboratory to Industrial Plant: A Modern Approach to Chemical Reaction Engineering* (pp. 419–517). Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-82502-6_6

Trache, D., Tarchoun, A. F., Derradji, M., Hamidon, T. S., Masruchin, N., Brosse, N., & Hussin, M. H. (2020). Nanocellulose: From Fundamentals to Advanced Applications. *Frontiers in Chemistry*, *8*. https://doi.org/10.3389/fchem.2020.00392

Tu, J., Yeoh, G., & Liu, C. (2018). Computational fluid dynamics: A practical approach. In *Computational Fluid Dynamics: A Practical Approach*.

V, K. K., & Panwar, N. L. (2024). Pyrolysis technologies for biochar production in waste management: a review. *Clean Energy*, *8*(4), 61–78. https://doi.org/10.1093/ce/zkae036

Van Hoecke, L., Boeye, D., Quiroga, A., Patience, G., & Perreault, P. (2022). Experimental methods in chemical engineering: Computational fluid dynamics/finite volume method—CFD/FVM. *The Canadian Journal of Chemical Engineering*, *101*, 545–561. https://doi.org/10.1002/cjce.24571

Varnamkhasti, M. G., Mobli, H., Jafari, A., Keyhani, A. R., Soltanabadi, M. H., Rafiee, S., & Kheiralipour, K. (2008). Some physical properties of rough rice (Oryza Sativa L.) grain. *Journal of Cereal Science*, *47*(3), 496–501. https://doi.org/https://doi.org/10.1016/j.jcs.2007.05.014

Vendra Singh, S., Chaturvedi, S., Dhyani, V. C., & Kasivelu, G. (2020). Pyrolysis temperature influences the characteristics of rice straw and husk biochar and sorption/desorption behaviour of their biourea composite. *Bioresource Technology*, *314*, 123674. https://doi.org/https://doi.org/10.1016/j.biortech.2020.123674

Versteeg, H. K., & Malalasekera, W. (2007). *An Introduction to Computational Fluid Dynamics: The Finite Volume Method* (2nd ed.). Pearson Education Limited.

Vuppaladadiyam, A., Vuppaladadiyam, S., Sahoo, A., Somasundaram, M., Anthony, E., Bhaskar, T., Zheng, Y., Zhao, M., Duan, H., Zhao, Y., Antunes, E., Sarmah, A., & Leu, S.-Y. (2022). Bio-oil and biochar from the pyrolytic

UNIVERSITAS
GADJAH MADA
Pemodelan dan Validasi Distribusi Temperatur pada Reaktor Pirolisis Sekam Padi Berbasis Computational Fluid Dynamics
M. Irfan Faridh Syahira, Makbul Hajad, S.T.P., M.Eng., Ph.D., IPP.; Prof. Dr. Ir. Bambang Purwantana, M.Agr.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

conversion of biomass: A current and future perspective on the trade-off between economic, environmental, and technical indicators. *Science of The Total Environment*, *857*, 159155. https://doi.org/10.1016/j.scitotenv.2022.159155

Wang, M., Jia, T., Song, X., Yin, L., Chen, D., & Qian, K. (2024). CFD–DEM Simulation of Heat Transfer and Reaction Characteristics of Pyrolysis Process of MSW Heated by High-Temperature Flue Gas. *Processes*, *12*(2), 390. https://doi.org/10.3390/pr12020390

Wasinarom, K., Sungworagarn, S., Sathitruangsak, P., Singmai, W., & Onthong, K. (2023). Thermal behavior of biomass under thermochemical treatment at different air fluxes in an updraft reactor. *BioResources*, *18*(2), 3452–3470. https://doi.org/10.15376/biores.18.2.3452-3470

Wilcox, D. (2006). *Turbulence Modeling for CFD (Third Edition) (Hardcover)*.

Xiong, Q., Yang, Y., Xu, F., Pan, Y., Zhang, J., Hong, K., Lorenzini, G., & Wang, S. (2017). Overview of Computational Fluid Dynamics Simulation of Reactor-Scale Biomass Pyrolysis. *ACS Sustainable Chemistry & Engineering*, *5*(4), 2783–2798. https://doi.org/10.1021/acssuschemeng.6b02634

Xue, Q., Heindel, T. J., & Fox, R. O. (2011). A CFD model for biomass fast pyrolysis in fluidized-bed reactors. *Chemical Engineering Science*, *66*(11), 2440–2452. https://doi.org/10.1016/j.ces.2011.03.010

Yang, H., Yan, R., Chen, H., Lee, D. H., & Zheng, C. (2007). Characteristics of hemicellulose, cellulose and lignin pyrolysis. *Fuel*, *86*(12–13), 1781–1788. https://doi.org/10.1016/j.fuel.2006.12.013

Zhao, C., Pei, C., Sun, J., Zhao, Z.-J., & Gong, J. (2023). Non-ideal characteristics in a micro packed-bed reactor: A coupled reaction-transport CFD analysis for propane dehydrogenation. *Chemical Engineering Science*, *267*, 118316. https://doi.org/10.1016/j.ces.2022.118316