

DAFTAR PUSTAKA

- Abraham, M. K., Madanan, A. S., Varghese, S., Shkhair, A. I., Indongo, G., Rajeevan, G., S. V. N., dan George, S., 2024, MnO₂ nanosheet quenched thulium doped photon-up conversion luminescent immunoprobe for the ‘turn-on’ detection of cardiac troponin T, *Talanta*, 275, 126096.
- Alam, N., Ravikumar, C. H., Sreeramareddygar, M., Somasundrum, M., dan Surareunchai, W., 2023, Label-free ultra-sensitive colorimetric detection of hepatitis E virus based on oxidase-like activity of MnO₂ nanosheets, *Anal. Bioanal. Chem.*, 415(4), 703–713.
- Alan, H. B., 2006, *Tietz Clinical Guide to Laboratory Test*, 4th Edition, Saint Louis.
- Alberti, G., Zanoni, C., Magnaghi, L. R., dan Biesuz, R., 2020, Disposable and low-cost colorimetric sensors for environmental analysis, *International Int. J. Environ. Res. Public Health.*, 17(22), 8331.
- Aqillah, F., Diki Permana, M., Eddy, D. R., Firdaus, M. L., Takei, T., dan Rahayu, I., 2024, Detection and quantification of Cu²⁺ ion using gold nanoparticles via smartphone-based digital imaging colorimetry technique, *Results Chem.*, 7, 101418.
- Bakar, S. A., dan Ribeiro, C., 2016, Nitrogen-doped titanium dioxide: An overview of material design and dimensionality effect over modern applications, *J. Photochem. Photobiol. C Photochem. Rev.*, 27, 1–29.
- Bao, Y., Wang, T., Kang, Q., Shi, C., dan Ma, J., 2017, Micelle-template synthesis of hollow silica spheres for improving water vapor permeability of waterborne polyurethane membrane, *Nat. Publ. Gr.*, 7, 1–14.
- Beg, S., Kohli, K., Swain, S., & Saquib, M., 2012, Development and validation of rp-hplc method for quantitation of amoxicillin trihydrate in bulk and pharmaceutical formulations using box-behnken experimental design, *J. Liq. Chromatogr.*, 35(3), 393–406.
- Berasarte, I., Albizu, G., Santos, W. F., De Lima, L. F., Ostra, M., Vidal, M., dan De Araujo, W. R., 2025, Chemometrics and digital image colorimetry approaches applied to paper-based analytical devices: A review, *Anal. Chim. Acta.*, 1339, 343577.
- Bin Jordan, Y. A., El-Wakil, M. M., Elmasry, M. R., dan Ali, A.-M. B. H., 2025, Uric acid detection via dual-mode mechanism with copper-coordinated nitrogen-doped carbon dots as peroxidase mimics, *RSC Adv.*, 15(18), 13763–13773.
- Chaplenko, A. A., Monogarova, O. V, Oskolok, K. V, dan Garmay, A. V., 2022, Digital colorimetry in chemical and pharmaceutical analysis, *Moscow Univ. Chem. Bull.*, 77(2), 61–67.
- Chen, P., Zhong, H., Wang, X., Shao, C., Zhi, S., Li, X., dan Wei, C., 2019, A label-free colorimetric strategy for facile and low-cost sensing of ascorbic acid using MnO₂ nanosheets, *Anal. Methods.*, 11, 1469–1474.
- Costa, G. B., Fernandes, D. D. S., Almeida, V. E., Araújo, T. S. P., Melo, J. P., Diniz, P. H. G. D., dan Vêras, G., 2015, Digital image-based classification of biodiesel, *Talanta*, 139, 50–55.
- Day, R. O., Kamel, B., Kannangara, D. R. W., Williams, K. M., dan Graham, G.

- G., 2016, Xanthine oxidoreductase and its inhibitors: relevance for gout, *Clin. Sci. (London, Engl. 1979)*, 130(23), 2167–2180.
- Fan, Y., Li, J., Guo, Y., Xie, L., dan Zhang, G., 2021, Digital image colorimetry on smartphone for chemical analysis: A review., *Measurement*, 171, 108829.
- Gagrani, A., Zhou, J., dan Tsuzuki, T., 2018, Solvent free mechanochemical synthesis of MnO₂ for the efficient degradation of Rhodamine-B, *Ceram. Int.*, 44(5), 4694–4698.
- Ge, J., Cai, R., Chen, X., Wu, Q., Zhang, L., Jiang, Y., Cui, C., Wan, S., dan Tan, W., 2019, Facile approach to prepare HSA-templated MnO₂ nanosheets as oxidase mimic for colorimetric detection of glutathione, *Talanta*, 195, 40–45.
- Gilchrist, A., dan Nobbs, J., 2017, Colorimetry, Theory., dalam *Encyclopedia of Spectroscopy and Spectrometry*, Elsevier.
- González, A. G., Herrador, M. A., dan Asuero, A. G., 2010, Intra-laboratory assessment of method accuracy (trueness and precision) by using validation standards, *Talanta*, 82, 1995–1998.
- Haerudin, N., dan Sujono, H., 2026, Validasi metode kjeldahl tanpa asam salisilat dalam analisis nitrogen pada pupuk NPK padat berbasis urea, *J. Chem.*, 20(1), 100–107.
- Handayani, F. S., Nugroho, B. H., dan Munawiroh, S. Z., 2018, Optimization of low energy nanoemulsion of grape seed oil formulation using D-optimal mixture design (DMD) optimasi formulasi nanoemulsi minyak biji anggur energi rendah dengan d-optimal mixture design (DMD), *J. Ilm. Farm.*, 14(1), 17–34.
- Harmono, H. D., 2020, Validasi metode analisis logam merkuri (Hg) terlarut pada air permukaan dengan automatic mercury analyzer, *Indones. J. Lab.*, 2(3), 11–16.
- Hu, R., Guo, T., Zeng, C., Fu, X., Dong, B., Lin, Z., Dong, Y., dan Fu, F., 2023, Colorimetric and visual determination of uric acid based on decolorization of manganese dioxide nanosheet dispersions, *Microchim. Acta.*, 190(6), 217.
- Huang, L., Qin, S., Xu, Y., Cheng, S., Yang, J., dan Wang, Y., 2023, Enzyme-free colorimetric detection of uric acid on the basis of MnO₂ nanosheets - mediated oxidation of 3, 3', 5, 5'-tetramethylbenzidine, *Microchem. J.*, 190, 108719.
- Huang, Z., Cai, Q., Ding, D., Ge, J., Hu, Y., Yang, J., Zhang, L., dan Li, Z., 2017, A facile label-free colorimetric method for highly sensitive glutathione detection by using manganese dioxide nanosheets, *Sensors Actuators B. Chem.*, 242, 355–361.
- Huber, L., 2007, *Validation and Qualification in Analytical Laboratories*, Second Edition, CRC Press, Boca Raton.
- Ishikawa, T., Aw, W., dan Kaneko, K., 2013, Metabolic interactions of Purine derivatives with human ABC transporter ABCG2: Genetic testing to assess gout risk, *Pharmaceuticals*, 6(11), 1347–1360.
- Kilic, N. M., Singh, S., Keles, G., Cinti, S., Kurbanoglu, S., dan Odaci, D., 2023, Novel approaches to enzyme-based electrochemical nanobiosensors, *Biosensors*, 13(6), 622.
- Kruve, A., Rebane, R., Kipper, K., Oldekop, M., Evard, H., Herodes, K., Ravio, P., dan Leito, I., 2015, Tutorial review on validation of liquid chromatography –

- mass spectrometry methods : Part I, *Anal. Chim. Acta.*, 870, 29–44.
- Li, F., Jiang, J., Shen, N., Peng, H., Luo, Y., Li, N., Huang, L., Lu, Y., Liu, L., Li, B., dan He, J., 2024, Flexible microfluidic colorimetric detection chip integrated with ABTS^{•+} and Co@MnO₂ nanozyme catalyzed TMB reaction systems for bio-enzyme free detection of sweat uric acid, *Anal. Chim. Acta*, 1299, 342453.
- Li, M., Su, H., Tu, Y., Shang, Y., Liu, Y., Peng, C., dan Liu, H., 2019, Development and application of an efficient medium for chromogenic catalysis of tetramethylbenzidine with horseradish peroxidase., *ACS Omega*, 4(3), 5459–5470.
- Lister, A. S., 2005, Validation of HPLC methods in pharmaceutical analysis, dalam *Separation Science and Technology* (Vol. 6), Elsevier Inc.
- Liu, J., Meng, L., Fei, Z., Dyson, P. J., Jing, X., dan Liu, X., 2017, MnO₂ nanosheets as an artificial enzyme to mimic oxidase for rapid and sensitive detection of glutathione, *Biosensors and Bioelectronics*, 90, 69–74.
- Liu, N., Xu, H., Sun, Q., Yu, X., Chen, W., Wei, H., Jiang, J., Xu, Y., dan Lu, W., 2021, The role of oxidative stress in hyperuricemia and xanthine oxidoreductase (XOR) inhibitors, *Oxid. Med. Cell. Longev.*, 2021(1), 1470380.
- Liu, Q., Kuzuya, A., dan Wang, Z.-G., 2023, Supramolecular enzyme-mimicking catalysts self-assembled from peptides, *IScience*, 26(1), 105831.
- Liu, X., Zhou, Y., Xie, W., Liu, S., Zhao, Q., dan Huang, W., 2020, Construction of smart manganese dioxide-based all-in-one nanoplatfrom for cancer diagnosis and therapy, *Small Methods*, 4(12), 2000566.
- Maiuolo, J., Oppedisano, F., Gratteri, S., Muscoli, C., dan Mollace, V., 2016, Regulation of uric acid metabolism and excretion, *Int. J. Cardiol.*, 213, 8–14.
- Malik, Y., 2023, Akurasi dan presisi analisis kadar nikel (Ni) pada sampel nikel laterit menggunakan x-ray fluorescence spectrometry (XRF), *Sains: Sains J. Kim. dan Pend Kim.*, 12(2), 87–94.
- Miller, J. N., dan Miller, J. C., 2010, *Statistics and Chemometrics for Analytical Chemistry*, Sixth edition, Pearson education, Gosport.
- Mujamilah dan Sulungbudi, G., 2013, Karakteristik dinamik sistem koloid magnetik berbasis nanopartikel oksida Fe-chitosan (dynamic characteristic of magnetic colloidal system based on Fe oxide nanoparticles and chitosan), *J. Kim. Kemasan.*, 35(1), 65–70.
- Newcombe, D., 2012, *Gout*, Springer London.
- Noble, K. A., Chan, H. K. Y., dan Kavanagh, O. N., 2024, Meta-analysis guided development of a standard artificial urine, *Eur. J. Pharm. Biopharm.*, 198, 114264.
- Nuryadi, Astuti, T. D., Utami, E. S., dan Budiantara, M., 2017, *Buku Ajar Dasar-dasar Statistik Penelitian*, Sibuku Media, Yogyakarta.
- Peris-vicente, J., Esteve-romero, J., dan Carda-broch, S., 2015, *Validation of Analytical Methods Based on Chromatographic Techniques : An Overview*, dalam *Analytical Separation Science*, John Wiley & Sons, Ltd., 1757-1808
- Pratiwi, A. A., Mulyadi, D., dan Anwar, D. I., 2023, Validation of analytical method of testing cefotaxime sodium in injection powder preparation by high-performance liquid chromatography validasi metode analisis pengujian

- sefotaksim natrium dalam sediaan serbuk injeksi dengan kromatografi cair kinerja tinggi, *Berkala Ilmiah Kimia Farmasi.*, 10(2), 26–30.
- Pum, J., 2019, A practical guide to validation and verification of analytical methods in the clinical, dalam *Advances in Clinical Chemistry*, 1th ed., Elsevier Inc.
- Qin, X., Yuan, C., Geng, G., Shi, R., Cheng, S., dan Wang, Y., 2021, Enzyme-free colorimetric determination of uric acid based on inhibition of gold nanorods etching, *Sensors Actuators B. Chem.*, 333, 129638.
- Rani, A., Velusamy, D. B., Kim, R. H., Chung, K., Mota, F. M., Park, C., dan Kim, D. H., 2016, Non-volatile reram devices based on self-assembled multilayers of modified graphene oxide 2D nanosheets, *Small*, 12(44), 6167–6174.
- Ravisankar, P., Navya, C. N., Pravallika, D., dan Sri, D. N., 2015, A review on step-by-step analytical method validation, *IOSR J. Pharm.*, 5(10), 7–19.
- Rezazadeh, M., Seidi, S., Lid, M., Pedersen-Bjergaard, S., dan Yamini, Y., 2019, The modern role of smartphones in analytical chemistry, *Trends Anal. Chem.*, 118, 548–555.
- Sakurai, T., Irii, T., dan Iwadate, K., 2022, Simultaneous quantification of urea, uric acid, and creatinine in human urine by liquid chromatography/mass spectrometry, *Leg. Med.*, 55, 102011.
- Salamah, N., dan Guntarti, A., 2023, *Analisis instrumen: Kromatografi dan Elektroforesis*. UAD PRESS, Yogyakarta.
- Salem, B., Slim, R., Fathallah, N., dan Hmouda, H., 2016, Drug-induced hyperuricaemia and gout, *Rheumatology*, 56(5), 679–688.
- Saputra, E., 2024, *Sintesis nanopartikel emas terfungsionalisasi glutation (GSH-AuNPS) untuk deteksi kreatinin secara kolorimetri berbasis citra digital*, Skripsi, Gadjah Mada University.
- Shettigar, R. R., Misra, N. M., dan Patel, K., 2018, Cationic surfactant (CTAB) a multipurpose additive in polymer-based drilling fluids, *J Pet. Explor Prod Technol.*, 8, 597–606.
- Shu, X., Huang, L., Guo, X., Shi, R., Qin, S., dan Wang, Y., 2024, MnO₂ nanosheets-based colorimetric sensor for uric acid detection, *Mater. Sci. Eng. B.*, 305, 117441.
- Soares, S., dan Rocha, F. R. P., 2021, Spot test for determination of uric acid in saliva by smartphone-based digital images: A new proposal for detecting kidney dysfunctions, *Microchem. J.*, 162, 105862.
- Sumijan, dan Purnama, P. A. W., 2021, *Teori dan Aplikasi Pengolahan Citra Digital Penerapan dalam Bidang Citra Medis*, Insan Cendekia Mandiri, Solok.
- Sun, Y., Wang, Y., Liu, Y., Wang, H., Yang, C., Liu, X., dan Wang, F., 2023, Integration of manganese dioxide-based nanomaterials for biomedical applications, *Adv. NanoBiomed Res.*, 3(1), 2200093.
- Tan, C., Cao, X., Wu, X.-J., He, Q., Yang, J., Zhang, X., Chen, J., Zhao, W., Han, S., Nam, G.-H., Sindoro, M., dan Zhang, H., 2017, Recent advances in ultrathin two-dimensional nanomaterials, *Chem. Rev.*, 117(9), 6225–6331.
- Taverniers, I., Loose, M. De, dan Bockstaele, E. Van., 2004, Analytical method validation and quality assurance, *Trends Anal. Chem.*, 23(8), 535–552.
- Tiutikov, N. Y., Kalinichev, A. V, Pokhvishcheva, N. V, dan Peshkova, M. A., 2021, Digital color analysis for colorimetric signal processing: Towards an

analytically justified choice of acquisition technique and color space, *Sensors Actuators B. Chem.*, **344**, 130274.

Winder, M., Owczarek, A. J., Mossakowska, M., Broczek, K., Grodzicki, T., Wierucki, Ł., dan Chudek, J., 2021, Prevalence of hyperuricemia and the use of allopurinol in older poles—results from a population-based polsenior study, *Int. J. Environ. Res. Public Health*, **18**(2), 387.

Wu, C., Zhu, L., Lu, Q., Li, H., Zhang, Y., dan Yao, S., 2019, A dual-signal colorimetric and ratiometric fluorescent nanoprobe for enzymatic determination of uric acid by using silicon nanoparticles, *Microchim. Acta*, **186**(12), 754.

Wu, M., Hou, P., Dong, L., Cai, L., Chen, Z., Zhao, M., dan Li, J., 2019, Manganese dioxide nanosheets: from preparation to biomedical applications, *Int. J. Nanomedicine.*, **14**, 4781–4800.

Yan, X., Song, Y., Zhu, C., Li, H., Du, D., Su, X., dan Lin, Y., 2018, MnO₂ nanosheet-carbon dots sensing platform for sensitive detection of organophosphorus pesticides, *Anal. Chem.*, **90**(4), 2618–2624.

Zhang, X., He, Z., Wang, S., Zhang, S., dan Song, D., 2025, A pure near-infrared platform with dual-readout capability employing upconversion fluorescence and colorimetry for biosensing of uric acid, *Talanta*, **291**, 127900.

Zhang, Y., Zhao, T., Zhang, X., Akhtar, M. H., Zhang, Q., Li, M., dan Yu, C., 2021, Photothermal and colorimetric dual-readout silver ions determination utilizing the oxidase-mimicking activity of MnO₂ nanosheets, *Sensors Actuators B. Chem.*, **346**, 130494.