UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Adithama, R.M., Munifah, I., Yanto, D.H.Y., Meryandini, A., 2023. Biodegradation of low-density polyethylene microplastic by new halotolerant bacteria isolated from saline mud in Bledug Kuwu, Indonesia. *Bioresour. Technol. Reports* 22.

Ahmaditabatabaei, S., Kyazze, G., Iqbal, H.M.N., 2021. Fungal Enzymes as Catalytic Tools for Polyethylene. *Journal of Fungi*. 7, 931.

Aksu, D., Vural, C., Karabey, B., Ozdemir, G., 2021. Biodegradation of Terephthalic Acid by Isolated Active Sludge Microorganisms and Monitoring of Bacteria in a Continuous Stirred Tank Reactor. *Brazilian Arch. Biol. Technol*. 64: 1–10.

Allen, S., Allen, D., Phoenix, V.R., Le Roux, G., Durántez Jiménez, P., Simonneau, A., Binet, S., Galop, D., 2019. Atmospheric transport and deposition of microplastics in a remote mountain catchment. *Nat. Geosci.* 12: 339–344.

Amanna, R., Rakshit, S.K., 2025. Pretreatment of polyethylene terephthalate (PET) using physicochemical methods and their effects on biodegradation. *Biotechnol. Environ.* 2.

Arkatkar, A., Arutchelvi, J., Bhaduri, S., Uppara, P.V. & Doble, M. 2009. Degradation of unpretreated and thermally pretreated polypropylene by soil consortia. *International Biodeterioration & Biodegradation*. 63: 106–111

Austin, H.P.; Allen, M.D.; Donohoe, B.S.; Rorrer, N.A.; Kearns, F.L.; Silveira, R.L.; Pollard, B.C.; Dominick, G.; Duman, R.; El Omari, K. 2018. Characterization and engineering of a plastic-degrading aromatic polyesterase. *Proc. Natl. Acad. Sci. USA*, 115, E4350–E4357

Azizi, A., 2024. Isolation and Characterization of Polyethylene and Polyethylene Terephthalate-degrading Bacteria from Jakarta Bay , Indonesia. *The Open Biotechnology Journal.*18: 1–9.

Balasubramanian, V., Natarajan, K., Hemambika, B., Ramesh, N., Sumathi, C.S., Kottaimuthu, R., Rajesh Kannan, V., 2010. High-density polyethylene (HDPE)-degrading potential bacteria from marine ecosystem of Gulf of Mannar, India. *Lett. Appl. Microbiol.* 51: 205–211.

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Benavente, R.; Esteban-Torres, M.; Acebrón, I.; de Las Rivas, B.; Muñoz, R.; Álvarez, Y.; Mancheño, J.M. 2013. Structure, biochemical characterization and analysis of the pleomorphism of carboxylesterase Cest-2923 from Lactobacillus plantarum WCFS 1. *FEBS J. 280*: 6658–6671

Benes, K., Liguori, M., Velikaneye, C.J., Kispert, S., Pishnyuk, A., Luzik, E., 2025. Harnessing Biofilm-Mediated Plastic Biodegradation : Innovating Smart Material Design. *Applied Engineering Materials*. 3: 1915-1926.

Billig, S.; Oeser, T.; Birkemeyer, C.; Zimmermann, W. 2010. Hydrolysis of cyclic poly (ethylene terephthalate) trimers by a carboxylesterase from *Thermobifida fusca* KW3. *Appl. Microbiol. Biotechnol*. 87: 1753–1764.

Bollinger, A.; Thies, S.; Knieps-Grünhagen, E.; Gertzen, C.; Kobus, S.; Höppner, A.; Ferrer, M.; Gohlke, H.; Smits, S.H.; Jaeger, K.-E. 2020. A novel polyester hydrolase from the marine bacterium *Pseudomonas aestusnigri*–structural and functional insights. *Front. Microbiol*. 11: 114.

Casazza, A.A., Spennati, E., Converti, A., Busca, G., 2019. Study on the thermal decomposition of plastic residues. *Chem. Eng. Trans.* 74: 1141–1146.

Chandramouli Swamy, T.M., Nagarathna, S. V., Reddy, P. V., Nayak, A.S., 2024. Efficient biodegradation of Polyethylene terephthalate (PET) plastic by Gordonia sp. CN2K isolated from plastic contaminated environment. *Ecotoxicol. Environ. Saf.* 281.

Chang, S., Sheu, M.F. & Chen, S.M. 1983. Solid-State Polymerization of Poly(ethylene Terephthalate). *Journal of Applied Polymer Science*. 28: 3289-3300.

Charnock, C., 2021. Norwegian soils and waters contain mesophilic, plastic-degrading bacteria. *Microorganisms*. 9: 1–18.

Chatterjee, S., Dutta, T.K., 2008. Complete degradation of butyl benzyl phthalate by a defined bacterial consortium : Role of individual isolates in the assimilation pathway. *Chemosphere*. 70: 933–941.

Chen, Z., Hay, J.N., Jenkins, M.J., 2013. The thermal analysis of poly(ethylene terephthalate) by FTIR spectroscopy. *Thermochim. Acta*. 552: 123–130.

Chen, C.C.; Han, X.; Ko, T.P.; Liu, W.; Guo, R.T. 2018. Structural studies reveal the

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

molecular mechanism of PETase. *FEBS J*. 285: 3717–3723

Chen, Z., Wang, Y., Cheng, Y., Wang, X., Tong, S., Yang, H., Wang, Z., 2020. Efficient biodegradation of highly crystallized polyethylene terephthalate through cell surface display of bacterial PETase. *Sci. Total Environ.* 709, 136138.

Crespy, D., Bozonnet, M., Meier, M., 2008. 100 Years of Bakelite, the material of a 1000 uses. *Angew. Chemie - Int. Ed*. 47: 3322–3328.

Dang, H. & Lovell, C.R. 2016. Microbial Surface Colonization and Biofilm Development in Marine Environments. *Microbiology and Molecular Biology Reviews*. 80(1), 91-138.

Denaro, R., Aulenta, F., Crisa, F., Pippo, F. Di, Viggi, C.C., Matturro, B., Tomei, P., Smedile, F., Martinelli, A., Lisio, V. Di, Venezia, C., Rossetti, S., 2020. Science of the Total Environment Marine hydrocarbon-degrading bacteria breakdown poly(ethylene terephthalate) (PET). *Sci. Total Environ*. 749: 1–16.

Del'Arco, J. P., & de Franca, F. P. 1999. Biodegradation of crude oil in sandy sediment. *International Biodeterioration & Biodegradation*. 44(2-3): 87-92.

Dhaka, V., Singh, S., Anil, A.G., Kumar, T.S.S., Shashank, N., Jastin, G., 2022. Occurrence , toxicity and remediation of polyethylene terephthalate plastics . A review. *Environ. Chem. Lett*. 20: 1777–1800.

Dhaka, V., Singh, S., Ramamurthy, P.C., Samuel, J., Swamy Sunil Kumar Naik, T., Khasnabis, S., Prasad, R., Singh, J., 2023. Biological degradation of polyethylene terephthalate by rhizobacteria. *Environ. Sci. Pollut. Res.* 30: 116488–116497.

Dimassi, S.N., Hahladakis, J.N., Daly Yahia, M.N., Ahmad, M.I., Sayadi, S., Al-Ghouti, M.A., 2023. Insights into the degradation mechanism of PET and PP under marine conditions using FTIR. *J. Hazard. Mater*. 447.

Dimitrov, N., Kratofil Krehula, L., Ptiček Siročić, A., Hrnjak-Murgić, Z., 2013. Analysis of recycled PET bottles products by pyrolysis-gas chromatography. *Polym. Degrad. Stab.* 98: 972–979.

Djebara, M., Stoquert, J.P., Abdesselam, M., Muller, D., Chami, A.C., 2012. FTIR analysis of polyethylene terephthalate irradiated by MeV He +. Nucl. Instruments Methods Phys. Res. Sect. B Beam Interact. with Mater. *Atoms.* 274: 70–77.

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Dodson GZ, Shotorban AK, Hatcher PG. 2020. Microplastic fragment and fiber contamination of beach sediments from selected sites in Virginia and North Carolina, USA. *Mar Pollut Bull.*

Donelli, I., Freddi, G., Nierstrasz, V.A., Taddei, P., 2010. Surface structure and properties of poly-(ethylene terephthalate) hydrolyzed by alkali and cutinase. *Polym. Degrad. Stab.* 95: 1542–1550.

Elhady, M.A., Elbarbary, A.M., Gad, Y.H., Fathy, E.S., 2022. Synthesis and impact of polyethylene terephthalate nanoparticles on the stability of polypropylene exposed to electron beam irradiation. *Polym. Degrad. Stab*. 202.

Ermis, H. 2025. A mini-review on the role of PETase in polyethylene terephthalate degradation. *Rev Environ Sci Biotechnol*. 24: 545–555.

Farzi, A., Dehnad, A., Fotouhi, A.F., 2019. Biodegradation of polyethylene terephthalate waste using Streptomyces species and kinetic modeling of the process. *Biocatal. Agric. Biotechnol.* 17: 25–31.

Felsenstein, J., 1985. Confidence Limits On Phylogenies: An Approach Using The Bootstrap. *Evolution.* 39: 783–791.

Ferreira M, Thompson J, Paris A. 2020. Presence of microplastics in water, sediments and fish species in an urban coastal environment of Fiji, a Pacific small island developing state. *Mar Pollut Bull.*

Gaonkar, A.A., Murudkar, V. V., Deshpande, V.D., 2020. Comparison of crystallization kinetics of polyethylene terephthalate (PET) and reorganized PET. *Thermochim. Acta.* 683, 178472.

Geyer, R., 2020. Production, use, and fate of synthetic polymers, Plastic Waste and Recycling: Environmental Impact, Societal Issues, Prevention, and Solutions. *Elsevier Inc.*

Godswill, A. C., & Godspel, A. C. 2019. Physiological effects of plastic wastes on the endocrine system (Bisphenol A, Phthalates, Bisphenol).

Gong, J., Li, Y., Wang, H., Li, H., Zhang, J. 2018. Depolymerization and Assimilation of Poly (Ethylene Terephthalate) By Whole-Cell Bioprocess. *ACMME*. 394, 022047.

Grün, F., & Blumberg, B. 2009. Endocrine disrupters as obesogens. *Molecular and*

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Cellular Endocrinology. 304(1–2): 19–29.

Gupta, K.K., Devi, D., 2020. Characteristics investigation on biofilm formation and biodegradation activities of *Pseudomonas aeruginosa* strain ISJ14 colonizing low density polyethylene (LDPE) surface. *Heliyon* 6, e04398.

Harshvardhan, K., Jha, B., 2013. Biodegradation of low-density polyethylene by marine bacteria from pelagic waters, Arabian Sea, India. *Mar. Pollut. Bull*. 77: 100–106.

Hayashi, T., Mukouyama, M., Sakano, K., Tani, Y., 1993. Degradation of a sodium acrylate oligomer by an *Arthrobacter* sp. *Appl. Environ. Microbiol*. 59: 1555–1559.

He, P., Chen, L., Shao, L., Zhang, H., Lü, F., 2019. Municipal solid waste (MSW) landfill : A source of microplastics ? -Evidence of microplastics in land fill leachate. *Water Research*. 159: 38–45.

Herrero Acero, E.; Ribitsch, D.; Steinkellner, G.; Gruber, K.; Greimel, K.; Eiteljoer I.; Trotscha, E.; Wei, R.; Zimmermann, W.; Zinn, M. Enzymatic surface hydrolysis of PET: 2011. Effect of structural diversity on kinetic properties of cutinases from *Thermobifida. Macromolecules.* 44: 4632–4640

Horne, F.J., Liggat, J.J., MacDonald, W.A., Sankey, S.W., 2020. Photo-oxidation of poly(ethylene terephthalate) films intended for photovoltaic backsheet. *J. Appl. Polym. Sci.* 137: 1–18.

Horton, A.A., Walton, A., Spurgeon, D.J., Lahive, E., Svendsen, C., 2017. Science of the Total Environment Microplastics in freshwater and terrestrial environments : Evaluating the current understanding to identify the knowledge gaps and future research priorities. *Sci. Total Environ.* 586: 127–141.

Joo, S., Choo, I.J., Seo, H., Son, H.F., Sagong, H.Y., SHin, T.J., CHoi, S.Y., Lee., S.Y. & Kim, K.J. 2018. Structural insight into molecular mechanism of poly(ethylene terephthalate) degradation. *Nature communication*. 9(382): 1-12.

Kenny, S.T., Runic, J.N., Kaminsky, W., Woods, T., Babu, R.P., Keely, C.M., Blau, W., O'Connor, K.E., 2008. Up-cycling of PET (Polyethylene Terephthalate) to the biodegradable plastic PHA (Polyhydroxyalkanoate). *Environ. Sci. Technol*. 42: 7696–7701.

Khairul Anuar NFS., Huyop, F., Ur-Rahman, G., Abdullah, F., Normi, Y.M., Sabullah,

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

M.K. & Wahab, R.A. 2022. An overview into polyethylene terephthalate (PET) hydrolases and efforts in tailoring enzymes for improved plastic degradation. *Int J Mol Sci.* 23(20):12644.

Khandare, S., Agrawal, D., Mehru, N. & Chaudhary, D.R. 2022. Marine bacterial based enzymatic degradation of low-density polyethylene (LDPE) plastic. *Journal of Environmental Chemical Engineering.* 10(107437)

Kheirandish, M., Mohaddes Mojtahedi, M.R., Nazockdast, H., 2023. Assessing compatibility, tansesterification, and disintegration of PET/PLA fiber blend in composting conditions. *Front. Mater.* 10: 1–17.

Kim, J., Lee, S., Lee, B., Son, K., Park, H., 2023. Biodegradation Potential of Polyethylene Terephthalate by the Two Insect Gut Symbionts *Xanthomonas* sp. HY-74 and *Bacillus* sp. HY-75. *Polymers*, 15: 3546.

Kong, X., Bai, Z., Jin, T., Jin, D., Pan, J., Yu, X., Cernava, T., 2022. Arthrobacter is a universal responder to di-n-butyl phthalate (DBP) contamination in soils from various geographical locations. *J. Hazard. Mater*. 422.

Krasowska, A., Sigler, K., 2014. How microorganisms use hydrophobicity and what does this mean for human needs?. *Front. Cell. Infect. Microbiol*. 4: 1–7.

Kumar, S., Stecher, G., Tamura, K., 2016. MEGA7: Molecular Evolutionary Genetics Analysis Version 7.0 for Bigger Datasets. *Mol. Biol. Evol.* 33: 1870–1874.

Kumar S., Stecher G., Li M., Knyaz C., and Tamura K. 2018. MEGA X: Molecular Evolutionary Genetics Analysis across computing platforms. *Molecular Biology and Evolution*. 35: 1547-1549.

León-Zayas, R.; Roberts, C.; Vague, M.; Mellies, J.L. 2019. Draft genome sequences of five environmental bacterial isolates that degrade polyethylene terephthalate plastic. *Microbiol. Resour. Announc*, *8*, e00237-19.

Liu, J., Xu, G., DOng, W., Xu, N., Xin, F., Ma, J., Fang, Y., Zhou, J. & Jiang, M. 2018. Biodegradation of diethyl terephthalate (DET) and polyethylene terephthalate (PET) by a novel identified degrader *Delftia* sp. WL-3 and its proposed metabolic pathway Running head: DET and PET degradation by *Delftia* sp. WL-3. *Letters in Applied Microbiology*. 67(3): 254–261.

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, C.; Shi, C.; Zhu, S.; Wei, R.; Yin, C.-C. 2019. Structural and functional characterization of polyethylene terephthalate hydrolase from *Ideonella sakaiensis. Biochem. Biophys. Res. Commun.* 508: 289–294.

Liu, R. Xu, H., Zhao, S., Dong, C., Li, J., Wei, G., Li, G., Gong, L., Yan, P. Shao, Z. 2024. Polyethylene terephthalate (PET)-degrading bacteria in the pelagic deep-sea sediments of the Pacific Ocean. *Environmental Pollution* 352, 124131.

Maunders, E., Welch, M., 2017. Matrix exopolysaccharides; the sticky side of biofilm formation. *FEMS Microbiol. Lett.* 364: 1–10.

Joo, S.; Cho, I.J.; Seo, H.; Son, H.F.; Sagong, H.-Y.; Shin, T.J.; Choi, S.Y.; Lee, S.Y.; Kim, K.-J. 2018. Structural insight into molecular mechanism of poly (ethylene terephthalate) degradation. *Nat. Commun*. 9, 382.

Mcmahon, W., Birdsall, H.A., Johnson, G.R. & Camilli, C.T. 1959. Degradation studies of polyethylene terephthalate. *J Chem Eng Data*. 4(1): 57–79.

Müller, R.J.; Schrader, H.; Profe, J.; Dresler, K.; Deckwer, W.D. 2005. Enzymatic degradation of poly (ethylene terephthalate): Rapid hydrolyse using a hydrolase from *T. fusca*. Macromol. *Rapid Commun.* 26: 1400–1405.

Nistico, R., 2020. Polyethylene terephthalate (PET) in the packaging industry. *Polymer Testing*. 90, 106707.

Nurhasanah, Muhammad Reza Cordova, E.R., 2021. Micro- and mesoplastics release from the Indonesian municipal solid waste landfill leachate to the aquatic environment : Case study in Galuga Landfill Area , Indonesia. *Mar. Pollut. Bull.* 163, 111986.

Oberbeckmann, S., Kreikemeyer, B., Labrenz, M., Harrison, J.P., 2018. Environmental Factors Support the Formation of Specific Bacterial Assemblages on Microplastics. *Frontiers in Microbiology*. 8: 1–12.

Ojha, N., Pradhan, N., Singh, S., Barla, A., Shrivastava, A., Khatua, P., Rai, V., Bose, S., 2017. Evaluation of HDPE and LDPE degradation by fungus, implemented by statistical optimization. *Sci. Rep*. 7: 1–13.

Osman, A.I., Farrell, C., Al-Muhtaseb, A.H., Al-Fatesh, A.S., Harrison, J., Rooney, D.W., 2020. Pyrolysis kinetic modelling of abundant plastic waste (PET) and in-situ

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

emission monitoring. *Environ. Sci. Eur.* 32.

Palm, G.J.; Reisky, L.; Böttcher, D.; Müller, H.; Michels, E.A.; Walczak, M.C.; Berndt, L.; Weiss, M.S.; Bornscheuer, U.T.; Weber, G. 2019. Structure of the plastic-degrading *Ideonella sakaiensis* MHETase bound to a substrate. *Nat. Commun*. *10*, 1717

Pan, G., Hanaoka, T., Yoshimura, M., Zhang, S., Wang, P., Tsukino, H., Inoue, K., Nakazawa, H., Tsugane, S., & Takahashi, K. 2006. Decreased serum free testosterone in workers exposed to high levels of di-nbutyl phthalate (DBP) and di-2-ethylhexyl phthalate (DEHP): A cross-sectional study in China. *Environmental Health Perspectives*. 114(11): 1643–1648.

Pantelic, B., Araujo, J.A., Jeremic, S., Azeem, M., Attallah, O.A., Siaperas, R., Mojicevic, M., Chen, Y., Fournet, M.B., Topakas, E., Nikodinovic-Runic, J., 2023. A novel *Bacillus subtilis* BPM12 with high bis(2 hydroxyethyl)terephthalate hydrolytic activity efficiently interacts with virgin and mechanically recycled polyethylene terephthalate. *Environ. Technol. Innov.* 32.

Park, S.Y. & Kim, C.G. 2019. Biodegradation of micro-polyethylene particles by bacterial colonization of a mixed microbial consortium isolated from a landfill site. *Chemosphere.* 222(527e533).

Pramila R., Ramesh, K.V., 2011. Biodegradation of low density polyethylene (LDPE) by fungi isolated from marine water– a SEM analysis. *African J. Microbiol. Res.* 5: 1–6.

Puglisi, E., Romaniello, F., Galletti, S., Boccaleri, E., Frache, A., Cocconcelli, P.S. 2019. Selective bacterial colonization processes on polyethylene waste samples in an abandoned landfill site. *Sci. Rep.* 9: 1–13

Qiu, L., Li, C., Fu, Y., Wang, Y., Zhang, Z., Zuo, Z., Chen, R., Yin, X., Li, T., Wu, S., 2023. Biodegradation of phthalate isomers by newly isolated *Klebsiella variico* SY1 and its functional genomic analysis. *International Biodeterioration & Biodegradation*. 178, 105557

Ribitsch, D.; Heumann, S.; Trotscha, E.; Herrero Acero, E.; Greimel, K.; Leber, R.; Birner-Gruenberger, R.; Deller, S.; Eiteljoerg, I.; Remler, P. 2011. Hydrolysis of

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

polyethyleneterephthalate by p-nitrobenzylesterase from *Bacillus subtilis*. *Biotechnol. Prog*. 27: 951–960.

Ribitsch, D.; Herrero Acero, E.; Greimel, K.; Dellacher, A.; Zitzenbacher, S.; Marold, A.; Rodriguez, R.D.; Steinkellner, G.; Gruber, K.; Schwab, H. 2012. A new esterase from *Thermobifida halotolerans* hydrolyses polyethylene terephthalate (PET) and polylactic acid (PLA). *Polymers*. 4: 617–629.

Rosenberg, M., 1984. Bacterial adherence to hydrocarbons: a useful technique for studying cell surface hydrophobicity. *FEMS Microbiol. Lett.* 22: 289–295.

Sales, J.C.S., de Castro, A.M., Ribeiro, B.D., Coelho, M.A.Z., 2022. Post-Consumer Poly(ethylene terephthalate) (PET) Depolymerization by *Yarrowia lipolytica*: A Comparison between Hydrolysis Using Cell-Free Enzymatic Extracts and Microbial Submerged Cultivation. *Molecules* 27.

Santore, M.M., 2022. Interplay of physico-chemical and mechanical bacteria-surface interactions with transport processes controls early biofilm growth: A review. *Adv. Colloid Interface Sci*. 304, 102665.

Sax, L. 2010. Polyethylene terephthalate may yield endocrine disruptors. *Environmental Health Perspectives*. 118(4): 445–448

Schaerer, L.G., Aloba, S., Wood, E., Olson, A.M., Valencia, I.B., Ong, R.G., Techtmann, S.M., 2024. Enriched microbial consortia from natural environments reveal core groups of microbial taxa able to degrade terephthalate and terphthalamide. *PLoS One*. 19: 1–18.

Schirinzi, G.F., Pérez-Pomeda, I., Sanchís, J., Rossini, C., Farré, M., Barceló, D., 2017. Cytotoxic effects of commonly used nanomaterials and microplastics on cerebral and epithelial human cells. *Environ. Res.* 159: 579–587.

Setiawan, A.F., Muhammad, F., Taqwa, L., 2022. SWOT Analysis of Galuga Final Disposal Site. *Journal of Applied Geospatial Information*. 6, 705–710.

Sevilla, M.E., Garcia, M.D., Perez-Castillo, Y., Armijos-Jaramillo, V., Casado, S., Vizuete, K., Debut, A., Cerda-Mejía, L., 2023. Degradation of PET Bottles by an Engineered Ideonella sakaiensis PETase. *Polymers (Basel)*. 15: 1–15.

Shuya Chang, Ming-Fa Sheu, and S.-M.C., 1983. Solid-state Polymerization of

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Poly(ethy1ene Terephthalate). *Journal of Applied Polymer Science*. 28: 3289–3300.

Singh, S., Anil, A.G., Kumar, V., Kapoor, D., Subramanian, S., Singh, J., Ramamurthy, P.C., 2022. Nitrates in the environment: A critical review of their distribution, sensing techniques, ecological effects and remediation. *Chemosphere* 287, 131996.

Sudhakar, M., Doble, M., Murthy, P.S., Venkatesan, R., 2008. Marine microbe-mediated biodegradation of low- and high-density polyethylenes. *Int. Biodeterior. Biodegrad.* 61: 203–213.

Swan, S. H., Main, K. M., Liu, F., Stewart, S. L., Kruse, R. L., Calafat, A. M. Study for Future Families Research Team. 2005. Decrease in anogenital distance among male infants with prenatal phthalate exposure. *Environmental Health Perspectives*. 113(8): 1056–1061

Tetu, S.G., Sarker, I., Schrameyer, V., Pickford, R., Elbourne, L.D.H., Moore, L.R., Paulsen, I.T., 2019. Plastic leachates impair growth and oxygen production in Prochlorococcus, the ocean's most abundant photosynthetic bacteria. *Commun. Biol.* 2: 1–9.

Thomsen, T.B., Hunt, C.J., Meyer, A.S., 2022. Influence of substrate crystallinity and glass transition temperature on enzymatic degradation of polyethylene terephthalate (PET). *N. Biotechnol.* 69: 28–35.

Torres-Huerta, A.M., Del Angel-López, D., Domínguez-Crespo, M.A., Palma-Ramírez, D., Perales-Castro, M.E., Flores-Vela, A., 2016. Morphological and mechanical properties dependence of PLA amount in PET matrix processed by single-screw extrusion. Polym. - Plast. *Technol. Eng*. 55: 672–683.

Tripathy, B., Sahoo, P.P., Sundaray, H., Das, A.P., 2024. In-vitro biodegradation of discarded marine microplastics across the eastern coast of the Bay of Bengal, India using *Exiguobacterium* sp. *Environ. Chem. Ecotoxicol*. 6: 236–247.

Venkatesan, R., Rajeswari, N., 2018. Poly(butylene adipate-co-terephthalate) bionanocomposites: effect of SnO2 NPs on mechanical, thermal, morphological, and antimicrobial activity. *Adv. Compos. Hybrid Mater*. 1: 731–740.

Wagner, M., & Oehlmann, J. 2009. Endocrine disruptors in bottled mineral water:Total estrogenic burden and migration from plastic bottles. *Environmental Science and*

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pollution Research International, 16(3): 278–286.

Wang, P., Liu, J., Han, S., Wang, Y., Duan, Y., Liu, T., Hou, L., Zhang, Z., Li, L., Lin, Y., 2023. Polyethylene mulching film degrading bacteria within the plastisphere: Co-culture of plastic degrading strains screened by bacterial community succession. *J. Hazard. Mater.* 442.

Welzel, K.; Müller, R.J.; Deckwer, W.D. 2002. Enzymatischer Abbau von Polyester-Nanopartikeln. *Chem. Ing. Tech*. 74: 1496–1500

Wen, Z.D., Gao, D.W., Wu, W.M., 2014. Biodegradation and kinetic analysis of phthalates by an Arthrobacter strain isolated from constructed wetland soil. *Appl. Microbiol. Biotechnol*. 98: 4683–4690.

White, T.J. 1990. Amplification and Direct Sequencing of Fungal Ribosomal RNA Genes for Phylogenetics. In: PCR Protocols, a Guide to Methods and Applications. 315-322.

Wierckx N, Prieto MA, Pomposiello P. 2015. Plastic waste as a novel substrate for industrial biotechnology. *Microb Biotechnol*. 8: 900–903.

Wu, H., Li, H., Li, Z., Liu, X., Li, Q., Cheng, M., Gong, J., 2025. Interfacial engineering-based colonization of biofilms on polyethylene terephthalate (PET) surfaces: Implications for whole-cell biodegradation of microplastics. *Sci. Total Environ*. 958.

Yaka, M., Ehirchiou, A., Alkandry, T.T.S., Sair, K., 2015. Huge plastic bezoar: A rare cause of gastrointestinal obstruction. *Pan Afr. Med. J*. 21: 1–5.

Yoshida, S., Hiraga, K., Takehana, T., Taniguchi, I., Yamaji, H., Maeda, Y., Toyohara, K., Miyamoto, K., Kimura, Y., Oda, K., 2016. A bacterium that degrades and assimilates poly(ethylene terephthalate). 351, 1–5.

Yoshida, S., Hiraga, K., Taniguchi, I., Oda, K., 2021. *Ideonella sakaiensis*, PETase, and MHETase: From identification of microbial PET degradation to enzyme characterization, 1st ed, Methods in Enzymology. Elsevier Inc.

Zhang W, Ma X, Zhang Z. 2015. Persistent organic pollutants carried on plastic resin pellets from two beaches in China. *Mar Pollut Bull*. 99: 28–34.

Zhang, K., Liu, Y., Chen, Q., Luo, H., Zhu, Z., Chen, W., Chen, J., Mo, Y., 2018. Biochemical pathways and enhanced degradation of di- n - octyl phthalate (DOP)

UNIVERSITAS
GADJAH MADA
BIODEGRADASI PARTIKEL LIMBAH MICRO-POLYETHYLENE TEREPHTHALATE (PET) OLEH BAKTERI YANG DIISOLASI DARI DAERAH TERKONTAMINASI PLASTIK DI INDONESIA
Sunu Pertiwi, Prof. Dr. Endah Retnaningrum, S.Si., M.Eng.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

in sequencing batch reactor (SBR) by *Arthrobacter* sp . SLG-4 and *Rhodococcus* sp . SLG-6 isolated from activated sludge. *Biodegradation*. 29: 171–185.

Zhang, X., Li, Y., Ouyang, D., Lei, J., Tan, Q., Xie, L., 2021. Systematical review of interactions between microplastics and microorganisms in the soil environment. *J. Hazard. Mater*. 418, 126288.