

## DAFTAR PUSTAKA

- Abdel-Malek, Z.A., Knittel, J., Kadekaro, A.L., Swope, V.B., Starner, R., 2008. The melanocortin 1 receptor and the UV response of human melanocytes—a shift in paradigm. *Photochem. Photobiol.* 84, 501–508.
- Achar, A., Rathi, S.K., 2011. Melasma: A clinico-epidemiological study of 312 cases. *Indian J. Dermatol.* 56, 380-382.
- Alaluf, S., Atkins, D., Barrett, K., Blount, M., Carter, N., Heath, A., 2002. The impact of epidermal melanin on objective measurements of human skin colour. *Pigment Cell Res.* 15, 119–126.
- Alaluf, S., Barrett, K., Blount, M., Carter, N., 2003. Ethnic variation in tyrosinase and TYRP1 expression in photoexposed and photoprotected human skin. *Pigment Cell Res.* 16, 35–42.
- Ali, R., Aman, S., Nadeem, M., Kazmi, A.H., 2016. Quality of life in patients of melasma. *J. Pak. Assoc. Dermatol.* 23, 143–148.
- Ali, S., Bali, S., R P, S., 2015. Hormonal evaluation in females having melasma. *J. Evol. Med. Dent. Sci.* 4, 13240–13247.
- Ando, H., Niki, Y., Ito, M., Akiyama, K., Matsui, M.S., Yarosh, D.B., Ichihashi, M., 2012. Melanosomes are transferred from melanocytes to keratinocytes through the processes of packaging, release, uptake, and dispersion. *J. Invest. Dermatol.* 132, 1222–1229.
- Arend, W.P., 1991. Interleukin 1 receptor antagonist. A new member of the interleukin 1 family. *J. Clin. Invest.* 88, 1445-1451.
- Arora, P., Garg, V., Sonthalia, S., Gokhale, N., Sarkar, R., 2014. Melasma update. *Indian Dermatol. Online J.* 5, 426-435.
- Asha Kubba, Meenakshi batrani, 2014. *Histopathological Evaluation of Melasma and Other Facial Hyperchromias*, 1st ed. New Dehli. London. Philadelphia. Panama 367-375.
- Bak, H., Lee, H.J., Chang, S.-E., Choi, J.-H., Kim, M.N., Kim, B.J., 2009. Increased expression of nerve growth factor receptor and neural endopeptidase in the lesional skin of melasma. *Dermatol. Surg. Off. Publ. Am. Soc. Dermatol. Surg.* 35, 1244–1250.
- Bastiaens, M., ter Huurne, J., Gruis, N., Bergman, W., Westendorp, R., Vermeer, B.J., Bouwes Bavinck, J.N., 2001. The melanocortin-1-receptor gene is the major freckle gene. *Hum. Mol. Genet.* 10, 1701–1708.
- Baxter, L.L., Pavan, W.J., 2013. The etiology and molecular genetics of human pigmentation disorders. *Wiley Interdiscip. Rev. Dev. Biol.* 2, 379–392.
- Beaumont, K.A., Shekar, S.L., Newton, R.A., James, M.R., Stow, J.L., Duffy, D.L., Sturm, R.A., 2007. Receptor function, dominant negative activity and phenotype correlations for MC1R variant alleles. *Hum. Mol. Genet.* 16, 2249–2260.
- Belwood P, 2000. *Pra Sejarah Kepulauan Indo-Malysia*. PT Gramedia Pustaka Utama Jakarta.

- Bid, H.K., Kumar, A., Mishra, P.K., Mittal, R.D., 2004. Study of interleukin-1 receptor antagonist (*IL-1RA*) gene polymorphism in healthy individuals from Northern India. *Indian J. Clin. Biochem.* 19, 119–123.
- Bolognia, J.L., Schaffer, J.V., Jorizzo, J.L., 2012. The biology of melanocyte. *Cancer of the skin*, 2<sup>nd</sup> edition. Saunders, New York. P 23-39.
- Bolognia LJ, Orlow JS, 2012. chapter 65 Biology Melanocyte, in: *Dermatology by Bolognia JL, Jorizzo LJ, Schaffer VJ, Dermatology*. Saunders; 3<sup>rd</sup> edition. Philadelphia. P:1011-1022.
- Breathnach, A.S., Wyllie, L.M., 1964. Electron Microscopy of Melanocytes and Melanosomes in Freckled Human Epidermis I. *J. Invest. Dermatol.* 42, 389–394.
- Brianezi, G., Handel, A.C., Schmitt, J.V., Miot, L.D.B., Miot, H.A., 2015. Changes in nuclear morphology and chromatin texture of basal keratinocytes in melasma. *J. Eur. Acad. Dermatol. Venereol. JEADV* 29, 809–812.
- Carroll, L., Voisey, J., van Daal, A., 2005. Gene polymorphisms and their effects in the melanocortin system. *Peptides* 26, 1871–1885.
- Chatterjee, M., Vasudevan, B., 2014. Recent advances in melasma. *Pigment Int.* 1, 70-80
- Cichorek, M., Wachulska, M., Stasiewicz, A., Tymiąska, A., 2013. Skin melanocytes: biology and development. *Adv. Dermatol. Allergol. Dermatol. Alergol.* 30, 30–41.
- Damevska, K., 2014. New Aspects of Melasma/Novi aspekti melazme. *Serbian J. Dermatol. Venereol.* 6 (1) 1-15
- Dessinioti, C., Antoniou, C., Katsambas, A., J Stratigos, A., 2011. Melanocortin 1 Receptor Variants: Functional Role and Pigmentary Associations. 87,978-987.
- Dinarello, C.A., Thompson, R.C., 1991. Blocking IL-1: interleukin 1 receptor antagonist in vivo and in vitro. *Immunol. Today* 12, 404–410.
- D' Ischia, M., Wakamatsu, K., Napolitano, A., Briganti, S., Garcia-Borron, J.-C., Kovacs, D., Meredith, P., Pezzella, A., Picardo, M., Sarna, T., Simon, J.D., Ito, S., 2013. Melanins and melanogenesis: methods, standards, protocols. *Pigment Cell Melanoma Res.* 26, 616–633.
- Dupont, W.D., Plummer, W.D., 1990. Power and sample size calculations. A review and computer program. *Control. Clin. Trials* 11, 116–128.
- Elfakir, A., Ezzedine, K., Latreille, J., Ambroisine, L., Jdid, R., Galan, P., Hercberg, S., Gruber, F., Malvy, D., Tschachler, E., 2010. Functional MC1R-gene variants are associated with increased risk for severe photoaging of facial skin. *J. Invest. Dermatol.* 130, 1107–1115.
- Ezzedine, K., Mauger, E., Latreille, J., Jdid, R., Malvy, D., Gruber, F., Galan, P., Hercberg, S., Tschachler, E., Guinot, C., 2013. Freckles and solar lentigines have different risk factors in Caucasian women: Risk factors of freckles and lentigines. *J. Eur. Acad. Dermatol. Venereol.* 27, 345–356
- Funasaka, Y., Chakraborty, A.K., Hayashi, Y., Komoto, M., Ohashi, A., Nagahama, M., Inoue, Y., Pawelek, J., Ichihashi, M., 1998. Modulation of melanocyte-stimulating hormone receptor expression on normal human melanocytes: evidence for a regulatory role of ultraviolet B, interleukin-1alpha,

- interleukin-1beta, endothelin-1 and tumour necrosis factor-alpha. *Br. J. Dermatol.* 139, 216–224.
- García-Borrón, J.C., Sánchez-Laorden, B.L., Jiménez-Cervantes, C., 2005. Melanocortin-1 receptor structure and functional regulation. *Pigment Cell Res.* 18, 393–410.
- Gáspár, E., Nguyen-Thi, K.T., Hardenbicker, C., Tiede, S., Plate, C., Bodó, E., Knuever, J., Funk, W., Bíró, T., Paus, R., 2011. Thyrotropin-releasing hormone selectively stimulates human hair follicle pigmentation. *J. Invest. Dermatol.* 131, 2368–2377.
- Gilchrest, B.A., Park, H.Y., Eller, M.S., Yaar, M., 1996. Mechanisms of ultraviolet light-induced pigmentation. *Photochem. Photobiol.* 63, 1–10.
- Goding, C.R., 2007. Melanocytes: The new Black. *Int. J. Biochem. Cell Biol.* 39, 275–279.
- Goh, C.L., Dlova, C.N., 1999. A retrospective study on the clinical presentation and treatment outcome of melasma in a tertiary dermatological referral centre in Singapore. *Singapore Med. J.* 40, 455–458.
- Granowitz, E.V., Poutsika, D.D., Cannon, J.G., Wolff, S.M., Dinarello, C.A., Santos, A.A., Wilmore, D.W., 1991. Production of interleukin-1-receptor antagonist during experimental endotoxaemia. *The Lancet*, Originally published as Volume 2, Issue 8780 338, 1423–1424.
- Guarneri, F., 2014. Etiopathogenesis of Melasma. *Pigment. Disord. S* 1, 1-5
- Guinot, C., Cheffai, S., Latreille, J., Dhaoui, M., Youssef, S., Jaber, K., Nageotte, O., Doss, N., 2010. Aggravating factors for melasma: a prospective study in 197 Tunisian patients. *J. Eur. Acad. Dermatol. Venereol.* 24, 160-169
- Gunathilake, R., Schurer, N.Y., Shoo, B.A., Celli, A., Hachem, J.-P., Crumrine, D., Sirimanna, G., Feingold, K.R., Mauro, T.M., Elias, P.M., 2009. pH-Regulated Mechanisms Account for Pigment-Type Differences in Epidermal Barrier Function. *J. Invest. Dermatol.* 129, 1719–1729.
- Hajizadeh, Y.S., Emami, E., Nottagh, M., Amini, Z., Maroufi, N.F., Azimian, S.H., Isazadeh, A., 2017. Effects of interleukin-1 receptor antagonist (IL-1Ra) gene 86 bp VNTR polymorphism on recurrent pregnancy loss: a case-control study. *Horm. Mol. Biol. Clin. Investig.* 30,1-7
- Halder, S., Halder, A., Nag, S.C., Rajesh, D., Sarkar, P., 2016. Melasma in the people of Sub-Himalayan region of Eastern India. *J. Pak. Assoc. Dermatol.* 23, 139–142.
- Handel, A.C., Lima, P.B., Tonolli, V.M., Miot, L.D.B., Miot, H.A., 2014a. Risk factors for facial melasma in women: a case-control study. *Br. J. Dermatol.* 171, 588–594.
- Handel, A.C., Miot, L.D.B., Miot, H.A., Handel, A.C., Miot, L.D.B., Miot, H.A., 2014b. Melasma: a clinical and epidemiological review. *An. Bras. Dermatol.* 89, 771–782.
- Harumi, O., Goh, C.L., 2016. The Effect of Melasma on the Quality of Life in a Sample of Women Living in Singapore. *J. Clin. Aesthetic Dermatol.* 9, 21–24.

- Hernández-Barrera, R., Torres-Alvarez, B., Castanedo-Cazares, J.P., Oros-Ovalle, C., Moncada, B., 2008. Solar elastosis and presence of mast cells as key features in the pathogenesis of melasma. *Clin. Exp. Dermatol.* 33, 305–308.
- Hidayah, Z., 2015. *Ensiklopedi Suku Bangsa di Indonesia*. Yayasan Pustaka Obor Indonesia.
- Hirobe, T., 1995. Structure and function of melanocytes, *Microscopic*.10,223-237
- I Khalil, Hamdi Al, J Hassan, Jareh LH, 2008. Melasma in Basrah : A Clinical and Epidemiological study. *Med. J. Basrah Univ.* 26 ;1, 1–5.
- Im, S., Kim, J., On, W.Y., Kang, W.H., 2002. Increased expression of alpha-melanocyte-stimulating hormone in the lesional skin of melasma. *Br. J. Dermatol.* 146, 165–167.
- Irikura, V.M., Lagraoui, M., Hirsh, D., 2002. The epistatic interrelationships of IL-1, IL-1 receptor antagonist, and the type I IL-1 receptor. *J. Immunol.* 169, 393–398.
- Jacob, 2000. *Antropologi Biologis*. Direktorat Jenderal Pendidikan Tinggi Departemen Pendidikan Nasional.
- Jang, Y.H., Sim, J.H., Kang, H.Y., Kim, Y.C., Lee, E.-S., 2012. The histopathological characteristics of male melasma: Comparison with female melasma and lentigo. *J. Am. Acad. Dermatol.* 66, 642–649.
- Jiang, J., Zhang, X., Sun, D., Jin, Y., Bai, J., Chen, F., Fu, S., 2010. Study on VNTR polymorphism of gene IL-1RA in 19 Chinese populations. *Int. J. Immunogenet.* 37, 73–77.
- Jo, H.-Y., Kim, C.-K., Suh, I.-B., Ryu, S.-W., Ha, K.-S., Kwon, Y.-G., Kim, Y.-M., 2009. Co-localization of inducible nitric oxide synthase and phosphorylated Akt in the lesional skins of patients with melasma. *J. Dermatol.* 36, 10–16.
- Kang, H.Y., Suzuki, I., Lee, D.J., Ha, J., Reiniche, P., Aubert, J., Deret, S., Zugaj, D., Voegel, J.J., Ortonne, J.-P., 2011. Transcriptional Profiling Shows Altered Expression of Wnt Pathway–and Lipid Metabolism–Related Genes as Well as Melanogenesis-Related Genes in Melasma. *J. Invest. Dermatol.* 131, 1692–1700.
- Kang, W.H., Yoon, K.H., Lee, E.-S., Kim, J., Lee, K.B., Yim, H., Sohn, S., Im, S., 2002. Melasma: histopathological characteristics in 56 Korean patients. *Br. J. Dermatol.* 146, 228–237.
- Karki R, Pandya D, Elston RC, Ferlini C. 2015. Defining “mutation” and “polymorphism” in the era of personal genomics. *BMC medical genomics*.8(76):887-893.
- Katsambas, A., Antoniou, C., 1995. Melasma. Classification and treatment. *J. Eur. Acad. Dermatol. Venereol.* 4, 217–223.
- Kavya, M., 2014. Clinico-Epidemiological Study of Facial Hypermelanoses. *Sch. J. Appl. Med. Sci.* (2), 1621–1626.
- Kim, E.H., Kim, Y.C., Lee, E.-S., Kang, H.Y., 2007. The vascular characteristics of melasma. *J. Dermatol. Sci.* 46, 111–116.
- Koentjaraningrat, 1994. *Kebudayaan Jawa*. Balai Pustaka.
- Koppula, S.V., Robbins, L.S., Lu, D., Baack, E., White Jr, C.R., Swanson, N.A., Cone, R.D., 1997. Identification of common polymorphisms in the coding

- sequence of the human MSH receptor (MC1R) with possible biological effects. *Hum. Mutat.* 9, 30-36.
- Kumre, K., Varma, K., Sharma, H., Singh, U., 2016. Study of hormonal profile in female melasma patients in a tertiary care hospital. *J. Evol. Med. Dent. Sci.-JEMDS* 5, 1663–1666.
- Kwon, S.-H., Hwang, Y.-J., Lee, S.-K., Park, K.-C., 2016. Heterogeneous Pathology of Melasma and Its Clinical Implications. *Int. J. Mol. Sci.* 17, 823-830
- Latreille, J., Ezzedine, K., Elfakir, A., Ambrosine, L., Gardinier, S., Galan, P., Hercberg, S., Gruber, F., Rees, J., Tschachler, E., Guinot, C., 2009. MC1R gene polymorphism affects skin color and phenotypic features related to sun sensitivity in a population of French adult women. *Photochem. Photobiol.* 85, 1451–1458.
- Lee, A.-Y., 2015. Recent progress in melasma pathogenesis. *Pigment Cell Melanoma Res.* 28, 648–660.
- Lee, A.-Y., 2014. An updated review of melasma pathogenesis. *Dermatol. Sin.* 32, 233–239.
- Lee, D.J., Lee, J., Ha, J., Park, K.-C., Ortonne, J.-P., Kang, H.Y., 2011. Defective barrier function in melasma skin: Defective barrier function in melasma skin. *J. Eur. Acad. Dermatol. Venereol* 26: 1533-37
- Levy, C., Fisher, D.E., 2011. Dual roles of lineage restricted transcription factors: The case of MITF in melanocytes. *Transcription* 2, 19–22.
- Li, A., 2014. The biology of melanocyte and melanocyte stem cell. *Acta Biochim. Biophys. Sin.* 46, 255–260.
- Lima, P.B., Tonolli, V.M., Miot, L.D.B., Miot, H.A. with Handel AC a, 2014. Risk factors for facial melasma in women: a case–control study. *Br. J. Dermatol.* 171, 588–594.
- Lin, J.Y., Fisher, D.E., 2007. Melanocyte biology and skin pigmentation. *Nat.* Vol 44522 Febr. 2007 445, 843–850.
- Majid, I., Haq, I., Imran, S., Keen, A., Aziz, K., Arif, T., 2016. Proposing Melasma Severity Index: A New, More Practical, Office-based Scoring System for Assessing the Severity of Melasma. *Indian J. Dermatol.* 61, 39–44.
- Makova, K., Norton, H., 2005. Worldwide polymorphism at the MC1R locus and normal pigmentation variation in humans. *Peptides* 26, 1901–1908.
- Miot, H.A., Miot, L.D.B. with Handel AC b, 2014. Melasma: a clinical and epidemiological review. *An. Bras. Dermatol.* 89, 771–782.
- Moin, A., Jabery, Z., Fallah, N., 2006. Prevalence and awareness of melasma during pregnancy. *Int. J. Dermatol.* 45, 285–288.
- Motokawa, T., Kato, T., Hashimoto, Y., Katagiri, T., 2007. Effect of Val92Met and Arg163Gln variants of the MC1R gene on freckles and solar lentigines in Japanese. *Pigment Cell Res.* 20, 140–143.
- Motokawa, T., Kato, T., Hashimoto, Y., Takimoto, H., Yamamoto, H., Katagiri, T., 2008. Polymorphism patterns in the promoter region of the MC1R gene are associated with development of freckles and solar lentigines. *J. Invest. Dermatol.* 128, 1588–1591.

- Nakayama, K., Soemantri, A., Jin, F., Dashnyam, B., Ohtsuka, R., Duanchang, P., Isa, M.N., Settheetham-Ishida, W., Harihara, S., Ishida, T., 2006. Identification of novel functional variants of the melanocortin 1 receptor gene originated from Asians. *Hum. Genet.* 119, 322-330.
- Ortonne, J., Arellano, I., Berneburg, M., Cestari, T., Chan, H., Grimes, P., Hexsel, D., Im, S., Lim, J., Lui, H., Pandya, A., Picardo, M., Rendon, M., Taylor, S., Van Der Veen, J., Westerhof, W., 2009. A global survey of the role of ultraviolet radiation and hormonal influences in the development of melasma. *J. Eur. Acad. Dermatol. Venereol.* 23, 1254-1262
- Palmer, G., Talabot-Ayer, D., Kaya, G., Gabay, C., 2007. Type I IL-1 Receptor Mediates IL-1 and Intracellular IL-1 Receptor Antagonist Effects in Skin Inflammation. *J. Invest. Dermatol.* 127, 1938-1946.
- Pandya, A.G., Hynan, L.S., Bhore, R., Riley, F.C., Guevara, I.L., Grimes, P., Nordlund, J.J., Rendon, M., Taylor, S., Gottschalk, R.W., Agim, N.G., Ortonne, J.-P., 2011. Reliability assessment and validation of the Melasma Area and Severity Index (MASI) and a new modified MASI scoring method. *J. Am. Acad. Dermatol.* 64, 78-83.
- Park, H.Y., Kosmadaki, M., Yaar, M., Gilchrest, B.A., 2009. Cellular mechanisms regulating human melanogenesis. *Cell. Mol. Life Sci.* 66, 1493-1506.
- Park, H.-Y., Russakovsky, V., Ao, Y., Fernandez, E., Gilchrest, B.A., 1996.  $\alpha$ -melanocyte stimulating hormone-induced pigmentation is blocked by depletion of protein kinase C. *Exp. Cell Res.* 227, 70-79.
- Park, T.J., Kim, M., Kim, H., Park, S.Y., Park, K.-C., Ortonne, J.-P., Kang, H.Y., 2014. Wnt inhibitory factor (WIF)-1 promotes melanogenesis in normal human melanocytes. *Pigment Cell Melanoma Res.* 27, 72-81.
- Park Young, Pongpudpunth M, Lee Jin, 2003. chapter 70. Disorder of Melanocyte. Fitzpatrick's Dermatology in general Medicine. Editor Wolff K, Goldsmith L, Katz S, Gilcherest B, Paller A, Leffel D, 7<sup>th</sup> P: 591-608.
- Passeron, T., 2013. Melasma pathogenesis and influencing factors - an overview of the latest research: Melasma pathogenesis and influencing factors. *J. Eur. Acad. Dermatol. Venereol.* 27, 5-6.
- Patel, A.B., Kubba, R., Kubba, A., 2013. Clinicopathological correlation of acquired hyperpigmentary disorders. *Indian J. Dermatol. Venereol. Leprol.* 79, 367.
- Pawar, S., Khatu, S., Gokhale, N., 2015. A Clinico-Epidemiological Study of Melasma in Pune Patients. *Journal of Pigmentary Dis* 2: 1-3.
- Phillips, W.G., Feldmann, M., Breathnach, S.M., Brennan, F.M., 1995. Modulation of the IL-1 cytokine network in keratinocytes by intracellular IL-1 alpha and IL-1 receptor antagonist. *Clin. Exp. Immunol.* 101, 177-182.
- Rathi, S., Achar, A., 2011. Melasma: A clinico-epidemiological study of 312 cases. *Indian J. Dermatol.* 56, 380-382
- Rees, J.L., 2004. The genetics of sun sensitivity in humans. *Am. J. Hum. Genet.* 75, 739-751.
- Ritter, C.G., Fiss, D.V.C., Borges da Costa, J.A.T., de Carvalho, R.R., Bauermann, G., Cestari, T.F., 2013. Extra-facial melasma: clinical, histopathological,

- and immunohistochemical case-control study: Extra-facial melasma: clinic and histopathology. *J. Eur. Acad. Dermatol. Venereol.* 27, 1088–1094.
- Rouzaud, F., Kadekaro, A.L., Abdel-Malek, Z.A., Hearing, V.J., 2005. MC1R and the response of melanocytes to ultraviolet radiation. *Mutat. Res. Mol. Mech. Mutagen.* 571, 133–152.
- Sanchez, N.P., Pathak, M.A., Sato, S., Fitzpatrick, T.B., Sanchez, J.L., Mihm, M.C., 1981. Melasma: a clinical, light microscopic, ultrastructural, and immunofluorescence study. *J. Am. Acad. Dermatol.* 4, 698–710.
- Sarkar, R., Arora, P., Garg, V.K., Sonthalia, S., Gokhale, N., 2014. Melasma update. *Indian Dermatol. Online J.* 5, 426–435.
- Schallreuter, K.U., 2007. Advances in Melanocyte Basic Science Research. *Dermatol. Clin.* 25, 283–291.
- Schauer, E., Trautinger, F., Köck, A., Schwarz, A., Bhardwaj, R., Simon, M., Ansel, J.C., Schwarz, T., Luger, T.A., 1994. Proopiomelanocortin-derived peptides are synthesized and released by human keratinocytes. *J. Clin. Invest.* 93, 2258.
- Schlesselman, J.J., 1982. Case Control Studies: Design, Conduct, Analysis, Monographs in Epidemiology and Biostatistics. Oxford University Press, Oxford, New York.
- Sejal K Shah, Andrew F Alexis, 2009. Chapter 1. Defining Skin of colour. cosmetic dermatology for Skin of Color. Editor: A Murad , B Ashish, K Roopal, Yoo Simon dan C Henry Hin Lee. McGraw-Hill.p:1-11.
- Soebachman, A., 2015. Hikayat Bumi Jawa. Syura Media Utama.
- Sonthalia, S., Sarkar, R., 2015. Etiopathogenesis of melasma. *Pigment Int.* 2: 21-7.
- Switonski, M., Mankowska, M., Salamon, S., 2013. Family of melanocortin receptor (MCR) genes in mammals-mutations, polymorphisms and phenotypic effects. *J. Appl. Genet.* 54, 461–472.
- Tamega, A. de A., Miot, L.D.B., Bonfietti, C., Gige, T.C., Marques, M.E.A., Miot, H.A., 2013. Clinical patterns and epidemiological characteristics of facial melasma in Brazilian women: Clinical patterns and epidemiology of melasma. *J. Eur. Acad. Dermatol. Venereol.* 27, 151–156.
- Tsatmali, M., Ancans, J., Thody, A.J., 2002 Melanocyte function and its control by melanocortin peptides. *J. Histochem. Cytochem. Off. J. Histochem. Soc.* 50, 125–133.
- Tzouveka, E., 2014. Epidemiology and risk factors of melasma. *Pigment. Disord. S 1*, 2376–0427.
- Videira, I.F. dos S., Moura, D.F.L., Magina, S., 2013. Mechanisms regulating melanogenesis\*. *An. Bras. Dermatol.* 88, 76–83.
- Wigginton, J.E., Cutler, D.J., Abecasis, G.R., 2005. A Note on Exact Tests of Hardy-Weinberg Equilibrium. *Am. J. Hum. Genet.* 76, 887–893
- Yaar, M., 2013. Cutaneous Pigmentation in Health and Disease: Novel and Well-Established Players. *J. Invest. Dermatol.* 133, 11–13.
- Yamaguchi, K., Watanabe, C., Kawaguchi, A., Sato, T., Naka, I., Shindo, M., Moromizato, K., Aoki, K., Ishida, H., Kimura, R., 2012. Association of melanocortin 1 receptor gene (MC1R) polymorphisms with skin reflectance and freckles in Japanese. *J. Hum. Genet.* 57, 700–708.

- Yang, Y., 2011. Structure, function and regulation of the melanocortin receptors. *Eur. J. Pharmacol.* 660, 125–130.
- Yoshida, M., Hirotsu, S., Nakahara, M., Uchiwa, H., Tomita, Y., 2002. Histamine is Involved in Ultraviolet B-Induced Pigmentation of Guinea Pig Skin | The authors declared not to have a conflict of interest. *J. Invest. Dermatol.* 118, 255–260.