UNIVERSITAS
GADJAH MADA
Penentuan Periode Kritis Gulma pada Budidaya Padi dalam Sistem Agroforestri Kayu Putih Menggunakan Model Non-Linear
Medhar Aji Asta Brata, Taufan Alam, S.P., M.Sc. , Dody Kastono, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Absy, R., and I. H. Yacoub. 2020. Prediction of critical periods for weed interference in soybean. Journal of Plant Production, 11(1), 25-34.

Agusta, H., E. Santosa, and D. Dulbari. 2022. Continuous heavy rainfall and wind velocity during flowering affect rice production. Journal of Agricultural Science. 44(2): 825 – 831.

Agrios, G. N. 2005. Plant Pathology. Elsevier. 251-262.

Akter, P., and R. Begum. 2024. Effect of *Euphorbia hirta* leaf and root extracts on the early growth of cucurbit crops. Haya Saudi J Life Sci. 9(2), 36-42.

Alam, T., P. Suryanto, N. Susyanto, B. Kurniasih, P. Basunanda, E. T. S. Putra, D. Kastono, D. W. Respatie, M. H. Widyawan, Nurmansyah, and A. Ansari. 2022. Performance of 45 *non-linear* models for determining critical period of weed control and acceptable yield loss in Soybean agroforestry systems. Sustainability. 14(13) :7636.

Alridiwirsah, A., M. Basyuni, K. Tampubolon, and N. E. Mustamu. 2023. The similarity of barnyardgrass weed in lowland rice fields based on seed characteristics. Egyptian Journal of Botany. 63(2): 525-533.

Ampong-Nyarko, K., and S.K. De Datta. 1991. A Handbook for Weed Control in Rice. International Rice Res.

Anderson-Sprecher, R. 1994. Model comparisons and r2. The American Statistican. 48(2): 113-117.

Anjani, W., A. B. Umam., dan A. Anhar. 2022. Keanekaragaman, kemerataan, dan kekayaan vegetasi hutan pada tanam hutan raya lae komblih kecamatan penanggalan, kota subussalam. Junral Ilmiah Mahasiswa Pertanian. 7(2): 770 778.

Anwar, M. P., A. S. Juraimi, B. Samedani, A. Puteh, and A. Man. 2012. Critical period of weed control in aerobic rice. The Scientific World Journal. 2012(1), 603043.

Archontoulis, S. V., dan E. Miguez. 2014. Nonlinear regression models and applications in agricultural research. Agronomy journal. 107(2): 786-798.

Badan Pusat Statiska. 2024. Luas Panen, Produksi, dan Produktivitas Padi Menurut Provinsi, 2024. Diakses pada 24 Oktober 2025. https://www.bps.go.id/id/statistics-table/2/MTQ5OCMy/luas-panen-produksi-dan-produktivitas-padi-menurut-provinsi.html

Balaji, E., R. Raman, R. Krishnamoorthy, and K. Dhanasekaran. 2024. Evaluation of different weed management practices on growth and yield of transplanted rice (*Oryza sativa* L.) in Northeastern Zone of Tamil Nadu. Crop Research (0970-4884), 59.

Chairani, S. 2022. The correlation between rainfall, temperature, relative humidity, and rice field productivity in Aceh Besar. Erth and Environmental Science. 1071 :1 - 12.

Chang, T.T. and E. A. Bardenas. 1965. The Morphology and Varietal Characteristic of the Rice Plant. The International Rice Research Institute, Manila.

Chaudhary, A., B. B. Adhikari, and J. Shrestha. 2019. Effect of weed species on drought tolerant rice genotypes at Sundarbazar, Lamjung, Nepal. Open Agriculture, 4(1).

Chauhan, B. S., D. E. Johnson. 2010. The role of seed ecology in improving weed management strategies in the tropics. Advances in agronomy. 105. 221-262.

UNIVERSITAS
GADJAH MADA
**Penentuan Periode Kritis Gulma pada Budidaya Padi dalam Sistem Agroforestri Kayu Putih Menggunakan
Model Non-Linear**
Medhar Aji Asta Brata, Taufan Alam, S.P., M.Sc. , Dody Kastono, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Chen, Y., and W. Tang, W. 2016. Establishment and application of generalized decline model. Acta Petrolei Sinica. 37(11) : 1410.

Chu, S. A. D., K. A. Cassida, M. P. Singh, and E. E. Burns. 2022. Critical period of weed control in an interseeded system of corn and alfalfa. Weed Science. 70(6): 680-686.

De Datta, S. K. 1981. Principles and Practices of Rice Production. Int. Rice Res. Inst.

Evans, S. P., S. Z. Knezevic, J. L. Lindquist, C. A. Shapiro, and E. E. Blankenship. 2003. Nitrogen application influences the critical period for weed control in corn. Weed Science. 51(3) : 408-417.

Farahat, E. A., H. M. Al-Yasi, H, D. A. Al-Bakre, M. M. El-Midany, L. M. Hassan, and T. M. Galal. 2022. Determination of the critical period of weed control (CPWC) to increase the yield of barley (*Hordeum vulgare* L.) crop in Egypt. Applied Ecology & Environmental Research. 20(5).

Firmansyah, M. A., P. Hartoyo, A. Permatasari, N. Wijayanto, A. Jayanegara, and T. J. Purnama. 2025. The prevalence of Rhizoctonia sp. and its impacts on growth and yields of upland paddy (*Oryza sativa*) planted under sengon (*Paraserianthes falcataria*) agroforestry. Biodiversitas: Journal of Biological Diversity. 26(6).

Gonzalez-Andujar, J. L., M. J. Aguilera, A. S. Davis, and L. Navarrete. 2019. Disentangling weed diversity and weather impacts on long-term crop productivity in a wheat-legume rotation. Field crops research. 232. 24-29.

Gusta, A.R. and M. Same. 2021. Micro climate modifications to increase growth and production of shrubs pepper. Earth and Environmental Science. 1012: 1 – 5.

Hairiah, K, S. R. Utami, D. Suprayogo, Widianto, S. M. Sitompul, Sunaryo, B. Lusiana, R. Mulia, M. Van Noordwijk, dan G. Cadisch. 2000. Agroforestri pada tanah masam: pengelolaan interaksi antara pohon-tanah-tanaman semusim. ISBN. 979-95537-5-X. ICRAF-Bogor.

Hakeem, S. A., A. Matloob, A. H. Ghazy, S. Fiaz, M. Ali, T. U. Haq, T. H. Awan, A. A. Al-Doss,K. A. Attia, N. Hussain, and M. Z. Ul Haq. 2025. Critical period of weed-crop competition in irrigated chickpea as a tool for judicious weed control. Scientific Reports. 15(1): 32116.

Hall, M. R., C. J. Swanton, and G. W. Anderson. 1992. The critical period of weed control in grain corn (*Zea mays*). Weed science. 40(3) : 441-447.

Harsono, A. 2011. Implementasi pengendalian gulma terpadu pada kedeli. Balai Penelitian Tanaman Kacang-kacangan dan Umbi-umbian.

Hidayat, T., dan Nurulludin. 2017. Indeks keanekaragaman hayati sumberdaya ikan demersal di perairan samudra hindia selatan jawa. Jurnal Penelitian Perikanan Indonesia. 23(2): 123-130.

Huffmann, J. E., and M. Mittelbach. 2022. On the distribution of the information density of gaussian random vectors: Explicit formulas and tight approximations. Entropy. 24(7): 924.

Indrawan, R. R., A. Suryanto, dan R. Soelistyono. 2017. Kajian iklim mikro terhadap berbagai sistem tanam dan populasi tanaman jagung manis (*Zea mays* saccharate Sturtr). Jurnal Produksi Tanaman. 5(1): 92-99.

Işık, D., and A. Akça. 2018. Assessment of weed competition critical period in sugar beet. Journal of Agricultural Sciences. 24(1): 82-89.

İslamzade, T., D. Baxishov, A. Guliyev, R. Kızılkaya, R. İslamzade, A. Ay, S. Huseynova, and M. Mammadova. 2024. Soil fertility status, productivity

UNIVERSITAS GADJAH MADA
Penentuan Periode Kritis Gulma pada Budidaya Padi dalam Sistem Agroforestri Kayu Putih Menggunakan Model Non-Linear
Medhar Aji Asta Brata, Taufan Alam, S.P., M.Sc. , Dody Kastono, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

challenges, and solutions in rice farming landscapes of Azerbaijan. Eurasian Journal of Soil Science. 13(1): 70-78.

Izquierdo, J., A. E. Milne, J. Recasens, A. Royo-Esnal, J. Torra, R. Webster, and B. Baraibar. 2020. Spatial and temporal stability of weed patches in cereal fields under direct drilling and harrow tillage. Agronomy. 10(4): 452.

Izquierdo, J., C. Prats, M. Gallart, and D. López. 2022. A new approach for timing post-emergence weed control measures in crops: the use of the differential form of the emergence model. Agronomy. 12(11): 2896.

Jiang, M., M. Shen, X. Shen, and Q. DAI. 2014. Effect of long-term fertilization pattern on weed community diversity in wheat field. Acta Ecologica Sinica, 34(7). 1746-1756.

Jumatang, E. Tambaru, and A. Masniawati. 2020. Identifikasi gulma di lahan tanaman talas jepang *Colocasia esculenta* L. Schott *var. Antiquorum* di Desa Congko Kecamatan Marioriwawo Kabupaten Soppeng. Jurnal Biologi Makasar, 5(1), 69–78.

Kala, C. P. 2024. Agroforestry in a changing climate: challenges, opportunities and solutions. Ecological Frontiers.

Knezevic, S.Z., and A. Datta. 2015. The critical period for weed control: revisiting data analysis. Weed Sci, Special Issue. 188–202.

Knezevic, S.Z., S. P. Evans, E. E. Blankenship, R. C. Van Acker, and J. L. Lindquist. 2002. Critical period of weed control: the concept and data analysis. Weed Sci. 50: 773–786.

Kuri-Morales, A., and F. Rodríguez. 2007. A search space reduction methodology for large databases: a case study. In Industrial Conference on Data Mining (pp. 199-213). Berlin, Heidelberg: Springer Berlin Heidelberg.

Kyaw, E. H., K. Hossen, A. Iwasaki, K. Suenaga, and H. Kato-Noguchi. 2024. Allelopathic potential of *Oldenlandia corymbosa* and identification of its allelopathic substances. Plant Biosystems-An International Journal Dealing with all Aspects of Plant Biology. 158(3), 394-403.

Lillo, E. P., M. L. M. Chavez, A. B. Malaki, S. M. T. Alcazar, R. R. Baoy, M. A. Margate, and M. Abrigana. 2022. Composition and diversity of weedy rice species in lowland irrigated rice field of Argao, Cebu, Philippines. Biodiversitas Journal of Biological Diversity. 23(12).

Lipińska, H., M. Sosnowska, I. Woźniak-Kostecka, A. Kocira, and I. Shuvar. 2022. Allelopathic effects of *Poa Pratensis* cultivars on lawn grasses. Allelopathy Journal. 57(2).

Morales, A. K., and F. R. Erazo. 2009. A search space reduction methodology for data mining in large database. Engineering Applications of Artificial Intelegens. 22: 57-65.

Mulyana, B., R. Rohman, and W. Wardhana. 2018. Luas optimum petak ukur untuk hutan tanaman kayu putih di kesatuan pengelolaan hutan Yogyakarta. Jurnal Penelitian Kehutanan Faloak. 2(1): 29-38.

Pane, H., and S. Y. Jatmiko. 2009. Pengendalian gulma pada tanaman padi. Jurnal Penelitian Pertanian Tanaman Pangan. hlm, 267-293.

Perez, R. P., R. Vezy, R. Bordon, T. Laisné, S. Roques, M. C. Rebolledo, L. Rouan, D. Fabre, O. Giberth, and M. De Raissac. 2024. Combining modeling and experimental approaches for developing rice–oil palm agroforestry systems. Journal of Experimental Botany. 75(13) : 4074-4092.

UNIVERSITAS
GADJAH MADA
**Penentuan Periode Kritis Gulma pada Budidaya Padi dalam Sistem Agroforestri Kayu Putih Menggunakan
Model Non-Linear**
Medhar Aji Asta Brata, Taufan Alam, S.P., M.Sc. , Dody Kastono, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pratiwi, G. R., I. Gunawan, N. Agustiani, S. Margaret, and L. R. Widowati. 2024. Upland rice productivity affected by some ameliorants in two different soil types with Al problem. In AIP Conference Proceedings (Vol. 2957, No. 1, p. 100013). AIP Publishing LLC.

Rachman, E., dan A. Hani. 2017. Potensi keanekaragaman jenis vegetasi untuk pengembangan ekowisata di cagar alam situ panjalu. Jurnal WASIAN. 4(1): 1-10.

Rahayu, H. M., W. A. Putri, A. U. Khasanah, L. Sembiring, and Y. A. Purwestri.. 2021. Indigeneous *streptomyces spp*. isolated from *cyperus rotundus* rhizosphere indicate high mercuric reductase activity as a potetial bioremediation agent. Biodiversitas, 22(3), 1519-1525.

Rasekhi, M., M. Alizadeh, E. Altun, G. G. Hamedani, A. Z. Afify, and M. Ahmad. 2017. The modified exponential distribution with applicattion. Pakistan Journal of Statistics. 33(5).

Ratkowsky, D.A. Handbook of Nonlinear Regression Models; Marcel Dekker: New York, NY, USA, 1990; pp. 123–147.

Ritz, C., F. Baty, J. C. Streibig, and D. Gerhard. 2015. Dose-response analysis using R. PloS one. 10(12).

Santos, R. F., B. M. Nunes, D. Sá, R, L. A. Soares, and K. P. Randau. 2016. Morpho anatomical study of *Ageratum conyzoides*. Revista Brasileira de Farmacognosia, 26(6), 679-687.

Sembodo, D. R. 2010. Gulma dan pengelolaannya. Graha Ilmu. Yogyakarta, 168.

Sirait, M., F. Rahmatia., dan Patulloh. 2018. Komparasi indeks keanekaragaman indeks dominansi fitoplankton di Sungai Ciliwung Jakarta. Jurnal Kelautan. 11(1): 75 79.

Siswanti, D.U., A. Syahidah, dan Sudjino. 2018. Produktivitas tanaman padi (*Oryza sativa* L.) Segreng terhadap aplikasisludge biogas di lahan sawah Desa Wukirsari, Cangkringan, Sleman. Jurnal Ilmiah Biologi. 6(1): 64 – 70.

Sitthinoi, P., S. Lertmongko, W. Chanprasert, and S. Vajrodaya. 2017. Allelopathic effects of jungle rice (*Echinochloa colona* (L.) Link) extract on seed germination and seedling growth of rice. Agriculture and Natural Resources, 51(2), 74-78.

Smith, L. G., S. Westaway, S. Mullender, B. B. Ghaley, Y. Xu, L. M. Lehmann, and J. Smith. 2022. Assessing the multidimensional elements of sustainability in European agroforestry systems. Agricultural Systems, 197, 103357.

Sofiah, S., D. Setiadi., dan D. Widyatmoko. 2013. Pola penyebaran, kelimpahan, dan asosiasi bambu pada komunitas tumbuhan di taman wisata alam gunung baung Jawa Timur. Berita Biologi. 12(2): 239-247.

Su, Y.C. and B.J. Kuo. 2023. Risk assessment of rice damage due to heavy rain in Taiwan. Agriculture. 13(630) : 1 – 19.

Tarigan, P. L., T. Tohari, and P. Suryanto. 2019. Physiological response of upland rice varieties to furrow with organic matter on agroforestry system with kayu putih (*Melaleuca leucadendra* L.). Caraka Tani: Journal of Sustainable Agriculture. 34(2): 223-231.

Vrieze, S. I. 2012. Model selection and psychological theory: a discussion of the differences between the akaike information criterion (AIC) dan the Bayesian information criterion (BIC). Psychol Methods. 17(2): 228-243.

Warraich, A., A. Haider, S. Yaseen, T. Ramzan, and A. Raza. 2026. Structural and functional traits mediating the adaptability of creeping signal grass [*Urochloa reptans* (L.) Stapf] across diverse ecozones.

UNIVERSITAS
GADJAH MADA
**Penentuan Periode Kritis Gulma pada Budidaya Padi dalam Sistem Agroforestri Kayu Putih Menggunakan
Model Non-Linear**
Medhar Aji Asta Brata, Taufan Alam, S.P., M.Sc. , Dody Kastono, S.P., M.P.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Weaver, S. E., M. J. Kropff, and R. M. W. Groeneveld. 1992. Use of ecophysiological models for crop-weed interference: the critical period of weed interference. Weed Science. 40(2), 302-307.

Widiyani, D. P., K. S. Usodri, S. Sari, amd S. Nurmayanti. 2023. Analisis vegetasi gulma pada berbagai tegakan tanaman perkebunan. Jurnal Agrotek Tropika. 11(1): 55-61.

Yawale, M. A., M. A. Hussaini, M. S. Garko, A. Lado, and A. Muhammad. 2019. Predicting critical period of weed control for optimum yield of upland rice (*Oryza sativa* L.) in the Sudan savanna of Nigeria. Journal of Agriculture and Veterinary Science. 12(9): 69-74.

Ye, C., G. Zheng, Y. Tao, Y. Xu, G. Chu, C. Xu, S. Chen, Y. Liu, X. Zhang, and D. Wang. 2024. Effect of soil texture on soil nutrient status and rice nutrient absorption in paddy soils. Agronomy. 14(6), 1339.

Yoshida. 1981. Fundamentals of rice crop science. International Rice Research Institute. Los Banos, Phillipine, 199: 72–95.

Yudhistian, Y., D. Nuraida, S. N. Sari, and F. Sholikah. 2025. The diversity index and importance valueof herbaceous vegetation in the Joko Tarub Forest Tuban. Jurnal Penelitian Pendidikan IPA, 11(4), 936-944

Zhou, B., C. H. Kong, Y. H. Li, P. Wang, and X. H. Xu. 2013. Crabgrass (*Digitaria sanguinalis*) allelochemicals that interfere with crop growth and the soil microbial community. Journal of agricultural and food chemistry, 61(22), 5310-5317.